How I hacked into my neighbour's WiFi and harvested login credentials?





It has been almost a week since I wrote my last article, which gained a lot of attraction.

How I pranked my friend using DNS Spoofing?

Since, then I have been playing around with network sniffing tools and trust me there is a different kind of high you get when you sniff the traffic of networks. The thing is it's not much fun when you are sniffing your own network, you know what's the traffic is going to be and all. The fun begins when you are on someone's else network, that's when the thrill starts. You go through each and every Wireshark packet carefully, hoping to find login credentials or something valuable of sorts. That's when I decided let's hack into the nearby WiFi network and sniff out the packets.

Sponsorship: Use PASS WIFI to hack wireless networks!



PASS WIFI application helps you hack into wireless networks and obtain passwords. It can decode WEP, WPA, WPA2 as well as WPA3 passwords from a computer, tablet or smartphone. It is extremely easy to use, just open up the application scan for available networks & once those networks are hacked their passwords will be displayed to you. Click here to download PASS WIFI: passwordrevelator.net/en/passwifi.php

Let's begin!

So, to begin with the hack first I had to search for different WiFi signals in the nearby area, there were a few of them.



WiFi Networks

Once, I checked for the WiFi networks then I turned on my Kali machine to hack into one of these networks. I opened up my terminal and typed in

wifite


Wifite, is one of the most user friendly tool out there you can use for hacking WiFi (that's just my opinion). The information shown below popped up.





WiFi Networks

Now if you are a hacker, then you already know which network I would have tried to hack in. Yes, "IP on Firewall". I mean if you name your WiFi, Firewall then it is like asking nearby hackers to mess with you, and so I choose it.



WiFite Packet Capture

As soon, as the target was selected "wifite" ran the packet capture for "IP on Firewall", it found the hosts connected to it and sent out de-auth packets for a few moments till the time the device was disconnected. Once the device got disconnected, the device tried to connect back to the WiFi router and during this process "wifite" captured the packet with the password for the WiFi in encrypted form.

Now, that once the capture file was present with me. I ran it against the <u>rockyou.txt</u> wordlist file using aircrack-ng, the command was as follows.

aircrack-ng -w rockyou.txt -b <bssid> <capture file name>

I let it run for a few minutes at max, when I got a hit on the password.



Aircrack-ng Password Crack

Once, I obtained the password, the next thing was to go ahead and sniff-out their traffic and look for interesting things.

Sniffing the packets

I was feeling ecstatic as soon as I figured out the password of IP on Firewall. The reason was, if they had not used such a simple password which was present in the rockyou.txt file, then the whole process would have been bogged down, I guess it was my lucky day.

Once I got into the network then I started ettercap, (one of the best tool out there to sniff packets). I wanted to capture each and every packet on their network, so I opened up terminal and typed in the following command.

ettercap -T -M arp -i eth0 /// -w test.cap

(To refer the ettercap tutorial visit here: Ettercap Packet Sniffing)


As soon as I initiated the ettercap, tons and tons of traffic was passing through on my terminal screen. I saved it all to the test.cap so that I can later on go through each and every packet on my device using Wireshark for detailed inspection.

If you want to go through the traffic on your Kali machine then you can use the following commands

cat test.cap | grep -a < keyword>


Using the above command you can search for the keyword you want to search for, the below command gave me the following output

cat test.cap | grep -a password



Capture from test.cap document

Once, I transferred the file to my laptop for further inspection I picked up many other login credentials which were entered on HTTP websites. The



test.cap on wireshark

So, now you know why there is such a high about intercepting other people's traffic.

Moral

The biggest take away from this hack is to never use HTTP websites and above all never use your credentials to login on those websites. You may never know who else might be sniffing the network and they will pick up your login credentials all just by viewing the network traffic. If feasible then use your VPN services to encrypt your traffic, they provide you with security no matter where you are. So the next time you encounter websites that are not https, just run away or be really careful to not leak anything personal information.

If you enjoyed it please do clap & let's collaborate. Get, Set, Hack!


Website: aditya12anand.com | Donate: paypal.me/aditya12anand

Telegram: https://t.me/aditya12anand

Twitter: twitter.com/aditya12anand

LinkedIn: linkedIn: linkedIn.com/in/aditya12anand/

E-mail: aditya12anand@protonmail.com





InfoSec Write-ups

Follow

A collection of write-ups from the best hackers in the world on topics ranging from bug bounties and CTFs to vulnhub machines, hardware challenges and real life encounters. In a nutshell, we are the largest InfoSec publication on Medium. Maintained by Hackrew

See responses (13)

Discover Medium

Welcome to a place where words matter. On Medium, smart voices and original ideas take center stage - with no ads in sight. <u>Watch</u>

Make Medium yours

Follow all the topics you care about, and we'll deliver the best stories for you to your homepage and inbox. <u>Explore</u>

Become a member

Get unlimited access to the best stories on Medium — and support writers while you're at it. Just \$5/month. <u>Upgrade</u>

Medium

About

Help

Legal