




NAT32 2.2 Build 22284 - Cross-Site Request Forgery

February 14, 2018



← Exploit Collector



EDB-ID: 44034

Author: [hyp3rlinx](#)

Published: 2018-02-14

CVE: [CVE-2018-6941](#)

Type: Webapps

Platform: Windows

← Exploit Collector

```
Shell - Konsole

[+] Website: hyp3rlinx.altervista.org
[+] Source: http://hyp3rlinx.altervista.org/advisories/NAT32-REMOTE-COMMAND-EXECUTION-CSRF-CVE-2018-6941.txt
[+] ISR: Apparition Security

[-_-] Dirty0tis

Vendor:
=====
www.nat32.com

Product:
=====
NAT32 Build (22284)

NAT32® is a versatile IP Router implemented as a WIN32 application.

Vulnerability Type:
=====
Remote Command Execution (CSRF)

CVE Reference:
=====
CVE-2018-6941

Security Issue:
=====
CSRF issue exists in the HTTPD component of NAT32 v2.2 Build 22284 devices that can be exploited for Remote Co

Remote attackers can potentially execute arbitrary System Commands due to a Cross Site Request Forgery, if an
or visits an attacker controlled webpage as NAT32 performs no check for blind requests.

Its also worth mentioning is NAT32 implements BASIC authentication which pass BASE64 Encoded credentials which

Exploit/POC:
```

← Exploit Collector

Network Access:

=====

Remote

Severity:

=====

High

Disclosure Timeline:

=====

Vendor Notification: February 9, 2018

Vendor acknowledgement: February 9, 2018

Vendor "I've decided to remove the HTTPD code from Build 22284 of NAT32" : February 12, 2018

www.nat32.com website reads "NAT32 Version 2.2 Build 22284 is temporarily unavailable." : February 13, 2018

February 14, 2018 : Public Disclosure


[+] Disclaimer

The information contained within this advisory is supplied "as-is" with no warranties or guarantees of fitness. Permission is hereby granted for the redistribution of this advisory, provided that it is not altered except by that due credit is given. Permission is explicitly given for insertion in vulnerability databases and similar, is given to the author. The author is not responsible for any misuse of the information contained herein and a for any damage caused by the use or misuse of this information. The author prohibits any malicious use of secu or exploits by the author or elsewhere. All content (c).


Source: www.exploit-db.com



← Exploit Collector



Follow @KitPloit 101K followers



← Exploit Collector



Linux/x86 Read /etc/passwd Shellcode

62 bytes small Linux/x86 read /etc/passwd shellcode.




Microsoft Internet Explorer VBScript Engine CVE-2018-8174 Arbitrary
Code Execution Vulnerability

*Microsoft Internet Explorer is prone to an unspecified arbitrary code-
execution vulnerability.*

Attackers can exploit this vulnerability to execute arbitrary code in the ...

← Exploit Collector



WhatsApp 2.18.31 iOS Memory Corruption

WhatsApp version 2.18.31 on iOS suffers from a remote memory corruption vulnerability.

Archive

