How I got 5500\$ from Yahoo for RCE




Hi Guys,

I always believed that sharing is caring, and i have been learning from multiple security researchers in the bug bounty field, so i decided to share my few findings with you as it might help others who started in the Bug Bounty journey.

As you already know few months back a critical venerability have been discovered in apache Struts2 (CVE-2017–5638) leads to a remote code execution, the easy exploit for the same have been published and a lot of web applications were getting exploited in massive way.

After almost 3 weeks of the Struts2 exploit being published and during my Recon process i came across this link:

https://svdevems01.direct.gq1.yahoo.com/sm/login.jsp which is a login page for the selligent Messages studio solution used by yahoo.



Tried to find vulnerabilities there and i failed until i found this endpoint: https://svdevems01.direct.gq1.yahoo.com/sm/login/loginpagecontentgra

<u>bber.do</u>, for those who don't know if you find endpoints with .action, .do, .go that means the web application running struts2.

So as i said the exploit was published and easy to use but also it didn't work for this target even though it was confirmed that its vulnerable, that means there was WAF or something blocking my attacks.

I couldn't stop here as its vulnerable and for reporting it i have to provide a valid POC for the same, After some searches i found a twitter post with a payload that can bypass WAF to exploit this vulnerability.

The detection method i found makes use of the Content-Type HTTP header to send a specially crafted packet. The header is shown below:


Content-Type: %

{#context['com.opensymphony.xwork2.dispatcher.HttpServletResponse']. addHeader('X-Ack-Th3g3nt3lman-POC',4*4)}.multipart/form-data

The new request asks the web server to multiple two numbers and can be used to request the web server to perform any other operation. In the

example above the two numbers are *4* and *4*. and the answer from the web server, was *16* which concluded that the server is vulnerable.


The response as per the below picture will contain the new header *X-Ack-Th3g3nt3lman-POC*: 16



That was fair enough to report the bug for yahoo through hackerone, Yahoo Triaged the report within 30 minutes, took the application offline to fix the

issue and i confirmed the fix after that, within a week i was awarded with 5500\$ for this finding.

Hope You liked this finding and i apologize for my weak English if there is any mistakes in this post.



nutshell, we are the largest InfoSec publication on Medium. Powered by Hackrew

See responses (13)

More From Medium


More from InfoSec Write-ups

Ping Power — ICMP Tunnel



Dec 17, 2018 · 8 min read





More from InfoSec Write-ups

Picture Yourself Becoming a Hacker Soon (Beginner's Guide)



Abanikanda in InfoSec Write-ups Aug 16 · 16 min read ★




More from InfoSec Write-ups

Antivirus Evasion with Python







Computer : Windows 30 (Mail N 17703)
architecture | Add
System Language : Am US
Reterrorier : And Mail N 17703)

Discover Medium

Welcome to a place where words matter. On Medium, smart voices and original ideas take center stage - with no ads in sight. Watch

Make Medium yours

Follow all the topics you care about, and we'll deliver the best stories for you to your homepage and inbox. <u>Explore</u>

Become a member

Get unlimited access to the best stories on Medium — and support writers while you're at it. Just \$5/month. <u>Upgrade</u>

Medium

About

Help

Legal