

**README.md** 

# Browsable content of eggrp-auction-file.tar.xz

- Original file: https://mega.nz/#!zEAU1AQL!oWJ63n-D6lCuCQ4AY0Cv\_405hX8kn7MEsa1iLH5UjKU
- Passphrase: CrDj"(; Va.\*NdlnzB9M?@K2)#>deB7mN (as disclosed by the ShadowBrokers, source)
- This summary is provided by the community: complaints/credits to jvoisin @ dustri.org and @x0rz
- ⚠ Some binaries may be picked up by your antivirus

Nested Tar archives have been uncompressed in the archive\_files folder.

### Content

# **Unknown**

- JACKLADDER
- DAMPCROWD
- ELDESTMYDLE
- SUAVEEYEFUL

- WATCHER
- YELLOWSPIRIT

# **Misc**

- DITTLELIGHT (HIDELIGHT) unhide NOPEN window to run unix oracle db scripts
- DUL shellcode packer
- egg\_timer execution delayer (equivalent to at )
- ewok snmpwalk-like?
- gr Web crontab manager? wtf. NSA are webscale dude
- jackladderhelper simple port binder
- magicjack DES implementation in Perl
- PORKSERVER inetd-based server for the PORK implant
- ri equivalent to rpcinfo
- uX\_local Micro X server, likely for remote management
- ITIME Change Date/Time of a last change on a file of an unix filesystem

### **Remote Code Execution**

### **Solaris**

- CATFLAP Solaris 7/8/9 (SPARC and Intel) RCE (for a LOT of versions)
- EASYSTREET/CMSEX and cmsd Solaris rpc.cmsd remote root

- EBBISLAND/ELVISCICADA/snmpXdmid and frown: CVE-2001-0236, Solaris 2.6-2.9 snmpXdmid Buffer Overflow
- sneer: mibissa (Sun snmpd) RCE, with DWARF symbols :D
- dtspcdx\_sparc dtspcd RCE for SunOS 5. -5.8. what a useless exploit
- TOOLTALK DEC, IRIX, or Sol2.6 or earlier Tooltalk buffer overflow RCE
- VIOLENTSPIRIT RCE for ttsession daemon in CDE on Solaris 2.6-2.9 on SPARC and x86
- EBBISLAND RCE Solaris 2.6 -> 2.10 Inject shellcode in vulnerable rpc service

### **Netscape Server**

- xp\_ns-httpd NetScape Server RCE
- nsent RCE for NetScape Enterprise server 4.1 for Solaris
- eggbasket another NetScape Enterprise RCE, this time version 3.5, likely SPARC only

#### **FTP** servers

- EE proftpd 1.2.8 RCE, for RHL 7.3+/Linux, CVE-2011-4130 ? another reason not to use proftpd
- wuftpd likely CVE-2001-0550

#### Web

- **ESMARKCONANT** exploits phpBB remote command execution (<2.0.11) CVE-2004-1315
- **ELIDESKEW** Public known vulnerablity in SquirrelMail versions 1.4.0 1.4.7
- **ELITEHAMMER** Runs against RedFlag Webmail 4, yields user nobody
- ENVISIONCOLLISION RCE for phpBB (derivative)
- **EPICHERO** RCE for Avaya Media Server

• COTTONAXE RCE to retrieve log and information on LiteSpeed Web Server

### Misc

- calserver spooler RPC based RCE
- EARLYSHOVEL RCE RHL7 using sendmail CVE-2003-0681 CVE-2003-0694
- **ECHOWRECKER**/sambal: samba 2.2 and 3.0.2a 3.0.12-5 RCE (with *DWARF* symbols), for FreeBSD, OpenBSD 3.1, OpenBSD 3.2 (with a non-executable stack, zomg), and Linux. Likely CVE-2003-0201. There is also a Solaris version
- ELECTRICSLIDE RCE (heap-overflow) in Squid, with a chinese-looking vector
- EMBERSNOUT a remote exploit against Red Hat 9.0's httpd-2.0.40-21
- ENGAGENAUGHTY/apache-ssl-linux Apache2 mod-ssl RCE (2008), SSLv2
- ENTERSEED Postfix RCE, for 2.0.8 2.1.5
- ERRGENTLE/xp-exim-3-remote-linux Exim remote root, likely CVE-2001-0690, Exim 3.22 3.35
- **EXPOSITTRAG** exploit pcnfsd version 2.x
- extinctspinash: Chili!Soft ASP stuff RCE? and Cobalt RaQ too?
- KWIKEMART (km binary) RCE for SSH1 padding crc32 thingy (https://packetstormsecurity.com/files/24347/ssh1.crc32.txt.html)
- **prout** (ab)use of pcnfs RPC program (version 2 only) (1999)
- **slugger**: various printers RCE, looks like CVE-1999-0078
- statdx Redhat Linux 6.0/6.1/6.2 rpc.statd remote root exploit (IA32)
- telex Telnetd RCE for RHL? CVE-1999-0192 ?
- toffeehammer RCE for cgiecho part of cgimail, exploits fprintf
- VS-VIOLET Solaris 2.6 2.9, something related to XDMCP
- SKIMCOUNTRY Steal mobile phone log data
- **SLYHERETIC\_CHECKS** Check if a target is ready for **SLYHERETIC** (not included)

- **EMPTYBOWL** RCE for MailCenter Gateway (mcgate) an application that comes with Asia Info Message Center mailserver; buffer overflow allows a string passed to popen() call to be controlled by an attacker; arbitraty cmd execute known to work only for AIMC Version 2.9.5.1
- CURSEHAPPY Parser of CDR (Call Detail Records) (siemens, alcatel, other containing isb hki lhr files) probably upgrade of ORLEANSTRIDE
- ORLEANSTRIDE Parser of CDR (Call Detail Records)

## **Anti-forensic**

- toast: wtmps editor/manipulator/querier
- pcleans: pacctl manipulator/cleaner
- **DIZZYTACHOMETER**: Alters RPM database when system file is changed so that RPM (>4.1) verify doesn't complain
- **DUBMOAT** Manipulate utmp
- scrubhands post-op cleanup tool?
- Auditcleaner cleans up audit.log

## **Control**

### Iting HP-UX, Linux, SunOS

- FUNNELOUT: database-based web-backdoor for vbulletin
- hi UNIX bind shell
- jackpop bind shell for SPARC

- NOPEN Backdoor? A RAT or post-exploitation shell consisting of a client and a server that encrypts data using RC6 source\*\* SunOS5.8
- SAMPLEMAN / ROUTER TOUCH Clearly hits Cisco via some sort of redirection via a tool on port 2323... (thanks to @cynicalsecurity)
- **SECONDDATE** Implant for Linux/FreeBSD/Solaris/JunOS
- SHENTYSDELIGHT Linux keylogger
- SIDETRACK implant used for PITCHIMPAIR
- SIFT Implant for Solaris/Linux/FreeBSD
- **SLYHERETIC** SLYHERETIC is a light-weight implant for AIX 5.1:-5.2 Uses Hide-in-Plain-Sight techniques to provide stealth.
- **STRIFEWORLD**: Network-monitoring for UNIX, needs to be launched as root. Strifeworld is a program that captures data transmitted as part of TCP connections and stores the data in a memory for analysis. Strifeworld reconstructs the actual data streams and stores each session in a file for later analysis.
- **SUCTIONCHAR**: 32 or 64 bit OS, solaris sparc 8,9, Kernel level implant transparent, sustained, or realtime interception of processes input/output vnode traffic, able to intercept ssh, telnet, rlogin, rsh, password, login, csh, su, ...
- STOICSURGEON Rootkit/Backdoor Linux MultiArchi
- INCISION Rootkit/Backdoor Linux Can be upgrade to StoicSurgeon(more recent version)

#### CnC

- Seconddate\_CnC: CnC for SECONDDATE
- ELECTRICSIDE likely a big-fat-ass CnC
- NOCLIENT Seems to be the CnC for NOPEN\*
- DEWDROP

### **Privesc**

### Linux

- h: linux kernel privesc, old-day compiled hatorihanzo.c, do-brk() in 2.4.22 CVE-2003-0961
- **gsh**: setreuid(0,0);execl("bash","/bin/bash")
- PTRACE/FORKPTY/km3: linux kernel lpe, kmod+ptrace, CVE-2003-0127, (https://mjt.nysv.org/scratch/ptrace\_exploit/km3.c)
- **EXACTCHANGE**: NULL-deref based local-root, based on various sockets protocols, compiled in 2004, made public in 2005
- ghost: statmon /tooltalk privesc?
- elgingamble:
- ESTOPFORBADE local root gds\_inet\_server for, Cobalt Linux release 6.0, to be used with complexpuzzle
- **ENVOYTOMATO** LPE through bluetooth stack(?)
- ESTOPMOONLIT Linux LPE
- **EPOXYRESIN** Linux LPE

### **AIX**

• EXCEEDSALON-AIX privesc

#### **Others**

• procsuid: setuid perl (yes, it's a real thing) privesc through unsanitized environnement variables. wtf dude

- **elatedmonkey**: cpanel privesc (Oday) using /usr/local/cpanel/3rdparty/mailman/ . Creates mailman mailing list: mailman config\_list
- estesfox: logwatch privesc, old-day
- evolvingstrategy: privesc, likely for Kaspersky Anti-virus ( /sbin/keepup2date is kaspersky's stuff) (what is ey\_vrupdate?)
- eh OpenWebMail privesc
- escrowupgrade cachefsd for solaris 2.6 2.7 sparc
- **ENGLANDBOGY** local exploit against Xorg X11R7 1.0.1, X11R7 1.0, X11R6 6.9, Includes the following distributions: MandrakeSoft Linux 10.2, Ubuntu 5.0.4, SuSE Linux 10.0, RedHat Fedora Core5, MandrakeSoft Linux 2006.0. requires a setuid Xorg
- endlessdonut: Apache fastcgi privesc

# Interesting stuff

- default passwords list (courtesy of x0rz)
- .gov.ru (stoicsurgeon ctrl v 1.5.13.5 x86-freebsd-5.3-sassyninja-mail.aprf.gov.ru) (wow!)

