

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☒ outline ☐ image report

Check by ☒ CSS

```
@import url('https://fonts.googleapis.com/css2?
family=Noto+Sans+SC:wght@100..900&display=swap');

/* --TABLE OF CONTENT--
- ROOT
- GENERAL LAYOUT FOR ALL PAGES
- INDEX
- CONCEPT
- CHECKPOINT
- REFERENCES
- RESPONSIVE DESIGN
  - Mobile layout
  - Medium layout
  - Large devices (laptops/desktops, 992px and up)
  - Extra large devices (large laptops and desktops, 1200px and up)
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Document checking completed. No errors or warnings to show.

Source

```
1. @import url('https://fonts.googleapis.com/css2?
   family=Noto+Sans+SC:wght@100..900&display=swap');↵
2. ↵
3. /* --TABLE OF CONTENT--↵
4.   - ROOT↵
5.   - GENERAL LAYOUT FOR ALL PAGES↵
6.   - INDEX↵
7.   - CONCEPT↵
8.   - CHECKPOINT↵
```

```

9.      - REFERENCES↵
10.     - RESPONSIVE DESIGN↵
11.       - Mobile layout↵
12.       - Medium layout↵
13.       - Large devices (laptops/desktops, 992px and up)↵
14.       - Extra large devices (large laptops and desktops, 1200px and
up)↵
15. */↵
16. ↵
17. /* ROOT */↵
18. :root {↵
19.   --font-size-medium: 115%;↵
20.   --font-size-large: 135%;↵
21.   --color-text-primary: rgb(25 37 56);↵
22.   --color-a:rgb(82 0 0);↵
23.   --color-background:rgb(255 255 255 / 25.1%);↵
24.   --color-border: rgb(7 102 123);↵
25.   --color-background-link: rgb(230 222 193 / 34.6%);↵
26.   --color-background-table:rgb(221 243 254 / 15.2%);↵
27.   --color-background-section: rgb(219 179 179 / 15.3%);↵
28.   --layout-padding: 0.375rem;↵
29.   --layout-spacing-extra-small: 0.5rem;↵
30.   --layout-spacing-small: 1rem;↵
31.   --layout-lineheight-standard:1.5;↵
32.   --layout-lineheight-large:1.75;↵
33.   --layout-lineheight-extralarge:1.85;↵
34.   --width-max: 1200px;↵
35.   --width-standard: 95%;↵
36.   --width-small: 75%;↵
37. }↵
38. ↵
39. /* GENERERAL */↵
40. html {↵
41.   scroll-behavior: smooth;/* smooth scrolling */↵
42.   font-family: "Noto Sans SC", sans-serif;/* set the font family */↵
43.   font-weight:normal;/* set the font weight */↵
44.   font-style: normal;/* set the font style */↵
45.   line-height: var(--layout-lineheight-standard);↵
46.   margin: 0.75%;↵
47.   color: var(--color-text-primary);↵
48. }↵
49. ↵
50. main, header, footer {↵
51.   background-color: var(--color-background);/* set the background
color and margin for all header, main and footer */↵
52.   margin: var(--layout-spacing-extra-small);↵
53.   height: auto;↵
54. }↵
55. ↵
56. a, a:visited {↵
57.   color: var(--color-a);↵
58.   text-decoration: none; /* remove all underlines of links */↵
59. }↵
60. ↵
61. p {↵
62.   color: var(--text-color-primary);↵
63. }↵
64. ↵
65. h1{↵
66.   margin: 2.5%;↵
67. }↵

```

```
68. ↵
69. main ul {↵
70.     padding-left: var(--layout-spacing-small);↵
71. }↵
72. ↵
73. nav ul li, footer div ul li {↵
74.     background-color: var(--colors-background-link);↵
75.     border: 1px dotted var(--colors-border);/* set the border and
76.     background color for all list items of nav and footer */↵
77.     padding: 0.5%;↵
78.     margin: auto;↵
79. }↵
80. ↵
81. .index header, .index footer, .concept header, .concept footer,
    .checkPoint header, .checkPoint footer, .references header,
    .references footer{↵
82.     grid-column: 1 / -1;/* expand header of all pages to to whole width
83. }↵
84. ↵
85. nav ul, footer ul {↵
86.     list-style-type: none; /* remove all underlines of links of nav and
87.     footer */↵
88.     padding: 0;↵
89.     height: auto;↵
90.     margin: 2% 5.5% 2% 0;↵
91.     box-sizing: content-box;↵
92. }↵
93. ↵
94. label input{↵
95.     cursor: pointer;/* change the cursor to pointer when hovering over
96.     the input */↵
97. }↵
98. ↵
99. th, td {↵
100.     padding: var(--layout-spacing-extra-small);↵
101.     text-align: center;↵
102. }↵
103. ↵
104. button {↵
105.     background-color: rgb(0 0 139 / 46.5%);↵
106.     border: 1px solid rgb(209 213 219);↵
107.     border-radius: 0.625rem;↵
108.     box-sizing: border-box;↵
109.     color: gold;↵
110.     font-family: Arial, Helvetica, sans-serif;↵
111.     font-size: 0.925rem;↵
112.     font-weight: 475;↵
113.     line-height: var(--layout-lineheight-standard);↵
114.     padding: 0.45%;↵
115.     text-align: center;↵
116.     text-decoration-thickness: auto;↵
117.     box-shadow: 0 1px 2px 0 rgb(0 0 0 / 5%);↵
118.     cursor: pointer;↵
119.     touch-action: manipulation;↵
120.     margin: 1.5%;↵
121. }↵
122. ↵
123. button:hover {↵
124.     background-color: rgb(15 106 197 / 80%);↵
125. }
```

```
123. ↵
124. button:focus {↵
125.     outline: 2px solid transparent;↵
126.     outline-offset: 2px;↵
127. }↵
128. ↵
129. button:focus-visible {↵
130.     box-shadow: none;↵
131. }↵
132. ↵
133. .float-left {↵
134.     float: left;↵
135.     margin-left: 0;↵
136. ↵
137.     /* how you can remove or adjust a lot of extra space around them */↵
138. }↵
139. ↵
140. .float-left img {↵
141.     /* regulate the shape of images */↵
142.     width: var(--width-standard);↵
143.     vertical-align: middle;↵
144.     margin-bottom: 1rem;↵
145. }↵
146. ↵
147. .clear_float {↵
148.     clear: both;↵
149.     margin-top: -1rem;↵
150. }↵
151. ↵
152. figure {↵
153.     display: flex;↵
154.     flex-flow: column;↵
155. }↵
156. ↵
157. figcaption {↵
158.     text-align: left;↵
159. }↵
160. ↵
161. section {↵
162.     padding-left: 1.75%;↵
163.     max-width: var(--width-standard);↵
164. }↵
165. ↵
166. span {↵
167.     font-weight: bold;↵
168. }↵
169. ↵
170. /* INDEX */↵
171. .index {↵
172.     background-image: url('../images/mitchell-luo-kAssc7Sx8pg-
    unsplash.jpg');↵
173.     background-position: center; ↵
174.     background-size: cover; /* Makes the background image as large as
    possible while maintaining its aspect ratio */↵
175.     display: grid;↵
176.     grid-template-rows: repeat(3, auto);↵
177. }↵
178. ↵
179. .index main div{↵
180.     display: block;↵
181.     gap: var(--layout-spacing-small);↵
```

```
182. }↵
183. ↵
184. .index main :first-child {↵
185.   grid-column: 1 / -1;↵
186. }↵
187. ↵
188. .index main :first-child figure {↵
189.   float:left;↵
190.   margin: 0 2.5% 1% 0;↵
191. }↵
192. ↵
193. .index main section h2 {↵
194.   margin: 0;↵
195. }↵
196. .index main img {↵
197.   margin-top: 5.5%;↵
198. }↵
199. ↵
200. ↵
201. /* CONCEPT */↵
202. .concept {↵
203.   background-image: url('../images/safwan-thottoli-FnrGH37B6cU-
unsplash.jpg');↵
204.   background-position: center; ↵
205.   background-size: cover; /* Makes the background image as large as
possible while maintaining its aspect ratio */↵
206.   display: grid;↵
207.   grid-template-rows: repeat(3, auto);↵
208. }↵
209. ↵
210. .concept main div {↵
211.   display: grid;↵
212.   gap: var(--layout-spacing-small);↵
213.   grid-template-rows: repeat(2, auto);↵
214. }↵
215. ↵
216. .res_image img, .res_image figcaption{↵
217.   display: none;↵
218. }↵
219. ↵
220. .concept main div section{↵
221.   margin-top: var(--layout-spacing-extra-small);↵
222.   background-color: var(--colors-background-section);↵
223.   padding:2.25%;↵
224. }↵
225. ↵
226. /* CHECK POINT */↵
227. .checkPoint {↵
228.   background-image: url('../images/annie-spratt-YN9zG6nGvFI-
unsplash.jpg');↵
229.   background-position: center; ↵
230.   background-size: cover; /* Makes the background image as large as
possible while maintaining its aspect ratio */↵
231.   display: grid;↵
232.   gap: var(--layout-spacing-small);↵
233.   grid-template-rows: repeat(3, auto);↵
234. }↵
235. ↵
236. .checkPoint main {↵
237.   display: block;↵
238. }↵
```

```
239. ↵
240. .checkPoint main section form label{↵
241.     display: block;↵
242. }↵
243. ↵
244. /* REFERENCE */↵
245. .references {↵
246.     display: grid;↵
247.     grid-template-rows: repeat(3, auto);↵
248.     gap: var(--layout-spacing-small);↵
249.     background-image: url('../images/annie-spratt-tmoFNI1ZEwA-
unsplash.jpg');↵
250.     background-position: center; ↵
251.     background-size: cover; /* Makes the background image as large as
possible while maintaining its aspect ratio */↵
252.     align-items: start;↵
253. }↵
254. ↵
255. .references main {↵
256.     align-items: start;↵
257. }↵
258. ↵
259. .references aside {↵
260.     background-color: var(--colors-background);↵
261.     display: block;↵
262.     padding: var(--layout-padding);↵
263. }↵
264. ↵
265. .references aside form fieldset {↵
266.     border: none;↵
267.     padding: 0;↵
268.     ↵
269. }↵
270. ↵
271. .follow ul {↵
272.     list-style: none;↵
273.     display: flex;↵
274.     padding: 0;↵
275.     gap: var(--layout-spacing-small);↵
276.     justify-content: flex-start;↵
277.     grid-template-columns: repeat(4, 0.5rem);↵
278. }↵
279. ↵
280. .references table {↵
281.     width: var(--width-small);↵
282.     border-radius: 5px;↵
283.     border: 1px solid var(--colors-border);↵
284.     background-color: var(--colors-background-table);↵
285. }↵
286. ↵
287. .references table th, .references table td {↵
288.     border: 0.5px solid var(--colors-border);↵
289.     padding: var(--layout-spacing-extra-small);↵
290. }↵
291. ↵
292. .topBtn {↵
293.     position: fixed;↵
294.     ↵
295.     /* Fixed positioning makes the element stay in the same place even
when the page is scrolled */↵
296.     bottom: 0;↵
```

```
297. ↵
298. /* Position at the bottom of the viewport */↵
299. right: 0;↵
300. ↵
301. /* Position at the right of the viewport */↵
302. display: inline;↵
303. max-width: 17.5%;↵
304. min-width: 2.5rem;↵
305. }↵
306. ↵
307. /* Mobile layout */↵
308. @media screen and (width <= 600px) {↵
309.   nav ul {↵
310.     display: none; /* hide the list when the screen is smaller than
311. 600px */↵
311.     margin-left: 4%;↵
312.   }↵
313. ↵
314.   nav button, nav ul.show {↵
315.     display: block; /* show the button and the list when the screen is
smaller than 600px */↵
316.   }↵
317. ↵
318.   figure img {↵
319.     max-width: 100%; /* make the image responsive */↵
320.     height: auto;↵
321.     margin: auto;↵
322.     float: none; /* remove float */↵
323.   }↵
324. ↵
325.   figure {↵
326.     margin-bottom: var(--layout-spacing-extra-small);↵
327.   }↵
328. ↵
329.   .references main div section table {↵
330.     display: block; /* table will be displayed as block */↵
331.     overflow-x: auto; /* horizontally scrollable */↵
332.     width: 100%;↵
333.     border: 0; /* remove border */↵
334.   }↵
335. }↵
336. ↵
337. /* Medium layout */↵
338. @media screen and (width >= 600px) {↵
339.   html {↵
340.     font-size: var(--fontsize-medium);↵
341.   }↵
342. ↵
343.   nav button {↵
344.     display: none;↵
345.   }↵
346. ↵
347.   nav ul li, footer div ul li {↵
348.     display: inline-block;↵
349.     margin: 1.25% 0.5% 1.25% 2%;↵
350.   }↵
351. ↵
352.   .checkPoint main div {↵
353.     display: grid;↵
354.     gap: var(--layout-spacing-small);↵
355.     grid-template: repeat(2, auto)/ repeat(2, auto);↵
```

```
356. }↵
357. ↵
358. .references main section table {↵
359.     display: block;/* table will be displayed as block */↵
360.     overflow-x: auto;/* horizontally scrollable */↵
361.     width: var(--width-standard);↵
362.     border: 0;/* remove border */↵
363. }↵
364. ↵
365. .references aside {↵
366.     display: grid;↵
367.     grid-template: repeat(2, auto) / repeat(2, 1fr);↵
368. }↵
369. ↵
370. .references aside section:nth-child(1) {↵
371.     grid-row: 1/-1;↵
372. }↵
373. }↵
374. ↵
375. /* Large devices (laptops/desktops) */↵
376. @media only screen and (width >= 992px) {↵
377.     html {↵
378.         font-size: var(--fontsize-large);↵
379.         line-height: var(--layout-lineheight-extralarge);↵
380.     }↵
381.     ↵
382.     .index main div{↵
383.         display: grid;↵
384.         gap: var(--layout-spacing-small);↵
385.         grid-template: repeat(2, auto) / repeat(2, 1fr);↵
386.         margin: auto;↵
387.     }↵
388.     ↵
389.     .index main:nth-child(1) {↵
390.         grid-column: span 2;↵
391.     }↵
392.     ↵
393.     .index section {↵
394.         margin-top: 1.5%;↵
395.     }↵
396.     ↵
397.     .checkPoint main section form label {↵
398.         line-height:var(--layout-lineheight-large);↵
399.     }↵
400.     ↵
401.     .references {↵
402.         grid-template-columns: auto 200px;/* set the aside to the right */↵
403.     }↵
404.     ↵
405.     .references aside {↵
406.         display: block;↵
407.     }↵
408.     ↵
409.     .podcast p {↵
410.         font-size: 85%;/* reduce the font size */↵
411.     }↵
412.     ↵
413.     audio {↵
414.         width: var(--width-standard);↵
415.     }↵
```



```
416. ↵
417.     .concept main div {↵
418.         display: grid;↵
419.         gap: var(--layout-spacing-small);↵
420.         grid-template-columns: repeat(3, auto);↵
421.     }↵
422. ↵
423.     .concept main div section:nth-child(1) {↵
424.         grid-column: span 2;↵
425.     }↵
426. ↵
427.     .res_image img, .res_image figcaption {↵
428.         display: block;↵
429.     }↵
430. ↵
431.     .clear_float {↵
432.         clear: none;↵
433.         margin-top: 0;↵
434.     }↵
435. }↵
436. ↵
437. /* Extra large devices (large laptops and desktops) */↵
438. @media only screen and (width >= 1200px) {↵
439.     .container {↵
440.         max-width: var(--width-max);↵
441.         margin: auto; /* have the content centered with a maximum width.
442.     */↵
442.         justify-content: center;↵
443.     }↵
444. }
```

Outline

Total execution time 7 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 24.3.20