




Agenda:

1. Different Kinds of Chunking Methods
2. Different approaches/types of RAG.
3. Chroma-DB

[I had coff i] "

[coffee is here - - -]

What is Recursion?

Example)

```
public int sum(int x){  
    if (x == 1) return 1;  
    return x + sum(x-1);  
}
```

This if statement occurs once x reaches 1. It does not call back the method, thus ending the recursion.

This return statement calls the method again, this time with a number closer to 1


Returns sum all numbers from 1 to x

Recursive

detected 12 chapters:

I. A SCANDAL IN BOHEMIA	46518 chars
II. THE RED-HEADED LEAGUE	49256 chars
III. A CASE OF IDENTITY	37916 chars
IV. THE BOSCOMBE VALLEY MYSTERY	51353 chars
V. THE FIVE ORANGE PIPS	39444 chars
VI. THE MAN WITH THE TWISTED LIP	49160 chars
VII. THE ADVENTURE OF THE BLUE CARBUNCLE	42114 chars
VIII. THE ADVENTURE OF THE SPECKLED BAND	52949 chars
IX. THE ADVENTURE OF THE ENGINEER'S THUMB	44602 chars
X. THE ADVENTURE OF THE NOBLE BACHELOR	44149 chars
XI. THE ADVENTURE OF THE BERYL CORONET	51001 chars
XII. THE ADVENTURE OF THE COPPER BEECHES	53136 chars

Re-Ranker



Score — 0-1

CROSS ENCODER

Query <SEP> Doc2