

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Q Upgrade

No environment

My Workspace New Import

Overview SimpleBooksAPI GET {{baseUrl}}/status +

Collections

SimpleBooksAPI This collection is empty. Add a request to start working.

Environments

Flows

History

+

HTTP {{baseUrl}}/status

GET {{baseUrl}}/status

Params Authorization https://simple-books-api.click

Query Params Globals Variables in request →

Send Cookies

Key Value Description

Key Value Description

Body Cookies Headers (14) Test Results 200 OK 499 ms 754 B

JSON Preview Visualize

1 {  
2 | "status": "OK"  
3 }

Postbot Runner Start Proxy Cookies Vault Trash

Online Find and replace Console

Windows Search File Explorer Edge Notepad 12:49 ENG 12-01-2026

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Upgrade

Overview SimpleBooksAPI getStatus getListofBooks Globals + No environment

SimpleBooksAPI / getListofBooks

GET {{baseUrl}}/books

Send

Params Authorization Headers (7) Body Scripts Tests Settings Cookies

Query Params

	Key	Value	Description	Bulk Edit
	Key	Value	Description	

Body Cookies Headers (14) Test Results 200 OK • 322 ms • 1.13 KB Save Response

{ } JSON ▾ Preview Visualize

```
1 [  
2 {  
3   "id": 1,  
4   "name": "The Russian",  
5   "type": "fiction",  
6   "available": true  
7 },  
8 {  
9   "id": 3,  
10  "name": "The Vanishing Half",  
11  "type": "fiction",  
12  "available": true  
13 },  
14 {  
15  "id": 4,  
16  "name": "The Midnight Library",  
17  "type": "fiction",  
18  "available": true  
19 },  
20 {  
21  "id": 6,
```

Online Find and replace Console Postbot Runner Start Proxy Cookies Vault Trash

12:56 ENG 12-01-2026

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Q Upgrade

Overview SimpleBooksAPI X GET getStatus GET getListofBooks ● Globals + No environment

Collections SimpleBooksAPI Save Run Fork 0 Share

Environments Overview Auth Scripts Tests Variables • Runs

Flows

History

Variables

These variables are specific to this collection and its requests. Learn more about [collection variables](#)

Filter variables

	Variable	Initial value	Current value	...
<input checked="" type="checkbox"/>	baseURL	https://simple-books-api.click	https://simple-books-api.click	<a href="#">Edit</a>
	Add new variable			<a href="#">Add</a>

Use variables to reuse values and protect sensitive data

Store sensitive data in variable type secret to keep its values masked on the screen. Learn more about [variable type](#).

Work with the current value of a variable to prevent sharing sensitive values with your team. Learn more about [variable values](#).

Online Find and replace Console Postbot Runner Start Proxy Cookies Vault Trash

12:56 ENG 12-01-2026

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Upgrade

Overview SimpleBooksAPI

GET getStatus GET getListofBooks +

No environment

SimpleBooksAPI / getListofBooks

GET {{baseUrl}}/books?type=fiction

Send

Params Authorization Headers (7) Body Scripts Tests Settings Cookies

query Params

Key	Value	Description	Bulk Edit
type	fiction		
Key	Value	Description	

Body Cookies Headers (14) Test Results 200 OK 655 ms 1023 B Save Response

{ } JSON ▾ Preview Visualize

```
1 [  
2 {  
3   "id": 1,  
4   "name": "The Russian",  
5   "type": "fiction",  
6   "available": true  
7 },  
8 {  
9   "id": 3,  
10  "name": "The Vanishing Half",  
11  "type": "fiction",  
12  "available": true  
13 },  
14 {  
15  "id": 4,  
16  "name": "The Midnight Library",  
17  "type": "fiction",  
18  "available": true  
19 },  
20 {  
21  "id": 6,
```

Online Find and replace Console Postbot Runner Start Proxy Cookies Vault Trash

12:56 ENG 12-01-2026

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Q Upgrade

Overview SimpleBooksAPI getStatus getListofBooks

No environment

SimpleBooksAPI / getListofBooks

GET {{baseUrl}} /books?type=nonfiction

Send

Params Authorization Headers (7) Body Scripts Tests Settings Cookies

query Params

Key	Value	Description	Bulk Edit
type	nonfiction		
Key	Value	Description	

Body Cookies Headers (14) Test Results 400 Bad Request 270 ms 840 B Save Response

{ } JSON ▾ Preview Visualize

```
1 {  
2   "error": "Invalid value for query parameter 'type'. Must be one of: fiction, non-fiction."  
3 }
```

Online Find and replace Console

Postbot Runner Start Proxy Cookies Vault Trash

12:56 ENG 12-01-2026

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Upgrade

Overview SimpleBooksAPI

GET getStatus GET getListofBooks +

No environment

SimpleBooksAPI / getListofBooks

GET {{baseUrl}} /books?type=non-fiction

Send

Params Authorization Headers (7) Body Scripts Tests Settings Cookies

query Params

Key	Value	Description	Bulk Edit
type	non-fiction		
Key	Value	Description	

Body Cookies Headers (14) Test Results 200 OK • 573 ms • 875 B Save Response

{ } JSON ▾ Preview Visualize

```
1 [  
2 {  
3   "id": 2,  
4   "name": "Just as I Am",  
5   "type": "non-fiction",  
6   "available": false  
7 },  
8 {  
9   "id": 5,  
10  "name": "Untamed",  
11  "type": "non-fiction",  
12  "available": true  
13 }  
14 ]
```

Online Find and replace Console

Postbot Runner Start Proxy Cookies Vault Trash

12:57 ENG 12-01-2026

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Upgrade

Overview SimpleBooksAPI

GET getStatus GET getListofBooks +

No environment

SimpleBooksAPI / getListofBooks

GET {{baseUrl}} /books?type=non-fiction&limit=1

Send

Params Authorization Headers (7) Body Scripts Tests Settings Cookies

Key	Value	Description
type	non-fiction	
limit	1	

Body Cookies Headers (14) Test Results 200 OK 358 ms 810 B Save Response

{ } JSON ▾ Preview Visualize

```
1 [  
2 {  
3   "id": 2,  
4   "name": "Just as I Am",  
5   "type": "non-fiction",  
6   "available": false  
7 }  
8 ]
```

Online Find and replace Console

Postbot Runner Start Proxy Cookies Vault Trash

12:57 ENG 12-01-2026

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Upgrade

Overview SimpleBooksAPI

GET getStatus GET getListofBooks +

No environment

SimpleBooksAPI / getListofBooks

GET {{baseUrl}} /books?type=fiction&limit=1

Send

Params Authorization Headers (7) Body Scripts Tests Settings Cookies

Key	Value	Description
type	fiction	
limit	1	

Body Cookies Headers (14) Test Results 200 OK 363 ms 804 B Save Response

{ } JSON ▾ Preview Visualize

```
1 [  
2 {  
3   "id": 1,  
4   "name": "The Russian",  
5   "type": "fiction",  
6   "available": true  
7 }  
8 ]
```

Online Find and replace Console

Postbot Runner Start Proxy Cookies Vault Trash

12:57 ENG 12-01-2026

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Q Upgrade

Overview SimpleBooksAPI getStatus getListofBooks getABook

No environment

SimpleBooksAPI / getABook

GET {{baseURL}}/books/:bookId

Send

Params Authorization Headers (7) Body Scripts Tests Settings

Params

Key	Value	Description

Cookies

Key	Value	Description
bookId	1	Description

Path Variables

Key	Value	Description	Bulk Edit
bookId	1	Description	

Body Cookies Headers (14) Test Results 200 OK 447 ms 1.03 KB Save Response

{ } JSON ▾ Preview Visualize

```
1 {  
2   "id": 1,  
3   "entityType": "BOOK",  
4   "available": true,  
5   "timestamp": 1752239490804,  
6   "created": "2025-07-11T13:11:30.804Z",  
7   "isbn": "1780899475",  
8   "GSI1SK": "BOOK#1",  
9   "name": "The Russian",  
10  "current-stock": 12,  
11  "GSI1PK": "TYPE#fiction",  
12  "price": 12.98,  
13  "PK": "BOOK#1",  
14  "author": "James Patterson and James O. Born",  
15  "type": "fiction",  
16  "SK": "METADATA"  
17 }
```

Online Find and replace Console

Postbot Runner Start Proxy Cookies Vault Trash

12:58 ENG 12-01-2026

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Upgrade

Overview SimpleBooksAPI getStatus getListofBooks getABook

No environment

SimpleBooksAPI / getABook

GET {{baseURL}}/books/1

Send

Params Authorization Headers (7) Body Scripts Tests Settings Cookies

Query Params

	Key	Value	Description	Bulk Edit
	Key	Value	Description	

Body Cookies Headers (14) Test Results 200 OK 297 ms 1.03 KB Save Response

{ } JSON ▾ Preview Visualize

```
1 {  
2   "id": 1,  
3   "entityType": "BOOK",  
4   "available": true,  
5   "timestamp": 1752239490804,  
6   "created": "2025-07-11T13:11:30.804Z",  
7   "isbn": "1780899475",  
8   "GSI1SK": "BOOK#1",  
9   "name": "The Russian",  
10  "current-stock": 12,  
11  "GSI1PK": "TYPE#fiction",  
12  "price": 12.98,  
13  "PK": "BOOK#1",  
14  "author": "James Patterson and James O. Born",  
15  "type": "fiction",  
16  "SK": "METADATA"  
17 }
```

Online Find and replace Console

Postbot Runner Start Proxy Cookies Vault Trash

12:59 12-01-2026

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Q Upgrade

Overview SimpleBooksAPI getStatus getListofBooks getABook + No environment

SimpleBooksAPI / getABook

GET {{baseURL}}/books/99

Send

Params Authorization Headers (7) Body Scripts Tests Settings Cookies

Query Params

	Key	Value	Description	Bulk Edit
	Key	Value	Description	

Body Cookies Headers (14) Test Results 404 Not Found 267 ms 777 B Save Response

{ } JSON ▾ Preview Visualize

```
1 {  
2 |   "error": "No book with id 99"  
3 }
```

Postbot Runner Start Proxy Cookies Vault Trash

Online Find and replace Console

12:59 ENG 12-01-2026

Windows Search File Folder Phone Email Notepad

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Q Upgrade

Overview SimpleBooksAPI

GET getStatus GET getListofBooks GET getABook POST Regn

No environment

SimpleBooksAPI / Regn

POST {{baseUrl}}/api-clients

Params Authorization Headers (9) Body Scripts Tests Settings

none form-data x-www-form-urlencoded raw binary GraphQL JSON

Request Body

```
1 {  
2   "clientName": "Valentin",  
3   "clientEmail": "valentin@example.com"  
4 }
```

Cookies Beautify Schema

Body Cookies Headers (14) Test Results 409 Conflict 871 ms 811 B Save Response

{ } JSON ▾ Preview Visualize

```
1 {  
2   "error": "API client already registered. Try a different email."  
3 }
```

Online Find and replace Console

Postbot Runner Start Proxy Cookies Vault Trash

13:01 ENG 12-01-2026

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Q Upgrade

Overview SimpleBooksAPI

GET getStatus GET getListofBooks GET getABook POST Regn

No environment

SimpleBooksAPI / Regn

POST {{baseUrl}}/api-clients

Params Authorization Headers (9) Body Scripts Tests Settings

none form-data x-www-form-urlencoded raw binary GraphQL JSON

Request Body

```
1 {  
2   "clientName": "ValentinoRossi",  
3   "clientEmail": "valentino46@example.com"  
4 }
```

Cookies Beautify Schema

Body Cookies Headers (14) Test Results 201 Created 403 ms 826 B Save Response

{ } JSON ▾ Preview Visualize

```
1 {  
2   "accessToken": "232a808a1df4cb0e2f234f5c2c02b053b6f43b0eceb0c86063352bedfe09f727"  
3 }
```

Online Find and replace Console Postbot Runner Start Proxy Cookies Vault Trash

13:02 ENG 12-01-2026

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Q Upgrade

Overview SimpleBooksAPI • GET getStatus GET getListofBooks GET getABook POST Regn + No environment

SimpleBooksAPI

Save Run Fork 0 Share

Overview Auth Scripts Tests Variables • Runs

These variables are specific to this collection and its requests. Learn more about [collection variables](#)

Filter variables

	Variable	Initial value	Current value	...
<input checked="" type="checkbox"/>	baseURL	https://simple-books-api.click	https://simple-books-api.click	
<input checked="" type="checkbox"/>	accessToken		232a808a1df4cb0e2f234f5c2c02b053b6f43b0eceb0c86063352bedfe09f727	
Add new variable				

Use variables to reuse values and protect sensitive data

Store sensitive data in variable type secret to keep its values masked on the screen. Learn more about [variable type](#).

Work with the current value of a variable to prevent sharing sensitive values with your team. Learn more about [variable values](#).

≡ ← → Home Workspaces API Network

Search Postman Ctrl K

+ Invite ⚙️ 🔔 ⚡ Upgrade

Overview SimpleBooksAPI • GET getStatus • GET getListofBooks • GET getABook • POST Regn • POST postOrders + ⚡ No environment

SimpleBooksAPI / postOrders

HTTP POST Enter URL or paste text

Send

Params Authorization Headers (8) Body Scripts Tests Settings Cookies

Auth Type

No Auth

Inherit auth from parent

✓ No Auth

Basic Auth

Bearer Token

JWT Bearer

Digest Auth

OAuth 1.0

OAuth 2.0

Hawk Authentication

AWS Signature

NTLM Authentication

API Key

Akamai EdgeGrid

ASAP (Atlassian)

No Auth

This request does not use any authorization. ⓘ

Enter the URL and click Send to get a response

Postbot Runner Start Proxy Cookies Vault Trash

Online Find and replace Console

Windows Taskbar: Search, File, Folder, Task View, Edge, File Explorer, Notepad, Taskbar icons, 13:03, ENG, 12-01-2026, 2 notifications

≡ ← → Home Workspaces API Network

Search Postman Ctrl K

+ Invite ⚙️ 🔔 ⚡ Upgrade

Overview SimpleBooksAPI GET getStatus GET getListofBooks GET getABook POST Regn POST postOrders + No environment

Save Share

HTTP SimpleBooksAPI / postOrders

POST Enter URL or paste text

Send

Params Authorization ● Headers (9) Body Scripts Tests Settings Cookies

Auth Type Bearer Token Token {{accessToken}}

The authorization header will be automatically generated when you send the request. Learn more about [Bearer Token](#) authorization.

Response History

 Enter the URL and click Send to get a response

Online Find and replace Console

Postbot Runner Start Proxy Cookies Vault Trash

13:04 ENG 12-01-2026

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Q Upgrade

Overview SimpleBooksAPI GET getStatus GET getListofBooks GET getABook POST Regn POST postOrders No environment

Save Share

HTTP SimpleBooksAPI / postOrders

POST {{baseUrl}}/orders Send

Params Authorization Headers (9) Body Scripts Tests Settings Cookies

Headers Hide auto-generated headers

Key Value Description Bulk Edit Presets

Key	Value	Description	Bulk Edit	Presets
Authorization	Bearer 232a808a1df4cb0e2f234f5c2c02b053b6f43b0eceb0c86063352...			<a href="#">Go to authorization</a>
Cache-Control	no-cache			
Postman-Token	<calculated when request is sent>			
Content-Length	0			
Host	<calculated when request is sent>			
User-Agent	PostmanRuntime/7.45.0			
Accept	/*			
Accept-Encoding	gzip, deflate, br			
Connection	keep-alive			

Response History

Online Find and replace Console

Postbot Runner Start Proxy Cookies Vault Trash

13:05 ENG 12-01-2026



Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Q Upgrade

Overview SimpleBooksAPI GET getStatus GET getListofBooks GET getABook POST Regn POST postOrders No environment

Save Share

HTTP SimpleBooksAPI / postOrders

POST {{baseUrl}}/orders Send

Params Authorization Headers (9) Body Scripts Tests Settings Cookies

Headers Hide auto-generated headers

Key Value Description

Authorization ..... Go to authorization

Cache-Control no-cache

Postman-Token <calculated when request is sent>

Content-Length 0

Host <calculated when request is sent>

User-Agent PostmanRuntime/7.45.0

Accept \*/\*

Accept-Encoding gzip, deflate, br

Connection keep-alive

Key Value Description

Response History

Online Find and replace Console

Postbot Runner Start Proxy Cookies Vault Trash

13:05 ENG 12-01-2026 2



Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Q Upgrade

Overview SimpleBooksAPI GET getStatus GET getListofBooks GET getABook POST Regn POST postOrders + No environment

SimpleBooksAPI / postOrders

POST {{baseUrl}}/orders

Params Authorization Headers (10) Body Scripts Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON

Request Body

```
1 {  
2   "bookId":1,  
3   "customerName":"John"  
4 }
```

Beautify Schema

Body Cookies Headers (14) Test Results 201 Created 526 ms 794 B Save Response

{} JSON Preview Visualize

```
1 {  
2   "created": true,  
3   "orderId": "FsfKczGmPUuGNZ-7HROMI"  
4 }
```

Online Find and replace Console Postbot Runner Start Proxy Cookies Vault Trash

Windows Search File Explorer Edge Notepad 13:06 ENG 12-01-2026

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Q Upgrade

Overview SimpleBooksAPI GET getStatus GET getListofBooks GET getABook POST Regn POST postOrders + No environment

SimpleBooksAPI / postOrders

POST {{baseUrl}}/orders

Params Authorization Headers (10) Body Scripts Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON

Request Body

```
1 {  
2   "bookId":2,  
3   "customerName":"John"  
4 }
```

Beautify Schema

Body Cookies Headers (14) Test Results 404 Not Found 313 ms 802 B Save Response

{} JSON Preview Visualize

```
1 {  
2   "error": "This book is not in stock. Try again later."  
3 }
```

Postbot Runner Start Proxy Cookies Vault Trash

Online Find and replace Console

Windows Taskbar: File Explorer, Edge, Start, Task View, Search, Volume, Battery, ENG, 13:07, 12-01-2026, 2 notifications

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Q Upgrade

Overview SimpleBooksAPI getStatus getListofBooks getABook Regn postOrders No environment

Save Share

HTTP SimpleBooksAPI / postOrders

POST {{baseUrl}}/orders

Send

Params Authorization Headers (10) Body Scripts Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON

Request Body

```
1 "bookId":2,
2 "customerName": "{$randomFullName}"
3
4
```

Body Cookies Headers (14) Test Results 404 Not Found 298 ms 802 B Save Response

JSON Preview Visualize

```
1 {
2   "error": "This book is not in stock. Try again later."
3 }
```

Postbot Runner Start Proxy Cookies Vault Trash

Online Find and replace Console

Windows Taskbar: File Explorer, Edge, Postman, Notepad, Task View, Taskbar Icons, System Tray (13:07, ENG, 12-01-2026)

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Q Upgrade

Overview SimpleBooksAPI GET getStatus GET getListofBooks GET getABook POST Regn POST postOrders + No environment

SimpleBooksAPI / postOrders

POST {{baseUrl}}/orders

Params Authorization Headers (10) Body Scripts Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON

Request Body

```
1 {  
2   "bookId":1,  
3   "customerName": "{$randomFullName}"  
4 }
```

Beautify Schema

Body Cookies Headers (14) Test Results 201 Created 383 ms 794 B Save Response

{} JSON Preview Visualize

```
1 {  
2   "created": true,  
3   "orderId": "YqQ6DwoCjg1bATnH6DVoo"  
4 }
```

Online Find and replace Console Postbot Runner Start Proxy Cookies Vault Trash

Windows Search File SimpleBooksAPI 13:08 ENG 12-01-2026

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Upgrade

Overview SimpleBooksAPI getStatus getListofBooks getABook Regn postOrders + No environment

SimpleBooksAPI / postOrders

POST {{baseUrl}}/orders

Params Authorization Headers (10) Body Scripts Tests Settings

none form-data x-www-form-urlencoded raw binary GraphQL JSON

Request Body

```
1 {
2   "bookId":1,
3   "customerName": "{$randomFullName}"
4 }
```

Body Cookies Headers (14) Test Results 201 Created 452 ms 794 B Save Response

{ } JSON ▾ Preview Visualize

```
1 {
2   "created": true,
3   "orderId": "-ZCR2FS1_pk4kvoFsbQbs"
4 }
```

Schema

Online Find and replace Console All Logs Clear

POST https://simple-books-api.click/orders 201 | 452 ms Show raw log

Network

Request Headers

```
Content-Type: "application/json"
Authorization: "Bearer 232a808a1df4cb0e2f234f5c2c02b053b6f43b0eceb0c86063352bedfe09f727"
User-Agent: "PostmanRuntime/7.45.0"
Accept: "*/*"
Cache-Control: "no-cache"
```

Postbot Runner Start Proxy Cookies Vault Trash ?

13:09 ENG 12-01-2026 2

Home Workspaces API Network

Search Postman Ctrl K

+ Invite Gear Bell Upgrade

Overview SimpleBooksAPI GET getStatus GET getListofBooks GET getABook POST Regn POST postOrders + No environment

Collections Environments Flows History

HTTP SimpleBooksAPI / postOrders

POST {{baseUrl}}/orders

Params Authorization Headers (10) Body Scripts Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON

Request Body

```
1 {  
2   "bookId":1,  
3   "customerName": "{$randomFullName}"  
4 }
```

Body Cookies Headers (14) Test Results 201 Created 452 ms 794 B Save Response

{ } JSON ▾ Preview Visualize

```
1 {  
2   "created": true,  
3   "orderId": "-ZCR2FS1_pk4kvoFsbQbs"  
4 }
```

All Logs Clear

Online Find and replace Console

Request Body

{ } JSON ▾

```
1 {  
2   "bookId": 1,  
3   "customerName": "Ricardo Bergstrom"  
4 }
```

Postbot Runner Start Proxy Cookies Vault Trash ?

13:10 ENG 12-01-2026 2

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Q Upgrade

Overview SimpleBooksAPI getStatus getListofBooks getABook Regn postOrders getOrders + No environment

SimpleBooksAPI / getOrders

GET {{baseUrl}}/orders

Send

Params Authorization Headers (7) Body Scripts Tests Settings Cookies

Query Params

	Key	Value	Description	Bulk Edit
	Key	Value	Description	

Body Cookies Headers (14) Test Results

401 Unauthorized 460 ms 791 B Save Response

{ } JSON Preview Visualize

```
1 {  
2 |   "error": "Missing Authorization header."  
3 }
```

Postbot Runner Start Proxy Cookies Vault Trash

Online Find and replace Console

13:11 ENG 12-01-2026

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Q Upgrade

Overview SimpleBooksAPI GET getStatus GET getListofBooks GET getABook POST Regn POST postOrders GET getOrders + No environment

SimpleBooksAPI / getOrders

GET {{baseURL}}/orders

Send

Params Authorization Headers (8) Body Scripts Tests Settings Cookies

Auth Type Bearer Token Token {{accessToken}}

The authorization header will be automatically generated when you send the request. Learn more about [Bearer Token](#) authorization.

Body Cookies Headers (14) Test Results 200 OK • 290 ms • 1.06 KB Save Response

{ } JSON ▾ Preview Visualize

```
1 [ 
2 { 
3   "id": "-ZCR2FS1_pk4kvoFsbQbS",
4   "bookId": 1,
5   "customerName": "Ricardo Bergstrom",
6   "quantity": 1,
7   "timestamp": 1768203563959
8 },
9 {
10   "id": "FsfKczGmPUuGNZ-7HROMI",
11   "bookId": 1,
12   "customerName": "John",
13   "quantity": 1,
```

Online Find and replace Console Postbot Runner Start Proxy Cookies Vault Trash

13:11 ENG 12-01-2026

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Q Upgrade

Overview SimpleBooksAPI GET getStatus GET getListofBooks GET getABook POST Regn POST postOrders GET getOrders + No environment

SimpleBooksAPI / getOrders

GET {{baseURL}}/orders

Send

Params Authorization Headers (8) Body Scripts Tests Settings Cookies

Auth Type Bearer Token Token {{accessToken}}

Body Cookies Headers (14) Test Results 200 OK • 290 ms • 1.06 KB Save Response

{ } JSON ▾ Preview Visualize

```
1 [  
2 {  
3   "id": "-ZCR2FS1_pk4kvoFsbQbS",  
4   "bookId": 1,  
5   "customerName": "Ricardo Bergstrom",  
6   "quantity": 1,  
7   "timestamp": 1768203563959  
8 },  
9 {  
10   "id": "FsfKczGmPUuGNZ-7HROMI",  
11   "bookId": 1,  
12   "customerName": "John",  
13   "quantity": 1,  
14   "timestamp": 1768203416483  
15 },  
16 {  
17   "id": "YqQ6DwoCjg1bATnH6DVoo",  
18   "bookId": 1,  
19   "customerName": "Dr. Rachael Christiansen",  
20   "quantity": 1,  
21   "timestamp": 1768203508920  
22 }]  
23 ]
```

Online Find and replace Console Postbot Runner Start Proxy Cookies Vault Trash

13:11 ENG 12-01-2026

≡ ← → Home Workspaces ▾ API Network

Search Postman Ctrl K

+ Invite ⚙️ 🔔 ⚡ Upgrade — 🗑 X

Overview SimpleBooksAP GET getStatus GET getListofBooks GET getABook POST Regn POST postOrders GET getOrders GET getAnOrder + No environment

HTTP SimpleBooksAPI / getAnOrder

GET {{baseUrl}}/orders/:orderId

Send

Params ● Authorization Headers (7) Body Scripts Tests Settings Cookies

Query Params

	Key	Value	Description	Bulk Edit
	Key	Value	Description	

Path Variables

	Key	Value	Description	Bulk Edit
	orderId	Value	Description	

Response History

Click Send to get a response

Online Find and replace Console

Postbot Runner Start Proxy Cookies Vault Trash

13:12 ENG 12-01-2026

Windows Search File Explorer Edge Notepad

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Q Upgrade

Overview SimpleBooksAP GET getStatus GET getListofBooks GET getABook POST Regn POST postOrders GET getOrders GET getAnOrder + No environment

SimpleBooksAPI / getAnOrder

GET {{baseUrl}}/orders/:orderId

Params Authorization Headers (7) Body Scripts Tests Settings Cookies

Query Params

Key	Value	Description	Bulk Edit
Key	Value	Description	

Path Variables

Key	Value	Description	Bulk Edit
orderId	-ZCR2FSI_pk4kvoFsbQbS	Description	

Body Cookies Headers (14) Test Results 401 Unauthorized 435 ms 791 B Save Response

{ } JSON ▾ Preview Visualize

```
1 {  
2   "error": "Missing Authorization header."  
3 }
```

Postbot Runner Start Proxy Cookies Vault Trash

Online Find and replace Console

13:13 ENG 12-01-2026

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Q Upgrade

Overview SimpleBooksAP GET getStatus GET getListofBooks GET getABook POST Regn POST postOrders GET getOrders GET getAnOrder + No environment

SimpleBooksAPI / getAnOrder

GET {{baseUrl}}/orders/:orderId

Params Authorization Headers (8) Body Scripts Tests Settings Cookies

Auth Type: Bearer Token Token: {{accessToken}}

The authorization header will be automatically generated when you send the request. Learn more about [Bearer Token](#) authorization.

Body Cookies Headers (14) Test Results 200 OK 288 ms 855 B Save Response

{ } JSON ▾ Preview Visualize

```
1 {  
2   "id": "-ZCR2FS1_pk4kvoFsbQbS",  
3   "bookId": 1,  
4   "customerName": "Ricardo Bergstrom",  
5   "quantity": 1,  
6   "timestamp": 1768203563959  
7 }
```

Online Find and replace Console Postbot Runner Start Proxy Cookies Vault Trash

13:13 ENG 12-01-2026

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Upgrade

Overview SimpleBooksAP GET getStatus GET getListofBooks GET getABook POST Regn POST postOrders GET getOrders GET getAnOrder + No environment

SimpleBooksAPI / getAnOrder

GET {{baseUrl}}/orders/:orderId

Send

Params Authorization Headers (8) Body Scripts Tests Settings Cookies

Query Params

	Key	Value	Description	Bulk Edit
	Key	Value	Description	

Path Variables

	Key	Value	Description	Bulk Edit
	orderId	-ZCR2FSI_pk4kvoFsbQbS	Description	

Body Cookies Headers (14) Test Results 200 OK 288 ms 855 B Save Response

{ } JSON ▾ Preview Visualize

```
1 {  
2   "id": "-ZCR2FSI_pk4kvoFsbQbS",  
3   "bookId": 1,  
4   "customerName": "Ricardo Bergstrom",  
5   "quantity": 1,  
6   "timestamp": 1768203563959  
7 }
```

Online Find and replace Console

Postbot Runner Start Proxy Cookies Vault Trash

13:13 ENG 12-01-2026

≡ ← → Home Workspaces ▾ API Network

Search Postman Ctrl K

+ Invite ⚙️ 🔔 ⚡ Upgrade — 🗑️ X

Overview | SimpleBooksA | GET getStatus | GET getListofBook | GET getABook | POST Regn | POST postOrders | GET getOrders | GET getAnOrder | PATCH updateAnC | + | No environment

HTTP SimpleBooksAPI / updateAnOrder

PATCH /orders/:orderId

Send

Params ● Authorization Headers (8) Body Scripts Tests Settings Cookies

Query Params

	Key	Value	Description	Bulk Edit
	Key	Value	Description	

Path Variables

	Key	Value	Description	Bulk Edit
	orderId	-ZCR2FSI_pk4kvoFsbQbS	Description	

Response History

Click Send to get a response

Online Find and replace Console

Postbot Runner Start Proxy Cookies Vault Trash

13:14 ENG 12-01-2026

Windows Search File Explorer Edge Notepad

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Q Upgrade

Overview SimpleBooksA GET getStatus GET getListofBook GET getABook POST Regn POST postOrders GET getOrders GET getAnOrder PATCH updateAnC + No environment

SimpleBooksAPI / updateAnOrder

PATCH /orders/:orderId

Send

Params Authorization Headers (9) Body Scripts Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON

Request Body

```
1 "customerName": "Jameel"
2
3
```

Beautify Schema

Response History

A cartoon illustration of an astronaut in a spacesuit holding a small rocket, with a trail of stars behind it.

Click Send to get a response

Online Find and replace Console

Postbot Runner Start Proxy Cookies Vault Trash

13:15 ENG 12-01-2026

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Q Upgrade

Overview SimpleBooksA GET getStatus GET getListofBook GET getABook POST Regn POST postOrders GET getOrders GET getAnOrder PATCH updateAnC + No environment

SimpleBooksAPI / updateAnOrder

PATCH /orders/:orderId

Params Authorization Headers (10) Body Scripts Tests Settings Cookies

Auth Type: Bearer Token

The authorization header will be automatically generated when you send the request. Learn more about [Bearer Token](#) authorization.

Token: {{accessToken}}

Send

Save Share

Response History



Click Send to get a response

SimpleBooksAPI / updateAnOrder

GET <https://{{baseURL}}/orders/:orderId>

Params • Authorization • Headers (8) Body Scripts Tests Settings Cookies

Query Params

Key	Value	Description	Bulk Edit
Key	Value	Description	

Path Variables

Key	Value	Description	Bulk Edit
orderId	FsfKczGmPUuGNZ-7HROMI	Description	

Body Cookies Headers (14) Test Results

200 OK • 294 ms • 842 B • [Save Response](#)

{ } JSON ▾ ▷ Preview ⚡ Visualize ▾

```
1 {  
2   "id": "FsfKczGmPUuGNZ-7HROMI",  
3   "bookId": 1,  
4   "customerName": "John",  
5   "quantity": 1,  
6   "timestamp": 1768203416483  
7 }
```

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Upgrade

Overview SimpleBooksA GET getStatus GET getListofBook GET getABook POST Regn POST postOrders GET getOrders GET getAnOrder PATCH updateAnC + No environment

SimpleBooksAPI / updateAnOrder

PATCH {{baseUrl}}/orders/:orderId

Params Authorization Headers (10) Body Scripts Tests Settings

none form-data x-www-form-urlencoded raw binary GraphQL JSON

Request Body

```
1 {  
2   "customerName": "Jameel"  
3 }
```

Cookies Beautify

History

Schema

Body Cookies Headers (14) Test Results 204 No Content 889 ms 746 B Save Response

{ } JSON ▾ Preview Visualize

1

Online Find and replace Console

Postbot Runner Start Proxy Cookies Vault Trash

13:20 ENG 12-01-2026

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Q Upgrade

Overview SimpleBooksA GET getStatus GET getListofBook GET getABook POST Regn POST postOrders GET getOrders GET getAnOrder PATCH updateAnC + No environment

SimpleBooksAPI / updateAnOrder

PATCH {{baseUrl}}/orders/:orderId

Params Authorization Headers (10) Body Scripts Tests Settings

none form-data x-www-form-urlencoded raw binary GraphQL JSON

Request Body

```
1 {  
2   "customerName": "Jameel"  
3 }
```

Cookies Beautify Schema

Body Cookies Headers (14) Test Results

204 No Content 889 ms 746 B Save Response

{ } JSON Preview Visualize

1

204 No Content There is no content to send for this request except for headers.

Online Find and replace Console

Postbot Runner Start Proxy Cookies Vault Trash

13:20 ENG 12-01-2026

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Q Upgrade

Overview SimpleBooksA GET getStatus GET getListofBook GET getABook POST Regn POST postOrders GET getOrders GET getAnOrder PATCH updateAnC + No environment

SimpleBooksAPI / updateAnOrder

PATCH {{baseUrl}}/orders/:orderId

Params Authorization Headers (10) Body Scripts Tests Settings

none form-data x-www-form-urlencoded raw binary GraphQL JSON

Request Body

```
1 {  
2   "customerName": "Jameel"  
3 }
```

Body Cookies Headers (14) Test Results 204 No Content 889 ms 746 B Save Response

{ } JSON Preview Visualize

Schema

Online Find and replace Console

2 Errors All Logs Clear

< Request Body

{ } JSON

```
1 {  
2   "customerName": "Jameel"  
3 }
```

Postbot Runner Start Proxy Cookies Vault Trash ?

13:20 ENG 12-01-2026 2

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Upgrade

Overview SimpleBooksA GET getStatus GET getListofBook GET getABook POST Regn POST postOrders GET getOrders GET getAnOrder PATCH updateAnC + No environment

SimpleBooksAPI / getAnOrder

GET {{baseURL}}/orders/:orderId

Send

Params Authorization Headers (8) Body Scripts Tests Settings Cookies

Query Params

Key	Value	Description	Bulk Edit
Key	Value	Description	

Path Variables

Key	Value	Description	Bulk Edit
orderId	FsfKczGmPUuGNZ-7HROMI	Description	

Body Cookies Headers (14) Test Results 200 OK 934 ms 844 B Save Response

{ } JSON ▾ Preview Visualize

```
1 {  
2   "id": "FsfKczGmPUuGNZ-7HROMI",  
3   "bookId": 1,  
4   "customerName": "Jameel",  
5   "quantity": 1,  
6   "timestamp": 1768203416483  
7 }
```

Online Find and replace Console Postbot Runner Start Proxy Cookies Vault Trash

13:21 ENG 12-01-2026

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Upgrade

Overview SimpleBook GET getStatus GET getListofBo GET getABook POST Regn POST postOrder GET getOrders GET getAnOrde PATCH updateAr GET deleteAnOri + No environment

SimpleBooksAPI / deleteAnOrder

GET Params Authorization Headers (8) Body Scripts Tests Settings Cookies

Query Params

Key	Value	Description	Bulk Edit
Key	Value	Description	

Path Variables

Key	Value	Description	Bulk Edit
orderId	-ZCR2FSI_pk4kvoFsbQbS	Description	

Body Cookies Headers (14) Test Results 200 OK • 311 ms • 855 B Save Response

{ } JSON ▾ Preview Visualize

```
1 {  
2   "id": "-ZCR2FSI_pk4kvoFsbQbS",  
3   "bookId": 1,  
4   "customerName": "Ricardo Bergstrom",  
5   "quantity": 1,  
6   "timestamp": 1768203563959  
7 }
```

Online Find and replace Console Postbot Runner Start Proxy Cookies Vault Trash

13:23 ENG 12-01-2026

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Upgrade

Overview SimpleBook GET getStatus GET getListofBo GET getABook POST Regn POST postOrder GET getOrders GET getAnOrde PATCH updateAr DEL deleteAnOr + No environment

SimpleBooksAPI / deleteAnOrder

DELETE [{{baseUrl}}/orders/:orderId](#)

Params Authorization Headers (8) Body Scripts Tests Settings Cookies

Query Params

Key	Value	Description	Bulk Edit
Key	Value	Description	

Path Variables

Key	Value	Description	Bulk Edit
orderId	-ZCR2FSI_pk4kvoFsbQbS	Description	

Body Cookies Headers (14) Test Results

204 No Content 308 ms 746 B Save Response

{ } JSON ▾ Preview Visualize

1

204 No Content There is no content to send for this request except for headers.

Online Find and replace Console

Postbot Runner Start Proxy Cookies Vault Trash

13:23 ENG 12-01-2026

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Upgrade

Overview SimpleBook GET getStatus GET getListofBo GET getABook POST Regn POST postOrder GET getOrders GET getAnOrder (red) PATCH updateAr DEL deleteAnOr (red) + No environment

SimpleBooksAPI / getAnOrder

GET {baseUrl}/orders/:orderId

Send

Params Authorization Headers (8) Body Scripts Tests Settings Cookies

Query Params

	Key	Value	Description	Bulk Edit
	Key	Value	Description	

Path Variables

	Key	Value	Description	Bulk Edit
	orderId	-ZCR2FSI_pk4kvoFsbQbS	Description	

Body Cookies Headers (14) Test Results 404 Not Found 377 ms 798 B Save Response

{ } JSON ▾ Preview Visualize

```
1 {  
2   "error": "No order with id -ZCR2FSI_pk4kvoFsbQbS."  
3 }
```

Postbot Runner Start Proxy Cookies Vault Trash

Online Find and replace Console

13:23 ENG 12-01-2026

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Q Upgrade

Overview SimpleBook GET getStatus GET getListofBo GET getABook POST Regn POST postOrder GET getOrders GET getAnOrde PATCH updateAr DEL deleteAnOr + No environment

SimpleBooksAPI / deleteAnOrder

DELETE [{{baseUrl}}/orders/:orderId](#)

Params Authorization Headers (8) Body Scripts Tests Settings Cookies

Query Params

Key	Value	Description	Bulk Edit
Key	Value	Description	

Path Variables

Key	Value	Description	Bulk Edit
orderId	-ZCR2FSI_pk4kvoFsbQbS	Description	

Body Cookies Headers (14) Test Results 404 Not Found 312 ms 798 B Save Response

{ } JSON ▾ Preview Visualize

```
1 {  
2   "error": "No order with id -ZCR2FSI_pk4kvoFsbQbS."  
3 }
```

Postbot Runner Start Proxy Cookies Vault Trash

Online Find and replace Console

13:24 ENG 12-01-2026

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Q Upgrade

Overview SimpleBook GET getStatus ● GET getListofBo GET getABook POST Regn POST postOrder GET getOrders GET getAnOrde PATCH updateAr DEL deleteAnOr + No environment

SimpleBooksAPI / getStatus

GET {{baseUrl}}/status

Send

Params Authorization Headers (7) Body Scripts Settings Cookies

Query Params

	Key	Value	Description	Bulk Edit
	Key	Value	Description	

Body Cookies Headers (14) Test Results 200 OK • 631 ms • 754 B Save Response

{ } JSON ▾ Preview Visualize

```
1 {  
2   "status": "OK"  
3 }
```

Postbot Runner Start Proxy Cookies Vault Trash

Online Find and replace Console

13:26 ENG 12-01-2026

Windows Search File Explorer Edge Notepad

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Upgrade

Overview SimpleBook GET getStatus ● GET getListofBo GET getABook POST Regn POST postOrder GET getOrders GET getAnOrde PATCH updateAr DEL deleteAnOr + No environment

SimpleBooksAPI / getStatus

Save Share

GET {{baseUrl}}/status

Send

Params Authorization Headers (7) Body Scripts Settings Cookies

Pre-request

```
1 pm.test("status code is 200", ()=>{  
2 | pm.response.to.have.status(200)  
3 })
```

Post-response

Packages </> Snippets

Body Cookies Headers (14) Test Results

200 OK • 631 ms • 754 B Save Response

{ } JSON ▾ Preview Visualize

```
1 {  
2 |   "status": "OK"  
3 }
```

Postbot Runner Start Proxy Cookies Vault Trash

Online Find and replace Console

13:26 ENG 12-01-2026

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Upgrade

Overview SimpleBook GET getStatus ● GET getListofBo GET getABook POST Regn POST postOrder GET getOrders GET getAnOrde PATCH updateAr DEL deleteAnOr + No environment

SimpleBooksAPI / getStatus

Save Share

GET {{baseUrl}}/status

Send

Params Authorization Headers (7) Body Scripts Settings Cookies

Pre-request

```
1 pm.test("status code is 200", ()=>{  
2 | pm.response.to.have.status(200)  
3 })
```

Post-response

Packages </> Snippets

Body Cookies Headers (14) Test Results (1/1)

200 OK • 1.02 s • 754 B • Save Response

{ } JSON ▾ Preview Visualize

```
1 {  
2 | "status": "OK"  
3 }
```

Postbot Runner Start Proxy Cookies Vault Trash

Online Find and replace Console

13:26 ENG 12-01-2026

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Upgrade

Overview SimpleBook GET getStatus ● GET getListofBo GET getABook POST Regn POST postOrder GET getOrders GET getAnOrde PATCH updateAr DEL deleteAnOr + No environment

SimpleBooksAPI / getStatus

Save Share

GET {{baseUrl}}/status

Send

Params Authorization Headers (7) Body Scripts ● Settings Cookies

Pre-request

```
1 pm.test("status code is 200", ()=>{  
2 | pm.response.to.have.status(200)  
3 })
```

Post-response

Packages </> Snippets

Body Cookies Headers (14) Test Results (1/1)

200 OK • 1.02 s • 754 B • Save Response

i Testing your API endpoints one by one? Run your entire collection and test end-to-end workflows effortlessly. [Learn more](#)

Run Collection

Filter Results

PASSED status code is 200

Online Find and replace Console

Postbot Runner Start Proxy Cookies Vault Trash

13:26 ENG 12-01-2026

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Upgrade

Overview SimpleBook GET getStatus ● GET getListofBo GET getABook POST Regn POST postOrder GET getOrders GET getAnOrde PATCH updateAr DEL deleteAnOr + No environment

SimpleBooksAPI / getStatus

Save Share

GET {{baseUrl}}/status

Send

Params Authorization Headers (7) Body Scripts ● Settings Cookies

Pre-request

```
1 pm.test("status code is 200", ()=>{  
2 | pm.response.to.have.status(200)  
3 })  
4 const res = pm.response.json()  
5 console.log(res)
```

Post-response

Packages </> Snippets

Body Cookies Headers (14) Test Results (1/1)

200 OK • 572 ms • 754 B Save Response

i Testing your API endpoints one by one? Run your entire collection and test end-to-end workflows effortlessly. [Learn more](#)

Run Collection

Filter Results

PASSED status code is 200

Online Find and replace Console

Postbot Runner Start Proxy Cookies Vault Trash

13:27 ENG 12-01-2026

Home Workspaces API Network

Search Postman Ctrl K

Invite Settings Bell Upgrade

Overview SimpleBook GET getStatus ● | GET getListofBo | GET getABook | POST Regn | POST postOrder | GET getOrders | GET getAnOrde | PATCH updateAr | DEL deleteAnOrde + No environment

SimpleBooksAPI / getStatus

GET {{baseUrl}}/status

Send

Params Authorization Headers (7) Body Scripts ● Settings Cookies

Pre-request

```
1 pm.test("status code is 200", ()=>{  
2   pm.response.to.have.status(200)  
3 }  
4 const res = pm.response.json()  
5 console.log(res)
```

Post-response

Packages </> Snippets

Body Cookies Headers (14) Test Results (1/1)

200 OK • 284 ms • 754 B • Save Response

Testing your API endpoints one by one? Run your entire collection and test end-to-end workflows effortlessly. [Learn more](#)

Run Collection

Filter Results

PASSED status code is 200

Online Find and replace Console

All Logs Clear

GET https://simple-books-api.click/status 200 | 284 ms

{status: "OK"}

Postbot Runner Start Proxy Cookies Vault Trash ?

13:28 ENG 12-01-2026

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Q Upgrade

Overview SimpleBook GET getStatus ● GET getListofBo GET getABook POST Regn POST postOrder GET getOrders GET getAnOrde PATCH updateAr DEL deleteAnOr + No environment

SimpleBooksAPI / getStatus

Save Share

GET {{baseUrl}}/status

Send

Params Authorization Headers (7) Body Scripts ● Settings Cookies

Pre-request

```
1 pm.test("status code is 200", ()=>{  
2 | pm.response.to.have.status(200)  
3 })  
4 const res = pm.response.json()  
5 console.log(res.status)
```

Post-response

Packages </> Snippets

Body Cookies Headers (14) Test Results (1/1) 200 OK • 960 ms • 754 B Save Response

Testing your API endpoints one by one? Run your entire collection and test end-to-end workflows effortlessly. [Learn more](#)

Run Collection

Filter Results

PASSED status code is 200

Online Find and replace Console All Logs Clear

▶ GET https://simple-books-api.click/status 200 | 284 ms  
▶ {status: "OK"}  
▶ GET https://simple-books-api.click/status 200 | 960 ms  
"OK"

Postbot Runner Start Proxy Cookies Vault Trash ?

13:28 ENG 12-01-2026 2

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Upgrade

Overview SimpleBook GET getStatus ● GET getListofBo GET getABook POST Regn POST postOrder GET getOrders GET getAnOrde PATCH updateAr DEL deleteAnOrde + No environment

SimpleBooksAPI / getStatus

GET {{baseUrl}}/status

Send

Params Authorization Headers (7) Body Scripts ● Settings Cookies

Pre-request

```
1 pm.test("status code is 200", ()=>{  
2 | pm.response.to.have.status(200)  
3 })  
4 const res = pm.response.json()  
5 console.log(res)  
6 console.log(res.status)  
7 console.log(res['status'])
```

Post-response

Packages </> Snippets ↻

Body Cookies Headers (14) Test Results (1/1)

200 OK • 286 ms • 754 B • Save Response

Testing your API endpoints one by one? Run your entire collection and test end-to-end workflows effortlessly. [Learn more](#)

Run Collection X

Filter Results

PASSED status code is 200

Online Find and replace Console

All Logs Clear

▶ GET https://simple-books-api.click/status 200 | 286 ms

▶ {status: "OK"}

"OK"

"OK"

Postbot Runner Start Proxy Cookies Vault Trash ?

13:29 ENG 12-01-2026 2

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Upgrade No environment

Overview SimpleBook GET getStatus ● | GET getListofBo | GET getABook | POST Regn | POST postOrder | GET getOrders | GET getAnOrder ● | PATCH updateAnOr | DEL deleteAnOr + v No environment

Collections

Environments

Flows

History

SimpleBooksAPI / getStatus

HTTP GET {{baseUrl}}/status

Send

Params Authorization Headers (7) Body Scripts ● Settings Cookies </>

Pre-request

```
1 pm.test("status code is 200", ()=>{  
2   pm.response.to.have.status(200)  
3 })  
4  
5 pm.test("status should be ok", ()=>{  
6   pm.expect(1).to.eql(1)  
7 })  
8 pm.test("status should be not be ok", ()=>{  
9   pm.expect(1).to.eql(2)  
10 })
```

Post-response

Packages </> Snippets ↻ ↻

Body Cookies Headers (14) Test Results (2/3) 200 OK • 407 ms • 754 B • Save Response

PASSED status code is 200

PASSED status should be ok

FAILED status should be not be ok | AssertionError: expected 1 to deeply equal 2

Online Find and replace Console All Logs Clear

▶ GET https://simple-books-api.click/status 200 | 407 ms

▶ {status: "OK"}

"OK"

"OK"

Postbot Runner Start Proxy Cookies Vault Trash ?

18:13 ENG 12-01-2026 3

≡ ← → Home Workspaces ▾ API Network

Search Postman Ctrl K

Invite Gear Bell Upgrade + ▾ No environment ▾

Overview SimpleBook GET getStatus ● | GET getListofBo | GET getABook | POST Regn | POST postOrder | GET getOrders | GET getAnOrder ● | PATCH updateAnOr | DEL deleteAnOr + ▾ | No environment ▾

Collections

Environments

Flows

History

SimpleBooksAPI / getStatus

GET {{baseUrl}}/status

Send

Params Authorization Headers (7) Body Scripts ● Settings Cookies </>

Pre-request

```
1 pm.test("status code is 200", ()=>{
2   pm.response.to.have.status(200)
3 }
4 const res = pm.response.json()
5 pm.test("status should be OK", ()=>{
6   pm.expect(res.status).to.eql("OK")
7 }
8
9 // console.log(res)
10 // console.log(res.status)
11 // console.log(res['status'])
12 // pm.test("status should be ok", ()=>{
13 //   pm.expect(1).to.eql(1)
14 // }
```

Post-response

Packages </> Snippets ↻ ↻

Body Cookies Headers (14) Test Results (2/2) ↻

200 OK • 867 ms • 754 B • Save Response ⚡

Filter Results ↻

PASSED status code is 200

PASSED status should be OK

Online Find and replace Console

Postbot Runner Start Proxy Cookies Vault Trash ?

18:17 ENG 12-01-2026 3



Overview

SimpleBook

GET

getStatus

GET getListofBo

GET getABook

POST Regn

POST postOrder

GET getOrders

GET getAnOrde


PATCH updateAr

DEL deleteAnOr

+

▼

No environment



HTTP SimpleBooksAPI / getStatus

Save

Share



GET

{baseUrl} /status

Send



Params Authorization Headers (7) Body Scripts ● Settings

Cookies

Pre-request

```
1 pm.test("status code is 200", ()=>{
  2 | pm.response.to.have.status(200)
  3 }
 4 const res = pm.response.json()
 5 pm.test("status should be OK", ()=>{
 6 | pm.expect(res.status).to.eql("NOT OK")
 7 }
 8
 9 // console.log(res)
10 // console.log(res.status)
11 // console.log(res['status'])
12 // pm.test("status should be ok", ()=>{
13 //   pm.expect(1).to.eql(1)
14 // }
```

&lt;/&gt;



Post-response

^

(i)



Packages &lt;/&gt; Snippets



Body Cookies Headers (14) Test Results (1/2) ⏪

200 OK • 419 ms • 754 B • ↗ Save Response ⌂

Filter Results



PASSED status code is 200

FAILED status should be OK | AssertionError: expected 'OK' to deeply equal 'NOT OK'

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Upgrade

Overview SimpleBook **getStatus** getListofBo getABook Regn postOrder getOrders getAnOrder updateAnOr deleteAnOr + No environment

SimpleBooksAPI / **getStatus**

Save Share

GET **{{baseUrl}}/status/foo** Send

Params Authorization Headers (7) Body Scripts ● Settings Cookies

Pre-request

```
1 pm.test("status code is 200", ()=>{  
2 | pm.response.to.have.status(200)  
3 })  
4 const res = pm.response.json()  
5 pm.test("status should be OK", ()=>{  
6 | pm.expect(res.status).to.eql("NOT OK")  
7 })  
8  
9 // console.log(res)  
10 // console.log(res.status)  
11 // console.log(res['status'])  
12 // pm.test("status should be ok", ()=>{  
13 // | pm.expect(1).to.eql(1)  
14 // })  
15 // pm.test("status should be not be ok", ()=>{  
16 // | pm.expect(res.status).to.not.eql("OK")})
```

Packages Snippets

Body Cookies Headers (14) Test Results (0/2)

404 Not Found 874 ms 831 B Save Response

Filter Results

FAILED status code is 200 | Assertion: expected response to have status code 200 but got 404

FAILED status should be OK | Assertion: expected undefined to deeply equal 'NOT OK'

Online Find and replace Console

Postbot Runner Start Proxy Cookies Vault Trash

18:18 ENG 12-01-2026

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Upgrade

Overview SimpleBook GET getStatus ● GET getListofBo GET getABook POST Regn POST postOrder GET getOrders GET getAnOrder ● PATCH updateAr DEL deleteAnOr + No environment

SimpleBooksAPI / getStatus

Save Share

GET {{baseUrl}}/status/foo Send

Params Authorization Headers (7) Body Scripts ● Settings Cookies

Pre-request

```
1 pm.test("status code is 200", ()=>{  
2 | pm.response.to.have.status(200)  
3 })  
4 const res = pm.response.json()  
5 pm.test("status should be OK", ()=>{  
6 | pm.expect(res.status).to.eql("NOT OK")  
7 })  
8  
9 // console.log(res)  
10 // console.log(res.status)  
11 // console.log(res['status'])  
12 // pm.test("status should be ok", ()=>{  
13 // | pm.expect(1).to.eql(1)  
14 // })  
15 // pm.test("status should be not be ok", ()=>{  
16 // | pm.expect(res.status).to.not.eql(1)  
17 // })
```

Post-response

Packages Snippets

Body Cookies Headers (14) Test Results (0/2)

404 Not Found 874 ms 831 B Save Response

{ } JSON Preview Visualize

```
1 {  
2 | "error": "The resource could not be found. Check your endpoint and request method."  
3 }
```

Online Find and replace Console

Postbot Runner Start Proxy Cookies Vault Trash

18:18 ENG 12-01-2026

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Upgrade

Overview SimpleBook GET getStatus GET getListofBooks ● GET getABook POST Regn POST postOrder GET getOrders GET getAnOrder ● PATCH updateAnOrder DEL deleteAnOrder + No environment

SimpleBooksAPI / getListofBooks

GET {{baseUrl}} /books?type=fiction&limit=1

Send

Params ● Authorization Headers (7) Body Scripts ● Settings Cookies

Pre-request

```
1 pm.test("status code is 200", ()=>{  
2 | pm.response.to.have.status(200)  
3 })
```

Post-response

Packages </> Snippets

Body Cookies Headers (14) Test Results (1/1)

200 OK • 706 ms • 804 B • Save Response

i Testing your API endpoints one by one? Run your entire collection and test end-to-end workflows effortlessly. [Learn more](#)

Run Collection X

Filter Results

PASSED status code is 200

Online Find and replace Console

Postbot Runner Start Proxy Cookies Vault Trash

18:20 ENG 12-01-2026 3

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Upgrade

Overview SimpleBook GET getStatus GET getListofBo GET getABook • POST Regn POST postOrder GET getOrders GET getAnOrder • PATCH updateAr DEL deleteAnOr + No environment

SimpleBooksAPI / getABook

GET {{baseURL}} /books/1 Send

Params Authorization Headers (7) Body Scripts ● Settings Cookies

Pre-request

```
1 pm.test("status code is 200", ()=>{  
2 | pm.response.to.have.status(200)  
3 })
```

Post-response

Packages </> Snippets ↻ ↺

Body Cookies Headers (14) Test Results (1/1) 200 OK 365 ms 1.03 KB Save Response

Filter Results PASSED status code is 200

Online Find and replace Console Postbot Runner Start Proxy Cookies Vault Trash

Windows Search File Explorer Edge Notepad 18:20 ENG 12-01-2026

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Upgrade

Overview SimpleBook GET getStatus GET getListofBo GET getABook POST Regn POST postOrde ● GET getOrders GET getAnOrder ● PATCH updateAr DEL deleteAnOr + No environment

SimpleBooksAPI / postOrders

POST {{baseUrl}}/orders

Params Authorization Headers (10) Body Scripts Settings

Pre-request

```
1 pm.test("status code is 201", ()=>{  
2 | pm.response.to.have.status(201)  
3 })
```

Post-response

Cookies </>

Packages </> Snippets ↻ ↻

Body Cookies Headers (14) Test Results (1/1) 201 Created • 284 ms • 794 B Save Response

Testing your API endpoints one by one? Run your entire collection and test end-to-end workflows effortlessly. [Learn more](#)

Run Collection X

Filter Results

PASSED status code is 201

Online Find and replace Console

Postbot Runner Start Proxy Cookies Vault Trash

18:21 ENG 12-01-2026 3

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Upgrade

Overview SimpleBook GET getStatus GET getListofBo GET getABook POST Regn POST postOrder GET getOrders GET getAnOrde PATCH updateAnOrde DEL deleteAnOrde + No environment

SimpleBooksAPI / updateAnOrder

PATCH {{baseUrl}}/orders/:orderId

Params Authorization Headers (10) Body Scripts Settings

Pre-request

```
1 pm.test("status code is 204", ()=>{  
2 | pm.response.to.have.status(204)  
3 })
```

Post-response

Cookies

Packages </> Snippets

Body Cookies Headers (14) Test Results (1/1)

204 No Content • 1.57 s • 746 B • Save Response

i Testing your API endpoints one by one? Run your entire collection and test end-to-end workflows effortlessly. [Learn more](#)

Run Collection X

Filter Results

PASSED status code is 204

Online Find and replace Console

Postbot Runner Start Proxy Cookies Vault Trash

18:23 ENG 12-01-2026

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Upgrade

Overview SimpleBook GET getStatus GET getListofBo GET getABook POST Regn POST postOrder GET getOrders GET getAnOrde PATCH updateAr DEL deleteAnOr + No environment

SimpleBooksAPI / deleteAnOrder

DELETE [{{baseUrl}}/orders/:orderId](#)

Params Authorization Headers (8) Body Scripts Settings Cookies

Query Params

Key	Value	Description	Bulk Edit
Key	Value	Description	

Path Variables

Key	Value	Description	Bulk Edit
orderId	PM8PaLzGKuNROznKPuBs	Description	

Body Cookies Headers (14) Test Results (1/1)

204 No Content • 282 ms • 746 B Save Response

Testing your API endpoints one by one? Run your entire collection and test end-to-end workflows effortlessly. [Learn more](#)

Run Collection

Filter Results

PASSED status code is 204

Online Find and replace Console

Postbot Runner Start Proxy Cookies Vault Trash

18:24 ENG 12-01-2026

≡ ← → Home Workspaces API Network

Search Postman Ctrl K

+ Invite Gear Bell Q Upgrade

Overview SimpleBooksAPI deleteAnOrder Globals + No environment

Collections Environments Flows History

Globals

Save Export i

Global variables for a workspace are a set of variables that are always available within the scope of that workspace. They can be viewed and edited by anyone in that workspace. [Learn more about globals](#)

Filter variables

	Variable	Type	Initial value	Current value	...
<input checked="" type="checkbox"/>	bID	default		1	
	Add new variable				

Online Find and replace Console

Postbot Runner Start Proxy Cookies Vault Trash

18:28 ENG 12-01-2026 3

≡ ← → Home Workspaces API Network

Search Postman Ctrl K

+ Invite ⚙️ 🔔 ⚡ Upgrade

My Workspace New Import Overview SimpleBooksAPI Globals GET getABook + No environment

Collections + Search collections SimpleBooksAPI

Environments

Flows

History

GET getStatus

GET getListofBooks

GET getABook

POST Regn

POST postOrders

GET getOrders

GET getAnOrder

PATCH updateAnOrder

DEL deleteAnOrder

HTTP SimpleBooksAPI / getABook

GET {{baseUrl}} /books/{{

Params Authorization Headers (7)

Pre-request 1 pm.test("s")  
2 pm.res...  
3 })

Post-response

G bID  
C baseURL  
C accessToken  
G \$guid  
G \$timestamp  
G \$isoTimestamp  
G \$randomInt  
G \$randomPhoneN...

Send Cookies

Packages </> Snippets

INITIAL CURRENT 1 SCOPE Global

Response History

Click Send to get a response

Online Find and replace Console

Postbot Runner Start Proxy Cookies Vault Trash

18:29 ENG 12-01-2026

My Workspace

New Import

Overview SimpleBooksAPI Globals GET getABook + No environment

Collections

SimpleBooksAPI

GET getStatus

GET getListofBooks

GET getABook

POST Regn

POST postOrders

GET getOrders

GET getAnOrder

PATCH updateAnOrder

DEL deleteAnOrder

HTTP SimpleBooksAPI / getABook

GET {{baseUrl}} /books/ {{bID}}

Send

Params Authorization Headers (7) Body Scripts Settings Cookies

Pre-request

```
1 pm.test("status code is 200", ()=>{  
2 | pm.response.to.have.status(200)  
3 })
```

Post-response

Body Cookies Headers (14) Test Results (1/1)

200 OK • 654 ms • 1.03 KB • Save Response

{ } JSON Preview Visualize

```
1 {  
2   "id": 1,  
3   "entityType": "BOOK",  
4   "available": true,  
5   "timestamp": 1752239490804,  
6   "created": "2025-07-11T13:11:30.804Z",  
7   "isbn": "1780899475",  
8   "GSI1SK": "BOOK#1",  
9   "name": "The Russian",  
10  "current-stock": 12,  
11  "GSI1PK": "TYPE#fiction",  
12  "price": 12.98,  
13  "PK": "BOOK#1",  
14  "author": "James Patterson and James O. Born",  
15  "type": "fiction",  
16  "SK": "METADATA"  
17 }
```

**My Workspace**

New Import

Collections

Environments

Flows

History

SimpleBooksAPI

GET getStatus

GET getListofBooks

GET getABook

POST Regn

POST postOrders

GET getOrders

GET getAnOrder

PATCH updateAnOrder

DEL deleteAnOrder

Overview SimpleBooksAPI Globals GET getABook + No environment

HTTP SimpleBooksAPI / getABook

GET {{baseUrl}} /books/ {{bID}}

Params Authorization Headers (7) Body Scripts Settings

Pre-request

```
1 pm.test("status code is 200", () => {
2     pm.response.to.have.status(200);
3 });
4
5 const res = pm.response.json();
6 console.log(res)
7 console.log(res.id)
```

Post-response

Body Cookies Headers (14) Test Results (1/1) 200 OK • 329 ms • 1.03 KB • Save Response

{} JSON ▾ Preview Visualize

```
1 {
2     "id": 1,
3     "entityType": "BOOK",
4     "available": true,
5     "timestamp": 1752239490804,
6     "created": "2025-07-11T13:11:30.804Z",
7     "isbn": "1780899475",
8     "GSI1SK": "BOOK#1",
9     "name": "The Russian",
10    "current-stock": 12,
11    "GSI1PK": "TYPE#fiction",
```

Online Find and replace Console

```
GSI1PK: "TYPE#fiction"
price: 12.98
PK: "BOOK#1"
author: "James Patterson and James O. Born"
type: "fiction"
SK: "METADATA"
```

All Logs Clear

My Workspace

New Import

Overview SimpleBooksAPI Globals GET getABook + No environment

SimpleBooksAPI / getABook

GET {{baseUrl}} /books/ {bID}

Send

Params Authorization Headers (7) Body Scripts ● Settings Cookies

Pre-request:

```
1 pm.test("status code is 200", () => {
2   pm.response.to.have.status(200);
3 });
4
5 const res = pm.response.json();
6 console.log(res)
7 console.log(res.id)
```

Post-response:

Body Cookies Headers (14) Test Results (1/1) 200 OK • 329 ms • 1.03 KB • Save Response

JSON Preview Visualize

```
1 {
2   "id": 1,
3   "entityType": "BOOK",
4   "available": true,
5   "timestamp": 1752239490804,
6   "created": "2025-07-11T13:11:30.804Z",
7   "isbn": "1780899475",
8   "GSI1SK": "BOOK#1",
9   "name": "The Russian",
10  "current-stock": 12,
11  "GSI1PK": "TYPE#fiction",
```

Online Find and replace Console

type: "fiction"  
SK: "METADATA"

▶ GET https://simple-books-api.click/books/1

200 | 329 ms

▶ {id: 1, entityType: "BOOK", available: true...}

1

Postbot Runner Start Proxy Cookies Vault Trash ?

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Q Upgrade

My Workspace New Import Overview SimpleBooksAPI Globals GET getABook GET getListofBooks + No environment

Collections + Search collections SimpleBooksAPI GET getStatus GET getListofBooks (selected) GET getABook POST Regn POST postOrders GET getOrders GET getAnOrder PATCH updateAnOrder DEL deleteAnOrder

Environments

Flows

History

HTTP SimpleBooksAPI / getListofBooks

GET {{baseUrl}} /books?type=fiction&limit=2

Send Params Authorization Headers (7) Body Scripts Settings

Pre-request

```
1 pm.test("status code is 200", ()=>{  
2   pm.response.to.have.status(200)  
3 })  
4 const res = pm.response.json()  
5 console.log(res)
```

Post-response

Cookies </>

Packages </> Snippets ↻ ↻ Save Response

200 OK • 486 ms • 876 B • Save Response

Online Find and replace Console All Logs Clear

GET https://simple-books-api.click/books?type=fiction&limit=2 200 | 486 ms


(2) [ { ... }, { ... } ]

0: { ... }

```
id: 1  
name: "The Russian"  
type: "fiction"  
available: true
```

1: { ... }

```
id: 3  
name: "The Vanishing Half"  
type: "fiction"  
available: true
```



Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Q Upgrade

My Workspace New Import Overview SimpleBooksAPI Globals GET getABook GET getListofBooks + No environment

Collections

SimpleBooksAPI

GET getStatus

GET getListofBooks

GET getABook

POST Regn

POST postOrders

GET getOrders

GET getAnOrder

PATCH updateAnOrder

DEL deleteAnOrder

HTTP SimpleBooksAPI / getListofBooks

GET {{baseUrl}} /books?type=fiction&limit=2

Send

Params Authorization Headers (7) Body Scripts Settings

Pre-request


```
1 pm.test("status code is 200", ()=>{  
2   pm.response.to.have.status(200)  
3 })  
4 const res = pm.response.json()  
5 console.log(res)  
6 console.log(res[0].name)
```

Post-response

Cookies

Packages Snippets Save Response

200 OK 1.02 s 876 B



Online Find and replace Console

All Logs Clear

GET https://simple-books-api.click/books?type=fiction&limit=2 200 | 1022 ms

(2) [{}]



0: {}

id: 1  
name: "The Russian"  
type: "fiction"  
available: true

1: {}

id: 3  
name: "The Vanishing Half"  
type: "fiction"  
available: true

"The Russian"



Postbot Runner Start Proxy Cookies Vault Trash ?

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Upgrade

My Workspace New Import Overview SimpleBooksAPI Globals GET getABook GET getListofBooks + No environment

Collections

SimpleBooksAPI

GET getStatus

GET getListofBooks

GET getABook

POST Regn

POST postOrders

GET getOrders

GET getAnOrder

PATCH updateAnOrder

HTTP SimpleBooksAPI / getListofBooks

GET {{baseUrl}} /books?type=non-fiction

Params Authorization Headers (7) Body Scripts Settings

Pre-request

```
1 pm.test("status code is 200", ()=>{  
2     pm.response.to.have.status(200)  
3 })  
4 // const res = pm.response.json()  
5 // console.log(res)  
6 // console.log(res[0].name)
```

Post-response

Body Cookies Headers (14) Test Results (1/1)

200 OK • 313 ms • 875 B • Save Response

Cookies

Packages Snippets

Online Find and replace Console

All Logs Clear

< Response Body

{ } JSON

```
1 [  
2   {  
3     "id": 2,  
4     "name": "Just as I Am",  
5     "type": "non-fiction",  
6     "available": false  
7   },  
8   {  
9     "id": 5,  
10    "name": "Untamed",  
11    "type": "non-fiction",  
12    "available": true  
13  }]  
14 ]
```



Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Upgrade

Overview SimpleBooksAPI Globals GET getABook GET getListofBooks + No environment

SimpleBooksAPI / getListofBooks

GET {{baseUrl}} /books?type=non-fiction

Send

Params Authorization Headers (7) Body Scripts Settings Cookies

Pre-request

```
1 pm.test("status code is 200", ()=>{  
2   pm.response.to.have.status(200)  
3 })  
4 const res = pm.response.json()  
5 const available = res.filter((book)=>book.available ===true)  
6 console.log(available)
```

Post-response

Packages Snippets


Body Cookies Headers (14) Test Results (1/1) 200 OK 359 ms 875 B Save Response

Online Find and replace Console

All Logs Clear

▶ GET https://simple-books-api.click/books?type=non-fiction 200 | 359 ms

```
▶ (1) [...]  
  ▶ 0: {...}  
    id: 5  
    name: "Untamed"  
    type: "non-fiction"  
    available: true
```



Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Upgrade

Overview SimpleBooksAPI Globals GET getABook GET getListofBooks + No environment

Save Share

HTTP SimpleBooksAPI / getListofBooks

GET {{baseUrl}} /books?type=non-fiction

Send

Params Authorization Headers (7) Body Scripts Settings Cookies

Pre-request

```
1 pm.test("status code is 200", ()=>{
2   pm.response.to.have.status(200)
3 }
4 const res = pm.response.json()
5 const available = res.filter((book)=>book.available ===true)
6 const not_available = res.filter((book)=>book.available ===false)
7 console.log(available)
8 console.log(not_available)
```

Post-response

Packages Snippets

Body Cookies Headers (14) Test Results (1/1) 200 OK 890 ms 875 B Save Response

Online Find and replace Console

All Logs Clear

200 | 890 ms

▶ GET https://simple-books-api.click/books?type=non-fiction

▼ (1) [{}]

  ▼ 0: {}  
    id: 5  
    name: "Untamed"  
    type: "non-fiction"  
    available: true

▼ (1) [{}]

  ▼ 0: {}  
    id: 2  
    name: "Just as I Am"  
    type: "non-fiction"  
    available: false

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Upgrade

Overview SimpleBooksAPI Globals GET getABook GET getListofBooks + No environment

SimpleBooksAPI / getListofBooks

GET {{baseUrl}} /books?type=non-fiction

Send

Params Authorization Headers (7) Body Scripts Settings Cookies

Pre-request

```
1 pm.test("status code is 200", ()=>{
2   pm.response.to.have.status(200)
3 }
4 const res = pm.response.json()
5 console.log(res[0])
6 // const available = res.filter((book)=>book.available ===true)
7 // const not_available = res.filter((book)=>book.available ===false)
8 // console.log(available)
9 // console.log(not_available)
```

Post-response

Packages Snippets

Body Cookies Headers (14) Test Results (1/1) 200 OK 561 ms 875 B Save Response

Online Find and replace Console

All Logs Clear

200 | 561 ms

▶ GET https://simple-books-api.click/books?type=non-fiction

▼ {id: 2, name: "Just as I Am", type: "non-fiction"}  
id: 2  
name: "Just as I Am"  
type: "non-fiction"  
available: false

Postbot Runner Start Proxy Cookies Vault Trash ?

18:43 ENG 12-01-2026 3

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Upgrade

Overview SimpleBooksAPI Globals GET getABook GET getListofBooks + No environment

SimpleBooksAPI / getListofBooks

GET {{baseUrl}} /books?type=non-fiction

Send

Params Authorization Headers (7) Body Scripts Settings Cookies

Pre-request

```
1 pm.test("status code is 200", ()=>{
2   pm.response.to.have.status(200)
3 }
4 const res = pm.response.json()
5 const book1 = res[0]
6 console.log(book1)
7 // const available = res.filter((book)=>book.available ===true)
8 // const not_available = res.filter((book)=>book.available ===false)
9 // console.log(available)
10 // console.log(not_available)
```

Post-response

Packages Snippets

Body Cookies Headers (14) Test Results (1/1) 200 OK 515 ms 875 B Save Response

Online Find and replace Console

All Logs Clear

200 | 515 ms

▶ GET https://simple-books-api.click/books?type=non-fiction

▼ {id: 2, name: "Just as I Am", type: "non-fiction"}  
id: 2  
name: "Just as I Am"  
type: "non-fiction"  
available: false

Postbot Runner Start Proxy Cookies Vault Trash ?

18:44 ENG 12-01-2026 3

Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Q Upgrade

My Workspace New Import Overview SimpleBooksAPI GET getABook GET getListofBooks POST postOrders + No environment

Collections + Search environments

Globals

New Environment

Params Authorization Headers (10) Body Scripts Settings

none form-data x-www-form-urlencoded raw binary GraphQL JSON

Request Body

```
1 {  
2   "bookId": {{bID}},  
3   "customerName": "{{$randomFullName}}"  
4 }
```

Send Cookies Beautify

History

Flows

Schema

Body Cookies Headers (14) Test Results (1/1) 201 Created 481 ms 794 B Save Response

{ } JSON ▾ Preview Visualize

```
1 {  
2   "created": true,  
3   "orderId": "zGbGH-f1kFUrnneDbTLUZj"  
4 }
```

🔒 Overview SimpleBooksAPI Runner +

\_collections Collections Environments Flows History

Run Sequence

Deselect All | Select All | Reset

1  GET getStatus

2  GET getListofBooks

3  GET getABook

4  POST Regn

5  POST postOrders

6  GET getOrders

7  GET getAnOrder

8  PATCH updateAnOrder

9  DEL deleteAnOrder

Functional Performance

Choose how to run your collection

Run manually  
Run this collection in the Collection Runner.

Schedule runs  
Periodically run collection at a specified time on the Postman Cloud.

Automate runs via CLI  
Configure CLI command to run on your build pipeline.

Run configuration

Iterations

Delay  ms

Test data file

Only JSON and CSV files are accepted.

Advanced settings >

Run SimpleBooksAPI

🔒 Overview SimpleBooksAPI SimpleBooksAPI + ↴ No environment

## SimpleBooksAPI - Run results

Ran today at 06:50:44 PM · [View all runs](#)

Source	Environment	Iterations	Duration	All tests	Avg. Resp. Time
Runner	none	1	4s 811ms	7	404 ms

All Tests Passed (5) Failed (2) Skipped (0) [View Summary](#)

### Iteration 1

**GET getStatus**  
https://simple-books-api.click/status 200 • 483 ms • 754 B

PASS status code is 200

FAIL status should be OK | AssertionError: expected 'OK' to deeply equal 'NOT OK'

**GET getListofBooks**  
https://simple-books-api.click/books?type=non-fiction 200 • 295 ms • 875 B

PASS status code is 200

**GET getABook**  
https://simple-books-api.click/books/1 200 • 265 ms • 1.056 KB

PASS status code is 200

**POST Regn**  
https://simple-books-api.click/api-clients 409 • 280 ms • 811 B

No tests found

**POST postOrders**  
https://simple-books-api.click/orders 201 • 282 ms • 794 B

PASS status code is 201

🔒 Overview SimpleBooksAPI SimpleBooksAPI + ↴ No environment

### SimpleBooksAPI - Run results

Ran today at 06:50:44 PM · [View all runs](#)

Source	Environment	Iterations	Duration	All tests	Avg. Resp. Time
Runner	none	1	4s 811ms	7	404 ms

All Tests Passed (5) Failed (2) Skipped (0) [View Summary](#)

**POST postOrders**  
https://simple-books-api.click/orders 201 • 282 ms • 794 B  
PASS status code is 201

**GET getOrders**  
https://simple-books-api.click/orders 200 • 432 ms • 1.312 KB  
No tests found

**GET getAnOrder**  
https://simple-books-api.click/orders/FsfKczGmPUuGNZ-7HROMI 200 • 518 ms • 844 B  
No tests found

**PATCH updateAnOrder**  
https://simple-books-api.click/orders/FsfKczGmPUuGNZ-7HROMI 204 • 748 ms • 746 B  
PASS status code is 204

**DELETE deleteAnOrder**  
https://simple-books-api.click/orders/PM8PaLzGTKuNROznKPUBs 404 • 332 ms • 798 B  
FAIL status code is 204 | AssertionError: expected response to have status code 204 but got 404

≡ ← → Home Workspaces API Network

Search Postman Ctrl K

+ Invite ⚙️ 🔔 ⚡ Upgrade

My Workspace New Import Overview SimpleBooksAPI SimpleBooksAPI + No environment

Collections Environments Flows History

SimpleBooksAPI

Save Run Fork 0 Share

GET getStatus  
GET getListofBooks  
GET getABook  
POST Regn  
POST postOrders  
GET getOrders  
GET getAnOrder  
PATCH updateAnOrder  
DEL deleteAnOrder

Add request  
Add folder  
Run  
Share  
Copy link  
Move  
Fork Ctrl+Alt+F  
Rename Ctrl+E  
Duplicate Ctrl+D  
Delete Del

Initial value Current value

https://simple-books-api.click https://simple-books-api.click

Mock Create Monitor Generate tests Generate specification Connect repository BETA

Export

Use variables to store sensitive data

Store sensitive data in variable type secret to keep its values masked on the screen. Learn more about [variable type](#).

Work with the current value of a variable to prevent sharing sensitive values with your team. Learn more about [variable values](#).

Home Workspaces API Network

Search Postman Ctrl K

Invite Settings Bell Upgrade

My Workspace New Import Overview SimpleBooksAPI SimpleBooksAPI + No environment

Collections Environments Flows History

SimpleBooksAPI

Overview Auth Scripts Variables Runs

These variables are specific to this collection and its requests. Learn more about [collection variables](#)

Filter variables

Variable value

baseURL simple-books-api.click

accessToken a1df4cb0e2f234f5c2c02b053b6f43b0eceb0c86063352bedfe09f727

Add new variable

Export collection

Working with a teammate? Try sharing—easier to collaborate and stay organized.

Share Collection

Export as:

Collection v2  Collection v2.1 Export JSON

Use variables to reuse values and protect sensitive data

Store sensitive data in variable type secret to keep its values masked on the screen. Learn more about [variable type](#). Work with the current value of a variable to prevent sharing sensitive values with your team. Learn more about [variable values](#).

Online Find and replace Console Postbot Runner Start Proxy Cookies Vault Trash

Windows Search File Folder Home Page E ENG 18:55 12-01-2026

My Workspace New Import Overview SimpleBooksAPI SimpleBooksAPI + No environment

Collections + Search collections SimpleBooksAPI GET getStatus GET getListofBooks GET getABook POST Regn POST postOrders GET getOrders GET getAnOrder PATCH updateAnOrder DEL deleteAnOrder

Environments

Flows

History

Variables Runs

C:\Windows\system32\cmd.exe  
Microsoft Windows [Version 10.0.19045.6691]  
(c) Microsoft Corporation. All rights reserved.  
  
C:\Users\lenovo>npm install -g newman  
npm warn deprecated har-validator@5.1.5: this library is no longer supported  
npm warn deprecated uuid@3.4.0: Please upgrade to version 7 or higher. Older versions may use Math.random() in certain  
circumstances, which is known to be problematic. See https://v8.dev/blog/math-random for details.  
npm warn deprecated @faker-js/faker@5.5.3: Please update to a newer version.  
  
added 120 packages in 34s  
  
10 packages are looking for funding  
run `npm fund` for details  
npm notice  
npm notice New major version of npm available! 10.9.2 -> 11.7.0  
npm notice Changelog: <https://github.com/npm/cli/releases/tag/v11.7.0>  
npm notice To update run: <npm install -g npm@11.7.0>  
npm notice  
  
C:\Users\lenovo>  
C:\Users\lenovo>newman -v  
6.2.1  
  
C:\Users\lenovo>  
C:\Users\lenovo>

Use variables to reuse values and protect sensitive data

Store sensitive data in variable type secret to keep its values masked on the screen. Learn more about [variable type](#).  
Work with the current value of a variable to prevent sharing sensitive values with your team. Learn more about [variable values](#).

C:\Users\lenovo\Downloads&gt;newman run SimpleBooksAPI.postman\_collection.json

newman

## SimpleBooksAPI

## → getStatus

GET https://simple-books-api.click/status [200 OK, 754B, 1263ms]

✓ status code is 200

1. status should be OK

## → getListofBooks

GET https://simple-books-api.click/books?type=non-fiction [200 OK, 875B, 573ms]

✓ status code is 200

## → getABook

GET https://simple-books-api.click/books/{{bID}} [400 Bad Request, 790B, 495ms]

2. status code is 200

```
[ { error: 'The book id must be a number.' }  
undefined ]
```

## → Regn

POST https://simple-books-api.click/api-clients [409 Conflict, 811B, 925ms]

## → postOrders

POST https://simple-books-api.click/orders [401 Unauthorized, 791B, 855ms]

3. status code is 201

## → getOrders

GET https://simple-books-api.click/orders [401 Unauthorized, 791B, 819ms]

## → getAnOrder

GET https://simple-books-api.click/orders/FsfKczGmPUuGNZ-7HROMI [401 Unauthorized, 791B, 925ms]

## → updateAnOrder

PATCH https://simple-books-api.click/orders/FsfKczGmPUuGNZ-7HROMI [401 Unauthorized, 791B, 735ms]

4. status code is 204

## → deleteAnOrder

DELETE https://simple-books-api.click/orders/PM8PaLzGTKuNROznKPuBs [401 Unauthorized, 791B, 897ms]

5. status code is 204

	executed	failed
iterations	1	0
requests	9	0

	executed	failed
iterations	1	0
requests	9	0
test-scripts	15	0
prerequest-scripts	9	0
assertions	7	5
total run duration:	8.4s	
total data received:	461B (approx)	
average response time:	831ms [min: 495ms, max: 1263ms, s.d.: 210ms]	

# failure detail

1. AssertionError **status should be OK**  
expected 'OK' to deeply equal 'NOT OK'  
at assertion:1 in test-script  
inside "getStatus"
2. AssertionError **status code is 200**  
expected response to have status code 200 but got 400  
at assertion:0 in test-script  
inside "getABook"
3. AssertionError **status code is 201**  
expected response to have status code 201 but got 401  
at assertion:0 in test-script  
inside "postOrders"
4. AssertionError **status code is 204**  
expected response to have status code 204 but got 401  
at assertion:0 in test-script  
inside "updateAnOrder"
5. AssertionError **status code is 204**  
expected response to have status code 204 but got 401  
at assertion:0 in test-script  
inside "deleteAnOrder"

C:\Users\lenovo\Downloads&gt;

C:\Users\lenovo\Downloads&gt;\_



Home Workspaces API Network

Search Postman Ctrl K

Invite Gear Bell Upgrade No environment

My Workspace New Import Overview SimpleBooksAPI SimpleBooksAPI +

Collections Search collections + SimpleBooksAPI GET getStatus GET getListofBooks GET getABook POST Regn POST postOrders GET getOrders GET getAnOrder PATCH updateAnOrder DEL deleteAnOrder

Environments

Flows

History

SimpleBooksAPI Overview Auth Scripts Variables Runs

Command Prompt Microsoft Windows [Version 10.0.19045.6691] (c) Microsoft Corporation. All rights reserved.

C:\Users\lenovo>npm install -g newman-reporter-htmlextra  
npm warn deprecated har-validator@5.1.5: this library is no longer supported  
npm warn deprecated uuid@3.4.0: Please upgrade to version 7 or higher. Older versions may use Math.random() in certain circumstances, which is known to be problematic. See https://v8.dev/blog/math-random for details.  
npm warn deprecated @faker-js/faker@5.5.3: Please update to a newer version.

added 166 packages in 21s

14 packages are looking for funding  
run `npm fund` for details

C:\Users\lenovo>  
C:\Users\lenovo>

Use variables to reuse values and protect sensitive data

Store sensitive data in variable type secret to keep its values masked on the screen. Learn more about [variable type](#).  
Work with the current value of a variable to prevent sharing sensitive values with your team. Learn more about [variable values](#).

Online Find and replace Console Postbot Runner Start Proxy Cookies Vault Trash

19:06 ENG 12-01-2026

C:\Windows\system32\cmd.exe

Microsoft Windows [Version 10.0.19045.6691]  
(c) Microsoft Corporation. All rights reserved.

```
C:\Users\lenovo>npm install -g newman-reporter-htmlextra
npm warn deprecated har-validator@5.1.5: this library is no longer supported
npm warn deprecated uuid@3.4.0: Please upgrade to version 7 or higher. Older versions may use Math.random() in certain circumstances, which is known to be problematic. See https://v8.dev/blog/math-random for details.
npm warn deprecated @faker-js/faker@5.5.3: Please update to a newer version.

added 166 packages in 21s

14 packages are looking for funding
  run `npm fund` for details

C:\Users\lenovo>
C:\Users\lenovo>cd Downloads

C:\Users\lenovo\Downloads>newman run SimpleBooksAPI.postman_collection.json -r cli,htmlextra
newman
```

SimpleBooksAPI

```
→ getStatus
GET https://simple-books-api.click/status [200 OK, 754B, 913ms]
✓ status code is 200
1. status should be OK

→ getListofBooks
GET https://simple-books-api.click/books?type=non-fiction [200 OK, 875B, 447ms]
✓ status code is 200

→ getABook
GET https://simple-books-api.click/books/{{bID}} [400 Bad Request, 790B, 289ms]
2. status code is 200
[
  { error: 'The book id must be a number.' }
  undefined
]

→ Regn
POST https://simple-books-api.click/api-clients [409 Conflict, 811B, 831ms]

→ postOrders
POST https://simple-books-api.click/orders [401 Unauthorized, 791B, 840ms]
3. status code is 201

→ getOrders
GET https://simple-books-api.click/orders [401 Unauthorized, 791B, 920ms]

→ getAnOrder
```




```
→ getAnOrder
GET https://simple-books-api.click/orders/FsfKczGmPUuGNZ-7HROMI [401 Unauthorized, 791B, 754ms]

→ updateAnOrder
PATCH https://simple-books-api.click/orders/FsfKczGmPUuGNZ-7HROMI [401 Unauthorized, 791B, 887ms]
4. status code is 204

→ deleteAnOrder
DELETE https://simple-books-api.click/orders/PM8PaLzGTKuNROznKPUBs [401 Unauthorized, 791B, 622ms]
5. status code is 204
```

	executed	failed
iterations	1	0
requests	9	0
test-scripts	15	0
prerequest-scripts	9	0
assertions	7	5
total run duration: 7.4s		
total data received: 461B (approx)		
average response time: 722ms [min: 289ms, max: 920ms, s.d.: 211ms]		

#	<u>failure</u>	<u>detail</u>
1.	AssertionError	status should be OK expected 'OK' to deeply equal 'NOT OK' at assertion:1 in test-script inside "getStatus"
2.	AssertionError	status code is 200 expected response to have status code 200 but got 400 at assertion:0 in test-script inside "getABook"
3.	AssertionError	status code is 201 expected response to have status code 201 but got 401



Name	Date modified	Type	Size
SimpleBooksAPI-2026-01-12-13-37-29-9... Microsoft Edge HT...	12-01-2026 19:07	Microsoft Edge HT...	202 KB



Newman Summary Report

C:/Users/lenovo/Downloads/newman/SimpleBooksAPI-2026-01-12-13-37-29-960-0.html

Light Dark

Summary Total Requests 9 Failed Tests 5 Skipped Tests 0

# Newman Run Dashboard

Monday, 12 January 2026 19:07:29

TOTAL ITERATIONS: 1 TOTAL ASSERTIONS: 7 TOTAL FAILED TESTS: 5 TOTAL SKIPPED TESTS: 0

FILE INFORMATION

Collection: SimpleBooksAPI

TIMINGS AND DATA

Total run duration: 7.4s  
Total data received: 461B  
Average response time: 722ms

SUMMARY ITEM	TOTAL	FAILED
Requests	9	0
Prerequest Scripts	9	0
Test Scripts	15	0
Assertions	7	5
Skipped Tests	0	-

Windows Search File Explorer Edge Microsoft Edge Microsoft Word

19:08 ENG 12-01-2026 3

Newman Summary Report

C:/Users/lenovo/Downloads/newman/SimpleBooksAPI-2026-01-12-13-37-29-960-0.html

Light Dark Click to view the Requests

Summary Total Requests 9 Failed Tests 5 Skipped Tests 0

1 ITERATION AVAILABLE TO VIEW

ITERATION 1 SELECTED

Iteration: 1 - getStatus  
Iteration: 1 - getListofBooks  
Iteration: 1 - getABook  
Iteration: 1 - Regn  
Iteration: 1 - postOrders  
Iteration: 1 - getOrders  
Iteration: 1 - getAnOrder  
Iteration: 1 - updateAnOrder  
Iteration: 1 - deleteAnOrder

Show Failed Iterations Expand Folders Expand Requests

19:08 12-01-2026 ENG

Newman Summary Report

C:/Users/lenovo/Downloads/newman/SimpleBooksAPI-2026-01-12-13-37-29-960-0.html

Light Dark

Summary Total Requests 9 Failed Tests 5 Skipped Tests 0

Click to view the Failed Tests

Expand All Failed Tests

SHOWING 5 FAILURES

Iteration 1 - AssertionError - SimpleBooksAPI - getStatus

Iteration 1 - AssertionError - SimpleBooksAPI - getABook

Iteration 1 - AssertionError - SimpleBooksAPI - postOrders

Iteration 1 - AssertionError - SimpleBooksAPI - updateAnOrder

Iteration 1 - AssertionError - SimpleBooksAPI - deleteAnOrder

file:///C:/Users/lenovo/Downloads/newman/SimpleBooksAPI-2026-01-12-13-37-29-960-0.html#pills-failed