

Head and Neck Region (EX-HN / M-HN)

- **Sishencong (EX-HN1 / M-HN-1):** Four points at the vertex of the scalp, grouped around *Baihui* (GV-20) and located **1 cun anterior, posterior, and lateral to it** 1, 2.
- **Yintang (M-HN-3):** Located at the **glabella**, at the midpoint between the medial extremities of the eyebrows 3.
- **Yuyao (EX-HN4 / M-HN-6):** Located in the centre of the eyebrow, in the depression **directly above the pupil** when the eyes are looking straight forwards 4, 5.
- **Qiuhou (M-HN-8):** Along the inferior border of the orbit, at the **junction of the lateral one quarter and medial three quarters** of the infraorbital margin 6.
- **Taiyang (EX-HN5 / M-HN-9):** Located at the temple, in the tender depression approximately **1 cun posterior to the midpoint** between the lateral extremity of the eyebrow and the outer canthus of the eye 5, 7.
- **Erjian (M-HN-10):** Located at the **apex of the ear** when the ear is folded forwards 8.
- **Bitong (M-HN-14):** Located at the **highest point of the naso-labial groove**, in the depression immediately below the nasal bone 9.
- **Jiachengjiang (M-HN-18):** Located **1 cun lateral to *Chengjiang* (REN-24)**, directly over the mental foramen 10.
- **Jinjin & Yuye (M-HN-20):** These paired points are located on the **veins on either side of the frenulum of the tongue** (Jinjin to the left, Yuye to the right) 11, 12.
- **Bailao (EX-HN30 / M-HN-30):** At the back of the neck, **2 cun superior to *Dazhui* (GV-14)** and **1 cun lateral to the midline** 13.
- **Haiquan (M-HN-37):** Located **below the tongue**, in the centre of the frenulum 14.
- **Anmian (N-HN-54):** Located behind the ear, **midway between *Fengchi* (GB-20) and *Yifeng* (SJ-17)**, close to and slightly posterior/superior to *Wangu* (GB-12) 15.

Back and Waist Region (EX-B / M-BW)

- **Dingchuan (EX-B1 / M-BW-1):** Located **0.5 to 1 cun lateral to the depression below the spinous process of C7 (*Dazhui* GV-14)** 16.
- **Huanmen (M-BW-6):** Located **1.5 cun lateral to the prominence of the spinous process of T5** 17.
- **Weiguanxiashu / Yishu (M-BW-12):** Located **1.5 cun lateral to the lower border of the spinous process of T8** 18, 19.
- **Yaoyan (M-BW-24):** Located in the depression approximately **3.5 cun lateral to the lower border of L4 (*Yaoyangguan* GV-3)** 19, 20.
- **Shiqizhuixia (M-BW-25):** On the midline of the lower back, in the depression **below the spinous process of L5** 21.
- **Huatuojiaji (EX-B2 / M-BW-35):** A system of points located **0.5 to 1 cun lateral to the depressions below the spinous processes** of the 12 thoracic and 5 lumbar vertebrae (and often extended to the 7 cervical vertebrae) 22, 23.

Chest and Abdomen Region (M-CA)

- **Zigong (M-CA-18)**: On the lower abdomen, **3 cun lateral to the midline**, level with *Zhongji* (REN-3) 24.
- **Sanjiaojiu (M-CA-23)**: Located on the lower abdomen. Formed by constructing an **equilateral triangle where the apex is the umbilicus (*Shenque* REN-8)** and the base side lengths are determined by the length of the patient's smile 25.

Upper Extremities (EX-UE / M-UE)

- **Shixuan (EX-UE11 / M-UE-1)**: Located on the **tips of the ten fingers**, approximately 0.1 cun from the fingernail 26.
- **Sifeng (M-UE-9)**: Located on the palmar surface of the hand, at the **midpoints of the transverse creases of the proximal interphalangeal joints** of the index, middle, ring, and little fingers 27.
- **Baxie (EX-UE9 / M-UE-22)**: Located when the hand is held in a fist; **six points lie in the depressions between the metacarpal heads** proximal to the web margins, and the remaining two lie equidistant between the thumb and index metacarpals 28.
- **Yaotongxue (N-UE-19)**: Located on the dorsum of the hand, consisting of **two points lying immediately distal to the bases of the metacarpals** (one between the 2nd and 3rd metacarpals, the other between the 4th and 5th) 29, 30.
- **Luozhen (M-UE-24)**: Located on the dorsum of the hand, in the depression **just proximal to the 2nd and 3rd metacarpo-phalangeal joints** 31.
- **Erbai (M-UE-29)**: On the flexor aspect of the forearm, **4 cun proximal to *Daling* (P-7)**, on either side of the **tendon of flexor carpi radialis** 32.
- **Zhoujian (M-UE-46)**: Located directly **on the tip of the olecranon process** of the ulna 33.
- **Jianqian / Jianneiling (M-UE-48)**: On the anterior aspect of the shoulder joint, **midway between the anterior axillary crease and *Jianyu* (LI-15)** 34, 35.

Lower Extremities (EX-LE / M-LE / MN-LE)

- **Baichongwo (M-LE-34)**: Located **3 cun proximal to the superior border of the patella**, in the tender depression on the bulge of the vastus medialis muscle (1 cun proximal to *Xuehai* SP-10) 36.
- **Heding (M-LE-27)**: Located in the depression at the **midpoint of the superior border of the patella** 37.
- **Xiyan (MN-LE-16)**: Located in the hollows formed when the knee is flexed, **immediately below the patella and both medial and lateral to the patellar ligament** (with the lateral point being identical to *Dubi* ST-35) 38, 39.
- **Lanweixue (EX-LE7 / M-LE-13)**: Located only on the right leg, **approximately 2 cun distal to *Zusanli* (ST-36)** along the point of maximum tenderness 40, 41.
- **Dannangxue (M-LE-23)**: Located only on the right leg, **between 1 and 2 cun distal to *Yanglingquan* (GB-34)** 42, 43.

- **Bafeng (EX-LE10 / M-LE-8):** Located on the dorsum of the foot, **between the toes, 0.5 cun proximal to the margin of the web** (three of these points correspond directly to *Xingjian* LR-2, *Neiting* ST-44, and *Xiaxi* GB-43) 44.

? Would you like to explore the specific clinical actions, diagnostic values, or classical point combinations for any of these extraordinary point groupings?