

Table 1:

<i>Dependent variable:</i>	
Health spending per capita	
Antenatal care coverage	(0.024)
Constant	4.415*** (0.804)
Observations	112
R <sup>2</sup>	0.014
Adjusted R <sup>2</sup>	0.005
Residual Std. Error	3.037 (df = 110)
F Statistic	1.516 (df = 1; 110)
<i>Note:</i> *p<0.1; **p<0.05; ***p<0.01	

Table 2:

<i>Dependent variable:</i>	
Health spending per capita	
Proportion of approved health job posts filled	(0.010)
Constant	3.187*** (0.738)
Observations	112
R <sup>2</sup>	0.083
Adjusted R <sup>2</sup>	0.074
Residual Std. Error	2.929 (df = 110)
F Statistic	9.904*** (df = 1; 110)
<i>Note:</i> *p<0.1; **p<0.05; ***p<0.01	

Table 3:

	<i>Dependent variable:</i>
	Health spending per capita
Tetanus vaccine treatment coverage rate	(0.011)
Constant	7.918*** (1.090)
Observations	112
R <sup>2</sup>	0.052
Adjusted R <sup>2</sup>	0.043
Residual Std. Error	2.978 (df = 110)
F Statistic	5.988** (df = 1; 110)
<i>Note:</i>	*p<0.1; **p<0.05; ***p<0.01

Table 4:

	<i>Dependent variable:</i>
	Health spending per capita
Composite index of all health indicators	0.005 (0.038)
Constant	5.009* (2.780)
Observations	112
R <sup>2</sup>	0.0001
Adjusted R <sup>2</sup>	-0.009
Residual Std. Error	3.057 (df = 110)
F Statistic	0.014 (df = 1; 110)
<i>Note:</i>	*p<0.1; **p<0.05; ***p<0.01

Table 5:

	<i>Dependent variable:</i>
	Health spending per capita
Population total	−0.00000 (0.00000)
Constant	5.413*** (0.458)
Observations	112
R <sup>2</sup>	0.0004
Adjusted R <sup>2</sup>	−0.009
Residual Std. Error	3.057 (df = 110)
F Statistic	0.042 (df = 1; 110)
<i>Note:</i>	*p<0.1; **p<0.05; ***p<0.01

Table 6:

	<i>Dependent variable:</i>
	Health spending per capita
People below national poverty line	(0.014)
Constant	5.483*** (0.658)
Observations	112
R <sup>2</sup>	0.001
Adjusted R <sup>2</sup>	−0.009
Residual Std. Error	3.057 (df = 110)
F Statistic	0.058 (df = 1; 110)
<i>Note:</i>	*p<0.1; **p<0.05; ***p<0.01

Table 7:

	<i>Dependent variable:</i>
	Education spending per capita
Primary pupils per classroom	-0.015 (0.013)
Constant	12.132*** (0.886)
Observations	112
R <sup>2</sup>	0.012
Adjusted R <sup>2</sup>	0.003
Residual Std. Error	3.105 (df = 110)
F Statistic	1.318 (df = 1; 110)
<i>Note:</i>	*p<0.1; **p<0.05; ***p<0.01

Table 8:

	<i>Dependent variable:</i>
	Education spending per capita
Percentage of pupils with adequate room to sit and write	0.063** (0.026)
Constant	6.960*** (1.727)
Observations	112
R <sup>2</sup>	0.053
Adjusted R <sup>2</sup>	0.044
Residual Std. Error	3.040 (df = 110)
F Statistic	6.115** (df = 1; 110)
<i>Note:</i>	*p<0.1; **p<0.05; ***p<0.01

Table 9:

	<i>Dependent variable:</i>
	Education spending per capita
Population total	−0.00000*** (0.00000)
Constant	12.249*** (0.449)
Observations	112
R <sup>2</sup>	0.080
Adjusted R <sup>2</sup>	0.071
Residual Std. Error	2.996 (df = 110)
F Statistic	9.535*** (df = 1; 110)
<i>Note:</i>	*p<0.1; **p<0.05; ***p<0.01

Table 10:

	<i>Dependent variable:</i>
	Education spending per capita
Primary net enrollment rate	0.015* (0.008)
Constant	9.606*** (0.871)
Observations	112
R <sup>2</sup>	0.032
Adjusted R <sup>2</sup>	0.023
Residual Std. Error	3.073 (df = 110)
F Statistic	3.637* (df = 1; 110)
<i>Note:</i>	*p<0.1; **p<0.05; ***p<0.01

Table 11:

	<i>Dependent variable:</i>
	Education spending per capita
Secondary net enrollment rate	0.001 (0.020)
Constant	11.154*** (0.614)
Observations	112
R <sup>2</sup>	0.00001
Adjusted R <sup>2</sup>	−0.009
Residual Std. Error	3.123 (df = 110)
F Statistic	0.001 (df = 1; 110)
<i>Note:</i>	*p<0.1; **p<0.05; ***p<0.01

Table 12:

	<i>Dependent variable:</i>
	Education spending per capita
Primary leaving exam pass rate	−0.0002 (0.033)
Constant	11.185*** (1.846)
Observations	112
R <sup>2</sup>	0.00000
Adjusted R <sup>2</sup>	−0.009
Residual Std. Error	3.123 (df = 110)
F Statistic	0.0001 (df = 1; 110)
<i>Note:</i>	*p<0.1; **p<0.05; ***p<0.01

Table 13:

	<i>Dependent variable:</i>
	Education spending per capita
People below national poverty line	(0.014)
Constant	12.719*** (0.652)
Observations	112
R <sup>2</sup>	0.060
Adjusted R <sup>2</sup>	0.051
Residual Std. Error	3.029 (df = 110)
F Statistic	6.979*** (df = 1; 110)
<i>Note:</i>	*p<0.1; **p<0.05; ***p<0.01

Table 14:

	<i>Dependent variable:</i>
	Education spending per capita
Number of toilet stances (stalls) per primary student	−0.006 (0.016)
Constant	11.493*** (0.967)
Observations	112
R <sup>2</sup>	0.001
Adjusted R <sup>2</sup>	−0.008
Residual Std. Error	3.122 (df = 110)
F Statistic	0.122 (df = 1; 110)
<i>Note:</i>	*p<0.1; **p<0.05; ***p<0.01