



Printing Supplies

# RFID TRANSPONDER INLAY PLACEMENT GUIDELINES



## ADAPTIVE ENCODING TECHNOLOGY

### HOW TO SPECIFY RFID TAGS AND LABELS

The documents below provide information for label converters, systems integrators and Zebra users on how to specify RFID tags and labels for Zebra RFID Printers. These documents are subject to change, please check this page frequently for updates.

#### DOWNLOADS

[Zebra's Disclaimer](#)[Technical Support](#)

## CURRENT RFID PRINTERS

[ZT400 And ZT600 RFID Media Guidelines](#)[R110Xi4 RFID Media Guidelines](#)[ZD500R RFID Media Guidelines](#)[ZE500R Inlay Placement Guidelines](#)[ZQ520R Inlay Placement Guidelines](#)

## LEGACY RFID PRINTERS

[R110Xi/R170Xi UHF Inlay Placement Guidelines](#)

[R110PAX4-R0 Inlay Placement Guidelines](#)

[R4Mplus-R1 Inlay Placement Guidelines](#)

[R110Xi HF Inlay Placement Guidelines](#)

[R2844-Z Inlay Placement Guidelines](#)

[RZ400 Inlay Placement Guidelines](#)

[RZ600 Inlay Placement Guidelines](#)

[RP4T Inlay Placement Guidelines](#)

---

## ZEBRA WILL HELP YOU DESIGN A SOLUTION TO MEET YOUR NEEDS

[Find A Partner](#)

[Contact Zebra](#)



### Connect with our team

[Contact Zebra](#)

[Find A Partner](#)

[About Zebra](#)

[Careers](#)

[Events](#)

[Newsroom](#)

[Investors](#)

[Global Locations](#)

### Discover

[Solutions](#)

[Products](#)

[Services](#)

[Success Stories](#)

[Resource Library](#)

### Support Resources

[Support and Downloads](#)

[Feedback](#)

[Contact Technical Support](#)  
[Request a Repair](#)  
[Product Warranty Information](#)  
[Developer Portal](#)

**Stay up to date with Zebra.**

Sign up for our newsletter.

[Register Now](#)

[Manage Contact Preferences](#)



[Copyright](#) | [Terms of Use](#) | [Privacy Policy](#) | [Supply Chain Transparency](#)

ZEBRA and the stylized Zebra head are trademarks of Zebra Technologies Corp., registered in many jurisdictions worldwide. All other trademarks are the property of their respective owners. ©2019 Zebra Technologies Corp. and/or its affiliates.

[Feedback](#)