Harvest Passport and audit packet

DEMO-EH-1003 · *Khaya senegalensis* · bark · status: Evidence review · **SYNTHETIC DEMO DATA**

Activity: bark collection from farm-boundary trees · Region: Borgou department, Benin (synthetic) · Jurisdiction: Benin · Exact site: —

A Harvest Passport is an internal evidence and traceability record. It is not a government permit, a FairWild certificate, a validated local harvest quota, or an assurance of legal compliance or product safety.

What public sources say

Item	Value	Provenance
Accepted name	Khaya senegalensis	prefilled-source
Harvested part	bark	user-supplied
Growth form	Tree	prefilled-source
Local harvest rate	study-backed scenario only	prefilled-source
CITES	listed, App. II	prefilled-source
Published study	observational · bark + foliage · GAOUE OG, TICKTIN T (2010) Effects of Harvest of Nontimber Forest Products and Ecological Differences between Sites on the Demography of African Mahogany. Conse	prefilled-source
Published study	observational · bark + foliage · Gaoue OG, Horvitz CC, Ticktin T, Steiner UK, Tuljapurkar S (2013) Defoliation and bark harvesting affect life■history traits of a tropical tree. Journal of Ecol	prefilled-source

Tasks

Task	Owner	Blocking	Status	Resolution
Verify species identity with a voucher specimen	scientific-reviewer	yes	open	
Upload the collection authorisation and confirm it with the issuing authority	manager	yes	open	
Screen CITES applicability before any cross-border trade	manager	yes	open	
Confirm collection rights and community consent (FPIC) for the site	manager	yes	open	
Agree a local review threshold with a qualified ecologist	scientific-reviewer	no	open	
Measure harvestable yield per plant at the site	collector	no	open	
Count plants by life stage on permanent plots at the site	scientific-reviewer	no	open	
Set up monitoring of harvested and unharvested plants	scientific-reviewer	no	open	

Collections

Date	Collector	Reported	Condition

Lots

Lot	Condition	Status	On hand	Reserved	Available

Processing and mass balance

SYNTHETIC DEMO — NOT VALID

Not a permit, licence, certificate, certificate of analysis, legal opinion or sustainability claim. Generated by EthnoHarvest from records entered or uploaded by users; document authenticity is not verified with issuers.

Method	Input	Output	Water	Rejected	Waste	Unexplained

Fresh and dry mass are never summed. Unexplained mass is a reconciliation gap to explain, not an accusation.

Laboratory results

Lot	Test	Result	Documented limit	Limit source	Outcome

Comparisons use the limit documented by the user. EthnoHarvest does not certify quality or safety.

Documents and cross-document checks

File	Read as	Status	SHA-256	Issuer verification

Check	Severity	Finding

Species- and part-specific cautions

Status: ok

Published observational comparison (harvest not randomised) on bark + foliage harvest (supported-by-study; applies: same species, same part; review: awaiting expert review)

Mean long-term growth rate λ 0.982 in harvested populations vs 1.008 in the comparison populations (difference -0.026; 6 vs 6 matrices).

Next: Use it as a scenario in the Studio; local stage counts and recovery measurements are still needed before setting any limit.

Sources: GAOUE OG, TICKTIN T (2010) Effects of Harvest of Nontimber Forest Products and Ecological Differences between Sites on the Demography of African Mahogany. Conservation Biology 24:605-614. doi:10.1111/j.1523-1739.2009.01345.x (https://doi.org/10.1111/j.1523-1739.2009.01345.x)

Published observational comparison (harvest not randomised) on bark + foliage harvest (supported-by-study; applies: same species, same part; review: awaiting expert review)

Mean long-term growth rate λ 0.975 in harvested populations vs 0.992 in the comparison populations (difference -0.017; 6 vs 6 matrices).

Next: Use it as a scenario in the Studio; local stage counts and recovery measurements are still needed before setting any limit.

Sources: Gaoue OG, Horvitz CC, Ticktin T, Steiner UK, Tuljapurkar S (2013) Defoliation and bark harvesting affect life■history traits of a tropical tree. Journal of Ecology 101:1563-1571. doi:10.1111/1365-2745.12140 (https://doi.org/10.1111/1365-2745.12140)

How sensitive this population is to the harvested process (survival and growth of established plants) (computed-from-matrices; applies: this species; review: shown with caveats; awaiting expert review)

About 99% (95% range 99–100%) of this plant's long-run population growth depends on survival and growth of established plants, the process a bark harvest affects (71 published matrices, this species).

Next: Use this to judge which local measurements matter most (e.g. survival of large plants), not as a harvest limit.

Sources: COMPADRE v6.26.3.0 matrices (computed here)

With good and bad years mixed in (computed-from-matrices; applies: this species; review: computed; awaiting expert review)

Simulating 20,000 years that randomly draw from the published matrices, the harvested populations shrinks (λs 0.9814) and the unharvested ones shrinks (λs 0.9902).

Next: Compare this with local monitoring before drawing conclusions.

Sources: COMPADRE v6.26.3.0 matrices (computed here)

1 paper on this species reports that harvest reduced population size or growth. (ai-found-literature; applies: this species; review: needs expert review before use)

Found by the evidence agent: JEV classified the paper, Groq extracted the finding, and the quote below was checked word-for-word against the abstract.

Next: A scientific reviewer should read the paper(s) and confirm or reject this finding.

Sources: Effects of Harvest of Nontimber Forest Products and Ecological Differences between Sites on the Demography of African Mahogany (https://doi.org/10.1111/j.1523-1739.2009.01345.x)

SYNTHETIC DEMO — NOT VALID

Not a permit, licence, certificate, certificate of analysis, legal opinion or sustainability claim. Generated by EthnoHarvest from records entered or uploaded by users; document authenticity is not verified with issuers.

1 paper on this species reports that harvest increased other outcomes. (ai-found-literature; applies: this species; review: needs expert review before use)

Found by the evidence agent: JEV classified the paper, Groq extracted the finding, and the quote below was checked word-for-word against the abstract.

Next: A scientific reviewer should read the paper(s) and confirm or reject this finding.

Sources: Defoliation and bark harvesting affect life■history traits of a tropical tree (https://doi.org/10.1111/1365-2745.12140)

1 paper on this species reports that harvest reduced other outcomes. (ai-found-literature; applies: this species; review: needs expert review before use)

Found by the evidence agent: JEV classified the paper, Groq extracted the finding, and the quote below was checked word-for-word against the abstract.

Next: A scientific reviewer should read the paper(s) and confirm or reject this finding.

Sources: Defoliation and bark harvesting affect life■history traits of a tropical tree (https://doi.org/10.1111/1365-2745.12140)

1 paper on this species reports that harvest reduced other outcomes. (ai-found-literature; applies: this species; review: needs expert review before use)

Found by the evidence agent: JEV classified the paper, Groq extracted the finding, and the quote below was checked word-for-word against the abstract.

Next: A scientific reviewer should read the paper(s) and confirm or reject this finding.

Sources: Defoliation and bark harvesting affect life■history traits of a tropical tree (https://doi.org/10.1111/1365-2745.12140)

1 paper on other species reports that harvest reduced reproduction (plant part differs or is not stated). (ai-found-literature; applies: other species (transferability uncertain); review: needs expert review before use)

Found by the evidence agent: JEV classified the paper, Groq extracted the finding, and the quote below was checked word-for-word against the abstract.

Next: A scientific reviewer should read the paper(s) and confirm or reject this finding.

Sources: Effects of leaf harvesting intensity on fruiting processes in three fodder tree species in the West African Savannah (https://europepmc.org/article/AGR/IND608893946)

1 paper on this species reports that harvest reduced reproduction (plant part differs or is not stated). (ai-found-literature; applies: this species; review: needs expert review before use)

Found by the evidence agent: JEV classified the paper, Groq extracted the finding, and the quote below was checked word-for-word against the abstract.

Next: A scientific reviewer should read the paper(s) and confirm or reject this finding.

Sources: Effects of leaf harvesting intensity on fruiting processes in three fodder tree species in the West African Savannah (https://europepmc.org/article/AGR/IND608893946)

1 paper on other species reports that harvest did not change growth. (ai-found-literature; applies: other species (transferability uncertain); review: needs expert review before use)

Found by the evidence agent: JEV classified the paper, Groq extracted the finding, and the quote below was checked word-for-word against the abstract.

Next: A scientific reviewer should read the paper(s) and confirm or reject this finding.

Sources: Functional traits partially mediate the effects of chronic anthropogenic disturbance on the growth of a tropical tree. (https://europepmc.org/article/MED/29991997)

Evidence from another species harvested for bark: Prunus africana (transferred-from-other-species; applies: different species, same part; review: awaiting expert review)

Mean long-term growth rate λ 0.999 in harvested populations vs 0.985 in the comparison populations (difference +0.015; 4 vs 1 matrices).

Next: Look for a study on this species; until then monitor plots before and after harvest.

Sources: Stewart KM (2001) The commercial bark harvest of the African cherry (Prunus africana) on Mount Oku, Cameroon (PhD thesis); matrices as archived in COMPADRE

Evidence from another species harvested for bark: Garcinia lucida (transferred-from-other-species; applies: different species, same part; review: awaiting expert review)

SYNTHETIC DEMO — NOT VALID

Not a permit, licence, certificate, certificate of analysis, legal opinion or sustainability claim. Generated by EthnoHarvest from records entered or uploaded by users; document authenticity is not verified with issuers.

Long-term growth rate by scenario (No bark harvest: λ 1.063; Partial debarking (one side): λ 1.060; Ring-barking (whole circumference): λ 1.057; Felling at 1 m after fruiting: λ 1.057; Felling at 1 m before fruiting: λ 1.056). λ below 1 means a population that shrinks if conditions persist.

Next: Look for a study on this species; until then monitor plots before and after harvest.

Sources: Guedje NM, Zuidema PA, During H, Foahom B, Lejoly J (2007) Tree bark as a non-timber forest product [Garcinia lucida]. For Ecol Manage 240:1-12 (https://doi.org/10.1016/j.foreco.2006.09.029)

CITES Appendix II listing (regulatory-listing; applies: same species; parts covered depend on the annotation; review: awaiting expert review)

International trade needs CITES documents issued by the exporting country's Management Authority. Annotation: ['[GENUS listing Khaya spp.] African populations.']. The listing does not govern collection itself.

Next: Before any cross-border shipment, confirm with the CITES Management Authority which documents apply to your product.

Sources: Species+ (CITES and CMS listings) (https://speciesplus.net/); CITES Appendices I, II and III (https://cites.org/eng/app/appendices.php)

National collection rules (requires-authority-confirmation; applies: Benin; review: awaiting expert review)

We have not yet located an official source for collection rules that apply to this plant part in Benin.

Next: Ask the national forestry administration which permits apply to bark and foliage collection.

Sources:

6 papers the AI could not classify confidently (needs-review; applies: search results; review: awaiting expert review)

JEV and the keyword rules disagreed, or JEV was unsure. They may or may not contain harvest effects.

Next: A scientific reviewer should screen these and promote relevant findings.

Sources: Traditional medicinal knowledge and diversity of medicinal plants in Benin: a systematic review (2014-2023). (2026) (https://europepmc.org/article/MED/42351099); Traditional Medicinal Plants Used for Cancer Treatment in Sub-Saharan Africa: A Systematic Review. (2026) (https://europepmc.org/article/MED/42357155); Ethnomedicinal knowledge of plants used in alternative medicine as uterotonics in Lubumbashi, Haut-Katanga, Democratic Republic of Congo. (2026) (https://europepmc.org/article/MED/42599903); Impact of Human Activities on Woody Vegetation in Gallery Forests in the Mandara Mountains (Far North, Cameroon). (2024) (https://europepmc.org/article/MED/39444784); Review and cross-cultural analysis of medicinal plants traditionally used in Mauritania. (2025) (https://europepmc.org/article/MED/41437073); How do plant demographic and ecological traits combined with social dynamics and human traits affect woody plant selection for medicinal uses in Benin (West Africa)? (2024) (https://europepmc.org/article/MED/38336725)

Legal compliance is part of sustainable collection (general; applies: any wild collection; review: awaiting expert review)

Voluntary standards treat legal compliance at local, national and international level as a precondition.

Next: List the authorisations your collection needs and attach them to the passport.

Sources: FairWild Standard: Version 3.0 (approved 19 December 2023) (https://www.fairwild.org/s/FairWildStandard-V3-FINAL.pdf)

Customary rights and benefit sharing (general; applies: any wild collection; review: awaiting expert review)

Collection should respect collectors' and communities' customary rights and share benefits fairly.

Next: Record how consent and benefit sharing were agreed with the community that holds rights to the site.

Sources: FairWild Standard: Version 3.0 (approved 19 December 2023) (https://www.fairwild.org/s/FairWildStandard-V3-FINAL.pdf)

Collection and post-harvest quality practice (general; applies: any wild collection; review: awaiting expert review)

GACP guidance covers identification, collection practice, drying, storage and documentation of herbal starting materials.

Next: Keep identification, drying and storage records per lot; ask the buyer which GACP expectations apply.

Sources: WHO guidelines on good agricultural and collection practices (GACP) for medicinal plants (2003) (https://www.who.int/publications/i/item/9241546271); EMA Guideline on Good Agricultural and Collection Practice (GACP) for starting materials of herbal origin (EMEA/HMPC/246816/2005; Revision 1 adopted by HMPC in 2025) (https://www.ema.europa.eu/system/files/documents/scientific-guideline/hmpc-guideline-gacp-may-2025_en.pdf)

Audit trail

When (UTC)	Role	Entity	Action
2026-11-08 09:45	manager	passport	status:evidence-review
2026-11-08 09:45	collector	passport	create

SYNTHETIC DEMO — NOT VALID

Not a permit, licence, certificate, certificate of analysis, legal opinion or sustainability claim. Generated by EthnoHarvest from records entered or uploaded by users; document authenticity is not verified with issuers.