Harvest Passport and audit packet

DEMO-EH-1002 · *Prunus africana* · bark · status: Ready for authorised human review · **SYNTHETIC DEMO DATA**

Activity: bark stripping on managed quarters · Region: North-West Region, Cameroon (synthetic) · Jurisdiction: Cameroon · Exact site: —

A Harvest Passport is an internal evidence and traceability record. It is not a government permit, a FairWild certificate, a validated local harvest quota, or an assurance of legal compliance or product safety.

What public sources say

Item	Value	Provenance
Accepted name	Prunus africana	prefilled-source
Harvested part	bark	user-supplied
Growth form	Tree	prefilled-source
Local harvest rate	study-backed scenario only	prefilled-source
CITES	listed, App. II	prefilled-source
Published study	observational · bark · Stewart KM (2001) The commercial bark harvest of the African cherry (Prunus africana) on Mount Oku, Cameroon (PhD thesis); matrices as archived in COMPADRE	prefilled-source

Tasks

Task	Owner	Blocking	Status	Resolution
Upload the collection authorisation and confirm it with the issuing authority	manager	yes	resolved	SYNTHETIC DEMO: reviewed by the cooperative (fictional)
Screen CITES applicability before any cross-border trade	manager	yes	open	
Verify species identity with a voucher specimen	scientific-reviewer	yes	waived	SYNTHETIC DEMO: reviewed by the cooperative (fictional)
Confirm collection rights and community consent (FPIC) for the site	manager	yes	waived	SYNTHETIC DEMO: reviewed by the cooperative (fictional)
Harvested part: authorisation.pdf records leaves; this passport covers bark	manager	yes	open	
Duplicate record: authorisation.pdf, authorisation.pdf are the same record (b5745afd07af044a); count it once	manager	yes	open	
Duplicate record: weigh-in.pdf, weigh-in.pdf are the same record (bef8c4d30ebe0b7d); count it once	manager	yes	open	
Agree a local review threshold with a qualified ecologist	scientific-reviewer	no	open	
Measure harvestable yield per plant at the site	collector	no	open	
Count plants by life stage on permanent plots at the site	scientific-reviewer	no	open	
Set up monitoring of harvested and unharvested plants	scientific-reviewer	no	open	
Regeneration check at this collection site	collector	no	open	

Collections

SYNTHETIC DEMO — NOT VALID

Not a permit, licence, certificate, certificate of analysis, legal opinion or sustainability claim. Generated by EthnoHarvest from records entered or uploaded by users; document authenticity is not verified with issuers.

Date	Collector	Reported	Condition
2026-08-30	Collector B (fictional)	120.0 kg	fresh

Lots

Lot	Condition	Status	On hand	Reserved	Available
DEMO-PRU-F1	fresh	active	0.00 kg	0.00 kg	0.00 kg
DEMO-PRU-D1	dry	active	66.00 kg	40.00 kg	26.00 kg
DEMO-PRU-D1-REJ	dry	quarantined	3.00 kg	0.00 kg	3.00 kg

Processing and mass balance

Method	Input	Output	Water	Rejected	Waste	Unexplained
sun drying	120.00 kg	66.00 kg	50.00 kg	3.00 kg	1.00 kg	0.00 kg

Fresh and dry mass are never summed. Unexplained mass is a reconciliation gap to explain, not an accusation.

Laboratory results

Lot	Test	Result	Documented limit	Limit source	Outcome
DEMO-PRU-D1	loss on drying	9.1 %	<= 12 %	synthetic buyer specification v1 (fictional)	within-criterion

Comparisons use the limit documented by the user. EthnoHarvest does not certify quality or safety.

Documents and cross-document checks

File	Read as	Status	SHA-256	Issuer verification
weigh-in.pdf	weigh-in slip	extracted	bef8c4d30ebe0b7d…	not verified
authorisation.pdf	authorisation	extracted	b5745afd07af044a…	not verified
weigh-in.pdf	weigh-in slip	extracted	bef8c4d30ebe0b7d…	not verified
authorisation.pdf	authorisation	extracted	b5745afd07af044a…	not verified

Check	Severity	Finding
Duplicate record	mismatch	weigh-in.pdf, weigh-in.pdf are the same record (bef8c4d30ebe0b7d); count it once.
Harvested part	mismatch	authorisation.pdf records leaves; this passport covers bark.
Duplicate record	mismatch	authorisation.pdf, authorisation.pdf are the same record (b5745afd07af044a); count it once.

Species- and part-specific cautions

Status: ok

Published observational comparison (harvest not randomised) on bark harvest (supported-by-study; applies: same species, same part; review: awaiting expert review)

Mean long-term growth rate λ 0.999 in harvested populations vs 0.985 in the comparison populations (difference +0.015; 4 vs 1 matrices).

Next: Use it as a scenario in the Studio; local stage counts and recovery measurements are still needed before setting any limit.

Sources: Stewart KM (2001) The commercial bark harvest of the African cherry (Prunus africana) on Mount Oku, Cameroon (PhD thesis); matrices as archived in COMPADRE

How sensitive this population is to the harvested process (survival and growth of established plants) (computed-from-matrices; applies: this species; review: shown with caveats; awaiting expert review)

SYNTHETIC DEMO — NOT VALID

Not a permit, licence, certificate, certificate of analysis, legal opinion or sustainability claim. Generated by EthnoHarvest from records entered or uploaded by users; document authenticity is not verified with issuers.

About 99% (95% range 98–100%) of this plant's long-run population growth depends on survival and growth of established plants, the process a bark harvest affects (16 published matrices, this species).

Next: Use this to judge which local measurements matter most (e.g. survival of large plants), not as a harvest limit.

Sources: COMPADRE v6.26.3.0 matrices (computed here)

With good and bad years mixed in (computed-from-matrices; applies: this species; review: computed; awaiting expert review)

Simulating 20,000 years that randomly draw from the published matrices, the harvested populations grows (λs 1.006) and the unharvested ones shrinks (λs 0.9845).

Next: Compare this with local monitoring before drawing conclusions.

Sources: COMPADRE v6.26.3.0 matrices (computed here)

1 paper on other species reports that harvest did not change growth. (ai-found-literature; applies: other species (transferability uncertain); review: needs expert review before use)

Found by the evidence agent: JEV classified the paper, Groq extracted the finding, and the quote below was checked word-for-word against the abstract.

Next: A scientific reviewer should read the paper(s) and confirm or reject this finding.

Sources: Functional traits partially mediate the effects of chronic anthropogenic disturbance on the growth of a tropical tree. (https://europepmc.org/article/MED/29991997)

Evidence from another species harvested for bark + foliage: Khaya senegalensis (transferred-from-other-species; applies: different species, same part; review: awaiting expert review)

Mean long-term growth rate λ 0.982 in harvested populations vs 1.008 in the comparison populations (difference -0.026; 6 vs 6 matrices).

Next: Look for a study on this species; until then monitor plots before and after harvest.

Sources: GAOUE OG, TICKTIN T (2010) Effects of Harvest of Nontimber Forest Products and Ecological Differences between Sites on the Demography of African Mahogany. Conservation Biology 24:605-614. doi:10.1111/j.1523-1739.2009.01345.x (https://doi.org/10.1111/j.1523-1739.2009.01345.x)

Evidence from another species harvested for bark + foliage: Khaya senegalensis (transferred-from-other-species; applies: different species, same part; review: awaiting expert review)

Mean long-term growth rate λ 0.975 in harvested populations vs 0.992 in the comparison populations (difference -0.017; 6 vs 6 matrices).

Next: Look for a study on this species; until then monitor plots before and after harvest.

Sources: Gaoue OG, Horvitz CC, Ticktin T, Steiner UK, Tuljapurkar S (2013) Defoliation and bark harvesting affect life■history traits of a tropical tree. Journal of Ecology 101:1563-1571. doi:10.1111/1365-2745.12140 (https://doi.org/10.1111/1365-2745.12140)

CITES Appendix II listing (regulatory-listing; applies: same species; parts covered depend on the annotation; review: awaiting expert review)

International trade needs CITES documents issued by the exporting country's Management Authority. The listing does not govern collection itself.

Next: Before any cross-border shipment, confirm with the CITES Management Authority which documents apply to your product.

Sources: Species+ (CITES and CMS listings) (https://speciesplus.net/); CITES Appendices I, II and III (https://cites.org/eng/app/appendices.php)

Export quota and non-detriment finding (requires-authority-confirmation; applies: Cameroon, Prunus africana; review: awaiting expert review)

Bark exports are managed through CITES export quotas based on non-detriment findings and management inventories; quotas have changed over time following CITES reviews.

Next: Ask the CITES Management Authority (forestry ministry) for the current quota, the allocation for your area and the management unit's inventory status.

Sources: CITES Plants Committee PC16 Doc. 10.2: Review of Significant Trade (includes Prunus africana) (https://cites.org/sites/default/files/eng/com/pc/16/E-PC16-10-02.pdf); Critical study of guidance for a national Prunus africana management plan, Cameroon (2010) (https://www.itto.int/files/user/cites/cameroon/CRITICAL%20STUDY%20OF%20PRUNUS%20AFRICANA%20MANAGEMENT%20PLAN%20CAMEROON_Julius_28_11_2010.pdf); CITES Appendices I, II and III (https://cites.org/eng/app/appendices.php)

8 papers the AI could not classify confidently (needs-review; applies: search results; review: awaiting expert review)

SYNTHETIC DEMO — NOT VALID

Not a permit, licence, certificate, certificate of analysis, legal opinion or sustainability claim. Generated by EthnoHarvest from records entered or uploaded by users; document authenticity is not verified with issuers.

JEV and the keyword rules disagreed, or JEV was unsure. They may or may not contain harvest effects.

Next: A scientific reviewer should screen these and promote relevant findings.

Sources: Traditional Medicinal Plants Used for Cancer Treatment in Sub-Saharan Africa: A Systematic Review. (2026) (https://europepmc.org/article/MED/42357155); Climate-driven habitat shifts And niche overlap of overexploited trees Cordia africana Lam. and Terminalia brownii Fresen in Ethiopia. (2025) (https://europepmc.org/article/MED/41469786); Ethnobotanical study of wild edible plants in Karamara forest patches, Eastern Ethiopia. (2025) (https://europepmc.org/article/MED/41214764); Ethnobotanical study of medicinal plants and their threats in Yeki district, Southwestern Ethiopia. (2024) (https://europepmc.org/article/MED/39709441); Plants used for the management of venereal diseases in sub-Saharan Africa: a systematic review and critical assessment of their research status. (2024) (https://europepmc.org/article/MED/39726056); Ethnobotanical investigation of medicinal plants utilized by indigenous communities in the Fofa and Toaba sub-districts of the Yem Zone, Central Ethiopian Region. (2025) (https://europepmc.org/article/MED/40045312); Plant species diversity, plant use, and classification of agroforestry homegardens in southern and southwestern Ethiopia. (2023) (https://europepmc.org/article/MED/37287606); Ethnobotanical investigation of medicinal plants in Buska Mountain range, Hamar district, Southwestern Ethiopia. (2022) (https://europepmc.org/article/MED/36123732)

Legal compliance is part of sustainable collection (general; applies: any wild collection; review: awaiting expert review)

Voluntary standards treat legal compliance at local, national and international level as a precondition.

Next: List the authorisations your collection needs and attach them to the passport.

Sources: FairWild Standard: Version 3.0 (approved 19 December 2023) (https://www.fairwild.org/s/FairWildStandard-V3-FINAL.pdf)

Customary rights and benefit sharing (general; applies: any wild collection; review: awaiting expert review)

Collection should respect collectors' and communities' customary rights and share benefits fairly.

Next: Record how consent and benefit sharing were agreed with the community that holds rights to the site.

Sources: FairWild Standard: Version 3.0 (approved 19 December 2023) (https://www.fairwild.org/s/FairWildStandard-V3-FINAL.pdf)

Collection and post-harvest quality practice (general; applies: any wild collection; review: awaiting expert review)

GACP guidance covers identification, collection practice, drying, storage and documentation of herbal starting materials.

Next: Keep identification, drying and storage records per lot; ask the buyer which GACP expectations apply.

Sources: WHO guidelines on good agricultural and collection practices (GACP) for medicinal plants (2003) (https://www.who.int/publications/i/item/9241546271); EMA Guideline on Good Agricultural and Collection Practice (GACP) for starting materials of herbal origin (EMEA/HMPC/246816/2005; Revision 1 adopted by HMPC in 2025) (https://www.ema.europa.eu/system/files/documents/scientific-guideline/hmpc-guideline-gacp-may-2025_en.pdf)

Audit trail

When (UTC)	Role	Entity	Action
2026-11-08 11:52	manager	passport	document_check
2026-11-08 11:52	manager	passport	document_check
2026-11-08 10:35	manager	passport	document_check
2026-11-08 10:35	manager	passport	document_check
2026-11-08 09:45	quality-reviewer	passport	status:ready-for-authorised-human-review
2026-11-08 09:45	manager	passport	status:quality-review
2026-11-08 09:45	manager	passport	status:processing
2026-11-08 09:45	collector	passport	status:collected
2026-11-08 09:45	collector	stock_op	receive
2026-11-08 09:45	manager	passport	status:planned
2026-11-08 09:45	manager	passport	status:evidence-review
2026-11-08 09:45	manager	passport	create

SYNTHETIC DEMO — NOT VALID

Not a permit, licence, certificate, certificate of analysis, legal opinion or sustainability claim. Generated by EthnoHarvest from records entered or uploaded by users; document authenticity is not verified with issuers.