



Hub

Products

Declarations

My publishers



Yan ▾

Verifying EPDs 1

Save

Verification points

[Close all verification points](#)

[Show verified points](#)

N10 Carbon Capture Brick



Third party verified EPD (5 years)

Round: 2, clarification_requested

^ Address of manufacturer

VP-002

Please answer to the comment!



Address of manufacturer

Wuhan City Caidian District, Xingguang Changwei Industry Park

GENERAL INFORMATION

- MANUFACTURER -

Address

EPD Hub PCR 5.1

Magaly Gonzalez Vazquez, 25.06.2025 11:53:02

Please, could you include also the country (city and country) on the EPD document? EPDs are published worldwide.

Add answer

^ Place(s) of manufacturing

VP-008

Please answer to the comment!



Place(s) of manufacturing of the product, and where it may be applied and where the end-of-life is assumed to take place.

China

GENERAL INFORMATION

- PRODUCT - Place(s) of production

EPD Hub PCR 5.1 and GPI 2.7

Magaly Gonzalez Vazquez, 25.06.2025 11:55:32

Please, could you include also the city on place of production (city and country) on the EPD document? The country alone is too generic.

Add answer

^ **Description of the product**

VP-009 Please answer to the comment!



Description of the product (Specification / identification) and its main components and / or materials is provided in accordance with the specifications of the PCR and the modelling in the LCA tool.

PRODUCT AND MANUFACTURER - PRODUCT DESCRIPTION

EPD Hub PCR 5.1

Magaly Gonzalez Vazquez, 25.06.2025 15:16:41

Please, could you be more specific in the product description?

Please, add some product properties and specification on the product description on the EPD document.

[Add answer](#)

^ **Data comprehensiveness check**

VP-014 Please answer to the comment!



Check if the data collection covers all the necessary material and energy flows at the manufacturing plant. The following aspects need to be considered a) Handling of data comprehensiveness issues (e.g., data gaps in the available data according to LCA rules) b) Spot checks done by the verifier ensure quality of gathered data

EPD Hub PCR 4.3.6

Magaly Gonzalez Vazquez, 25.06.2025 15:59:27

This VP will be verified when comments about datapoints used and assumptions were clarified.
(This VP can be answered just with "Ok")

[Add answer](#)

^ **LCA model: Raw materials and transport to manufacturing (A1-A2)**

VP-015 Please answer to the comment!



A1-A2 (mandatory modules): Raw material extraction and processing, transport to factory gatea) Clear description of all processes the modules cover (i.e., raw materials used in product)b) The following must be taken into account; i. System boundary to nature (e.g. between forest and technosphere in wood production) ii. Use of secondary materials and secondary fuels and waste produced iii. Material losses in production

EPD Hub PCR 4.3.4.2

Magaly Gonzalez Vazquez, 25.06.2025 16:00:51

Please note that the following datapoints used, only complies with EN15804+A1, so they do not have +A2 values:

- Recycled clay soil (waste status)

a) To comply with +A2, please check if another suitable data is available or add proxy datapoints which complies with +A2.

b) As the datapoint has to be double for +A1 and +A2, only one of them should have Mass/unit field as 1, to avoid double mass counting on Mass Balance. I recommend to keep Mass/unit field as 1 for +A2 datapoint (as it is the mandatory data) and keep as 0 (zero) for +A1 datapoint.

c) Also please check "Use for +A1/+A2/TRACI" fields as they are completed as "All" in A1 at Materials (A1-A3) Tab (OCLCA) and complete fields accordingly:

- For datapoint which only complies with EN15804+A1, "Use for +A1/+A2/TRACI" field should be completed as "A1".

- For complementary proxy datapoint to comply with EN15804+A2, "Use for +A1/+A2/TRACI" field should be completed as "A2".

d) This affects EN 15804+A1 and EN 15804+A2 Results tables, which will not be correct. As it is shown on the EPD document, results should be recalculated and updated on the EPD document.

[Add answer](#)

LCA model:
^ **Manufacturing energy use (A3)**

VP-
016

Please answer to the comment!



A3 (mandatory module):
Selection of the power mix in accordance with the location of the production site(s) a)
Accounting for electricity transmission losses if using a production mixb)
If applicable: Certificates for specific electricity mix when using renewable energy sources, such as Guarantees of Origin (GO) and their validity

Magaly Gonzalez Vazquez, 25.06.2025 16:10:47

Some selected datapoints for electricity represent high voltage electricity production:

- Renewable electricity datapoints (wind, biogas, hydro)
As the electricity used in factories used to be medium / low voltage, the corresponding voltage transformation should be considered.

The approach achieved for these cases with less impacts on emissions is to significantly increase the proportion of the existing datapoint (high voltage) in a range from 3-10%. This approach incorporates both transformation and distribution losses.

(for the upcoming year at minimum) in accordance with the EPD Hub PCR.

EPD Hub PCR 4.3.4.2

The following links provides information on the percentage of transformation and distribution losses over recent years for European reference:

- https://www.ceer.eu/wp-content/uploads/2024/04/C19-EQS-101-03_Report_on_Power_Losses_3.pdf
- Council of European Energy Regulators. 2nd CEER Report on Power Losses, Energy Quality of Supply Work Stream, Ref: C19-EQS-101-03 23 March 2020).

- (UK)

<https://www.nationalgrid.co.uk/innovation/projects/losses-investigation>

- WB report:

<https://data.worldbank.org/indicator/EG.ELC.LOSS.ZS>

Add answer

LCA model:

^ **Manufacturing waste and wastewater (A3)**

VP-017

Please answer to the comment!



A3 (mandatory module): Manufacturing waste and wastewater) Clear description of all processes the modules cover (i.e., production loss waste, waste transport). considering: i. The "end-of-waste state" for material leaving A1-A3 as waste b) Does the modelled waste treatment and quantity correlate with the material loss that happens during manufacturing processes? c) Are the LCI based End-of-life output indicators correctly assigned to waste flows?

EPD Hub PCR 4.3.4.2

Magaly Gonzalez Vazquez, 25.06.2025 16:04:18

Please, could you clarify if there are production losses to consider as A3 waste or any other A3 manufacturing waste to consider?

Add answer

^ **Description of the manufacturing process**

VP-018

Please answer to the comment!



Description of the manufacturing process / all manufacturing processes if several locations are involved. The description should include the following:a) Description of the core processes which are required to transform the raw materials into the end product.b) Any final treatment, like coating or painting the product at the factoryc) The packaging process

PRODUCT LIFE-CYCLE -
MANUFACTURING AND
PACKAGING (A1-A3)

EPD Hub PCR 5.2

Magaly Gonzalez Vazquez, 25.06.2025 16:26:50

About assumptions in the A1-A3 description on the EPD document, please clarify the following A1-A3 assumptions and include them briefly in the description, if it applies:

- a) Transport assumptions and distances for materials.
- b) Production losses considered.
- c) Manufacturing process.
- d) Energy sources profile.
- e) Packaging and ancillary materials used.
- f) Assumptions for EoL for Manufacturing Waste for A3, percentages applied and the references used.
- g) Transport assumptions and distances for A3 waste.

[Add answer](#)

^ Cut-off criteria

VP- Please answer to the comment!
020



Presentation of the application of cut-off criteria in accordance with the LCA tool report (not mandatory in the EPD):a) Description of assumptions and application of the criteriab) List of cut-off processes available

LIFE-CYCLE
ASSESSMENT - CUT-OFF
CRITERIA

EPD Hub PCR 4.3.5

Magaly Gonzalez Vazquez, 25.06.2025 15:04:16

- 1) Please, could you explain cut-off criteria assumptions?
- 2) Please, could you explain if any inputs and/or outputs have been omitted?

[Add answer](#)

^ Plausibility and consistency of data: Energy balance

VP- Please answer to the comment!
022



Plausibility and
consistency of data:

Magaly Gonzalez Vazquez, 26.06.2025 12:04:40

Energy balancea) Are the LCI-based energy indicators coherent with the energetic material resources used?b) Have the overall input and output flows of the energy as raw material (energy content of the material) been balanced so that the net energy flow is zero?

ENVIRONMENTAL
IMPACT DATA - USE OF
NATURAL RESOURCES -
Use of energy indicators

EPD Hub PCR 6.4

Please, could you review Energy as material balancing fields?

Please, note that the latest approach for energy balancing is as follow:

- Balance in EOL (C3, C4): For combustible raw materials in A1 stage. Percentages for C3 and C4 should be included.
- Balance in Installation (A5): For combustible packaging materials in A3 stage.
- Do nothing: For "Direct emissions to air" datapoints.
- Balanced in the same LCA stage: For the remain datapoints.

This affects results tables. As they are shown on the EPD document, results should be recalculated and updated on the EPD document if any change is done.

[Add answer](#)

^ **Biogenic carbon content
in product and
packaging**

VP-
028-
C

Please answer to the comment!



Biogenic carbon content in product and in any accompanying packaging, if the product or the packaging contains over 5 % biogenic materials.

PRODUCT AND
MANUFACTURER -
BIOGENIC CARBON
CONTENT

EPD Hub PCR 4.4.4

Magaly Gonzalez Vazquez, 26.06.2025 12:10:57

Please, check biogenic carbon content in product , both at Product Description Tab (OCLCA) and on the EPD document.

Please, note that there is no bio-based materials in product, so biogenic carbon content in product is no needed.

Please, update biogenic carbon content data accordingly on the EPD document.

[Add answer](#)

^ **Biogenic carbon
balancing**

VP-
029-
C

Please answer to the comment!



Overview of biogenic carbon flows in the different modulesa) Is

Magaly Gonzalez Vazquez, 26.06.2025 12:04:37

the biogenic carbon of the product and packaging released as a negative GWP-biogenic flow at the latest in modules C3-C4? (packaging can be released in module A5)

ENVIRONMENTAL
IMPACT DATA - CORE
ENVIRONMENTAL
IMPACT INDICATORS –
EN 15804+A2, PEF -
GWP Biogenic

EPD Hub PCR 4.5.2

Please, could you review Biogenic Carbon Balancing fields?
Please, note that the latest approach for Biogenic Carbon balancing is as follow:

- Balance in EOL (C3, C4): For Bio-based raw materials in A1 stage and Use stages. Percentages for C3 and C4 should be included.
- Balance in Installation (A5): For Bio-based packaging materials in A3 stage.
- Balanced in the same LCA stage: For Bio-based ancillary materials in A3 stage.
- Do nothing: For the remain datapoints.

This affects results tables. As they are shown on the EPD document, results should be recalculated and updated on the EPD document if any change is done.

[Add answer](#)

^ **If using c-PCR Functional unit**

VP-
031-
C

Please answer to the comment!



If required by a used c-PCR, then the EPD shall use a functional unit

LIFE-CYCLE
ASSESSMENT -
DECLARED AND
FUNCTIONAL UNIT -
Functional unit

EPD Hub PCR 4.3.2

Magaly Gonzalez Vazquez, 25.06.2025 12:20:04

According to the c-PCR applied EN 16757 "Product Category Rules for concrete and concrete elements", Functional Unit definition must comply with the specifications indicated in EN 16757, 6.3.1 Functional unit section.

Functional units for concrete elements should provide the following information:

- Type and dimension
- Intended use
- Main performance characteristics of concrete (e.g., strength class, exposure class in accordance with EN 206) or of the concrete element (e.g., load bearing capacity, thermal and acoustic performance)
- Reference service life

Please, update the Functional Unit according to EN 16757 on the EPD document (page 3-4).

[Add answer](#)

^ **Allocation of co-products**

VP- Please answer to the comment!
035-
C



A1 to A3: Allocation of co-products:a) General allocation principles applied (avoidance of allocation, no double counting / omissions, uniform application of the allocation rules etc.)b) Presentation and justification of selected allocation method (economic, physical) and processes: i. Allocation between different products/production lines in a plant done and why? ii. Allocations in the use of secondary materials or fuels as raw materials iii. If applicable: allocation of multi-input processes (e.g., landfilling or incineration)c) Presentation and justification of allocations in the plan i. Selection of the allocation factors for co-product allocation

LIFE-CYCLE
ASSESSMENT - LIFE
CYCLE ASSESSMENT -
ALLOCATION,
ESTIMATES AND
ASSUMPTIONS

EPD Hub PCR 4.4.3

Magaly Gonzalez Vazquez, 25.06.2025 15:04:14

Please, could you explain the allocation assumptions and allocation calculations, just to justify calculations?

[Add answer](#)

^ **LCA model: Transport to the construction site (A4)**

VP- Please answer to the comment!
036-
C



A4 (optional module: mandatory for services):

Magaly Gonzalez Vazquez, 26.06.2025 09:44:27

Transport to the construction site) Check if there is a clear description of all processes the modules cover) If the product is packaged then is the packaging considered in the transported mass?

EPD Hub PCR 5.3.2.1

1) Please, check and update, if it applies, transport data and distances fields for transported mass datapoint.

Distance included in A4 at Construction (A4-A5) Tab (OCLCA) does not match the distance included in the Description (A4-A5) on the EPD document.

Please, update OCLCA or Description (A4-A5) on EPD document accordingly.

2) Please, could you check the amount indicated in quantity field for Transported mass datapoint in A4 at Construction (A4-A5) Tab (OCLCA)?

It seems that quantity is lower than the Declare Unit mass plus packaging according to packaging inputs.

[Add answer](#)

^ **LCA model: Installation of the product (A5)**

VP-037-C

Please answer to the comment!



A5 (optional module: mandatory for services): Installation of the product Check if there is a clear description of all processes the modules cover (materials, energy, and water used in the installation) a) Is material loss during installation considered?

EPD Hub PCR 5.3.2.2

Magaly Gonzalez Vazquez, 26.06.2025 09:40:54

Please, could you clarify if there is any resources and/or energy consumption during installation to consider?

[Add answer](#)

^ **Declaration of assumptions: Transportation and installation A4-A5**

VP-038-C

Please answer to the comment!



Declaration of assumptions pertaining to the scenarios of the declared modules: Transportation and installation A4-A5a)

Magaly Gonzalez Vazquez, 26.06.2025 09:41:50

About assumptions in the A4-A5 description on the EPD document, please clarify the following A4-A5 assumptions and include them briefly in the description, if it applies: a) Distance and transport method to installation. Please,

Distance and transport method
b) Material loss during installation
c) Installation materials and energy consumption

PRODUCT LIFE-CYCLE -
TRANSPORT AND
INSTALLATION (A4-A5)

EPD Hub PCR 5.3.2

review it and update it, if it applies.
b) Material loss during installation.
c) Installation materials used during installation if needed.
d) Energy consumption during installation if needed.
e) Assumptions for EoL for A5 Waste, percentages applied and the references used.
g) Transport assumptions and distances for A5 waste.

Add answer

^ **LCA model: Use of the product (B1)**

VP-
040-
C

Please answer to the comment!



B1 (optional module):
Check if there is a clear description of all processes the modules cover

""

EPD Hub PCR 5.3.3

Magaly Gonzalez Vazquez, 26.06.2025 10:01:52

1) Please, could you clarify whether Quantity fields for B1 stage datapoints are based on RSL period or on 1 year period?

Impacts for Use Stages (B1-B7) should be calculated for the RSL period to follow EN15804+A2 standard.

2) Please, explain the carbonation calculations.

Please, check calculations, as results according to calculations provided seems not to match the data included at Use Stage (B1-B7) Tab (OCLCA).

Add answer

^ **Reference service life**

VP-
043-
C

Please answer to the comment!



If use stage is declared then the EPD must report the Reference service life (RSL)

LIFE-CYCLE
ASSESSMENT -
DECLARED AND
FUNCTIONAL UNIT -
Reference service life

Magaly Gonzalez Vazquez, 25.06.2025 12:21:28

Please, complete the Reference Service Life stated with the unit, such as "100 years", on the EPD document (page 3).

Add answer

Declaration of
 ^ **assumptions: Use stage**
(B1-B7)

VP- Please answer to the comment!
 044-
 C



Check if the declaration of assumptions are pertained to the scenarios of the declared modules: Use stage B1-B7a) The RSL shall be declared if the full life cycle A1-C4, or any of the B modules (use stage), are declared.b) If a reference service life is declared in the EPD, the scenario on which the RSL is based shall be presented. Check if there is a documentation for calculating the reference service life (RSL), shall be representative for the declared product

PRODUCT LIFE-CYCLE -
 PRODUCT USE AND
 MAINTENANCE (B1-B7)

EPD Hub PCR 4.3.3 &
 5.3.3.2

Magaly Gonzalez Vazquez, 25.06.2025 12:23:00

As Reference Service Life (RSL) has been defined, please, include the Reference Service Life (RSL) assumptions and references in the Use stages (B1-B7) description on the EPD document.

[Add answer](#)

LCA model: De-
 ^ **construction /**
demolition (C1)

VP- Please answer to the comment!
 045-
 C



End of life C1: De-construction / demolition (optional if the conditions for omission of C1-C4 and D are met): Clear description of all processes the modules cover

Magaly Gonzalez Vazquez, 26.06.2025 11:46:43

Please, check End of life stage fields at End of Life (C-D) Tab (OCLCA). Diesel consumption should be assigned to C1 stage.

This affects RESULTS on OCLCA, which should be updated. As these tables are shown on the EPD document, results should be recalculated and updated on the EPD document.

^ **LCA model: Transport to waste processing**

VP- Please answer to the comment!
046-
C



End of life C2: Transport to waste processing (optional if the conditions for omission of C1-C4 and D are met): Clear description of all processes the modules cover

Magaly Gonzalez Vazquez, 26.06.2025 11:50:05

Please, clarify and complete, if it applies, the transport fields and distances at End of Life (C-D) Tab (OCLCA).

[Add answer](#)

^ **LCA model: Benefits and loads beyond system boundary (D)**

VP- Please answer to the comment!
049-
C



Benefits and loads beyond system boundary D (optional if the conditions for omission of C1-C4 and D are met): System boundary and contents of module are correctly applied taking into account:a) Assumptions with regard to assumed substituted processes in D incl.: i. Substitution of electricity and power production ii. Quality of the recovered material are documented and justified. iii. If selected substituted processes in Module D are representative of the actual processesb) The calculation of the net flows is documented, described transparently and is plausible, inc.: i. amount of input material

Magaly Gonzalez Vazquez, 26.06.2025 11:52:03

Please, could you clarify if recycled raw material content has been subtracted from the EoL recycled material mass on Benefits and loads to avoid double countings?

[Add answer](#)

recovered from a previous system; ii. amount of output material to be recovered in a subsequent system; iii. material losses between the point of end-of-waste and point of substitution. c) No benefits or loads of allocated co-products from A1-A3

EPD Hub PCR 4.3.4.4 & 4.4.3.3

Declaration of assumptions: End of life (C1-C4), and benefits and loads beyond the system boundary (D)

Please answer to the comment!



Declaration of assumptions pertaining to the scenarios of the declared modules: End of life C1-C4, and benefits and loads beyond the system boundary Da) Documentation of the relevant technical information, e.g. recycling or reuse rates, with reference to the literature sources

PRODUCT LIFE-CYCLE - PRODUCT END OF LIFE (C1-C4, D)

EN 15804 ch. 7.3

Magaly Gonzalez Vazquez, 26.06.2025 11:43:02

About assumptions in End of Life (C1-C4, D) description on the EPD document, please could you clarify the following End of Life (C1-C4, D) assumptions and include them briefly in the description if it applies:

- a) Energy consumption during demolition.
- b) Distance and transport method to waste processing.
- c) Assumptions for C3-C4 waste, percentages applied and the references used.
- d) Assumptions for benefits and loads beyond the system boundary (module D).

[Add answer](#)

Information in the machine-readable EPD

Please answer to the comment!



Information in the machine-readable EPD format correspond with

Magaly Gonzalez Vazquez, 26.06.2025 11:59:46

the verified information
of the EPD document

Please, check and complete empty text boxes at EPD
Description Tab (OCLCA) and on the EPD Document:
- 4. Installation scenario documentation A5, if it applies.

EPD Hub PCR 1.6

[Add answer](#)