_
_

Score: /16

Computer Vision for HCI

AU'19

Homework Assignment #8

Due: Monday 11/4

Camera Calibration:

CSE 5524

- 1) Load the 100 pairs of corresponding 2-D and 3-D points in the files 2Dpoints.txt and 3Dpoints.txt (the i^{th} row of both files corresponds to the i^{th} point). Use these point correspondences to solve (using Eigen-analysis) for the camera matrix P (whose rasterized vector \mathbf{p} has a unit L_2 norm). [5 pts]
- 2) Given the computed matrix P (from Problem 1), project the 3-D <u>homogeneous</u> points $(X_i, Y_i, Z_i, 1)$ to 2-D. Compute the sum-of-squared error (sum-of-squared distances) between the resulting 3-D-to-2-D projected points and the given 2-D points (ensure all 2-D points are <u>inhomogeneous</u>). [3 pts]

Homography:

- 3) The file homography.txt contains 15 corresponding 2-D points from two different images, where the first and second columns correspond to the x and y coordinates of the points in the first image and the third and fourth columns correspond to the x and y coordinates of the points in the second image. Load the 2-D point sets and use the **Normalized Direct Linear Transformation algorithm** to compute the <u>final</u> homography H that maps the original points <u>from image 1 to image 2</u> (i.e., make sure P₂ = HP₁). [5 pts]
- 4) Plot the points from image 2 and the projected points from image 1 on the same plot. Make sure the projected points are converted into inhomogeneous form. [1 pt]
- 5) Compute the sum-of-squared error (squared Euclidean distance) between the actual points from image 2 and the projected points from image 1. [2 pts]
- 6) As usual, turn in and upload your material.