



中国认可
国际互认
检测
TESTING
CNAS L1744

WAN HUA TOYS

Technical Report: (8825)352-0077

Date Received: Dec 18, 2025

Jan 09, 2026

Page 1 of 24

WAN HUA TOYS

NO. 18, LANE 4, TIANZHONG, LONGTIAN, CHENGHAI
DISTRICT, SHANTOU CITY, GUANGDONG PROVINCE

Sample Description:	BALL ROLLING-CUBE	Sample Size:	3
Vendor:	N/A	Style No(s):	6789-2
Manufacturer:	N/A	SKN/SKU No.:	NOT PROVIDE
Labeled Age Grade:	3+	PO No.:	NOT PROVIDE
Appropriate Age Grade:	OVER 3 YEARS OF AGE	Ref #:	NOT PROVIDE
Client Specified Age Grade:	3+	Country of Origin:	NOT PROVIDE
Tested Age Grade:	OVER 3 YEARS OF AGE	Assortment No.:	NOT PROVIDE
UPC Code:	N/A	Country of Destination:	NOT PROVIDE
Further Information Date:	JAN 8, 2026	Test Finished Date:	Jan 09, 2026
Test Starting Date:	Dec 18, 2025		

EXECUTIVE SUMMARY:

Tested Requested	Conclusion
(#)Mechanical and physical properties requirements of the tested subclauses of the European Standard, "Safety of toys", EN71: Part 1:2014+A1:2018 clauses 1-7.	PASS
Labeling requirements of "CE marking, manufacturer/ Importer name and address, and product identification" under "Directive 2009/48/EC Safety of Toy".	PASS
(#)Flammability requirements of the European Standard "Safety of Toys", EN 71: Part 2: 2020.	PASS
Flammability requirements of the European Standard "Safety of Toys", EN 71: Part 2: 2020+A1: 2025.	PASS

To be continued.

BUREAU VERITAS SHENZHEN CO.,LTD
DONGGUAN BRANCH

Lisa Bai

Lisa Bai

Analytical Lab Authorized Signatory



BUREAU VERITAS SHENZHEN CO.,LTD
DONGGUAN BRANCH

Tone Tang

Tone Tang

Physics Lab Authorized Signatory

RT / Min Chen

REMARK

If there are questions or concerns on this report, please contact the following persons:

Report Enquiry: (86) 0769 89952999 Ext. 8175 CPSAnalytical.DG@bureauveritas.com

Business Contact: (86) 0769 85893595

This report shall not be reproduced except in full, without the written approval of our laboratory.



EXECUTIVE SUMMARY:

Tested Requested	Conclusion
(#)Mechanical and physical properties requirements of the tested subclauses of the British Standard, "Safety of toys", BS EN71: Part 1:2014+A1:2018, clauses 1-7.	PASS
Labeling requirements of "UKCA Marking, Company name and UK address and product identification".	PASS
(#)Flammability requirements of the British Standard "Safety of Toys", BS EN 71: Part 2: 2020.	PASS
Flammability requirements of the British Standard "Safety of Toys", BS EN 71: Part 2: 2020+A1: 2025.	PASS
(#)Migration of Certain Elements in Category III - Scraped off toy material requirements of the European Standard, "Safety of toys", EN 71-3:2019+A2:2024.	PASS
(#)Migration of Certain Elements in Category III - Scraped off toy material requirements of the British Standard, "Safety of toys", BS EN 71-3:2019+A2:2024.	PASS

Note: At the request of the client, the sample(s) was evaluated for use by children 3+.

Note: The manufacturer / importer information was present on the packaging only. It has to be noted that, or according to TSD 2009/48/EC, the manufacturers/ importer shall indicate their name, registered trade name registered trade mark and the address at which they can be contacted on the toy, or, where that is not possible, on its packaging or in a document accompanying the toy."

Note: The product identification is present on the packaging only. It has to be noted that, According to TSD 2009/48/EC, manufacturers shall ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or, where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

Note: Tests with (#) are accredited by CNAS.



WAN HUA TOYS
Technical Report: **(8825)352-0077**
Jan 09, 2026
Page 3 of 24

Tested Component(s) Description List:

Test Item(s)	Item / Component Description(s)	Location(s)	Style(s)
I001	Black coating	Logo words	-
I002	Transparent plastic	Shell	-
I003	White plastic	Cube parts	-
I004	Blue plastic	Cube parts	-
I005	Yellow plastic	Cube parts	-
I006	Grey plastic	Cube parts	-
I007	Red plastic	Cube parts	-
I008	Green plastic	Cube parts	-
I009	Grey-green plastic	Cube parts	-
I010	Yellow plastic	Cube parts	-



RESULTS:

APPROPRIATE AGE GRADE DETERMINATION

The Appropriate Age Grade is determined with reference to the EN71 : Part 1 : 2014+A1:2018, CEN ISO/TR 8124-8:2016 Safety of toys - Part 8: Age determination guidelines prepared by Technical Committee CEN/TC 52 and Age Grade Determination Guidelines of the Consumer Product Safety Commission (CPSC).

- Note : The most stringent age grade from the Labeled Age Grade and the Appropriate Age Grade will be used for testing.
- Note : If the client does not specify an age grade for testing or request Bureau Veritas Consumer Products Services, Inc. to determine an appropriate age grade, the labeled age grade will be used for testing.

EXPLANATION OF THE ABBREVIATIONS FOR PART 1, 2 & 6

Symbol	Explanation				
NM	The sample(s) DOES NOT MEET the requirement of this Subclause				
M	The sample(s) MEET the requirement of this Subclause				
N/A	Not Applicable				
NR	Not Requested				
NE	Not Evaluated				
NP	None Present				
NT	Not Tested				
P	Present				
R	Refer to Comment Section of this report				
Symbol	Language Present	Symbol	Language Present	Symbol	Language Present
B	Belgian language	G	German language	PR	Portuguese language
D	Danish language	GR	Greek language	S	Spanish language
E	English language	H	Dutch language	SD	Swedish language
F	Finnish language	I	Italian language	SZ	Swiss language
FR	French language	N	Norwegian language		



RESULTS:

**MECHANICAL & PHYSICAL PROPERTIES
 (EN 71: PART 1 – 2014+A1 – 2018)**

Subclause	Requirement	Result
4.1	Material cleanliness	M
4.2	Assembly	NA
4.3	Flexible plastic sheeting	NA
4.4	Toy Bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7 & 7.6	Edges	M
4.8 & 7.6	Points and metallic wires	M
4.8e	Splinters	M
4.9	Protruding parts	NA
4.10.1	Folding and sliding mechanisms	NA
4.10.2	Driving mechanisms	NA
4.10.3	Hinges	NA
4.10.4	Springs	NA
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12 & 7.3	Balloons	NA
4.13 & 7.9	Cord of toy kites and other flying toys	NA
4.14.1	Toys which a child can enter	NA
4.14.2 & 7.8	Masks and helmets	NA
4.15.1	Toys propelled by child	
4.15.1.2 & 7.10.1 & 7.10.2 & 7.10.3 & 7.10.4 & 7.16	Toys propelled by child – Instructions for use	NA
4.15.1.3	Toys propelled by child – Strength	NA
4.15.1.4	Toys propelled by child – Stability	NA
4.15.1.5	Toys propelled by child – Braking	NA
4.15.1.6	Toys propelled by child - Transmission	NA
4.15.1.7	Toys propelled by child – insertion mark	NA
4.15.1.8	Electrically-driven ride-on toys	NA
4.15.2	Toy bicycles	
4.15.2.2 & 7.15	Toy bicycles – Warnings and instructions for use	NA
4.15.2.3	Toy bicycles – Braking	NA
4.15.3 & 7.16 & 7.19	Rocking horses and similar toys	NA
4.15.4 & 7.16	Toys not propelled by child	NA
4.15.5 & 7.18	Toy scooters	NA



RESULTS:

Subclause	Requirement	Result
4.16	Heavy immobile toys	NA
4.17.2	All projectiles	NA
4.17.3 & 7.7	Projectile toys with stored energy	NA
4.17.4 & 7.26	Certain projectiles toys without stored energy	NA
4.18 & 7.4	Aquatic toys and inflatable toys	NA
4.19 & 7.13 & 7.14	Percussion caps	NA
4.20.2.1- 4.20.2.4, 4.20.2.6-4.20.2.12 & 7.14	Acoustics	NA
*4.20.2.5	Acoustics– Toys using headphones or earphones	NA
4.21	Toys containing a non-electrical heat source	NA
4.22 & 7.2	Small balls	M
4.23	Magnet	
4.23.2 a, b & c	Toy other than magnetic / electrical experimental sets intended for children over 8 years	NA
4.23.3 & 7.20	Magnetic / electrical experimental sets intended for children over 8 years	NA
4.24	Yo-yo ball	NA
4.25	Toys attached to food	NA
4.26	Toy Disguise Costumes	NA
4.27.1	Flying toys – General	NA
4.27.2 & 7.25.1	Rotors and propellers on flying toys	NA
4.27.3 & 7.25.2	Rotors and propellers on remote controlled flying toys	NA
FOR TOYS INTENDED FOR CHILDREN UNDER 36 MONTHS		
5.1	General	NA
5.1a	Small parts – as received	NA
5.1b	Small parts, sharp points, sharp edges – after tests	NA
5.1c	Cross section <2mm metal points & wires	NA
5.1e	Toys contain glue	NA
5.1f	Casing of toys	NA
5.2	Fillings, coverings and seams	NA
5.3	Adhesion of plastic sheeting	NA
5.4.2	Cords and chains in toys intended for children under 18 months	NA



RESULTS:

Subclause	Requirement	Result
5.4.3 & 7.22	Cords and chains in toys intended for children of 18 months or over but under 36 months	NA
5.4.4	Fixed loops, tangled loops and nooses	NA
5.4.5	Cords and chains on pull along toys	NA
5.4.6 & 7.21	Electrical cables	NA
5.4.7	Cross-sectional dimension of certain cords	NA
5.4.8	Self-retracting cords	NA
5.4.9 & 7.11 & 7.23	Toys attached to or intended to be strung across a cradle, cot or perambulator	NA
5.5 & 7.12	Liquid filled toys	NA
5.6	Electrically driven toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size	NA
5.9 & 7.17	Monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15 & 7.24	Sledges with cords for pulling	NA
6	Packaging	M
WARNINGS, INSTRUCTIONS FOR USE		
7.1	General	M
7.2	Toys not intended for children under 36 months	M
7.5	Functional toys	NA

2009/48/EC General Labeling Requirement

Requirement	Result
CE Mark	M
Manufacturer/ Importer name and address	M
Product Identification	M

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section NT=Not Test

Remark:

- 2009/48/EC General Labeling Requirements are not accredited by CNAS.



RESULTS:

REQUIREMENTS & TEST METHODS CROSS REFERENCE TABLE FOR PART 1

Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method
4.3	8.25.1	4.15.1.5	8.26.1	4.22	8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.32	5.4.5	8.40
4.5	8.5, 8.7, 8.11, 8.12	4.15.1.8	8.29	4.23	8.2, 8.3, 8.4.2.1, 8.4.2.2, 8.5, 8.6, 8.7, 8.8, 8.34, 8.35	5.4.6	8.40
4.6	8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.14	4.15.2.4	8.26.2	4.24	8.37	5.4.7	8.20
4.7	8.11	4.15.3	8.21, 8.23.1	4.25	8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.32.1	5.7.8	8.39
4.8	8.12, 8.13	4.15.4	8.21, 8.23.1	4.26	8.38	5.5	8.15
4.9	8.4.2.3, 8.11, 8.12	4.15.5	8.11, 8.12, 8.21, 8.22, 8.26.3, 8.27	4.27.1	8.43	5.6	8.29
4.10.1	8.18.2, 8.18.3	4.16	8.23.2	4.27.2	8.4.2.6	5.8	8.16
4.10.2	8.5, 8.6, 8.7, 8.11, 8.12	4.17.1	8.3, 8.4.2.1, 8.7, 8.8, 8.42	4.27.3	8.4.2.6	5.10	8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.9, 8.32
4.11	8.2, 8.3, 8.4.2.1, 8.9, 8.17	4.17.2	8.3, 8.4.2.4, 8.7, 8.8, 8.32.1, 8.43, 8.44	5.1	8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.9, 8.11, 8.12	5.11	8.33
4.13	8.19	4.17.3	8.3, 8.4.2.3, 8.4.2.5, 8.11, 8.12, 8.24, 8.42	5.3	8.4.2.1, 8.25	5.12	8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.9,
4.14.1	8.31.1, 8.31.2	4.17.4	8.3, 8.4.2.3, 8.4.2.5, 8.11, 8.12, 8.24, 8.42	5.4.1	8.40	5.13	8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.32
4.14.2	8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.11, 8.12	4.18	8.2, 8.3, 8.4.2.1	5.4.2	8.38, 8.40, 8.41	5.14	8.38
4.15.1.3	8.11, 8.12, 8.21, 8.22	4.20	8.28	5.4.3	8.38, 8.40, 8.41	6	8.3, 8.4.2.1, 8.25.1, 8.32.1
4.15.1.4	8.23.1	4.21	8.30	5.4.4	8.36, 8.38		



RESULTS:

FLAMMABILITY (EN 71 PART 2: 2020)

Subclause	Requirement	Result
4.1	Cellulose nitrate	NP
4.1	Highly flammable solids	NP
4.1	Surface flash on a piled surface	NA
*4.1	Flammable gases	NA
*4.1	Extremely flammable liquids, highly flammable liquids, flammable liquids and flammable gels	NA
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by child in play	NA
4.3	warning on product and packaging (10 - 30 mm/s)	NA
4.4	Toys intended to be entered by child	NA
4.4	warning on product and packaging (10 - 30 mm/s)	NA
4.5	Soft-filled toys	NA

REQUIREMENTS & TEST METHODS CROSS REFERENCE TABLE FOR PART 2

Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method
4.2.2	5.2	4.2.4	5.3	4.3	5.4	4.5	5.5
4.2.3	5.3	4.2.5	5.4	4.4	5.4	-	-

* Note: Subclause indicated with * are not accredited.

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section
P = Present NP = Not Present



RESULTS:

FLAMMABILITY (EN 71 PART 2: 2020+A1: 2025)

Subclause	Requirement	Result
4.1	Cellulose nitrate	NP
4.1	Highly flammable solids	NP
4.1	Surface flash on a piled surface	NA
*4.1	Flammable gases	NA
*4.1	Extremely flammable liquids, highly flammable liquids, flammable liquids and flammable gels	NA
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by child in play	NA
4.3	warning on product and packaging (10 - 30 mm/s)	NA
4.4	Toys intended to be entered by child	NA
4.4	warning on product and packaging (10 - 30 mm/s)	NA
4.5	Soft-filled toys	NA

REQUIREMENTS & TEST METHODS CROSS REFERENCE TABLE FOR PART 2

Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method
4.2.2	5.2	4.2.4	5.3	4.3	5.4	4.5	5.5
4.2.3	5.3	4.2.5	5.4	4.4	5.4	-	-

* Note: Subclause indicated with * are not accredited.

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section
P = Present NP = Not Present

Remark:

EN 71 PART 2: 2020+A1: 2025 flammability are not accredited by CNAS.



RESULTS:

APPROPRIATE AGE GRADE DETERMINATION

The Appropriate Age Grade is determined with reference to the BS EN71 : Part 1 : 2014+A1:2018, CEN ISO/TR 8124-8:2016 Safety of toys - Part 8: Age determination guidelines prepared by Technical Committee CEN/TC 52 and Age Grade Determination Guidelines of the Consumer Product Safety Commission (CPSC).	
Note :	The most stringent age grade from the Labeled Age Grade and the Appropriate Age Grade will be used for testing.
Note :	If the client does not specify an age grade for testing or request Bureau Veritas Consumer Products Services, Inc. to determine an appropriate age grade, the labeled age grade will be used for testing.

EXPLANATION OF THE ABBREVIATIONS FOR PART 1, 2 & 6

Symbol	Explanation				
NM	The sample(s) DOES NOT MEET the requirement of this Subclause				
M	The sample(s) MEET the requirement of this Subclause				
N/A	Not Applicable				
NR	Not Requested				
NE	Not Evaluated				
NP	None Present				
NT	Not Tested				
P	Present				
R	Refer to Comment Section of this report				
Symbol	Language Present	Symbol	Language Present	Symbol	Language Present
B	Belgian language	G	German language	PR	Portuguese language
D	Danish language	GR	Greek language	S	Spanish language
E	English language	H	Dutch language	SD	Swedish language
F	Finnish language	I	Italian language	SZ	Swiss language
FR	French language	N	Norwegian language		



RESULTS:

**MECHANICAL & PHYSICAL PROPERTIES
(BS EN 71: PART 1 – 2014+A1 – 2018)**

Subclause	Requirement	Result
4.1	Material cleanliness	M
4.2	Assembly	NA
4.3	Flexible plastic sheeting	NA
4.4	Toy Bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7 & 7.6	Edges	M
4.8 & 7.6	Points and metallic wires	M
4.8e	Splinters	M
4.9	Protruding parts	NA
4.10.1	Folding and sliding mechanisms	NA
4.10.2	Driving mechanisms	NA
4.10.3	Hinges	NA
4.10.4	Springs	NA
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12 & 7.3	Balloons	NA
4.13 & 7.9	Cord of toy kites and other flying toys	NA
4.14.1	Toys which a child can enter	NA
4.14.2 & 7.8	Masks and helmets	NA
4.15.1	Toys propelled by child	
4.15.1.2 & 7.10.1 & 7.10.2 & 7.10.3 & 7.10.4 & 7.16	Toys propelled by child – Instructions for use	NA
4.15.1.3	Toys propelled by child – Strength	NA
4.15.1.4	Toys propelled by child – Stability	NA
4.15.1.5	Toys propelled by child – Braking	NA
4.15.1.6	Toys propelled by child - Transmission	NA
4.15.1.7	Toys propelled by child – insertion mark	NA
4.15.1.8	Electrically-driven ride-on toys	NA
4.15.2	Toy bicycles	
4.15.2.2 & 7.15	Toy bicycles – Warnings and instructions for use	NA
4.15.2.3	Toy bicycles – Braking	NA
4.15.3 & 7.16 & 7.19	Rocking horses and similar toys	NA
4.15.4 & 7.16	Toys not propelled by child	NA
4.15.5 & 7.18	Toy scooters	NA



RESULTS:

Subclause	Requirement	Result
4.16	Heavy immobile toys	NA
4.17.2	All projectiles	NA
4.17.3 & 7.7	Projectile toys with stored energy	NA
4.17.4 & 7.26	Certain projectiles toys without stored energy	NA
4.18 & 7.4	Aquatic toys and inflatable toys	NA
4.19 & 7.13 & 7.14	Percussion caps	NA
4.20.2.1- 4.20.2.4, 4.20.2.6-4.20.2.12 & 7.14	Acoustics	NA
*4.20.2.5	Acoustics– Toys using headphones or earphones	NA
4.21	Toys containing a non-electrical heat source	NA
4.22 & 7.2	Small balls	M
4.23	Magnet	
4.23.2 a, b & c	Toy other than magnetic / electrical experimental sets intended for children over 8 years	NA
4.23.3 & 7.20	Magnetic / electrical experimental sets intended for children over 8 years	NA
4.24	Yo-yo ball	NA
4.25	Toys attached to food	NA
4.26	Toy Disguise Costumes	NA
4.27.1	Flying toys – General	NA
4.27.2 & 7.25.1	Rotors and propellers on flying toys	NA
4.27.3 & 7.25.2	Rotors and propellers on remote controlled flying toys	NA
FOR TOYS INTENDED FOR CHILDREN UNDER 36 MONTHS		
5.1	General	NA
5.1a	Small parts – as received	NA
5.1b	Small parts, sharp points, sharp edges – after tests	NA
5.1c	Cross section <2mm metal points & wires	NA
5.1e	Toys contain glue	NA
5.1f	Casing of toys	NA
5.2	Fillings, coverings and seams	NA
5.3	Adhesion of plastic sheeting	NA
5.4.2	Cords and chains in toys intended for children under 18 months	NA



RESULTS:

Subclause	Requirement	Result
5.4.3 & 7.22	Cords and chains in toys intended for children of 18 months or over but under 36 months	NA
5.4.4	Fixed loops, tangled loops and nooses	NA
5.4.5	Cords and chains on pull along toys	NA
5.4.6 & 7.21	Electrical cables	NA
5.4.7	Cross-sectional dimension of certain cords	NA
5.4.8	Self-retracting cords	NA
5.4.9 & 7.11 & 7.23	Toys attached to or intended to be strung across a cradle, cot or perambulator	NA
5.5 & 7.12	Liquid filled toys	NA
5.6	Electrically driven toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size	NA
5.9 & 7.17	Monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15 & 7.24	Sledges with cords for pulling	NA
6	Packaging	M
WARNINGS, INSTRUCTIONS FOR USE		
7.1	General	M
7.2	Toys not intended for children under 36 months	M
7.5	Functional toys	NA

UKCA Marking and Company name and UK address Labeling

Requirement	Result
UKCA Marking	M
Company name and UK address	M
Product Identification	M

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section NT=Not Test

Remark:

- UKCA Marking and Company name and UK address labeling content are not accredited by CNAS.



RESULTS:

REQUIREMENTS & TEST METHODS CROSS REFERENCE TABLE FOR PART 1

Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method
4.3	8.25.1	4.15.1.5	8.26.1	4.22	8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.32	5.4.5	8.40
4.5	8.5, 8.7, 8.11, 8.12	4.15.1.8	8.29	4.23	8.2, 8.3, 8.4.2.1, 8.4.2.2, 8.5, 8.6, 8.7, 8.8, 8.34, 8.35	5.4.6	8.40
4.6	8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.14	4.15.2.4	8.26.2	4.24	8.37	5.4.7	8.20
4.7	8.11	4.15.3	8.21, 8.23.1	4.25	8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.32.1	5.7.8	8.39
4.8	8.12, 8.13	4.15.4	8.21, 8.23.1	4.26	8.38	5.5	8.15
4.9	8.4.2.3, 8.11, 8.12	4.15.5	8.11, 8.12, 8.21, 8.22, 8.26.3, 8.27	4.27.1	8.43	5.6	8.29
4.10.1	8.18.2, 8.18.3	4.16	8.23.2	4.27.2	8.4.2.6	5.8	8.16
4.10.2	8.5, 8.6, 8.7, 8.11, 8.12	4.17.1	8.3, 8.4.2.1, 8.7, 8.8, 8.42	4.27.3	8.4.2.6	5.10	8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.9, 8.32
4.11	8.2, 8.3, 8.4.2.1, 8.9, 8.17	4.17.2	8.3, 8.4.2.4, 8.7, 8.8, 8.32.1, 8.43, 8.44	5.1	8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.9, 8.11, 8.12	5.11	8.33
4.13	8.19	4.17.3	8.3, 8.4.2.3, 8.4.2.5, 8.11, 8.12, 8.24, 8.42	5.3	8.4.2.1, 8.25	5.12	8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.9,
4.14.1	8.31.1, 8.31.2	4.17.4	8.3, 8.4.2.3, 8.4.2.5, 8.11, 8.12, 8.24, 8.42	5.4.1	8.40	5.13	8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.32
4.14.2	8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.11, 8.12	4.18	8.2, 8.3, 8.4.2.1	5.4.2	8.38, 8.40, 8.41	5.14	8.38
4.15.1.3	8.11, 8.12, 8.21, 8.22	4.20	8.28	5.4.3	8.38, 8.40, 8.41	6	8.3, 8.4.2.1, 8.25.1, 8.32.1
4.15.1.4	8.23.1	4.21	8.30	5.4.4	8.36, 8.38		



RESULTS:

FLAMMABILITY (BS EN 71 PART 2: 2020)

Subclause	Requirement	Result
4.1	Cellulose nitrate	NP
4.1	Highly flammable solids	NP
4.1	Surface flash on a piled surface	NA
*4.1	Flammable gases	NA
*4.1	Extremely flammable liquids, highly flammable liquids, flammable liquids and flammable gels	NA
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by child in play	NA
4.3	warning on product and packaging (10 - 30 mm/s)	NA
4.4	Toys intended to be entered by child	NA
4.4	warning on product and packaging (10 - 30 mm/s)	NA
4.5	Soft-filled toys	NA

REQUIREMENTS & TEST METHODS CROSS REFERENCE TABLE FOR PART 2

Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method
4.2.2	5.2	4.2.4	5.3	4.3	5.4	4.5	5.5
4.2.3	5.3	4.2.5	5.4	4.4	5.4	-	-

* Note: Subclause indicated with * are not accredited.

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section
P = Present NP = Not Present



RESULTS:

FLAMMABILITY (BS EN 71 PART 2: 2020+A1: 2025)

Subclause	Requirement	Result
4.1	Cellulose nitrate	NP
4.1	Highly flammable solids	NP
4.1	Surface flash on a piled surface	NA
*4.1	Flammable gases	NA
*4.1	Extremely flammable liquids, highly flammable liquids, flammable liquids and flammable gels	NA
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by child in play	NA
4.3	warning on product and packaging (10 - 30 mm/s)	NA
4.4	Toys intended to be entered by child	NA
4.4	warning on product and packaging (10 - 30 mm/s)	NA
4.5	Soft-filled toys	NA

REQUIREMENTS & TEST METHODS CROSS REFERENCE TABLE FOR PART 2

Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method
4.2.2	5.2	4.2.4	5.3	4.3	5.4	4.5	5.5
4.2.3	5.3	4.2.5	5.4	4.4	5.4	-	-

* Note: Subclause indicated with * are not accredited.

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section
P = Present NP = Not Present

Remark:

BS EN 71 PART 2: 2020+A1: 2025 flammability are not accredited by CNAS.



RESULTS:

Migration of Certain Elements in Category III - Scraped off toy material requirements of the European Standard, "Safety of toys", EN 71-3:2019+A2:2024.

Test Method : European Standard EN 71-3:2019+A2:2024 Section 8.

Class		Category III - Scraped off toy material					
Parameter	Unit	Result					Limit
		I001	I002	I003	I004	I005	
Type	-	Cat.III	Cat.III	Cat.III	Cat.III	Cat.III	-
Boron (B)	mg/kg	ND	ND	ND	ND	ND	<15000
Aluminium (Al)	mg/kg	20	ND	ND	ND	ND	<28130
Chromium III (Cr III)	mg/kg	0.26	ND	ND	ND	ND	<460
Chromium VI (Cr VI)	mg/kg	ND#	ND	ND	ND	ND	<0.053
Manganese-Mn	mg/kg	ND	ND	ND	ND	ND	<15000
Cobalt (Co)	mg/kg	ND	ND	ND	ND	ND	<130
Nickel (Ni)	mg/kg	ND	ND	ND	ND	ND	<930
Copper (Cu)	mg/kg	ND	ND	ND	ND	ND	<7700
Zinc (Zn)	mg/kg	50	ND	ND	ND	ND	<46000
Arsenic (As)	mg/kg	ND	ND	ND	ND	ND	<47
Selenium (Se)	mg/kg	ND	ND	ND	ND	ND	<460
Strontium (Sr)	mg/kg	ND	ND	ND	ND	ND	<56000
Cadmium (Cd)	mg/kg	ND	ND	ND	ND	ND	<17
Tin (Sn)	mg/kg	ND	ND	ND	ND	ND	<180000
Organic tin	mg/kg	ND	ND	ND	ND	ND	<12
Antimony (Sb)	mg/kg	ND	ND	ND	ND	ND	<560
Barium (Ba)	mg/kg	ND	ND	ND	ND	ND	<18750
Mercury (Hg)	mg/kg	ND	ND	ND	ND	ND	<94
Lead (Pb)	mg/kg	ND	ND	ND	ND	ND	<23
Mass of trace amount (g)		0.0104	-	-	-	-	-
Conclusion		PASS	PASS	PASS	PASS	PASS	-



WAN HUA TOYS
 Technical Report: **(8825)352-0077**
 Jan 09, 2026
 Page 19 of 24

RESULTS:

Parameter	Unit	Result					Limit
		I006	I007	I008	I009	I010	
Type	-	Cat.III	Cat.III	Cat.III	Cat.III	Cat.III	-
Boron (B)	mg/kg	ND	ND	ND	ND	ND	<15000
Aluminium (Al)	mg/kg	ND	ND	ND	ND	ND	<28130
Chromium III (Cr III)	mg/kg	ND	ND	ND	ND	ND	<460
Chromium VI (Cr VI)	mg/kg	ND	ND	ND	ND	ND	<0.053
Manganese-Mn	mg/kg	ND	ND	ND	ND	ND	<15000
Cobalt (Co)	mg/kg	ND	ND	ND	ND	ND	<130
Nickel (Ni)	mg/kg	ND	ND	ND	ND	ND	<930
Copper (Cu)	mg/kg	ND	ND	ND	ND	ND	<7700
Zinc (Zn)	mg/kg	ND	ND	ND	ND	ND	<46000
Arsenic (As)	mg/kg	ND	ND	ND	ND	ND	<47
Selenium (Se)	mg/kg	ND	ND	ND	ND	ND	<460
Strontium (Sr)	mg/kg	ND	ND	ND	ND	ND	<56000
Cadmium (Cd)	mg/kg	ND	ND	ND	ND	ND	<17
Tin (Sn)	mg/kg	ND	ND	ND	ND	ND	<180000
Organic tin	mg/kg	ND	ND	ND	ND	ND	<12
Antimony (Sb)	mg/kg	ND	ND	ND	ND	ND	<560
Barium (Ba)	mg/kg	ND	ND	ND	ND	ND	<18750
Mercury (Hg)	mg/kg	ND	ND	ND	ND	ND	<94
Lead (Pb)	mg/kg	ND	ND	ND	ND	ND	<23
Mass of trace amount (g)		-	-	-	-	-	-
Conclusion		PASS	PASS	PASS	PASS	PASS	-



RESULTS:

Note / Key:

mg/kg = milligrams per kilogram (ppm=parts per million)

Organic tin = migration of total organic tin is expressed as tributyltin cation content in mg/kg

= Verified results (see note)

ND = Not detected

Detection Limit (mg/kg) :

Category III - Al : 2 ; Sb : 2 ; As : 2 ; Ba : 2 ; B : 2 ; Cd : 2 ; Cr III : 0.15 ; Cr VI : 0.025 ; Co : 2 ; Cu : 2 ; Pb : 2 ; Mn : 2 ; Hg : 2 ; Ni : 2 ; Se : 2 ; Sr : 2 ; Sn : 2 ; Organic tin : 2 ; Zn : 2

Remark:

- Results of Cr III and Cr VI were reported as sum of soluble Chromium content unless specified.
- Result(s) of organic tin was (were) calculated while assuming the tin content wholly contributed from tributyltin cation unless specified.
- The pH measured shall be reported after migration if it was outside the range of 1.1 to 1.3.

Note:

If soluble chromium content or soluble tin content exceeded the screening limits of soluble chromium (VI) or organic tin content, the results were verified by below method

- Chromium VI: EN 71-3:2019+A2:2024, Annex F by Ion-chromatography with ICP-MS detector analysis.
- Organic tin: EN 71-3:2019+A2:2024, Annex G by Gas Chromatography-Mass Spectroscopy analysis.



RESULTS:

Migration of Certain Elements in Category III - Scraped off toy material requirements of the British Standard, "Safety of toys", BS EN 71-3:2019+A2:2024.

Test Method : British Standard BS EN 71-3:2019+A2:2024 Section 8.

Class		Category III - Scraped off toy material					
Parameter	Unit	Result					Limit
		I001	I002	I003	I004	I005	
Type	-	III	III	III	III	III	-
Boron (B)	mg/kg	ND	ND	ND	ND	ND	<15000
Aluminium (Al)	mg/kg	20	ND	ND	ND	ND	<28130
Chromium III (Cr III)	mg/kg	0.26	ND	ND	ND	ND	<460
Chromium VI (Cr VI)	mg/kg	ND#	ND	ND	ND	ND	<0.053
Manganese-Mn	mg/kg	ND	ND	ND	ND	ND	<15000
Cobalt (Co)	mg/kg	ND	ND	ND	ND	ND	<130
Nickel (Ni)	mg/kg	ND	ND	ND	ND	ND	<930
Copper (Cu)	mg/kg	ND	ND	ND	ND	ND	<7700
Zinc (Zn)	mg/kg	50	ND	ND	ND	ND	<46000
Arsenic (As)	mg/kg	ND	ND	ND	ND	ND	<47
Selenium (Se)	mg/kg	ND	ND	ND	ND	ND	<460
Strontium (Sr)	mg/kg	ND	ND	ND	ND	ND	<56000
Cadmium (Cd)	mg/kg	ND	ND	ND	ND	ND	<17
Tin (Sn)	mg/kg	ND	ND	ND	ND	ND	<180000
Organic tin	mg/kg	ND	ND	ND	ND	ND	<12
Antimony (Sb)	mg/kg	ND	ND	ND	ND	ND	<560
Barium (Ba)	mg/kg	ND	ND	ND	ND	ND	<18750
Mercury (Hg)	mg/kg	ND	ND	ND	ND	ND	<94
Lead (Pb)	mg/kg	ND	ND	ND	ND	ND	<23
Mass of trace amount (g)		0.0104	-	-	-	-	-
Conclusion		PASS	PASS	PASS	PASS	PASS	-



WAN HUA TOYS
 Technical Report: **(8825)352-0077**
 Jan 09, 2026
 Page 22 of 24

RESULTS:

Parameter	Unit	Result					Limit
		I006	I007	I008	I009	I010	
Type	-	III	III	III	III	III	-
Boron (B)	mg/kg	ND	ND	ND	ND	ND	<15000
Aluminium (Al)	mg/kg	ND	ND	ND	ND	ND	<28130
Chromium III (Cr III)	mg/kg	ND	ND	ND	ND	ND	<460
Chromium VI (Cr VI)	mg/kg	ND	ND	ND	ND	ND	<0.053
Manganese-Mn	mg/kg	ND	ND	ND	ND	ND	<15000
Cobalt (Co)	mg/kg	ND	ND	ND	ND	ND	<130
Nickel (Ni)	mg/kg	ND	ND	ND	ND	ND	<930
Copper (Cu)	mg/kg	ND	ND	ND	ND	ND	<7700
Zinc (Zn)	mg/kg	ND	ND	ND	ND	ND	<46000
Arsenic (As)	mg/kg	ND	ND	ND	ND	ND	<47
Selenium (Se)	mg/kg	ND	ND	ND	ND	ND	<460
Strontium (Sr)	mg/kg	ND	ND	ND	ND	ND	<56000
Cadmium (Cd)	mg/kg	ND	ND	ND	ND	ND	<17
Tin (Sn)	mg/kg	ND	ND	ND	ND	ND	<180000
Organic tin	mg/kg	ND	ND	ND	ND	ND	<12
Antimony (Sb)	mg/kg	ND	ND	ND	ND	ND	<560
Barium (Ba)	mg/kg	ND	ND	ND	ND	ND	<18750
Mercury (Hg)	mg/kg	ND	ND	ND	ND	ND	<94
Lead (Pb)	mg/kg	ND	ND	ND	ND	ND	<23
Mass of trace amount (g)		-	-	-	-	-	-
Conclusion		PASS	PASS	PASS	PASS	PASS	-



WAN HUA TOYS
Technical Report: **(8825)352-0077**
Jan 09, 2026
Page 23 of 24

RESULTS:

mg/kg = milligrams per kilogram (ppm=parts per million)

Organic tin = migration of total organic tin is expressed as tributyltin cation content in mg/kg

= Verified results (see note)

ND = Not detected

Detection Limit (mg/kg) :

Category III - Al : 2 ; Sb : 2 ; As : 2 ; Ba : 2 ; B : 2 ; Cd : 2 ; Cr III : 0.15 ; Cr VI : 0.025 ; Co : 2 ; Cu : 2 ; Pb : 2 ; Mn : 2 ; Hg : 2 ; Ni : 2 ; Se : 2 ; Sr : 2 ; Sn : 2 ; Organic tin : 2 ; Zn : 2

Remark:

- Results of Cr III and Cr VI were reported as sum of soluble Chromium content unless specified.
- Result(s) of organic tin was (were) calculated while assuming the tin content wholly contributed from tributyltin cation unless specified.
- The pH measured shall be reported after migration if it was outside the range of 1.1 to 1.3.

Note:


If soluble chromium content or soluble tin content exceeded the screening limits of soluble chromium (VI) or organic tin content, the results were verified by below method

- Chromium VI: BS EN 71-3:2019+A2:2024, Annex F by Ion-chromatography with ICP-MS detector analysis.
- Organic tin: BS EN 71-3:2019+A2:2024, Annex G by Gas Chromatography-Mass Spectroscopy analysis.



WAN HUA TOYS
Technical Report: **(8825)352-0077**
Jan 09, 2026
Page 24 of 24

Photo of the Submitted Sample:



END OF REPORT