



中国认可  
国际互认  
检测  
TESTING  
CNAS L1744

## WAN HUA TOYS

**Technical Report:** (8825)352-0078

Date Received: Dec 18, 2025

Jan 09, 2026

Page 1 of 16

WAN HUA TOYS  
NO. 18, LANE 4, TIANZHONG, LONGTIAN, CHENGHAI  
DISTRICT, SHANTOU CITY, GUANGDONG PROVINCE

|                             |                     |                         |              |
|-----------------------------|---------------------|-------------------------|--------------|
| Sample Description:         | BALL ROLLING-CUBE   | Sample Size:            | 3            |
| Vendor:                     | N/A                 | Style No(s):            | 6789-2       |
| Manufacturer:               | N/A                 | SKN/SKU No.:            | NOT PROVIDE  |
| Labeled Age Grade:          | 3+                  | PO No.:                 | NOT PROVIDE  |
| Appropriate Age Grade:      | OVER 3 YEARS OF AGE | Ref #:                  | NOT PROVIDE  |
| Client Specified Age Grade: | 3+                  | Country of Origin:      | NOT PROVIDE  |
| Tested Age Grade:           | OVER 3 YEARS OF AGE | Assortment No.:         | NOT PROVIDE  |
| UPC Code:                   | N/A                 | Country of Destination: | NOT PROVIDE  |
| Further Information Date:   | JAN 8, 2026         | Test Finished Date:     | Jan 09, 2026 |
| Test Starting Date:         | Dec 18, 2025        |                         |              |

### EXECUTIVE SUMMARY:

| Tested Requested                                                                                                                                              | Conclusion |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>(#)Mechanical hazards requirements of ASTM F963-23, "Standard consumer safety specification for toy safety".</b>                                           | PASS       |
| Labeling requirements of ASTM F963-23, "Standard consumer safety specification for toy safety".                                                               | PASS       |
| <b>(#)Flammability requirement of solids under ASTM F963-23 section 4.2 according to Annex A5, "Flammability testing procedure for solids and soft toys".</b> | PASS       |
| <b>(#)Mechanical hazards requirements of 16 CFR 1500, "Federal Hazardous Substances Act Regulations".</b>                                                     | PASS       |

To be continued.

BUREAU VERITAS SHENZHEN CO.,LTD  
DONGGUAN BRANCH

Lisa Bai  
Analytical Lab Authorized Signatory



BUREAU VERITAS SHENZHEN CO.,LTD  
DONGGUAN BRANCH

Tone Tang  
Physics Lab Authorized Signatory

RT / Min Chen

### REMARK

If there are questions or concerns on this report, please contact the following persons:

Report Enquiry: (86) 0769 89952999 Ext. 8175 CPSAnalytical.DG@bureauveritas.com

Business Contact: (86) 0769 85893595

*This report shall not be reproduced except in full, without the written approval of our laboratory.*



**EXECUTIVE SUMMARY:**

| Tested Requested                                                                                                                                                                         | Conclusion |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>(#)Flammability requirements of 16 CFR 1500.3(c)(6)(vi), "Flammable solid" (FHSA regulations).</b>                                                                                    | PASS       |
| Tracking label requirement of the Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 Tracking Labels for Children's Products.                                           | PASS       |
| <b>(#)Total Lead Content – 16 CFR 1303, "Ban of Lead-containing paint and certain consumer products bearing Lead-containing paint"</b>                                                   | PASS       |
| <b>(#)Soluble Heavy Metals Content in Surface Coating –ASTM F963-23, Section 4.3.5.1(2)</b>                                                                                              | PASS       |
| <b>(#)Soluble Heavy Metals Content in Substrate –ASTM F963-23, Section 4.3.5.2(2)(b)</b>                                                                                                 | PASS       |
| <b>(#)Total Lead Content in Surface Coating – ASTM International Standard ASTM F963-23, Section 4.3.5.1(1)</b>                                                                           | PASS       |
| <b>(#)Total Lead Content in Substrate – ASTM International Standard ASTM F963-23, Section 4.3.5.2(2)(a)</b>                                                                              | PASS       |
| <b>(#)Phthalates (BBP, DBP, DEHP, DINP, DIBP, DPENP, DHEXP &amp; DCHP) content requirements of ASTM F963-23, "Standard Consumer Safety Specification for Toy Safety," Section 4.3.8.</b> | PASS       |

Note: At the request of the client, the sample(s) was evaluated for use by children 3+.

Note: The composite test sample(s) of the submitted samples was prepared in the manner requested by the client, when subject to the test performed.

Note: Tests with (#) are accredited by CNAS.



WAN HUA TOYS  
Technical Report: **(8825)352-0078**  
Jan 09, 2026  
Page 3 of 16

**Tested Component(s) Description List:**

| Test Item(s) | Item / Component Description(s) | Location(s) | Style(s) |
|--------------|---------------------------------|-------------|----------|
| I001         | Black coating                   | Logo words  | -        |
| I002         | Transparent plastic             | Shell       | -        |
| I003         | White plastic                   | Cube parts  | -        |
| I004         | Blue plastic                    | Cube parts  | -        |
| I005         | Yellow plastic                  | Cube parts  | -        |
| I006         | Grey plastic                    | Cube parts  | -        |
| I007         | Red plastic                     | Cube parts  | -        |
| I008         | Green plastic                   | Cube parts  | -        |
| I009         | Grey-green plastic              | Cube parts  | -        |
| I010         | Yellow plastic                  | Cube parts  | -        |
| I011         | Silvery metal                   | Beads       | -        |



WAN HUA TOYS  
Technical Report: **(8825)352-0078**  
Jan 09, 2026  
Page 4 of 16

**RESULTS:**

**APPROPRIATE AGE GRADE DETERMINATION**

The Appropriate Age Grade is determined with reference to the Age Determination Guidelines of the Consumer Product Safety Commission (CPSC); and the ASTM F963-23, "Standard Consumer Safety Specification on Toy Safety". Annex A1

Note : The most stringent age grade from the Labeled Age Grade and the Appropriate Age Grade will be used for testing.

Note : If the client does not specify an age grade for testing or request Bureau Veritas Consumer Products Services, Inc. to determine an appropriate age grade, the labeled age grade will be used for testing.

**USE AND ABUSE TESTS**

The samples were undergo the tests in accordance with section 8.6 through 8.16, whichever is applicable

| Test             | Test Parameters | Standard Reference |
|------------------|-----------------|--------------------|
| Impact Test      | 4 x 3 ft        | 1500.53(b)         |
| Torque Test      | 4 in-lbs        | 1500.53(e)         |
| Tension Test     | 15 lbs          | 1500.53(f )        |
| Compression Test | 30 lbs          | 1500.53(g)         |



**RESULTS:**

**PHYSICAL AND MECHANICAL HAZARDS (ASTM F963-23)**

| Section | Requirement                                                                                                                                               | Result |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| 4.1     | Material Quality                                                                                                                                          | M      |
| 4.3.7   | Stuffing Materials                                                                                                                                        | N/A    |
| 4.5     | Sound-producing Toys                                                                                                                                      | N/A    |
| 4.6     | Small Objects                                                                                                                                             | N/A    |
| 4.7     | Accessible Edges                                                                                                                                          | M      |
| 4.8     | Projections                                                                                                                                               | N/A    |
| 4.9     | Accessible Points                                                                                                                                         | M      |
| 4.10    | Wires and Rods                                                                                                                                            | N/A    |
| 4.11    | Nails and Fasteners                                                                                                                                       | N/A    |
| 4.12    | Plastic Film                                                                                                                                              | M      |
| 4.13    | Folding Mechanisms and Hinges                                                                                                                             | N/A    |
| 4.14    | Cords, Straps and Elastics                                                                                                                                | N/A    |
| 4.15    | Stability and Over-load Requirements                                                                                                                      | N/A    |
| 4.16    | Confined Spaces                                                                                                                                           | N/A    |
| 4.17    | Wheels, Tires, and Axles                                                                                                                                  | N/A    |
| 4.18    | Holes, Clearances and Accessibility of Mechanisms                                                                                                         | N/A    |
| 4.19    | Simulated Protective Devices                                                                                                                              | N/A    |
| 4.20    | Pacifiers                                                                                                                                                 | N/A    |
| 4.21    | Projectile Toys                                                                                                                                           | N/A    |
| 4.22    | Teethers and Teething Toys                                                                                                                                | N/A    |
| 4.23    | Rattles                                                                                                                                                   | N/A    |
| 4.24    | Squeeze Toys                                                                                                                                              | N/A    |
| 4.25    | Battery-operated Toys<br>(exclude Section 4.25.9 Battery-powered ride-on toys & Section 4.25.10 Toys that Contain Secondary Cells or Secondary Batteries) | N/A    |
| 4.26    | Toys Intended to be Attached to a Crib or Playpen                                                                                                         | N/A    |
| 4.27    | Stuffed and Beanbag-type Toys                                                                                                                             | N/A    |
| 4.30    | Toy Gun Marking                                                                                                                                           | N/A    |
| 4.32    | Certain Toys with Nearly Spherical Ends                                                                                                                   | N/A    |
| 4.34    | Small Balls                                                                                                                                               | N/A    |
| 4.35    | Pompoms                                                                                                                                                   | N/A    |
| 4.36    | Hemispheric-shaped Objects                                                                                                                                | N/A    |
| 4.37    | Yo Yo Elastic Tether Toys                                                                                                                                 | N/A    |
| 4.38    | Magnets                                                                                                                                                   | N/A    |
| 4.39    | Jaw Entrapment in Handles and Steering Wheels                                                                                                             | N/A    |
| 4.40    | Expanding Materials                                                                                                                                       | N/A    |

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section NT=Not Test



**RESULTS:**

**LABELING AND INSTRUCTIONAL REQUIREMENT (ASTM F963-23)**

| Section      | Requirement                                                                                    | Result |
|--------------|------------------------------------------------------------------------------------------------|--------|
| 5.1.2        | Tracking label                                                                                 | M      |
| 5.4 & 5.3    | Aquatic Toys                                                                                   | N/A    |
| 5.5 & 5.3    | Crib and Playpen Toys                                                                          | N/A    |
| 5.6 & 5.3    | Mobiles                                                                                        | N/A    |
| 5.7 & 5.3    | Stroller and Carriage Toys                                                                     | N/A    |
| 5.8 & 5.3    | Toys Intended to be Assembled by an Adult                                                      | N/A    |
| 5.9 & 5.3    | Simulated Protective Devices                                                                   | N/A    |
| 5.10 & 5.3   | Toys with Functional Sharp Edges or Sharp Points                                               | N/A    |
| 5.11         | Small Objects, Small Balls, Marbles and Balloons (16 CFR 1500.19)                              | N/A    |
| 5.12         | Art Materials (16 CFR 1500.14(b)(8))                                                           | N/A    |
| 5.14         | Battery-Operated Toys (exclude 5.14.1 and 5.14.2)                                              | N/A    |
| 5.14.1 & 5.3 | Battery-Powered Ride-On Toys                                                                   | N/A    |
| 5.14.2 & 5.3 | Button or Coin Cell Batteries                                                                  | N/A    |
| 5.15         | Promotional Materials                                                                          | M      |
| 5.16 & 5.3   | Magnets                                                                                        | N/A    |
| 6.1          | Definition and Description                                                                     | M      |
| 6.2          | Crib and Playpen Toys                                                                          | N/A    |
| 6.3          | Mobiles                                                                                        | N/A    |
| 6.4 & 5.3    | Toys Intended to be Assembled by an Adult                                                      | N/A    |
| 6.5          | Battery-Operated Toys                                                                          | N/A    |
| 6.6          | Battery-Powered Ride-On Toys                                                                   | N/A    |
| 6.7          | Toys in Contact with Food                                                                      | N/A    |
| 6.9          | Toys which require a manufacturer-supplied specialty or custom tool to access the battery(ies) | N/A    |
| 7.1          | Producer's Name and Address                                                                    | M      |
| 7.2          | Battery-powered Ride-on Toys                                                                   | N/A    |

*M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section NT=Not Test*

**FLAMMABILITY (16 CFR SECTION 1500.3(c)6)(vi))**

| Requirement                                         | Test Method Reference | Findings                       |
|-----------------------------------------------------|-----------------------|--------------------------------|
| Burn rate no greater than 0.1 of an inch per second | 16 CFR 1500.44        | Ignited but Self-Extinguished. |

**Remark:**

- ASTM F963-23 labeling requirements are not accredited by CNAS.



**RESULTS:**

**APPROPRIATE AGE GRADE DETERMINATION**

The Appropriate Age Grade is determined with reference to the Age Determination Guidelines of the Consumer Product Safety Commission (CPSC); and the ASTM F963-23, "Standard Consumer Safety Specification on Toy Safety". Annex A1

Note : The most stringent age grade from the Labeled Age Grade and the Appropriate Age Grade will be used for testing.

Note : If the client does not specify an age grade for testing or request Bureau Veritas Consumer Products Services, Inc. to determine an appropriate age grade, the labeled age grade will be used for testing.

**USE AND ABUSE TESTS**

The samples were undergo the tests in accordance with section 8.6 through 8.16, whichever is applicable

| Test             | Test Parameters | Standard Reference |
|------------------|-----------------|--------------------|
| Impact Test      | 4 x 3 ft        | 1500.53(b)         |
| Torque Test      | 4 in-lbs        | 1500.53(e)         |
| Tension Test     | 15 lbs          | 1500.53(f )        |
| Compression Test | 30 lbs          | 1500.53(g)         |



**RESULTS:**

**PHYSICAL AND MECHANICAL HAZARDS (FHSA 16 CFR 1500)**

| Part                           | Requirement                                      | Result |
|--------------------------------|--------------------------------------------------|--------|
| 16 CFR 1500.47 & 1500.86(a)(6) | Sound Pressure Level – Toy Cap                   | N/A    |
| 16 CFR 1501                    | Small Parts                                      | N/A    |
| 16 CFR 1500.49                 | Sharp Edges                                      | M      |
| 16 CFR 1500.48                 | Sharp Points                                     | M      |
| 16 CFR 1511                    | Pacifier                                         | N/A    |
| 16 CFR 1510                    | Rattles                                          | N/A    |
| 16 CFR 1500.18(a)(17)          | Small Ball                                       | N/A    |
| 16 CFR 1500.19                 | Small Objects, Small Balls, Marbles and Balloons | N/A    |
| 16 CFR 1500.86                 | Toy Caps                                         | N/A    |
| 16 CFR 1500.14(b)(8)           | Art Materials                                    | N/A    |

*M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section NT=Not Test*

**FLAMMABILITY (16 CFR SECTION 1500.3(c)(6)(vi))**

| Requirement                                         | Test Method Reference | Findings                       |
|-----------------------------------------------------|-----------------------|--------------------------------|
| Burn rate no greater than 0.1 of an inch per second | 16 CFR 1500.44        | Ignited but Self-Extinguished. |

**Remark:**

- CPSIA tracking label Content are not accredited by CNAS.



WAN HUA TOYS  
Technical Report: **(8825)352-0078**  
Jan 09, 2026  
Page 9 of 16

**RESULTS:**

**Total Lead Content – 16 CFR 1303, "Ban of Lead-containing paint and certain consumer products bearing Lead-containing paint"**

**Test Method** : U.S. CPSC-CH-E1003-09.1:2011

|                    |                 |
|--------------------|-----------------|
| <b>Requirement</b> | <b>90 mg/kg</b> |
|--------------------|-----------------|

| <b>Test Item(s)</b> | <b>Result</b> | <b>Unit</b> | <b>Conclusion</b> |
|---------------------|---------------|-------------|-------------------|
| I001                | ND            | mg/kg       | PASS              |

Note / key:

ND = Not detected

Detection Limit (mg/kg) : 10

mg/kg = milligram(s) per kilogram



**RESULTS:**

**Soluble Heavy Metals Content in Surface Coating –ASTM F963-23, Section 4.3.5.1(2)**

**Test Method** : ASTM International Standard ASTM F963-23, Section 8.3.2 to 8.3.4

| Analyte                   | As | Ba   | Cd | Cr | Hg | Pb | Sb | Se  |
|---------------------------|----|------|----|----|----|----|----|-----|
| Max. Limit (mg/kg)        | 25 | 1000 | 75 | 60 | 60 | 90 | 60 | 500 |
| Analytical Correction (%) | 60 | 30   | 30 | 30 | 50 | 30 | 60 | 60  |

| Parameter                       | Unit  | Result | Limit |
|---------------------------------|-------|--------|-------|
|                                 |       | I001   |       |
| Arsenic (As)                    | mg/kg | ND     | <25   |
| Barium (Ba)                     | mg/kg | ND     | <1000 |
| Cadmium (Cd)                    | mg/kg | ND     | <75   |
| Chromium (Cr)                   | mg/kg | ND     | <60   |
| Mercury (Hg)                    | mg/kg | ND     | <60   |
| Lead (Pb)                       | mg/kg | ND     | <90   |
| Antimony (Sb)                   | mg/kg | ND     | <60   |
| Selenium (Se)                   | mg/kg | ND     | <500  |
| <b>Mass of trace amount (g)</b> |       | 0.0104 | -     |
| <b>Conclusion</b>               |       | PASS   | -     |

Note / key:

ND = Not detected

% = percent

Detection Limit (mg/kg) : As : 2.5; Ba : 100; Cd : 7.5; Each (Cr, Hg, & Sb) : 6.0; Pb : 9.0; Se : 50

Remark:

- "#" Denotes as reported result(s) was (were) adjusted by analytical correction shown in limit table.



**RESULTS:**

**Soluble Heavy Metals Content in Substrate –ASTM F963-23, Section 4.3.5.2(2)(b)**

**Test Method** : ASTM International Standard ASTM F963-23, Section 8.3.5 (Excluding 8.3.5.5(3))

| Analyte                    | As | Ba   | Cd | Cr | Hg | Pb | Sb | Se  |
|----------------------------|----|------|----|----|----|----|----|-----|
| Max. Limit Type I (mg/kg)  | 25 | 1000 | 75 | 60 | 60 | 90 | 60 | 500 |
| Max. Limit Type II (mg/kg) | 25 | 250  | 50 | 25 | 25 | 90 | 60 | 500 |
| Analytical Correction (%)  | 60 | 30   | 30 | 30 | 50 | 30 | 60 | 60  |

Type I: Substrate other than modeling clay

Type II: Modeling clay

| Parameter                       | Unit  | Result |      |      |      |      | Limit |
|---------------------------------|-------|--------|------|------|------|------|-------|
|                                 |       | I002   | I003 | I004 | I005 | I006 |       |
| <b>Type</b>                     | -     | I      | I    | I    | I    | I    | -     |
| Arsenic (As)                    | mg/kg | ND     | ND   | ND   | ND   | ND   | <25   |
| Barium (Ba)                     | mg/kg | ND     | ND   | ND   | ND   | ND   | <1000 |
| Cadmium (Cd)                    | mg/kg | ND     | ND   | ND   | ND   | ND   | <75   |
| Chromium (Cr)                   | mg/kg | ND     | ND   | ND   | ND   | ND   | <60   |
| Mercury (Hg)                    | mg/kg | ND     | ND   | ND   | ND   | ND   | <60   |
| Lead (Pb)                       | mg/kg | ND     | ND   | ND   | ND   | ND   | <90   |
| Antimony (Sb)                   | mg/kg | ND     | ND   | ND   | ND   | ND   | <60   |
| Selenium (Se)                   | mg/kg | ND     | ND   | ND   | ND   | ND   | <500  |
| <b>Mass of trace amount (g)</b> |       | -      | -    | -    | -    | -    | -     |
| <b>Conclusion</b>               |       | PASS   | PASS | PASS | PASS | PASS | -     |

| Parameter                       | Unit  | Result |      |      |      | Limit |
|---------------------------------|-------|--------|------|------|------|-------|
|                                 |       | I007   | I008 | I009 | I010 |       |
| <b>Type</b>                     | -     | I      | I    | I    | I    | -     |
| Arsenic (As)                    | mg/kg | ND     | ND   | ND   | ND   | <25   |
| Barium (Ba)                     | mg/kg | ND     | ND   | ND   | ND   | <1000 |
| Cadmium (Cd)                    | mg/kg | ND     | ND   | ND   | ND   | <75   |
| Chromium (Cr)                   | mg/kg | ND     | ND   | ND   | ND   | <60   |
| Mercury (Hg)                    | mg/kg | ND     | ND   | ND   | ND   | <60   |
| Lead (Pb)                       | mg/kg | ND     | ND   | ND   | ND   | <90   |
| Antimony (Sb)                   | mg/kg | ND     | ND   | ND   | ND   | <60   |
| Selenium (Se)                   | mg/kg | ND     | ND   | ND   | ND   | <500  |
| <b>Mass of trace amount (g)</b> |       | -      | -    | -    | -    | -     |
| <b>Conclusion</b>               |       | PASS   | PASS | PASS | PASS | -     |



WAN HUA TOYS  
Technical Report: **(8825)352-0078**  
Jan 09, 2026  
Page 12 of 16

**RESULTS:**

Note / key:

ND = Not detected

% = percent

g = gram(s)

mg/kg = milligram(s) per kilogram

Detection Limit (mg/kg) :

For Type I – As : 2.5; Ba : 100; Cd : 7.5; Each (Cr, Hg, & Sb) : 6.0; Pb : 9.0; Se : 50

For Type II – Each (As, Cr & Hg) : 2.5; Ba : 25; Cd : 5.0; Sb : 6.0; Pb : 9.0; Se : 50

Remark:

- "#" Denotes as reported result(s) was (were) adjusted by analytical correction shown in limit table.
- Textiles (natural or synthetic) are exempted for lead content requirement according to clarification of Toy Industry Association for ASTM F963-23. The lead content analysis result of corresponding material herein is for client's reference only.



WAN HUA TOYS  
Technical Report: **(8825)352-0078**  
Jan 09, 2026  
Page 13 of 16

**RESULTS:**

**Total Lead Content in Surface Coating – ASTM International Standard ASTM F963-23,  
Section 4.3.5.1(1)**

**Test Method** : ASTM International Standard ASTM F963-23, Section 8.3.1 and Annex A7.

|                    |                 |
|--------------------|-----------------|
| <b>Requirement</b> | <b>90 mg/kg</b> |
|--------------------|-----------------|

| <b>Test Item(s)</b> | <b>Result</b> | <b>Unit</b> | <b>Conclusion</b> |
|---------------------|---------------|-------------|-------------------|
| I001                | ND            | mg/kg       | PASS              |

Note / key:

ND = Not detected

Detection Limit (mg/kg) : 10

mg/kg = milligram(s) per kilogram



WAN HUA TOYS  
Technical Report: **(8825)352-0078**  
Jan 09, 2026  
Page 14 of 16

**RESULTS:**

**Total Lead Content in Substrate – ASTM International Standard ASTM F963-23, Section 4.3.5.2(2)(a)**

**Test Method** : ASTM International Standard ASTM F963-23, Section 8.3.1 and Annex A7.

|                    |                  |
|--------------------|------------------|
| <b>Requirement</b> | <b>100 mg/kg</b> |
|--------------------|------------------|

| <b>Test Item(s)</b> | <b>Result</b> | <b>Unit</b> | <b>Conclusion</b> |
|---------------------|---------------|-------------|-------------------|
| I002 + I003 + I004  | ND            | mg/kg       | PASS              |
| I005 + I006 + I007  | ND            | mg/kg       | PASS              |
| I008 + I009 + I010  | ND            | mg/kg       | PASS              |
| I011                | ND            | mg/kg       | PASS              |

Note / key:

ND = Not detected

Detection Limit (mg/kg) : 10

mg/kg = milligram(s) per kilogram



**RESULTS:**

**Phthalates (BBP, DBP, DEHP, DINP, DIBP, DPENP, DHEXP & DCHP) content requirements of ASTM F963-23, "Standard Consumer Safety Specification for Toy Safety," Section 4.3.8.**

**Test Method** : With reference to U. S. CPSC-CH-C1001-09.4 (January 17, 2018)

| Parameter         | Unit   | Result |                       |                       |                       | Limit |
|-------------------|--------|--------|-----------------------|-----------------------|-----------------------|-------|
|                   |        | I001   | I002 + I003<br>+ I004 | I005 + I006<br>+ I007 | I008 + I009<br>+ I010 |       |
| BBP               | %(w/w) | ND     | ND                    | ND                    | ND                    | <0.1  |
| DBP               | %(w/w) | ND     | ND                    | ND                    | ND                    | <0.1  |
| DEHP              | %(w/w) | ND     | ND                    | ND                    | ND                    | <0.1  |
| DIBP              | %(w/w) | ND     | ND                    | ND                    | ND                    | <0.1  |
| DPENP             | %(w/w) | ND     | ND                    | ND                    | ND                    | <0.1  |
| DINP              | %(w/w) | ND     | ND                    | ND                    | ND                    | <0.1  |
| DHEXP             | %(w/w) | ND     | ND                    | ND                    | ND                    | <0.1  |
| DCHP              | %(w/w) | ND     | ND                    | ND                    | ND                    | <0.1  |
| <b>Conclusion</b> | -      | PASS   | PASS                  | PASS                  | PASS                  | -     |

Note / key:

DEHP = Di(2-ethylhexyl) phthalate (CAS No.117-81-7)

DBP = Dibutyl phthalate (CAS No.84-74-2)

BBP = Butyl benzyl phthalate (CAS No.85-68-7)

DHEXP(DnHP) = Di-n-hexyl phthalate (CAS No.84-75-3)

DIBP = Di-iso-butyl phthalate (CAS No.84-69-5)

DINP = Di-iso-nonyl phthalate (CAS No.28553-12-0 & 68515-48-0)

DPENP(DnPP) = Di-n-pentyl phthalate (CAS No.131-18-0)

DCHP = Dicyclohexyl phthalate (CAS No.84-61-7)

ND = Not detected

10000 mg/kg = 1 %

Detection Limit (%) : Each 0.005


% = percent

mg/kg = milligram(s) per kilogram



WAN HUA TOYS  
Technical Report: **(8825)352-0078**  
Jan 09, 2026  
Page 16 of 16

**Photo of the Submitted Sample:**



END OF REPORT