Week 6

Announcements

- Basic, Advanced 5 due October 21
- Basic, Advanced 3 deadlines pushed back to October 14

Clarifications

- Overemphasized "good" commits
- Commits are checkpoints, use them as you wish
- Good style is more for sharing the repo with other people
  - (and helping you out when you want to roll back by features)
- I personally make junk commits too, but squash them when I reach a milestone
- Don't commit "junk"
  - System metadata files
  - Build outputs (object code, binaries built from source, `.dSYM` files on mac OS)
  - Text editor swap files
- Avoid *blindly* using `git add .`
  - Most appropriate time is adding a *bunch* of new files (like with a new repo)
  - Be mindful of what you're committing
  - A good `.gitignore` file helps with this
  - `git add -u` to add modified files is usually the most appropriate

Lecture 6: (Text) Editors

`vi` != `vim`

Overview

- What is a text editor
- Examples of text editors
- Looking at text editors
    - Featuring a large section on `vim` because it's the one I know the best

What is a text editor?

- Tool that modifies plain-text data in files
- The best ones conform to your needs and further enable your productivity

Q: Who has used features beyond moving around with arrow keys, using the mouse to select/move the cursor, copy and paste in their preferred text editor/development environment?

The goal of today's lecture is to expose you to text editors can be and how powerful they can be

- No, we're not fanning the flames of the Editor Wars
- Don't take this as a guideline for you to follow: I just happen to be highly productive with it
- You can use whatever text editor you want, with as many or few customizations and plugins as you want

Q: What are some text editors?

Terminal text editors

Q: Why learn them in `$CURRENT_YEAR`?

- Yes, nearly all of us will be working in a GUI environment

`ed` (1969)

The OG

(Oh god why would you use this in `$CURRENT_YEAR`)

- The original UNIX editor
- Part of the POSIX spec!
- Developed back when we had *teleprinters*, not even video terminals
  - The root of some design decisions and quirks of UNIX, such as short commands and lack of output
- Known as a "line editor" where you specified lines you wanted to edit
- Provides very little feedback

`ed` summary

	`ed`
Quit	`q`
Save	`w` `w <file name>`
Append text	`a` (text) `.`
Print all	`,p`
Print line	`<n>p` for line *n*
Delete line	`<n>d` for line *n*

`vi` (1976)

We've got these fancy "screen" things now

- Part of the POSIX spec!
- Born out of another line editor `ex` (and ultimately `ed`); the "colon" commands are actually `ex` commands
- *Modal* text editor
  - "Command" mode for commands and navigation
  - "Insert" mode for writing text
  - "Command-line"/"ex" mode for `ex` commands
- ESC brings you Command mode
  - `:` enters "Command-line"/"ex" mode and allows you to enter `ex` commands (which allow you to save and quit)
- Certain commands (e.g. `i`, `a`) bring you into Insert mode

`vim` (1991)

`vi` but better (but not in the POSIX spec ☹)

- Plain ole `vi` kinda sucks for today's use
- Many distros don't even provide OG `vi`, opting to alias it to a minimal version of `vim` or even just normal `vim`
- `vim`'s features is a superset of `vi`'s
  - Syntax highlighting!
  - Line numbers!
  - Undo history larger than 1!
  - Plugins!
  - Multiple windows!
  - ...and much more!
- New modes:
  - "Visual" mode for selecting text
  - "Command" mode renamed to "Normal" mode

`vi`/`vim` abridged cheatsheet

- `<ESC>`: Enter Command/Normal mode
- The following are for when you're in Command/Normal mode
- A neat thing is that you can put a number before a command to repeat it
  - `10j` to move down 10 lines
- You can record *macros* with `q <letter to save to> <commands> q`
  - You can invoke them with `@<letter you saved to>`
- The "register" I refer to is sort of like a copy-paste clipboard
- `^` (caret) is shorthand for the Control key serving as a modifier

Navigation

- `h`, `j`, `k`, `l`: move cursor left, down, up, right
  - `vi`: Arrow keys *might* be supported, and *might* work in Insert mode
  - `vim`: Arrow keys work as expected (nowadays)
- `w`: "word", go to beginning of next word
- `b`: "back", go to beginning of current word (or beginning of previous word)
- `e`: "end", go to end of current word (or end of next word)
- `0`: go to beginning of line
- `$`: go to end of line
- `^u`: go up half a page
- `^d`: go up down a page
- `g`: go to top of document
- `G`: go to bottom of document
- `<n>G`: go to line *n*
- `/`: search for a pattern
  - `n`: next match
  - `N`: previous match

Editing

- `i`: "insert", goes into Insert mode *before* character under cursor
  - `I`: goes into Insert mode at the beginning of the line
- `a`: "append", goes into Insert mode *after* character under cursor
  - `A`: goes into Insert mode at the end of th line
- `x`: deletes character under cursor, putting character into "register"
  - `X`: deletes character *before* character under cursor, putting character into "register"
- `r`: "replace", replaces character under cursor with next entered character
- `R`: enter a "replacement" mode
- `d<w,e>`: "delete word", deletes word; `w` puts cursor on next word, `e` puts cursor at the end of the word
- `cw`: "change word", deletes word and enters Insert mode
- `u`: "undo" (in `vi`, there's only a history of 1 so undo-ing again reverts the undo)
- `^r`: "redo" (`vim`)
- `dd`: "delete", deletes line under cursor (putting line in "register")
- `yy`: "yank", copies line to "register"
- `p`: "paste", copies "register" contents *after* character under cursor
- `P`: "paste", copies "register" contents *before* character under cursor

Visual mode (`vim`)

- While in Visual mode you can select text, offering some more options
- `x`, `d`: deletes selection, putting it into the "register"
- `y`: yanks selection, putting it into the "register"

Command-Line/`ex` mode

- `:e`: "edit", open file for editing
- `:w`: "write", save
- `:w <file name>`: "write", save to particular file
- `:q`: quit
- `:q!`: quit without saving
- `:wq`: save and quit
- `:x`: quit, write if modified
- `:s/<pattern>/<replace>`: search for pattern and replace
  - `:snomagic/<pattern>/<replace>`: non-magical pattern substitution

...and there's many many more

`emacs` (1976, 1984)

What's a mode?

- Powerful and fancy modeless editor
- Highly extensible
- Has an image manipulation library as a dependency (wut)
  - Can display embedded images
- Exit with `C-x C-c` where `C-` is Control
- Heavy use of modifier keys such as Control and "Meta" (Alt)

`nano` (2000)

- Fairly straightforward, acts like a "typical" basic text editor
- On screen legend shows you common editing shortcuts
- `^G` for more shortcuts
- Exit with `^X`

But wait, what about GUIs?

Once we get here, there's a lot more functionality

gedit (1999) and Kate (2001)

gedit: GNOME's basic editor

Kate: KDE's basic editor

- "Basic" text editors associated with desktop environments
  - Still pretty well featured text editors
- Analogous to Microsoft Notepad but way better

Sublime Text (2008)

This was the hotness when I was an undergrad

- $$$
- Huge plugin ecosystem

Visual Studio Code (2015)

The new hotness

You're probably already using this

- Almost steps into IDE territory while remaining lightweight

Parting thoughts

- Try out another editor and see if you like it
- You may find something that you really like
- Try to learn more about the features of your preferred editor

Questions?