


Eclipse Bluetooth	Product Concept Sheet
Style # TBD	White LED Light Pulse Function
Vendor: Weiguo	
Date: 2016 Oct 20	



On 🔘 🗡

Off •


On is expressed as a percentage of full brightness set with brightness slider

Setting 1

On 100%

设置1


白光常亮 (100%) 常亮,可以滑动亮度来选择 速度设置为起始端0







Eclipse Bluetooth	Product Concept Sheet
Style # TBD	White LED Light Pulse Function
Vendor: Weiguo	
Date: 2016 Oct 20	



白光的亮度是分为10等份,每一等份都是i可以 分割成上面的百分比亮度

White LED Pulse Function

	Setting 2	设置2
	Off, 1 Second	关1秒-》25%1秒-》50%1秒-》75%1秒-〕 100%1秒-》100%1秒-》75%1秒-》50%1 秒-》25%1秒->循环到顶部
\bigcirc	On 25%, 1 Second	设置3:上面步骤都循环0.5秒 设置4:上面步骤都循环0.25秒
\bigcirc	On 50%, 1 Second	设置5:上面步骤都循环0.125秒 设置6:上面步骤都循环0.0625秒
\bigcirc	On 75%, 1 Second	
\bigcirc	On 100%, 1 Second	
\bigcirc	On 100%, 1 Second	
\bigcirc	75%, 1 Second	
\bigcirc	50%, 1 Second	
\bigcirc	25%, 1 Second	
	Loop to top.	


= White LED

= Color Change LED

1 Cycle = 9 Seconds



Eclipse Bluetooth	Product Concept Sheet
Style # TBD	White LED Light Pulse Function
Vendor: Weiguo	
Date: 2016 Oct 20	



Setting 3	设置3
Off, 0.5 Second	ds
On 25%, 0.5 Se	econds
On 50%, 0.5 Se	econds
On 75%, 0.5 Se	econds
On 100%, 0.5 S	Seconds
On 100%, 0.5 S	Seconds
75%, 0.5 Secor	nds
50%, 0.5 Secor	nds
25%, 0.5 Secor	nds
Loop to top.	
	Off, 0.5 Second On 25%, 0.5 Second On 50%, 0.5 Second On 75%, 0.5 Second On 100%, 0.5 Second 50%, 0.5 Second 25%, 0.5 Second


= White LED

= Color Change LED

1 Cycle = 4.5 Seconds



Eclipse Bluetooth	Product Concept Sheet
Style # TBD	White LED Light Pulse Function
Vendor: Weiguo	
Date: 2016 Oct 20	



	Setting 4	设置4
	Off, 0.25 Seconds	
\bigcirc	On 25%, 0.25 Second	ds
\bigcirc	On 50%, 0.25 Second	ds
\bigcirc	On 75%, 0.25 Second	ds
\bigcirc	On 100%, 0.25 Secon	nds
\bigcirc	On 100%, 0.25 Secor	nds
\bigcirc	75%, 0.25 Seconds	
\bigcirc	50%, 0.25 Seconds	
\bigcirc	25%, 0.25 Seconds	
	Loop to top.	


= White LED

= Color Change LED

1 Cycle = 2.25 Seconds



Eclipse Bluetooth	Product Concept Sheet
Style # TBD	LED Light Functions
Vendor: Weiguo	
Date: 2016 Oct 20	



	Setting 5	设置5
	Off, 0.125 Second	ds
\bigcirc	On 25%, 0.125 Se	econds
\bigcirc	On 50%, 0.125 Se	econds
\bigcirc	On 75%, 0.125 Se	econds
	On 100%, 0.125	Seconds
\bigcirc	On 100%, 0.125	Seconds
\bigcirc	75%, 0.125 Seco	nds
	50%, 0.125 Seco	nds
	25%, 0.125 Seco	nds
	Loop to top.	


= White LED

= Color Change LED

1 Cycle = 1.125 Seconds



Eclipse Bluetooth	Product Concept Sheet
Style # TBD	White LED Light Pulse Function
Vendor: Weiguo	
Date: 2016 Oct 20	



	Setting 6	设置6
	Off, 0.0625 Secor	nds
\bigcirc	On 25%, 0.0625 S	Seconds
\bigcirc	On 50%, 0.0625 S	Seconds
\bigcirc	On 75%, 0.0625 S	Seconds
\bigcirc	On 100%, 0.0625	Seconds
\bigcirc	On 100%, 0.0625	Seconds
\bigcirc	75%, 0.0625 Seco	onds
\bigcirc	50%, 0.0625 Seco	onds
\bigcirc	25%, 0.0625 Seco	onds
	Loop to top.	

= White LED

= Color Change LED

1 Cycle = 0.5625 Seconds