machine learning & knowledge extraction

MDPI

Article

ClaimArena-LLM: Auditing Adversarial Propagation of False Causal Attributions in Multi-Agent LLM Debates

Catalin Anghel, Andreea Alexandra Anghel, Antonio Stefan Balau, Marian Viorel Craciun, Adina Cocu *, Simona Moldovanu and Cristian Sandu

Department of Computer Science and Information Technology, "Dunărea de Jos" University of Galati, Științei St. 2, 800146 Galati, Romania; catalin.anghel@ugal.ro (C.A.); alexandra.anghel@ugal.ro (A.A.A.); ab826@student.ugal.ro (A.S.B.); marian.craciun@ugal.ro (M.V.C.); simona.moldovanu@ugal.ro (S.M.); cristian.sandu@ugal.ro (C.S.)

* Correspondence: adina.cocu@ugal.ro

Abstract

Background: Multi-agent large language model (LLM) systems increasingly rely on structured interaction, debate, and final model-based evaluation, yet an unsupported causal attribution introduced by one participant may propagate through the interaction and influence subsequent decisions. This study introduces ClaimArena-LLM, a controlled framework for auditing adversarial propagation, evidentiary provenance, and final-stage evaluator vulnerability in multi-agent causal reasoning. **Methods:** ClaimArena-LLM uses 100 synthetic causal incident cases with predefined evidence-supported and false causal propositions. Each case was evaluated under matched adversarial and all-honest debate conditions using four functional roles: investigator, honest analyst, adversarial analyst, and auditor. The experimental program comprised 1460 validated runs, including the 200-run main experiment, claim-source lineage visibility and debate-round ablations, an 800-run balanced model–role rotation, and a 60-run proposition-identifier and presentation-order sensitivity control. Outcomes were scored deterministically from structured causal propositions, evidence references, claim lineage, reports, and auditor verdicts. **Results:** The adversarial analyst maintained the predefined false causal target with 97.6% mean fidelity. Adversarial exposure increased investigator shifts toward the false target by 16.0 percentage points (Holm-adjusted $p = 0.035$). At the auditor stage, false-target attribution increased by 11.0 percentage points (adjusted $p = 0.043$), verdict contamination by 20.0 percentage points (adjusted $p = 0.002$), and semantic provenance validity decreased by 20.0 percentage points (adjusted $p = 0.002$). Neither the manipulation nor the false target was explicitly detected. The ablations showed no robust adjusted differences, model–role rotation revealed substantial configuration dependence, and no benchmark-characteristic interaction remained significant after Holm correction. The proposition-identifier and presentation-order sensitivity control showed no statistically robust evidence that fixed proposition encoding explained the observed condition contrasts. **Conclusions:** Adversarial causal influence in multi-agent LLM systems is selective rather than uniformly propagative and depends strongly on functional role and model–role configuration. Within the tested architecture, a final LLM auditor cannot be assumed to provide an independent safeguard against upstream contamination. Reliable evaluation therefore requires separate assessment of causal correctness, propagation, semantic provenance, and final-stage adversarial awareness rather than reliance on final answer accuracy alone.

Check for updates

Academic Editor: Roozbeh Razavi-Far

Received: 30 August 2026
Revised: 2 October 2026
Accepted: 8 October 2026
Published: 10 October 2026

Copyright: © 2026 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license.

Keywords: multi-agent large language models; adversarial debate; causal reasoning; false causal attribution; information propagation; semantic provenance; LLM-as-a-Judge; auditor robustness; model–role interaction; claim-source lineage

1. Introduction

Multi-agent large language model (LLM) frameworks have been used to structure evaluation through interactions among multiple model instances. ChatEval employs a multi-agent referee team that autonomously discusses and evaluates generated responses [1], whereas the Dialectical Agent framework organizes reasoning evaluation through successive opinion, counterargument, and synthesis stages supported by dual scoring agents [2]. These approaches illustrate the use of structured inter-model exchanges for producing an evaluation outcome. The present study examines a different reliability problem arising within such interactions: whether a predefined false causal attribution can be introduced adversarially and subsequently propagated through the positions, reports, and final judgment of a multi-agent debate. ClaimArena-LLM addresses this problem through a controlled comparison between adversarial and all-honest debate conditions.

1.1. Background and Motivation

Multi-agent coordination should not be assumed to provide an intrinsic advantage over single agent reasoning. Controlled evaluations across different benchmarks, coordination architectures, and model families have shown substantial variation in the effect of multi-agent interaction, including configurations in which coordination amplifies rather than corrects errors [3]. For the present study, this shifts the reliability question from whether multiple agents can collectively produce a correct final answer to whether the interaction itself preserves or degrades the evidentiary basis of the reasoning process. In a debate setting, reliability therefore also depends on how claims are introduced, transmitted, challenged, and incorporated into subsequent judgments.

ClaimArena-LLM addresses a specific interaction-level failure: the introduction and propagation of a false causal attribution. In the present study, this construct does not encompass every incorrect statement, incomplete explanation, or unsupported detail produced during a debate. A false causal attribution is operationalized as the assignment of primary or contributory causal responsibility to a predefined component that is not supported in that role by the structured evidence of the case. This distinction separates the correctness of individual observations from the correctness of the causal relationship constructed between those observations and the investigated outcome. An agent may identify valid evidence items and formulate an internally coherent explanation while still assigning causal responsibility to the wrong component. The relevant failure is therefore not simply the presence of an error, but the progressive acceptance and transmission of an unsupported causal interpretation.

The positions produced during a multi-agent interaction cannot be regarded as informationally independent once agents are exposed to the outputs of other participants. In multi-round LLM interactions, convergence toward agreement can emerge through selective and asymmetric persuasion, while argumentative framing and fallacious reasoning can measurably influence subsequent opinion change. These observations indicate that later agent positions may be shaped by the argumentative context created during the interaction rather than solely by the original task information [4]. ClaimArena-LLM examines this dependence in a controlled causal setting by tracing whether agents without an adversarial

objective retain an evidence-supported causal position or move toward a predefined false target after exposure.

Agreement among several agents must also be distinguished from independently supported agreement. Decentralized populations of LLM agents can develop shared conventions and collective biases that are not necessarily present at the level of isolated agents, while committed adversarial minorities can influence the convention adopted by the wider population. The recurrence of the same proposition across multiple agents therefore cannot, by itself, establish evidentiary corroboration [5]. Within ClaimArena-LLM, false consensus is treated as agreement around the predefined false causal target without corresponding support from the structured case evidence. The audit consequently separates the number of agents endorsing the target from the validity of the evidence used to justify that endorsement.

A deliberate adversarial objective introduces a more direct mechanism of influence. In multi-agent debate, a single strategically designed adversarial agent can reduce collective accuracy and increase agreement around incorrect answers through coherent and persuasive arguments, while increasing the number of agents or debate rounds does not reliably mitigate this effect. Additional interaction may therefore provide further opportunities for an incorrect position to influence collective reasoning rather than ensuring its correction [6]. ClaimArena-LLM narrows this threat model to a predefined false causal attribution. The adversarial analyst operates within the same public evidence environment as the other agents but receives a private objective to advance a specific unsupported causal target, allowing the trajectory of that target to be followed from its initial introduction through possible adoption by non-adversarial agents and subsequent incorporation into debate artifacts.

Propagation is distinguished from simple exposure. Exposure occurs when an agent receives the false causal target within the debate context, whereas adoption requires an agent without the adversarial objective to incorporate the target into its own causal position. False consensus represents a further stage in which the target becomes an apparently shared conclusion despite lacking valid evidentiary support. These distinctions allow ClaimArena-LLM to characterize successive stages of contamination rather than reducing the interaction to a binary comparison between correct and incorrect final answers.

Evidence provenance provides a complementary audit dimension. In ClaimArena-LLM, provenance validity is not established merely because an agent cites an evidence identifier that exists in the case. The referenced evidence must semantically support the causal proposition to which it is attached. A genuine observation may be referenced while being assigned a causal interpretation that it does not support, and an assertion originating from another agent may subsequently be reused without preserving its status as an agent-generated claim rather than independent case evidence. The framework therefore distinguishes proposition selection, evidence citation, evidentiary support, and provenance validity. This separation permits the audit to determine whether the false causal attribution remains an isolated adversarial claim or becomes embedded in apparently evidence-grounded reasoning and subsequently contaminates higher-level reports.

The final auditor cannot be assumed to constitute an infallible safeguard. LLM evaluations of identical statements can change systematically when the attributed source is altered, demonstrating sensitivity to contextual source framing [7]. More broadly, reliability, consistency, bias mitigation, and evaluation standardization remain central challenges for LLM-based evaluators [8]. In automated evaluation settings, answer-side prompt injection can also alter the behavior and stability of a fixed LLM evaluation panel [9]. Taken together, these findings indicate that an LLM-based evaluator must itself be treated as an evaluated component when its input may contain contextual, socially reinforced, or adversarially introduced information [7–9]. ClaimArena-LLM therefore examines whether the auditor

detects the manipulation, rejects unsupported agreement, preserves evidence provenance, and prevents the false causal attribution from entering the final verdict.

These considerations motivate a controlled paired comparison between *adversarial_debate* and *all_honest_debate* to evaluate whether an otherwise fixed debate process resists or amplifies an intentionally introduced false causal attribution.

1.2. Related Work and Research Gap

To separate adjacent reliability problems, the related work is organized around four aspects directly relevant to the present study: multi-agent debate for causal reasoning and error correction, persuasion and conformity during model interaction, provenance and knowledge integrity, and the reliability of LLM-based evaluators.

Zou et al. proposed MRBalance, a role-based multi-agent debate framework for event causality identification in which agents examine causal relationships from different perspectives over successive debate rounds. Their experiments showed that role-structured debate can improve event causality identification while reducing causal hallucination and imbalance between causal and non-causal predictions [10]. Yang et al. combined repetitive inquiry, adversarial debate, voting, and dynamic reliability weighting in a multi-agent framework designed to detect and reduce hallucinated responses; their results showed that cross-model debate and weighted aggregation can improve response consistency and accuracy [11]. Role specialization and structured communication are also used in multi-agent LLM systems beyond debate-oriented settings. Hang et al. examined LLM teammates with distinct functional responsibilities, while Zhong et al. used specialized agents within a coordinated task-chain framework [12,13]. These studies differ from ClaimArena-LLM in task and objective, but illustrate the broader use of explicitly defined roles and interaction structures in multi-agent system design. These approaches use disagreement and interaction primarily as mechanisms for improving the resulting answer. ClaimArena-LLM examines a different question: whether the interaction process itself remains reliable when one participant is deliberately instructed to promote a predefined causal attribution that is unsupported by the available evidence.

The ability of an agent to revise its position after interaction is not necessarily evidence of successful error correction. Stengel-Eskin et al. showed that LLMs are susceptible to persuasion and that interactions between stronger and weaker models can produce unstable outcomes, including sensitivity to the order in which arguments are presented [14]. Zhu et al. found that LLMs exhibit conformity toward majority responses across knowledge domains, including cases in which the majority position is incorrect, with greater susceptibility observed when the model is less certain of its initial answer [15]. At the multi-agent level, Choi et al. analyzed more than 2500 debates and found that initially neutral agents systematically changed their positions toward numerically dominant groups or more intelligent agents, demonstrating group-conformity effects within LLM agent interactions [16]. These findings motivate separating exposure to another agent's claim from subsequent adoption of that claim. In ClaimArena-LLM, this distinction is operationalized by tracking whether non-adversarial analytical agents retain the evidence-supported causal attribution, shift toward the predefined false target, subsequently reinforce that target, or recover from an earlier incorrect position.

A related requirement concerns the traceability of information as it moves through a multi-stage system. Schlegel and Sattler developed an end-to-end provenance model for machine learning pipelines that captures artifacts, activities, and their relationships in a structured provenance graph, emphasizing the importance of preserving lineage for reproducibility and post hoc analysis [17]. More specifically for LLM-generated information, Abishethvarman et al. identified semantic integrity and provenance tracking as

complementary mechanisms for maintaining the reliability and traceability of generated knowledge [18]. ClaimArena-LLM applies this concern at the level of causal claims. The audit distinguishes the existence of a cited evidence item from whether that evidence semantically supports the associated causal proposition, and it separately tracks whether an assertion originates from case evidence or from another agent-generated claim. This allows provenance loss to be evaluated as part of the propagation process rather than treated only as a logging or reproducibility issue.

The final evaluation stage introduces an additional reliability problem because an LLM-based judge can itself be sensitive to information supplied during evaluation. Li et al. systematically evaluated auxiliary information-induced biases in complex LLM judging and found that additional guidance and provided knowledge can alter evaluator behavior across multiple evaluation settings [19]. Shi et al. demonstrated systematic position bias across LLM judges and showed that evaluation stability and preference behavior vary across judge models, candidate pairs, and tasks [20]. For a multi-agent architecture, these findings make it insufficient to evaluate only whether upstream agents were influenced. ClaimArena-LLM therefore treats the auditor as part of the system under test and examines whether unsupported causal information that survives earlier interaction stages is rejected at the final decision stage or incorporated into the auditor's verdict.

The research gap addressed in the present study lies at the intersection of these reliability problems. The studies reviewed above examine multi-agent debate, susceptibility to persuasion and conformity, provenance and knowledge integrity, and LLM-based evaluation from different methodological perspectives. ClaimArena-LLM focuses specifically on how these mechanisms interact during the propagation of a predefined false causal attribution under a controlled adversarial intervention.

1.3. Study Design and Contributions

ClaimArena-LLM was designed as a controlled multi-agent experiment for tracing the propagation of predefined false causal attributions through a structured debate process. The study uses 100 audited causal cases evaluated under two matched conditions: adversarial_debate and all_honest_debate. Both conditions retain the same case content, public evidence, four-agent structure, and debate protocol. In the adversarial condition, the designated adversarial analyst receives a private objective to advance a predefined unsupported causal target, whereas no private adversarial objective is supplied in the all-honest condition. The four roles comprise an investigator, an honest analyst, an adversarial analyst, and an auditor. This design allows the trajectory of the false target to be followed from its deliberate introduction through subsequent exposure, adoption, reinforcement, report contamination, and possible incorporation into the final auditor verdict.

The main experiment provides the paired adversarial-versus-all-honest comparison across the complete 100-case benchmark. Three additional full-benchmark experiments extend this comparison without modifying the completed main protocol. A claim-source lineage visibility ablation masks explicit access to existing claim-source lineage while retaining access to the case evidence, the action schema, and the remaining experimental conditions. A one-round debate ablation reduces analytical agent challenge–response exposure while preserving the other components of the protocol. Finally, a balanced model–role rotation assigns four different models across the four agent roles so that each model occupies each role once across the rotation design. All three full-benchmark extensions use the complete 100-case benchmark rather than a post hoc subset, allowing explicit claim-source lineage visibility, repeated challenge–response exposure, and model identity and role assignment to be examined as distinct experimental factors. Benchmark-characteristic robustness analyses are interpreted within the frozen benchmark structure, in which target plausibility and

evidence presentation are perfectly coupled and difficulty is associated with this combined profile; these analyses therefore assess heterogeneity across predefined case strata rather than independent effects of the individual characteristics.

Accordingly, this study addresses the following research questions:

RQ1. To what extent does a privately assigned adversarial objective increase the introduction and propagation of a predefined false causal attribution relative to a matched all-honest debate?

RQ2. How do non-adversarial analytical agents change their causal positions after exposure to the predefined false target, including shifts toward it, subsequent reinforcement, and recovery?

RQ3. How does explicit claim-source lineage visibility affect false-target propagation, semantic provenance validity, report contamination, and the final auditor verdict?

RQ4. How does reducing analytical agent challenge–response exposure from two rounds to one affect false-target propagation and the auditor's incorporation of the false attribution into the final verdict?

RQ5. To what extent do the observed outcomes depend on model identity, assigned agent role, model–role interaction, and their relationship with debate condition?

The contributions of this study are fourfold. First, ClaimArena-LLM establishes a controlled 100-case causal benchmark in which the evidence-supported primary cause and predefined false adversarial targets are specified independently of model outputs, enabling the same unsupported causal attribution to be tracked throughout the debate process. Second, it implements a paired adversarial-versus-all-honest experimental design in which the case content, public evidence, agent structure, and debate protocol are retained while the presence of the private adversarial objective is varied, allowing adversarial propagation to be distinguished from errors that also arise under the control condition. Third, the framework evaluates propagation at multiple stages of the interaction rather than relying solely on final answer accuracy, including changes in agent positions, adoption of the false causal target, contamination of causal reports, semantic provenance validity, and contamination of the auditor's final verdict. Fourth, the full-benchmark experimental program incorporates dedicated claim-source lineage visibility and debate-round ablations together with a balanced model–role rotation over the complete benchmark, allowing the analysis to examine whether the observed propagation patterns depend on explicit claim-source lineage visibility, repeated challenge–response exposure, or model identity, assigned role, and their relationship with debate condition.

ClaimArena-LLM is therefore designed as an audit of how unsupported causal information moves through a structured multi-agent reasoning process rather than as a general test of whether multi-agent debate improves task accuracy. The methodological framework specifies the benchmark construction, causal proposition schema, agent roles, adversarial and all-honest conditions, debate protocol, provenance representation, deterministic scoring procedure, and the additional experiments used to operationalize these research questions.

2. Materials and Methods

The methodological design was developed around three requirements: controlled comparability between experimental configurations, traceability of information throughout the multi-agent interaction, and isolation of the variable intentionally modified in each experiment. The procedures were defined before the corresponding analyses and were implemented so that observed differences could be related to the experimental manipulation rather than to uncontrolled changes in the underlying task or evaluation process.

Reproducibility and auditability were treated as methodological requirements throughout data preparation, execution, scoring, and subsequent analysis.

2.1. Study Design and Experimental Overview

ClaimArena-LLM follows a controlled, case-matched experimental design in which the same benchmark cases are evaluated under systematically varied multi-agent configurations. The principal comparison is performed within cases, thereby controlling for between-case variation when examining differences between *adversarial_debate* and *all_honest_debate*. A case evaluated under one experimental condition constitutes one case–condition run and represents the basic execution unit of the study. All full-benchmark experimental components use the complete set of 100 benchmark cases, and no cases are selected or excluded on the basis of observed model behavior or experimental outcomes.

The full-benchmark experimental program consists of a main paired comparison and three complementary extensions. The main experiment establishes the reference configuration against which the effects of the additional manipulations are evaluated. The provenance ablation isolates the effect of explicit claim-source lineage visibility, the one-round ablation isolates the effect of repeated challenge–response exposure, and the model–role rotation examines whether the resulting behavior changes when different models occupy the four functional roles. These components are organized around a common benchmark and evaluation procedure so that each extension modifies its designated experimental factor while retaining the remaining applicable elements of the reference configuration. The relationship between the main experiment, the three extensions, and their common evaluation pathway is shown in Figure 1.




Figure 1. The experimental workflow of ClaimArena-LLM, including the paired main experiment, provenance ablation, one-round debate ablation, model–role rotation, common deterministic evaluation framework, and matched comparative analyses.

The main experiment evaluates all 100 cases under both debate conditions, producing 200 case–condition runs. The provenance and one-round ablations retain the same two-condition structure and add 200 runs each, whereas the model–role experiment combines four balanced role assignments with both debate conditions across the complete benchmark, producing 800 runs. Across the four experimental components, the resulting design contains 1400 case–condition runs. Because the main configuration also provides the comparator for the provenance and debate-round ablations, these extensions do not require a second execution of the corresponding reference condition. The experimental manipulation and comparator associated with each component are summarized in Table 1.

Table 1. Full-benchmark experimental components and controlled comparisons in ClaimArena-LLM.

Experimental Component	Experimental Question	Manipulated Factor	Comparator	Runs
Main experiment	Effect of adversarial intervention	Private adversarial objective	adversarial_debate vs. all_honest_debate	200
Provenance ablation	Effect of explicit claim-source lineage visibility	Visibility of existing claim-source lineage	Corresponding standard-provenance main configuration	200
One-round debate ablation	Effect of repeated debate exposure	Number of participant challenge–response cycles	Corresponding two-round main configuration	200
Model–role rotation	Dependence on model-to-role assignment	Model occupying each agent role	Four balanced role rotations under both debate conditions	800
Total	-	-	-	1400

This design separates the primary adversarial-control comparison from the mechanistic and robustness analyses while preserving case-level comparability throughout the experimental program. Detailed definitions of the benchmark, agent roles, debate conditions, provenance representation, execution settings, and outcome measures are provided in the corresponding methodological subsections.

2.2. Benchmark Construction and Causal Case Schema

The ClaimArena-LLM benchmark was constructed as a controlled collection of 100 synthetic AI agent incident cases in which causal responsibility can be evaluated against a predefined case specification. The synthetic design was deliberate because the experiment requires the evidence-supported primary cause, the predefined false adversarial target, and the supporting and contradicting evidence relationships of the causal propositions to be specified before any model interaction. Defining these elements independently of the participating LLMs makes it possible to evaluate subsequent adoption, rejection, or propagation of the false target against a fixed case specification rather than against labels inferred post hoc from model outputs. It also permits the same causal case to be evaluated under matched adversarial and all-honest conditions while preserving the underlying evidence, causal alternatives, and evidentiary relationships. All cases are written in English, concern AI agent incidents, and follow a common structured representation designed to support consistent evidence, proposition, ground-truth, and adversarial-target definitions across the benchmark. The benchmark is organized into five causal families, each divided into two subfamilies containing 10 cases, resulting in 10 subfamilies and 100 cases overall. The families were defined according to the causal mechanism underlying the incident

rather than according to a single application domain, allowing similar forms of causal failure to be instantiated across different operational contexts. The resulting family and subfamily organization is presented in Table 2.

Table 2. Causal-family organization of the ClaimArena-LLM benchmark.

Causal Family	Subfamily A	Subfamily B
F1—Evidence reconciliation and object selection	F1A: Stale context overrides authoritative current evidence (CASE-001–CASE-010)	F1B: Identifier and entity-binding failure (CASE-011–CASE-020)
F2—Policy and rule evaluation	F2A: Defective rule logic or precedence (CASE-021–CASE-030)	F2B: Wrong policy version or scope (CASE-031–CASE-040)
F3—Data transformation and representation	F3A: Schema-version and field-mapping mismatch (CASE-041–CASE-050)	F3B: Unit, encoding, precision, or numeric conversion failure (CASE-051–CASE-060)
F4—State and temporal context management	F4A: Stale state from the same interaction (CASE-061–CASE-070)	F4B: Cross-session or cross-entity context leakage (CASE-071–CASE-080)
F5—Alert interpretation and escalation	F5A: Stale anomaly or maintenance context causes downgrade (CASE-081–CASE-090)	F5B: Multi-signal or threshold interpretation failure (CASE-091–CASE-100)

Case construction varied the application context, implicated components, predefined valid primary-cause component, predefined false target, alternative false component, difficulty, target plausibility, and distribution of evidentiary information while preserving a common causal structure. Within each subfamily, the design matrix contains three low-, three medium-, and four high-difficulty cases. False-target plausibility is distributed as two low-, four medium-, and four high-plausibility cases per subfamily, while evidence presentation comprises two explicit, four distributed, and four delayed cases. In the frozen benchmark, false-target plausibility and evidence presentation are perfectly coupled: low-plausibility cases use explicit evidence presentation, medium-plausibility cases use distributed presentation, and high-plausibility cases use delayed presentation. Difficulty is also associated with this combined profile: all high-difficulty cases belong to the high-plausibility/delayed profile, all medium-difficulty cases belong to the medium-plausibility/distributed profile, and the low-difficulty cases comprise the low-plausibility/explicit profile together with a subset of medium-plausibility/distributed cases. These relationships are retained as properties of the frozen benchmark and are accounted for when interpreting the subsequent robustness analyses.

Each benchmark case contains an incident summary, an investigation question, exactly five named components, eight evidence items identified as E1–E8, and 12 predefined propositions identified as P1–P12. The evidence items constitute the factual record available for investigating the incident, but their semantic types and contents are specific to each case; the identifiers E1–E8 therefore provide a common structural indexing scheme rather than fixed evidence categories across the benchmark. The proposition set provides a standardized representation of the causal interpretations, observations, and intermediate causal steps that can be evaluated against that evidence. The relationship between these two elements of the case representation is illustrated in Figure 2.




Figure 2. The standardized causal case structure used in ClaimArena-LLM, showing the eight evidence items, the fixed semantic roles of propositions P1–P12, and the case-specific evidence–proposition annotations.

The semantic roles of P1–P12 are fixed across all 100 cases. P1 represents the predefined valid primary cause, while P2 and P3 identify two distinct valid contributing factors. P4 represents a predefined false primary-cause attribution and is the causal proposition designated as the adversarial target. P5 attributes a contributory role to the same component targeted by P4, allowing an incorrect attribution to be distinguished according to whether that component is presented as the primary cause or as a contributor. P6 represents a separate false primary-cause alternative and always refers to a component distinct from the P4/P5 target. The remaining propositions describe valid information supporting the causal structure: P7, P8, P11, and P12 are observations, whereas P9 and P10 represent intermediate causal steps. Although these proposition roles are invariant, their canonical text and associated components are defined independently for each case.

The case specification also records proposition-level evidence annotations. For every proposition, its predefined validity is accompanied by the identifiers of evidence items that support or contradict it. These annotations make it possible to distinguish the mere citation of an existing evidence item from evidentiary support that is semantically consistent with the causal proposition being advanced. The annotations are retained by the experimental infrastructure for deterministic evaluation and are not included in the public proposition representation available to the participating agents. Claim-to-claim provenance is not part of this static benchmark specification; it is generated during the multi-agent interaction as agents produce and reuse claims.

The false causal targets were constructed to remain plausible enough to support adversarial argumentation without being supported as valid causal conclusions by the complete case evidence. Across the benchmark, P4 targets are distributed among downstream executors, human actors, and source systems, rather than being restricted to a single type

of component. At the same time, the P4/P5 pairing keeps the falsely accused component constant while changing the attributed level of causal responsibility, whereas P6 introduces a distinct alternative component. This structure enables the subsequent analysis to differentiate adoption of the specific adversarial target from broader causal error or selection of another incorrect explanation.

Before experimental execution, the complete benchmark was subjected to both formal and semantic validation. The formal audit verified the 100-file inventory, uniqueness and alignment of case identifiers, the complete E1–E8 and P1–P12 structure, and compatibility with the case-loading and evaluation infrastructure. A separate internal, collaborative semantic audit was conducted jointly by all seven authors. Any discrepancies identified during the review were resolved through discussion until agreement was reached. The audit examined the cases individually and comparatively across the 10 subfamilies to verify the intended causal structure, the evidence-supported primary cause and the predefined false targets, and the distinction between supported and unsupported causal attributions. The finalized archive contained 100 unique cases, with zero formal validation errors and all 100 cases passing the semantic audit, and was frozen before the experimental runs were initiated.

2.3. Multi-Agent Architecture and Agent Roles

ClaimArena-LLM implements a four-agent architecture comprising an investigator, an honest_analyst, an adversarial_analyst, and an auditor. The same four role identities are retained in both experimental conditions, thereby preserving the number of participants and the interaction topology while varying the presence of the adversarial objective. Each role is governed by a dedicated instruction that defines its responsibilities within the investigation, but all agents operate through the same runtime-controlled action interface. This organization separates role-specific behavior from the mechanisms used to access case information, interact with other agents, and generate structured experimental artifacts. Agent role identifiers are part of the model-visible interaction context and are therefore visible to the other participants, including the identifier *adversarial_analyst*. The same public role identifiers are retained in both experimental conditions; only the private adversarial objective differs between conditions and remains inaccessible to the other agents.

At initialization, all four agents receive the same public case representation. This includes the case overview, the five named components, the proposition catalog, and the evidence catalog. The proposition catalog exposes the identifiers, canonical texts, proposition types, and associated components of P1–P12, but does not expose their predefined validity or the evidence annotations used by the deterministic evaluation procedure. The evidence catalog similarly exposes the identifiers and types of E1–E8 without automatically supplying their contents. Agents must therefore obtain the content of individual evidence items through explicit inspection actions rather than receiving the complete evidentiary record directly in the initial case representation.

Information generated during the debate is maintained separately from this initial case representation. Public artifacts are stored in an append-only shared workspace and include published claims, challenges, responses to challenges, verification requests, reports, and the final auditor verdict. Once created, these artifacts form part of the public interaction history and can be inspected during subsequent stages of the debate. Public claims can additionally reference earlier claims, and agents can inspect the declared sources of those claims when provenance access is enabled by the active experimental configuration. In parallel, each participant maintains an agent-specific private-memory store that is isolated from the other agents. Private-memory entries can be added, revised, superseded, or removed from the active memory view without publishing their contents to the shared workspace. The resulting

separation between common case information, public debate artifacts, agent-specific memory, and condition-dependent private information is illustrated in Figure 3.




Figure 3. The multi-agent architecture and information access structure of ClaimArena-LLM, showing the common public case representation, four agent roles, agent-specific private memory, shared interaction workspace, and private adversarial objective used only in the adversarial condition.

The investigator is tasked with reconstructing the incident from the available evidence and developing an evidence-supported causal account. It can inspect evidence and components, examine public claims and their available provenance, publish its own claims, challenge claims produced by other participants, respond to challenges, and request verification when additional checking is required. Its role instruction emphasizes the identification of causal links and the publication of evidence-grounded claims, with the interaction ultimately culminating in a structured report. The investigator is therefore not assigned a privileged solution or hidden causal label; its position must be developed from the information available through the same public case interface used by the other participants.

The honest_analyst independently evaluates the incident while also considering the claims accumulated in the public workspace. Its role is explicitly oriented toward identifying unsupported or distorted causal interpretations, challenging them when appropriate, and preserving declared provenance when incorporating information generated by other agents. The honest analyst may revise its causal position as the interaction develops, but its objective remains unchanged across the two experimental conditions. Like the investigator, it completes its participation by producing a structured report that records its final causal attribution and the evidence and public claims on which that attribution relies.

The adversarial_analyst occupies the same third analytical position in both conditions, but its private objective differs between them. In adversarial_debate, the agent receives additional private information specifying a target conclusion, the corresponding target proposition identifier, permitted strategies, and explicit constraints. Across the benchmark, this target is P4, the predefined false primary-cause proposition. The agent is instructed to

maintain P4 as its public primary-cause position and to promote that attribution during the interaction. Permitted strategies include exploiting ambiguity, incomplete evidence, repetition, and provenance gaps, but the agent remains constrained by the information and identifiers made available through the experimental environment. It is not permitted to fabricate evidence or artifact identifiers, introduce unavailable hidden information, alter evidence contents, or disclose the existence of its private objective to the other participants.

In all_honest_debate, the adversarial_analyst role is not removed or replaced. Instead, the same agent identity receives an evidence-oriented analytical instruction and no private adversarial objective. Under this condition, it independently reconstructs the causal chain, evaluates public claims, challenges unsupported interpretations, preserves declared provenance, and produces an evidence-grounded report. The control condition therefore preserves the four-agent architecture while removing the condition-specific information that directs this role toward the false causal target.

The auditor performs the final evaluative role while independently evaluating information accumulated throughout the interaction. It can inspect evidence and components, examine public claims and their available provenance, challenge claims, respond to challenges, and request verification before reaching its final decision. Its instructions explicitly direct attention to unsupported consensus and attribution drift and require the verdict to be based on visible evidence rather than on the frequency with which a claim has been repeated. The auditor does not receive the private adversarial objective. Unlike the other three roles, which terminate their analytical participation by submitting reports, the auditor submits the final structured verdict. The functional responsibilities and condition-dependent information associated with the four roles are summarized in Table 3.

Table 3. Functional roles in the ClaimArena-LLM multi-agent architecture.

Role	Primary Responsibility	Condition-Dependent Information	Final Artifact
investigator	Reconstruct the incident and develop an evidence-supported causal account	None; same role instruction in both conditions	Report
honest_analyst	Independently evaluate the causal explanation and challenge unsupported or distorted claims	None; same role instruction in both conditions	Report
adversarial_analyst	Perform the third analytical role and participate in the causal debate	Receives the private P4 adversarial objective only in adversarial_debate; receives an evidence-oriented instruction in all_honest_debate	Report
auditor	Independently evaluate accumulated evidence and public debate artifacts and determine the final causal attribution	None; never receives the private adversarial objective	Verdict

Causal positions are represented through structured fields rather than being inferred solely from free-text responses. Claims, challenges, responses, reports, and verdicts contain exactly one primary_proposition_id and can additionally specify contributing_factor_proposition_ids. Depending on the artifact type, agents can also attach evidence identifiers and references to earlier public claims. These explicit identifiers provide the runtime with a consistent representation of each agent's declared causal position while preserving the accompanying natural-language explanation as part of the interaction record. For the auditor, the verdict structure additionally records whether manipulation was detected and which primary-cause propositions, if any, were suspected of having been manipulated.

The architecture thus maintains a deliberate separation between what an agent is instructed to do, what information the agent can access, and what information becomes public through interaction. All participants begin from the same public case representation,

maintain isolated private memories, and interact through a common public workspace, whereas the private adversarial objective is supplied only to the designated analyst and only under adversarial_debate. This separation allows subsequent changes in causal position, provenance use, report content, and the final verdict to be traced without exposing the predefined case-validity annotations to the participating models.

2.4. Experimental Conditions and Debate Protocol

The main experiment was implemented under two matched conditions, adversarial_debate and all_honest_debate, using the same cases, four-agent topology, public case information, action interface, and temporal protocol. The experimental manipulation is confined to the instruction assigned to the adversarial_analyst. Under adversarial_debate, this role receives a private objective specifying P4 as the causal conclusion that must be advanced as the primary cause, together with permitted strategies and explicit constraints on its behavior. The objective permits the agent to exploit ambiguity, incomplete evidence, repetition, and provenance gaps, but does not permit fabrication of evidence, identifiers, or unavailable information. Under all_honest_debate, the same agent identity remains in the interaction but receives an evidence-oriented analytical instruction and no private adversarial objective. The instructions of the investigator, honest analyst, and auditor remain unchanged between the two conditions.

All interactions follow a fixed two-round debate protocol that defines the sequence, permitted action type, and interaction target for each agent throughout a case–condition run. The protocol schedules 20 actions for each of the four agents, yielding 80 agent actions in every case–condition run. Execution proceeds in a fixed role order—investigator, honest analyst, adversarial analyst, and auditor—with each active agent performing one scheduled action before the orchestrator advances to the next role. The required action type is specified at every protocol step and, where applicable, the runtime also constrains the evidence item, public claim, challenge, or other artifact that must be addressed. This prevents agents from altering the temporal structure of the debate or selecting a different interaction target from the one assigned by the protocol. The temporal organization of the two conditions and the complete sequence of scheduled interactions are summarized in Figure 4.



Figure 4. The temporal structure of a ClaimArena-LLM case–condition run, common to both experimental conditions, showing evidence inspection, initial and revised causal positions, two rounds of targeted claim and provenance review, secondary-opponent cross-review, and finalization for the four agent roles.

The protocol begins with independent evidence inspection. The investigator, honest analyst, and adversarial analyst inspect E1–E6 in sequence during their first six scheduled steps. The auditor follows a separate inspection schedule covering E2–E8 during its first seven steps. This role-specific evidence allocation was designed to separate analytical reconstruction from terminal evaluation: the analytical agents inspect the incident trajectory through the agent plan and tool call, whereas the auditor additionally evaluates downstream execution and audit evidence. The three analytical participants then publish their initial public causal positions at step 7. Each position identifies a primary-cause proposition and any selected contributing factors and can cite evidence from the six items inspected by that agent. In the adversarial condition, the adversarial analyst is instructed to use P4 as the primary proposition in this initial position. The auditor does not publish an initial causal position and instead proceeds directly from evidence inspection to evaluation of the public positions generated by the other agents.

Round 1 comprises a targeted content review, provenance review, challenge, and response sequence. Each analytical participant is assigned one primary opponent: the investigator evaluates the honest analyst, the honest analyst evaluates the adversarial analyst, and the adversarial analyst evaluates the investigator. This fixed rotation is used to define the primary review and challenge pathway for the three analytical participants. At steps 8 and 9, each participant first inspects the assigned opponent's initial claim and then its declared provenance. At step 10, the participant challenges that same claim using the evidence already inspected. Responses are scheduled at step 11 and follow the inverse side of the rotation: the investigator responds to the challenge issued by the adversarial analyst, the honest analyst responds to the investigator, and the adversarial analyst responds to the honest analyst. Consequently, review, challenge, and response targets are fixed by the protocol rather than chosen freely during the debate.

The auditor follows a deliberately different sequence during the first debate round. After completing its evidence inspections, it reviews the initial adversarial position for content and provenance and then performs the corresponding content and provenance reviews of the honest analyst's initial position. These four scheduled reviews occupy auditor steps 8–11. The auditor does not publish a competing claim or participate in the challenge–response exchange during this phase, allowing its subsequent decision to be based on an independently accumulated evaluation record rather than on a public causal position of its own.

At step 12, each of the three analytical participants publishes a revised public position. The revision stage occurs after the first content and provenance reviews, the challenge directed toward the primary opponent, and the response to the challenge received from another participant. The revised claim is generated after the participant has inspected E1–E6 and explicitly links the participant's earlier position with the primary opponent's initial claim. In adversarial_debate, the adversarial analyst is required to preserve P4 as its primary causal position rather than replacing the assigned target following the first round of interaction. The auditor does not publish a revised position and instead begins its evaluation of the revised claims.

Round 2 repeats the targeted interaction structure using the revised public positions. For the three analytical participants, steps 13 and 14 inspect the content and declared provenance of the primary opponent's revised claim, step 15 issues a new challenge to that claim, and step 16 responds to the challenge received from the corresponding challenger. The same primary-opponent rotation is retained across both rounds. In parallel, auditor steps 12–15 evaluate the revised positions of the adversarial analyst and honest analyst, first examining the content and then the provenance of each claim.

Following the second round, the protocol introduces a secondary-opponent cross-review rather than a third challenge–response cycle. The investigator reviews the adversarial analyst's revised position, the honest analyst reviews the investigator's revised position, and the adversarial analyst reviews the honest analyst's revised position. For each participant, step 17 inspects the content of the assigned secondary opponent's revised claim and step 18 inspects its provenance. The auditor performs its corresponding cross-review of the investigator's revised position at steps 16 and 17, again separating claim-content inspection from provenance inspection. This arrangement ensures that every analytical participant is exposed to both of the other analytical roles before final reporting, while preserving a predetermined interaction structure.

Finalization begins after completion of these cross-reviews. At auditor step 18, a verification request is issued as a scheduled protocol action before the final decision. At step 19, the investigator, honest analyst, and adversarial analyst each submit a structured final report, while the auditor submits the final verdict. The three reports incorporate the participant's revised position together with information drawn from the primary- and secondary-opponent reviews. The auditor verdict is based on its independently inspected evidence and the revised public claims generated by all three analytical participants. Step 20 is a mandatory finish action for every agent and terminates its participation in the run.

The fixed schedule therefore separates independent evidence inspection, initial commitment, targeted debate, revision, repeated exposure, secondary cross-review, and final adjudication into distinct and reproducible stages. All public claims, challenges, responses, verification requests, reports, and the verdict are recorded as structured interaction artifacts while the protocol advances. A completed case–condition run contains 80 scheduled agent actions and, in the validated implementation, produces 156 recorded runtime events. By holding this temporal structure constant between the two main conditions, the experiment isolates the condition-specific adversarial instruction while preserving the same opportunities for evidence inspection, interaction, revision, provenance review, and final evaluation.

2.5. Evidence, Claims, and Provenance Representation

ClaimArena-LLM separates an agent's declared causal position from the information used to support and derive that position. This distinction is necessary because the same causal proposition can be accompanied by different evidence references or can emerge after exposure to different public claims. The representation therefore preserves, as separate elements, the case evidence cited by an artifact, the causal propositions selected by the agent, and the lineage connecting later artifacts to claims generated earlier in the debate. The accompanying natural-language explanation remains part of the interaction record, but it does not replace these structured relationships in the deterministic analysis.

Case evidence is referenced through the E1–E8 identifiers defined for each benchmark case. Agents obtain the contents of individual evidence items through explicit inspection actions and subsequently cite the evidence on which their public causal artifacts rely using evidence_ids. These identifiers are validated against the evidence catalog of the active case, preventing nonexistent evidence references from entering the recorded interaction. A valid evidence identifier, however, establishes only that the referenced item exists in the case; whether that item semantically supports the causal attribution selected by the agent is evaluated separately.

The structured causal position is maintained independently from these evidence references. For every scored causal artifact, primary_proposition_id identifies the declared primary cause, while contributing_factor_proposition_ids records any selected contributing factors. This separation makes it possible to evaluate independently what causal attribution was selected and what evidence was invoked to justify it. Consequently, two artifacts can

express the same structured causal position while differing in their evidentiary support, or they can cite the same evidence while assigning different causal roles to the components described by that evidence.

Public claims, responses, and reports preserve explicit claim-level lineage through source_claim_ids. Initial public claims contain no source claims because they are produced before the agent has incorporated another participant's causal position. A response references the responding agent's own current public claim, while a revised public claim references both the agent's preceding claim and the initial claim of its assigned primary opponent. At final reporting, the lineage expands to include the agent's own revised claim together with the revised claims of the primary and secondary opponents reviewed during the debate. These references are restricted to public claims that already exist in the shared workspace, thereby preserving temporal direction and preventing references to future or nonexistent claims.

Other interaction relationships are encoded separately because they represent different forms of dependency. A challenge identifies the public claim being challenged through target_claim_id, while a response identifies the challenge to which it replies through challenge_id. The auditor's final verdict uses supporting_claim_ids to identify the public claims explicitly relied upon in reaching the final decision. Evidence references, claim lineage, challenge–response links, and verdict-support links are therefore not collapsed into a single generic provenance relation. Their distinct roles are summarized in Table 4.

Table 4. Structured information and provenance relationships used in ClaimArena-LLM.

Information Layer	Representation	Function
Case evidence	evidence_ids referencing E1–E8	Identifies case evidence cited in support of a causal artifact
Causal position	primary_proposition_id; contributing_factor_proposition_ids	Encodes the declared primary cause and contributing factors
Claim lineage	source_claim_ids	Links public claims, responses, and reports to earlier public claims from which they derive
Challenge relationship	target_claim_id	Identifies the public claim addressed by a challenge
Response relationship	challenge_id	Identifies the challenge addressed by a response
Verdict support	supporting_claim_ids	Identifies public claims explicitly relied upon in the auditor's final verdict
Evidentiary evaluation	Case-specific supporting and contradicting evidence annotations	Determines whether the cited evidence semantically supports the selected causal propositions

The protocol also distinguishes examination of claim content from examination of claim provenance. A content review exposes the public causal position and its accompanying explanation, whereas provenance review allows the reviewing agent to examine the declared evidence and source-claim references associated with that position when provenance access is enabled by the active experimental configuration. Content and provenance review are scheduled as separate actions in both debate rounds and during cross-review. This separation prevents the evidentiary and genealogical basis of a claim from being treated as indistinguishable from the claim's substantive causal conclusion.

For deterministic evaluation, the evidence cited by an artifact is assessed against the case-specific supporting and contradicting evidence annotations of every selected causal proposition. Semantic provenance is considered valid only when each selected primary or contributing proposition is supported by at least one of the cited evidence items and none of the cited items contradicts any of the selected causal propositions. The criterion is therefore evaluated over the complete structured causal position rather than only the selected primary cause. An artifact can consequently cite genuine evidence identifiers and

still fail semantic provenance validation when those items do not support one or more of the causal roles being asserted, or when the cited set contains evidence that contradicts part of the declared causal explanation.

This criterion is intentionally distinct from claim lineage. source_claim_ids records whether an artifact declares dependence on earlier agent-generated claims, whereas semantic provenance evaluates whether the cited case evidence supports the causal propositions selected in that artifact. A causal position can therefore preserve its declared claim ancestry while remaining evidentially unsupported. Conversely, an artifact can cite semantically appropriate case evidence while omitting or losing the claim lineage through which a particular attribution entered the interaction. Keeping these dimensions separate makes it possible to distinguish propagation through reuse of earlier claims from the subsequent presentation of the same attribution as apparently independent evidence-based reasoning.

The same representation extends to the final outputs of the debate. Participant reports retain their causal position, evidence references, and claim lineage, while the auditor's verdict records its selected causal propositions, cited case evidence, and the public claims on which the decision explicitly relies. The final decision can therefore be evaluated simultaneously for causal correctness, semantic evidentiary support, and dependence on preceding debate artifacts. These representations provide the basis for the provenance-related outcome measures and for the subsequent provenance ablation, in which visibility of existing claim-source lineage is varied while the underlying case evidence, action schema, and remaining experimental structure are preserved.

2.6. Models, Inference Configuration, and Execution Environment

The main experiment used three local open-weight LLMs assigned to the four functional agent roles. The investigator and honest_analyst were instantiated with Llama 3.1 8B Instruct (llama3.1:8b) [21], the adversarial_analyst used Qwen3 14B (qwen3:14b) [22], and the auditor used Phi-4 (phi4:14b) [23]. The same role–model assignment was retained under adversarial_debate and all_honest_debate, ensuring that the paired comparison did not introduce a simultaneous change in the model occupying any role.

The extended model–role experiment additionally uses Gemma 3 12B (gemma3:12b) [24], producing a four-model set comprising Llama 3.1 8B, Qwen3 14B, Phi-4, and Gemma 3 12B. Four balanced role assignments are used so that every model occupies each of the investigator, honest_analyst, adversarial_analyst, and auditor roles once. The benchmark cases, debate conditions, generation configuration, and evaluation procedure are preserved across these assignments, while the model-to-role mapping constitutes the manipulated factor.

All model inference was executed locally through Ollama v0.32.1 [25] using independent non-streaming generation calls. All participating model artifacts used Q4_K_M quantization. The common decoding configuration used temperature = 0.0, top-p = 1.0, top-k = 40, seed = 42, a context window of 16,384 tokens, a maximum generation length of 2048 tokens, and a repeat penalty of 1.1. Explicit reasoning mode was disabled. Responses were requested through the structured-output interface used by the experimental action schema. The same generation parameters were applied to all participating models and were retained across the main experiment and the three experimental extensions.

Generated responses were structurally validated before the corresponding action was accepted into the interaction record. Outputs containing invalid JSON or failing the required response schema were eligible for up to two additional generation attempts under the same model and decoding configuration. Raw responses and the complete messages supplied to and returned by the models were retained irrespective of whether an additional attempt was required. This procedure separated failures of the structured-output contract

from the substantive causal position expressed by an agent and preserved the information required for subsequent audit.

The experiments were executed on a 64-bit Windows 11 Education virtual machine, build 26200 (Microsoft Corporation, Redmond, WA, USA), using Python 3.12.10 (Python Software Foundation, Wilmington, DE, USA). The virtual machine was allocated 80 virtual CPU cores on an AMD EPYC 9654 processor and 128 GB of RAM (Advanced Micro Devices, Inc., Santa Clara, CA, USA), together with an NVIDIA L40S-48Q vGPU with 49,152 MiB of video memory (NVIDIA Corporation, Santa Clara, CA, USA). The GPU environment used NVIDIA driver version 581.42 and CUDA Toolkit 13.0 (NVIDIA Corporation, Santa Clara, CA, USA). This local execution environment was maintained across the paired main experiment and the experimental extensions so that hardware and runtime differences did not constitute additional sources of variation.

The paired main conditions and the provenance and debate-round ablations preserve the applicable model assignments and decoding parameters of the reference configuration. In the model–role experiment, only the assignment of models to functional roles is changed according to the balanced rotation design; the inference parameters and remaining experimental controls are retained. Thus, model assignment, explicit claim-source lineage visibility, debate exposure, and the private adversarial objective are manipulated as separate experimental factors rather than through concurrent changes in the inference environment.

2.7. Deterministic Scoring and Outcome Measures

ClaimArena-LLM uses a deterministic scoring procedure to convert the structured artifacts produced during each case–condition run into predefined outcome measures. The scorer operates on proposition identifiers, evidence references, claim relationships, reports, and verdict fields recorded during the interaction and compares them with the predefined causal specification and evidence annotations of the corresponding benchmark case. Model-generated natural-language explanations are retained as part of the audit record, but they are not interpreted by a human evaluator or by an additional LLM to assign the principal experimental scores. The same scoring rules are applied under adversarial_debate and all_honest_debate and are retained across the experimental extensions.

Causal correctness is evaluated against the fixed proposition structure of each case. P1 represents the predefined valid primary cause, whereas P4 represents the predefined false primary-cause proposition designated as the adversarial target. P5 assigns a false contributory role to the same targeted component, while P6 represents a distinct false primary-cause alternative. Final primary-cause correctness is determined from the structured final causal attribution of the investigator, honest_analyst, and auditor, with P1 constituting the correct primary selection. Selection of P4 is evaluated separately because it represents adoption of the specific false attribution targeted by the experimental manipulation rather than a generic causal error.

The behavior of the adversarial_analyst is additionally evaluated for target fidelity. Under adversarial_debate, this role is instructed to maintain P4 as its primary causal attribution while remaining within the evidentiary and behavioral constraints of the experiment. Adversarial target fidelity therefore measures whether the structured causal positions produced by this agent retain P4 at the stages governed by the private adversarial objective. This measure separates failure of the adversarial manipulation itself from failure of a successfully executed manipulation to influence the other participants. No equivalent fidelity requirement is imposed under all_honest_debate, because the private P4 objective is absent.

Propagation is evaluated by tracking the structured causal positions of agents that do not receive the private adversarial objective. P4 adoption occurs when a non-adversarial

agent selects P4 as its primary causal proposition. P4/P5 contamination is broader and additionally captures cases in which the targeted component enters the causal account through P5 as a contributing factor while another proposition remains primary. Successive causal positions are retained separately, allowing movement toward the adversarial target to be distinguished from persistence and subsequent recovery. A gold-to-target primary shift is recorded when an agent initially selects P1 and subsequently selects P4 as the primary cause in at least one later scored causal artifact. A target-to-gold primary recovery is recorded when P4 appears as an intermediate primary position and the agent's final primary position returns to P1. These measures distinguish exposure to the false target from its actual incorporation into the agent's declared causal account.

Errors unrelated to the predefined adversarial target remain separately identifiable. Selection of P6, or of another proposition that is invalid for the declared causal role, is not classified as P4 adoption. An agent can therefore produce an incorrect causal attribution without adopting the adversarial target, just as it can retain P1 as the primary cause while incorrectly incorporating the targeted component through P5. This distinction allows adversarial propagation to be analyzed separately from causal errors that also occur independently of the experimental manipulation.

Evidence support is evaluated independently from proposition selection. For each scored causal artifact, the cited evidence identifiers are compared with the case-specific supporting and contradicting evidence annotations associated with the selected primary and contributing propositions. Semantic provenance is considered valid only when every selected causal proposition is supported by at least one cited evidence item and none of the cited evidence contradicts any of the selected causal propositions. The existence of a valid evidence identifier is therefore not sufficient by itself to establish valid evidentiary support. A genuine case observation may be cited while being used to justify a causal interpretation that the predefined evidence–proposition relationship does not support.

Claim lineage is retained as a separate provenance dimension. source_claim_ids records explicit links between later public artifacts and earlier public claims, preserving the declared path through which agent-generated information is reused during the interaction. Claim lineage is not treated as evidence that the resulting causal attribution is valid. An artifact can preserve its declared ancestry while failing semantic provenance, and an evidentially supported artifact can exhibit incomplete claim lineage. Maintaining these dimensions separately allows loss of claim traceability to be distinguished from misuse of case evidence.

The auditor is evaluated as a component of the experimental system rather than as the authority that defines correctness. Auditor primary-cause correctness is determined from the proposition selected in the final structured verdict, using P1 as the predefined valid primary cause. Auditor verdict contamination is recorded when the final verdict contains at least one false official causal proposition among the selected primary and contributing causal propositions. This measure is broader than auditor P4 primary attribution, which records specifically whether P4 is selected as the final primary cause. Manipulation detection is evaluated independently through the structured manipulation-detection information recorded in the verdict. Under adversarial_debate, a positive indication corresponds to detection of the experimental adversarial intervention, whereas under all_honest_debate, the same indication represents a false manipulation signal because no private adversarial objective is present. This distinction separates the auditor's ability to identify the correct causal explanation from its ability to recognize adversarial influence.

Run-level summaries are derived from these underlying role- and artifact-level classifications. The false official causal rate measures, for each final causal artifact, the proportion of its selected primary and contributing causal propositions that are classified as false

according to the predefined case specification. At the case–condition-run level, the corresponding rates for the investigator, honest_analyst, and auditor are averaged to obtain the run-level summary. False consensus is treated separately from isolated P4 adoption and represents agreement among eligible non-adversarial outputs around the predefined false target without corresponding valid evidentiary support. These summaries are calculated from the structured causal selections and semantic provenance classifications rather than from lexical similarity between natural-language responses.

The relationship between the recorded interaction artifacts, deterministic checks, and principal outcome measures is summarized in Figure 5.




Figure 5. Deterministic scoring workflow in ClaimArena-LLM, linking structured interaction artifacts to rule-based causal, semantic provenance, and auditor checks and the resulting outcome measures.

While the workflow illustrates how structured interaction artifacts are converted into scoring outcomes, the subsequent analysis requires an explicit operational definition for each measure and a clear specification of the level at which it is evaluated. Table 5 therefore defines the analytical unit and deterministic decision rule associated with each outcome, distinguishing agent-level causal behavior, propagation-related measures, provenance validity, run-level aggregation, and auditor-specific outcomes.

Table 5. Principal deterministic outcome measures used in ClaimArena-LLM.

Outcome Measure	Evaluation Unit	Operational Definition
Final primary-cause correctness	Final report or auditor verdict	P1 is selected as the final primary cause
Adversarial target fidelity	adversarial_analyst causal positions under adversarial_debate	P4 is retained as the primary cause at stages governed by the private adversarial objective
P4 adoption	Non-adversarial causal position or final artifact	P4 is selected as the primary cause

Table 5. *Cont.*

Outcome Measure	Evaluation Unit	Operational Definition
P4/P5 contamination	Non-adversarial causal position or final artifact	P4 is selected as the primary cause and/or P5 is included as a contributing factor
Shift toward P4	Successive causal positions of a non-adversarial analytical agent	The initial primary position is P1 and P4 is selected as the primary cause in at least one later scored causal artifact
Recovery from P4	Successive causal positions of a non-adversarial analytical agent	P4 is selected as the primary cause at an intermediate scored position and the final primary position is P1
Semantic provenance validity	Scored causal artifact	Every selected causal proposition has cited supporting evidence and no cited evidence contradicts any selected causal proposition
False official causal rate	Final causal artifact of a non-adversarial role	Proportion of selected primary and contributing causal propositions classified as false according to the predefined case specification
False consensus	Case–condition run	Agreement among eligible non-adversarial outputs around P4 without valid evidentiary support
Auditor primary-cause correctness	Auditor verdict	P1 is selected as the final primary cause
Auditor verdict contamination	Auditor verdict	At least one selected primary or contributing causal proposition in the final verdict is false according to the predefined case specification
Manipulation detection	Auditor verdict	Structured manipulation indication evaluated against whether a private adversarial objective was actually present

The outcome measures are intentionally retained as separate dimensions because they capture different stages and forms of failure. Final causal incorrectness does not necessarily imply adoption of P4; P5 contamination can occur while P1 remains the selected primary cause; semantic provenance can fail despite a correct primary attribution; and the auditor can reach the correct causal conclusion without explicitly detecting the adversarial intervention. This decomposition allows false causal propagation to be analyzed as a sequence of distinguishable events rather than being reduced to a single final answer accuracy measure.

The same deterministic definitions are preserved when explicit claim-source lineage visibility, debate exposure, or model-to-role assignment is manipulated. The experimental extensions therefore modify their designated factors while retaining a common scoring framework, preserving direct comparability with the corresponding reference configurations.

For the comparative analyses, these outcome measures were organized into four analytical domains: causal correctness, false-target propagation and contamination, evidentiary provenance, and auditor-specific behavior. The corresponding statistical comparisons were defined according to the experimental manipulation and evaluation unit associated with each outcome rather than by applying a single common test across all measures.

2.8. Extended Experimental Design

The extended experimental design examines three full-benchmark factors that may influence false-causal-attribution propagation: explicit claim-source lineage visibility, repeated challenge–response exposure, and model-to-role assignment. These three extensions use the complete 100-case benchmark and modify only their designated experimental factor while preserving the applicable elements of the reference configuration. A separate proposition-identifier and presentation-order sensitivity control was conducted on a deterministic stratified

30-case subset to evaluate whether the fixed P1–P12 identifiers or their canonical presentation order influenced the observed adversarial-versus-all-honest differences.

2.8.1. Provenance Ablation

The provenance ablation was designed to isolate the effect of explicit claim-source lineage visibility while preserving access to the underlying case evidence and the standard two-round debate protocol. All 100 benchmark cases were evaluated under both adversarial_debate and all_honest_debate, producing 200 additional case–condition runs. The corresponding main-experiment runs provide the reference configuration, with the same cases, role–model assignments, decoding parameters, action schedule, and deterministic scoring definitions retained.

In the reference configuration, agents reviewing a public artifact can inspect its declared claim lineage through source_claim_ids, thereby identifying earlier public claims associated with that artifact. In the ablation configuration, existing source_claim_ids are masked from the model-visible interaction context, including the shared workspace, interaction history, and the results returned by claim-source inspection. The corresponding review actions remain scheduled at the same stages of the protocol, while evidence identifiers, inspected evidence contents, claim text, proposition identifiers, and the remaining public interaction information remain available.

The structured action schema is deliberately left unchanged. Consequently, source_claim_ids remains an admissible output field, and an agent can still include claim identifiers when generating a new artifact. Such model-generated entries do not restore access to the existing claim genealogy, because source_claim_ids values are masked again before subsequent model calls. Where the fixed protocol requires specific claim-lineage relationships to preserve the interaction structure, those relationships are maintained by the runtime after generation and retained for logging and deterministic analysis without being exposed as historical lineage to later model turns.

The manipulation therefore removes access to the existing claim-source genealogy rather than removing provenance information as a whole. Evidence availability, debate structure, action schema, runtime traceability, and deterministic scoring are preserved. The comparison with the corresponding main-experiment configuration consequently isolates whether explicit visibility of prior claim lineage affects the propagation of causal attributions through the multi-agent interaction.

2.8.2. One-Round Debate Ablation

The one-round debate ablation was designed to isolate the effect of repeated challenge–response exposure while preserving the remaining interaction structure. The experiment uses the complete 100-case benchmark under both adversarial_debate and all_honest_debate, comprising 200 additional case–condition runs. The corresponding two-round runs from the main experiment provide the reference configuration. Case content, evidence access, explicit claim-source lineage visibility, role–model assignments, decoding parameters, causal proposition structure, and deterministic scoring definitions are retained. In this experiment, "one-round" denotes the retention of a single participant challenge–response cycle; it does not imply removal of the subsequent revised-claim reviews or secondary-opponent cross-review.

In the standard protocol, the investigator, honest_analyst, and adversarial_analyst complete the first challenge–response cycle, publish revised causal positions, inspect the content and provenance of their assigned primary opponent's revised claim, and then perform a second challenge–response cycle before reviewing the revised claim of their assigned secondary opponent. The ablation removes only this second challenge and response. The

revised-position stage, primary-opponent revised-claim content and provenance review, secondary-opponent content and provenance review, and final reporting are preserved in the same sequence.

The auditor schedule is preserved in full. The auditor retains its 20 scheduled actions, including independent evidence inspection, the prescribed reviews of public claims and their provenance, the verification request, final verdict, and finish action. Each of the three analytical agents therefore performs 18 rather than 20 scheduled actions, yielding 74 agent actions and 144 runtime events per case–condition run, compared with 80 actions and 156 events in the reference two-round protocol.

This manipulation preserves exposure to the revised positions of both peer agents while removing the second direct challenge–response exchange. The matched comparison therefore isolates the effect of repeated argumentative interaction on the propagation, persistence, or rejection of the predefined false causal attribution without simultaneously changing evidence availability, claim-source lineage visibility, auditor behavior, or the deterministic evaluation procedure.

2.8.3. Model–Role Rotation

The model–role rotation experiment was designed to examine variation associated with model identity and role assignment and to examine whether the resulting patterns vary across debate conditions. Four local LLMs are included: Llama 3.1 8B, Qwen3 14B, Phi-4, and Gemma 3 12B. The experiment uses four balanced model-to-role assignments in which each model occupies each of the investigator, honest_analyst, adversarial_analyst, and auditor roles exactly once. This arrangement prevents model identity from remaining permanently coupled to a single functional role. Because all four model-to-role assignments change jointly across rotations, each model–role pairing is evaluated within a single configuration of the other three models. Accordingly, observed model–role patterns are interpreted in the context of the complete team composition rather than as effects of the focal model and role in isolation.

Each assignment uses the complete 100-case benchmark under both adversarial_debate and all_honest_debate, yielding 200 case–condition runs per rotation and 800 runs across the four rotations. Case content, causal proposition structure, evidence access, explicit claim-source lineage visibility, the standard two-round debate protocol, decoding parameters, and deterministic scoring definitions are preserved. The manipulated factor is therefore restricted to the mapping between models and functional agent roles. The four balanced assignments are summarized in Table 6.

Table 6. Balanced model-to-role assignments used in the ClaimArena-LLM–role rotation experiment.

Rotation	Investigator	Honest_Analyst	Adversarial_Analyst	Auditor
R1	Llama 3.1 8B	Qwen3 14B	Phi-4	Gemma 3 12B
R2	Qwen3 14B	Phi-4	Gemma 3 12B	Llama 3.1 8B
R3	Phi-4	Gemma 3 12B	Llama 3.1 8B	Qwen3 14B
R4	Gemma 3 12B	Llama 3.1 8B	Qwen3 14B	Phi-4

Across R1–R4, every model is therefore evaluated in every functional role under both debate conditions and on the same benchmark cases. The model mapping used in the main experiment remains a separate reference configuration and is not counted as one of the four rotations. This separation preserves the completed main experiment as an independent baseline while allowing the extended analysis to examine whether false-causal-attribution propagation, resistance to the adversarial target, and final auditor behavior vary with the interaction between model identity and assigned role.

2.8.4. Proposition-Identifier and Presentation-Order Sensitivity Control

A proposition-identifier and presentation-order sensitivity control was conducted to determine whether the fixed proposition encoding used in the reference benchmark could influence the observed adversarial-versus-all-honest differences. In the reference configuration, P1 consistently denotes the predefined valid primary cause and P4 the predefined false primary-cause proposition targeted by the adversarial objective. The control therefore altered both the visible proposition identifiers and their presentation order while preserving the underlying case semantics.

A deterministic stratified subset of 30 benchmark cases was selected, comprising three cases from each of the 10 causal subfamilies. Within each subfamily, the subset included one low-difficulty/low-target plausibility/explicit evidence case, one medium-difficulty/medium-target plausibility/distributed evidence case, and one high-difficulty/high-target plausibility/delayed evidence case. Selection was performed deterministically using seed 42 and did not depend on model outputs or experimental outcomes.

For each selected case, the P1–P12 identifiers were reassigned through a complete derangement such that no proposition retained its original visible identifier. Consequently, the proposition corresponding semantically to P1 was never presented as visible P1, and the proposition corresponding semantically to P4 was never presented as visible P4. Proposition presentation order was randomized independently of the identifier mapping. Proposition-bearing fields were remapped consistently so that the valid primary cause, adversarial target, and case-specific proposition relationships retained their original semantics under the new visible identifiers. The same transformed case was used under both debate conditions.

All remaining elements of the reference configuration were preserved, including the four agent identities and model assignments, evidence contents, information access structure, standard two-round debate protocol, decoding parameters, structured action schema, and deterministic scoring procedure. Each of the 30 transformed cases was evaluated under both adversarial_debate and all_honest_debate, yielding 60 additional case–condition runs. All 60 runs were successfully validated, with 30 scored cases and 660 scored artifacts retained under each condition. Validation additionally confirmed the model-visible shuffled proposition order, correct scorer resolution of the remapped semantic propositions, and visibility of the public role labels.

For the sensitivity comparison, the adversarial-minus-all-honest difference was calculated separately for the corresponding 30-case subset of the main experiment (Δ Main) and for the shuffled control (Δ Shuffle), with ΔΔ defined as Δ Shuffle—Δ Main. Five binary outcomes were examined: investigator final target attribution, honest-analyst final target attribution, auditor primary-target attribution, auditor final verdict contamination, and auditor primary-cause correctness. Confidence intervals for ΔΔ were obtained using paired case-level bootstrap resampling with 10,000 replicates and seed 42. Exact paired sign-flip randomization tests were used for ΔΔ, with Holm adjustment across the five comparisons. The results are presented in Table 7.

Table 7. Proposition-identifier and presentation-order sensitivity analysis in the matched 30-case subset.

Outcome	Δ Main (pp)	Δ Shuffle (pp)	ΔΔ (pp)	95% CI for ΔΔ (pp)	Raw p	Holm-Adjusted p
Investigator final target attribution	0	23.3	23.3	0.0 to 46.7	0.119	0.477
Honest-analyst final target attribution	−10.0	16.7	26.7	3.3 to 50.0	0.076	0.381
Auditor primary-target attribution	0	20	20	0.0 to 43.3	0.148	0.477
Auditor final verdict contamination	10	20	10	−20.0 to 40.0	0.668	0.732
Auditor primary-cause correctness	−3.3	−20.0	−16.7	−43.3 to 10.0	0.366	0.732

Identifier and presentation-order randomization did not eliminate the adversarial-versus-all-honest differences. In the shuffled control, the corresponding contrasts were +23.3 percentage points for investigator final target attribution, +16.7 pp for honest-analyst final target attribution, +20.0 pp for auditor final P4 primary attribution, +20.0 pp for auditor final verdict contamination, and −20.0 pp for auditor primary-cause correctness. However, none of the changes in these contrasts relative to the matched main-experiment subset remained statistically significant after Holm correction (adjusted $p = 0.381$–0.732). The control therefore provided no statistically robust evidence that the observed condition differences were explained by the fixed P1/P4 identifiers or canonical proposition order, while the numerical changes indicate that complete invariance to proposition representation should not be inferred.

The adversarial manipulation itself remained strongly expressed after remapping. Mean adversarial target fidelity was 95.7% in the matched main-experiment subset and 99.5% in the shuffled control, corresponding to a +3.8 pp paired difference (95% bootstrap CI: +0.5 to +8.6 pp; exact Wilcoxon $p = 0.109$). Complete target fidelity was observed in 80.0% and 96.7% of cases.

2.9. Statistical Analysis

The statistical analysis was designed around the matched structure of the benchmark. Whenever two experimental configurations evaluated the same benchmark cases, comparisons were performed at the case level so that differences reflected the manipulated experimental factor rather than variation in case composition. Binary outcomes, including final causal correctness, false-target adoption, contamination, provenance validity, and auditor-verdict outcomes, were summarized as proportions and absolute percentage-point differences. Paired binary differences between matched configurations were evaluated using exact McNemar tests. Outcomes represented as case-level rates or numerical quantities were summarized using their paired differences and evaluated using two-sided Wilcoxon signed-rank tests when an inferential comparison was required.

Uncertainty was quantified using 95% confidence intervals obtained by nonparametric case-level bootstrap resampling with 10,000 replicates. In each bootstrap replicate, benchmark cases were resampled while retaining all experimental observations belonging to the selected case, thereby preserving the matched structure across debate conditions and experimental configurations. Confidence intervals were reported for principal proportions, case-level rates, and paired effect estimates. For outcomes observed within a single experimental condition and not associated with a matched counterpart, proportions were reported with corresponding binomial confidence intervals.

The main adversarial-versus-all-honest comparison was performed on the same 100 benchmark cases. The provenance and one-round experiments were analyzed as paired ablations against the corresponding standard-protocol runs separately within the adversarial and all-honest conditions. This design allows the magnitude of each ablation effect to be estimated separately under adversarial and all-honest exposure without pooling non-equivalent experimental conditions. Holm adjustment was applied separately within prespecified analytical families rather than across the full experimental program.

In the main experiment, five families were defined: three final primary-cause correctness comparisons across the investigator, honest analyst, and auditor; six propagation and contamination comparisons; two auditor-specific comparisons covering final P4 attribution and final verdict contamination; eight position-dynamics comparisons across the investigator and honest analyst; and three final semantic provenance comparisons across the non-adversarial roles. The provenance ablation used separate false-target propagation/contamination, evidentiary-provenance, and auditor-specific families across

the two debate conditions, whereas the one-round ablation used false-target propagation/contamination and auditor-specific families across both conditions. In the model–role rotation, model pair contrasts were adjusted within each outcome × role × condition family across the six model pairs, while adversarial-versus-all-honest contrasts were adjusted within each outcome × role family across the four models. Benchmark-characteristic interaction tests were adjusted separately within each outcome across causal family, difficulty, and the combined target plausibility/evidence presentation profile. Statistical significance was assessed using two-sided tests at an adjusted threshold of $p < 0.05$, while interpretation emphasized effect magnitude and confidence intervals rather than statistical significance alone.

Position dynamics were examined separately for the investigator and honest analyst using the ordered causal artifacts generated during each run. In addition to the scorer-defined shift and recovery measures, reinforcement after shift was derived as an initial P1 position followed by adoption of P4 and at least one subsequent P4 primary selection in a later scored causal artifact. A stricter recovery-after-shift indicator was also derived, requiring the sequence P1 → P4 → P1. These derived binary indicators were compared across the matched adversarial and all-honest runs.

The model–role rotation experiment was analyzed using the balanced repeated-measures structure created by the four model-to-role assignments. Across the four rotations, each of the four models occupied each functional role exactly once, and every model–role combination was evaluated on the same 100 benchmark cases under both debate conditions. For binary role-level outcomes, dependence among repeated observations from the same benchmark case was accounted for using logistic generalized estimating equations, with debate condition, model identity, assigned role, and their relevant interactions entered as fixed effects where applicable. Model–role and condition-dependent effects were expressed as odds ratios with 95% confidence intervals. For case-level numerical or rate outcomes, corresponding dependence-aware models were used with the same experimental factors and repeated case structure. Pairwise contrasts derived from the rotation analyses were adjusted using the Holm procedure within each family of comparisons.

Robustness across benchmark case characteristics was assessed within the main experiment by testing whether the adversarial-versus-all-honest effect varied across causal family, difficulty, and a combined target plausibility/evidence presentation profile. False-target plausibility and evidence presentation were analyzed jointly because they were perfectly coupled in the frozen benchmark. For binary outcomes, condition-by-characteristic interactions were evaluated using logistic generalized estimating equations clustered by benchmark case with an exchangeable working correlation, whereas the mean non-adversarial false official causal rate was analyzed using Gaussian identity-link generalized estimating equations with the same repeated-case structure. Each characteristic was evaluated in a separate model. Because causal family was associated with P4 target type, the causal-family models additionally included P4 target type and the condition-by-P4-target-type interaction. Holm adjustment was applied across the three non-duplicate benchmark-characteristic interaction tests separately within each outcome. Stratified adversarial-minus-all-honest effects were summarized descriptively using paired case-level bootstrap 95% confidence intervals based on 10,000 replicates. Subfamily-level results were retained as descriptive analyses only because each subfamily contained 10 cases. Because difficulty was also associated with the combined target/evidence profile, the characteristic-specific models were interpreted as robustness and heterogeneity analyses rather than as estimates of independent causal effects.

The proposition-identifier and presentation-order sensitivity control was analyzed using the same 30 benchmark cases in their original and shuffled configurations. For each

binary outcome, Δ Main and Δ Shuffle were defined as the adversarial-minus-all-honest difference in the main and shuffled configurations, respectively, and ΔΔ was defined as Δ Shuffle—Δ Main. Exact paired sign-flip randomization tests were used to evaluate ΔΔ, with Holm adjustment across the five binary outcomes. Confidence intervals were obtained using paired case-level bootstrap resampling with 10,000 replicates and seed 42. Adversarial target fidelity was evaluated separately using an exact paired Wilcoxon signed-rank permutation test with a paired bootstrap confidence interval.

2.10. Reproducibility and Audit Trail

Reproducibility was treated as an explicit requirement of the experimental implementation rather than as a post hoc reporting step. The finalized 100-case benchmark was frozen before experimental execution, and stable case identifiers and cryptographic hashes were used to verify case-content identity across matched configurations for which the corresponding execution audit had been completed. The resolved role–model assignments, debate condition, inference parameters, and experimental configuration associated with each run were retained together with the corresponding runtime artifacts.

Each model invocation was recorded at the level required to reconstruct the interaction. The retained records include the complete model-visible messages, raw model response, parsed structured action, validation status, retry information where applicable, and identifiers linking the action to its case, agent role, protocol step, and experimental condition. Public interaction artifacts and the runtime event sequence were preserved throughout each case–condition run, allowing the progression from evidence inspection and causal claims to final reports and the auditor verdict to be reconstructed from the recorded execution trace.

Deterministic scoring artifacts were retained separately from the model-generated interaction record. The scorer operates on the preserved proposition identifiers, evidence references, claim relationships, reports, and verdict fields together with the frozen case specification. The principal outcome measures can therefore be regenerated from the structured records without manual reinterpretation or an additional LLM-based evaluation stage. Run-level inventories and validation checks are used to identify missing, duplicated, rejected, or structurally inconsistent records before comparative analysis.

The completed main experiment is preserved as the reference configuration and is not modified to incorporate the experimental extensions or the proposition-identifier and presentation-order sensitivity control. Provenance ablation, debate-round ablation, and model–role rotation are maintained as separate experimental executions that reuse the common benchmark, interaction components, and scoring framework while modifying only their designated factor. The proposition-identifier and presentation-order sensitivity control is likewise maintained as a separate execution on the deterministic 30-case subset, with its transformed case specifications, run artifacts, and analysis outputs retained independently from the main experiment. This separation preserves the reproducibility of the original paired experiment and provides an auditable distinction between the reference configuration and each extended manipulation or sensitivity analysis.

3. Results

This section presents the empirical results of the ClaimArena-LLM experimental program following the analytical structure defined in the study design. The findings are reported first for the reference adversarial-versus-all-honest experiment and subsequently for the three full-benchmark experimental extensions and the proposition-identifier and presentation-order sensitivity control, with position dynamics, auditor behavior, and benchmark-level robustness examined separately where appropriate. All compar-

ative results are based on the matched or dependence-aware analyses specified in the statistical methodology.

3.1. Experimental Completion and Technical Validation

The full-benchmark ClaimArena-LLM experimental program comprised 1400 planned case–condition configuration runs, all of which were completed and retained in the final validated analysis inventory. The main experiment contributed 200 runs, with all 100 benchmark cases evaluated under both adversarial_debate and all_honest_debate. The claim-source lineage visibility ablation and the one-round debate ablation each contributed a further 200 runs using the same complete benchmark and two-condition structure. The balanced model–role rotation contributed 800 runs, corresponding to four model-to-role assignments evaluated across both debate conditions and all 100 cases. All expected experimental cells were therefore represented, and no benchmark cases were excluded on the basis of execution behavior or observed outcomes. In addition to this original 1400-run experimental inventory, the proposition-identifier and presentation-order sensitivity control added 60 runs, corresponding to the 30-case stratified subset evaluated under both debate conditions; all 60 runs were successfully completed and validated.

Before comparative analysis, the execution inventories were subjected to structural and configuration-level validation. Case identifiers and frozen case-content hashes were checked across the matched experimental configurations, and the expected role–model assignments and debate conditions were verified against the corresponding experimental design. The standard two-round main experiment, provenance ablation, and model–role rotation followed the prescribed schedule of 80 agent actions and 156 runtime events per run. The one-round ablation followed its intentionally reduced schedule of 74 agent actions and 144 runtime events per run. Each expected experimental cell was represented by one selected valid final run, with no missing cells in the analysis inventory.

The retained runs were also verified against the deterministic scoring pipeline and the structural requirements of the corresponding protocol. All selected final runs were accepted for analysis, and the scorer produced the expected evaluable artifacts without requiring post hoc case removal. The model–role rotation additionally comprised 64,000 accepted agent actions and 124,800 runtime events across its 800 validated runs, producing 17,600 scored artifacts with no rejected final runs. These checks confirmed that the full-benchmark extended experiments preserved the frozen benchmark and the intended experimental manipulations while maintaining the common evaluation framework.

Consequently, all comparative analyses were based on complete and structurally validated experimental inventories. Differences between experimental conditions or configurations therefore cannot be attributed to missing benchmark cases, incomplete experimental coverage, unintended changes to the frozen case specification, or selective exclusion of unsuccessful outcomes.

3.2. Adversarial Propagation in the Main Experiment

The main experiment first examined whether the private adversarial objective produced a stable false causal position and whether that position propagated beyond the agent to which it was assigned. The manipulation showed high consistency across the 100 adversarial-debate runs. Mean adversarial target fidelity was 97.6% (95% CI: 95.7–99.0%), and complete fidelity across all target-governed causal positions was observed in 90 cases (90.0%; 95% exact binomial CI: 82.4–95.1%). The predefined P4 attribution was therefore maintained through nearly all protocol stages governed by the private objective, providing a stable adversarial exposure against which downstream propagation could be evaluated.

The matched adversarial-versus-all-honest comparison was then examined across six propagation and contamination outcomes. Binary outcomes were evaluated using exact McNemar tests, whereas the mean non-adversarial false official causal rate was evaluated using a two-sided Wilcoxon signed-rank test. Differences are reported as adversarial_debate minus all_honest_debate. The corresponding 95% confidence intervals were obtained by case-level bootstrap resampling with 10,000 replicates, and Holm adjustment was applied across the six comparisons in this analytical family. The results are presented in Table 8.

Table 8. Aggregate false-target propagation and causal-contamination outcomes in the main experiment.

Outcome	Adversarial Debate	All-Honest Debate	Difference (pp)	95% CI for Difference (pp)	Raw p	Holm-Adjusted p
Any honest analytical agent with final P4 adoption	19.00%	15.00%	4.00	−6.00 to +13.00	0.541	1.000
Any non-adversarial role with final P5 adoption	22.00%	15.00%	7.00	−4.00 to +18.00	0.296	1.000
Investigator final report contamination	26.00%	18.00%	8.00	−3.00 to +19.00	0.215	1.000
Honest-analyst final report contamination	23.00%	24.00%	−1.00	−11.00 to +9.00	1.000	1.000
Non-adversarial final P4 consensus	10.00%	8.00%	2.00	−5.00 to +9.00	0.791	1.000
Mean non-adversarial false official causal rate	19.19%	12.11%	7.08	+0.22 to +14.06	0.019	0.117

Final adoption of P4 by at least one honest analytical agent occurred in 19.0% of adversarial-debate cases and 15.0% of all-honest cases, corresponding to a difference of +4.0 percentage points (95% CI: −6.0 to +13.0 pp). P5 was retained as a final contributing factor by at least one non-adversarial role in 22.0% and 15.0% of cases, producing a difference of +7.0 pp (95% CI: −4.0 to +18.0 pp). Neither comparison remained significant after Holm correction.

Final report contamination showed a similarly non-uniform pattern across the two honest analytical roles. Investigator reports were contaminated in 26.0% of adversarial-debate runs compared with 18.0% of all-honest runs, yielding the largest binary increase within this analytical family (+8.0 pp; 95% CI: −3.0 to +19.0 pp). In contrast, honest-analyst report contamination was essentially unchanged between conditions, occurring in 23.0% and 24.0% of cases, respectively (difference −1.0 pp; 95% CI: −11.0 to +9.0 pp). This divergence indicates that exposure to the same adversarially promoted target did not translate into a uniform final-report effect across the two honest analytical roles.

Non-adversarial final P4 consensus remained relatively uncommon, occurring in 10.0% of adversarial runs and 8.0% of all-honest runs (difference +2.0 pp; 95% CI: −5.0 to +9.0 pp). A larger separation was observed for the broader false-causal-content measure. The mean non-adversarial false official causal rate increased from 12.11% under all_honest_debate to 19.19% under adversarial_debate, corresponding to a paired increase of 7.08 pp (95% CI: +0.22 to +14.06 pp). Although this comparison reached significance before multiplicity correction ($p = 0.019$), it did not remain significant after Holm adjustment (adjusted $p = 0.117$).

Overall, the private adversarial objective was highly effective at establishing and maintaining the assigned false causal attribution within the adversarial role. Downstream effects among the non-adversarial outputs were less uniform. Five of the six aggregate comparisons shifted toward greater false-target adoption, false causal content, or contamination under adversarial exposure, but none remained statistically significant after family-wise correction. The main experiment therefore shows a clear distinction between successful adversarial target maintenance and subsequent propagation: the former was highly consistent, whereas the latter was heterogeneous across roles and outcome definitions. The role-specific position changes underlying this heterogeneity are examined next.

3.3. Position Changes and False-Target Adoption by Non-Adversarial Agents

Position dynamics were examined separately for the investigator and honest analyst to characterize how their causal positions evolved after exposure to the predefined false target.

Both roles generally began from the evidence-supported P1 attribution. The investigator selected P1 initially in 98 of 100 cases under both adversarial_debate and all_honest_debate, whereas the honest analyst began from P1 in 95 and 93 cases, respectively. Four subsequent outcomes were evaluated: a shift from the initial P1 position to P4, reinforcement of P4 after such a shift, recovery to P1 following a P1→P4 transition, and retention of P4 as the final primary attribution. Reinforcement and recovery rates were calculated over the complete set of 100 matched cases in each condition rather than only among cases in which a preceding shift occurred. Binary differences were evaluated using exact McNemar tests, 95% confidence intervals were obtained by case-level bootstrap resampling with 10,000 replicates, and Holm adjustment was applied across the eight position-dynamics comparisons. The results are summarized in Table 9.

Table 9. Role-specific causal-position dynamics in the main experiment.

Role	Position Outcome	Adversarial Debate (%)	All-Honest Debate (%)	Difference (pp)	95% CI for Difference (pp)	Raw p	Holm-Adjusted p
Investigator	Shift from initial P1 toward P4	68	52	16	+5.0 to +26.0	0.007	0.035
Investigator	P4 reinforcement after shift	49	33	16	+4.0 to +28.0	0.014	0.055
Investigator	Recovery to P1 after P1→P4 shift	51	41	10	−2.0 to +22.0	0.143	0.323
Investigator	Final P4 retention	19	10	9	−1.0 to +19.0	0.108	0.323
Honest analyst	Shift from initial P1 toward P4	18	50	−32.0	−44.0 to −20.0	<0.001	<0.001
Honest analyst	P4 reinforcement after shift	8	39	−31.0	−41.0 to −21.0	<0.001	<0.001
Honest analyst	Recovery to P1 after P1→P4 shift	5	38	−33.0	−43.0 to −23.0	<0.001	<0.001
Honest analyst	Final P4 retention	15	15	0	−9.0 to +9.0	1	1

The investigator showed greater movement toward the false target under adversarial exposure. A shift from initial P1 to P4 occurred in 68.0% of adversarial-debate cases compared with 52.0% of all-honest cases, corresponding to an increase of 16.0 percentage points (95% CI: +5.0 to +26.0 pp; Holm-adjusted $p = 0.035$). Reinforcement of P4 after a documented shift also increased by 16.0 pp, from 33.0% to 49.0% (95% CI: +4.0 to +28.0 pp). Although this comparison was significant before multiplicity correction ($p = 0.014$), it did not remain below the adjusted significance threshold after Holm correction (adjusted $p = 0.055$).

The greater frequency of investigator shifts did not translate into equally strong evidence of increased final persistence. Recovery to P1 following a P1→P4 transition occurred in 51.0% of adversarial cases and 41.0% of all-honest cases, corresponding to a difference of +10.0 pp (95% CI: −2.0 to +22.0 pp; adjusted $p = 0.323$). Final P4 retention occurred in 19.0% and 10.0% of cases, respectively, yielding a difference of +9.0 pp (95% CI: −1.0 to +19.0 pp; adjusted $p = 0.323$). The investigator therefore exhibited significantly more movement toward P4 under adversarial exposure, whereas the differences in subsequent recovery and final P4 retention remained statistically uncertain.

The honest analyst displayed a markedly different pattern. A shift from initial P1 to P4 occurred in 18.0% of adversarial-debate cases compared with 50.0% of all-honest cases, yielding a difference of −32.0 pp (95% CI: −44.0 to −20.0 pp; Holm-adjusted $p < 0.001$). Reinforcement after shift was likewise less frequent under adversarial exposure, occurring in 8.0% versus 39.0% of cases (difference −31.0 pp; 95% CI: −41.0 to −21.0 pp; adjusted $p < 0.001$). Recovery following a P1→P4 transition occurred in 5.0% and 38.0% of cases, respectively (difference −33.0 pp; 95% CI: −43.0 to −23.0 pp; adjusted $p < 0.001$). Despite these substantial differences in intermediate position dynamics, final P4 retention was identical in the two conditions at 15.0%.

Figure 6 presents the paired percentage-point differences for the eight role-specific outcomes together with their 95% confidence intervals. Positive values indicate that the corresponding outcome occurred more frequently under adversarial_debate, whereas negative values indicate a higher frequency under all_honest_debate. The investigator estimates are predominantly positive, including the significant increase in shifts toward P4,

whereas the honest-analyst estimates for shift, reinforcement, and recovery are strongly negative. The final P4 estimates are comparatively smaller, with the investigator confidence interval crossing zero and no condition difference for the honest analyst.




Figure 6. Role-specific differences in position-dynamics outcomes between adversarial_debate and all_honest_debate.

Overall, the debate condition was associated with distinctly different causal-position trajectories across the two non-adversarial analytical roles. The investigator became more likely to move from P1 toward P4 under adversarial exposure, while the honest analyst exhibited fewer intermediate P4 shifts and reinforcement events than under the all-honest condition. These contrasts were substantially larger for intermediate position changes than for final P4 retention. The results therefore indicate that the effects of adversarial exposure are strongly role-dependent and would be only partially captured by analyses restricted to the agents' final causal selections.

3.4. Auditor Outcomes and Final Verdict Contamination

The auditor was evaluated as the final decision-making component of the debate rather than as an assumed safeguard against upstream adversarial influence. The analysis examined whether the final verdict preserved the evidence-supported primary cause, adopted the predefined false target as the primary attribution, incorporated false causal content, and maintained semantically valid provenance. Binary outcomes were compared across the 100 matched adversarial_debate and all_honest_debate cases using exact McNemar tests. Differences are reported as adversarial_debate minus all_honest_debate, with 95% confidence intervals obtained by case-level bootstrap resampling with 10,000 replicates. Holm adjustment was applied within the corresponding prespecified analytical family for each outcome. Because these outcomes belonged to different prespecified families, identical raw p-values could yield different Holm-adjusted values depending on the number of hypotheses and the p-value rank within the corresponding family. The results are reported in Table 10.

Table 10. Auditor outcomes in the main experiment.

Auditor Outcome	Adversarial Debate (%)	All-Honest Debate (%)	Difference (pp)	95% CI for Difference (pp)	Raw p	Holm-Adjusted p
Final primary-cause correctness	79	90	−11.0	−21.0 to −1.0	0.043	0.130
Final P4 primary attribution	20	9	11.0	+1.0 to +21.0	0.043	0.043
Final verdict contamination	38	18	20.0	+9.0 to +31.0	<0.001	0.002
Final semantic provenance validity	62	82	−20.0	−31.0 to −9.0	<0.001	0.002

Final primary-cause correctness was lower under adversarial exposure, decreasing from 90.0% in all_honest_debate to 79.0% in adversarial_debate. The paired difference was −11.0 percentage points (95% CI: −21.0 to −1.0 pp). Although the unadjusted comparison reached $p = 0.043$, it did not remain statistically significant after correction within the causal-correctness family (Holm-adjusted $p = 0.130$). The observed reduction in final causal correctness was therefore directionally consistent with poorer auditor performance under adversarial exposure, but the difference was not statistically robust after multiplicity adjustment.

Direct adoption of the predefined false target showed a clearer difference between conditions. The auditor selected P4 as the final primary cause in 20.0% of adversarial-debate cases compared with 9.0% of all-honest cases, corresponding to an increase of 11.0 pp (95% CI: +1.0 to +21.0 pp). This difference remained significant after Holm correction (adjusted $p = 0.043$). The result indicates that the adversarial condition was associated with a higher frequency of auditor adoption of the predefined false attribution as the final primary cause.

The largest increase was observed for final verdict contamination. Contaminated auditor verdicts occurred in 38.0% of adversarial-debate cases and 18.0% of all-honest cases, yielding a difference of +20.0 pp (95% CI: +9.0 to +31.0 pp; Holm-adjusted $p = 0.002$). This result indicates that the difference associated with adversarial exposure was not limited to intermediate analytical positions or role-specific reports but was also reflected in the final system-level output produced by the auditor.

A difference of the same magnitude, but in the opposite direction, was observed for semantic provenance validity. Valid semantic provenance was retained in 62.0% of adversarial-debate verdicts compared with 82.0% of all-honest verdicts, corresponding to a difference of −20.0 pp (95% CI: −31.0 to −9.0 pp; Holm-adjusted $p = 0.002$). In the main experiment, semantic provenance validity and verdict contamination were empirically exact complements: every contaminated auditor verdict failed the semantic provenance criterion, whereas every uncontaminated verdict satisfied it. The two outcomes nevertheless remain conceptually distinct because contamination is determined by the causal propositions selected in the verdict, while semantic provenance is evaluated separately from the evidentiary support and contradiction relationships associated with those selections. To examine this dependence on verdict composition, semantic provenance validity was additionally stratified by the auditor's final primary proposition. The conditional results are reported in Table 11.

Table 11. Auditor semantic provenance validity conditional on the final primary proposition.

Final Primary Proposition	Adversarial Debate, n/N (%)	All-Honest Debate, n/N (%)
P1	62/79 (78.5)	82/90 (91.1)
P4	0/20 (0.0)	0/9 (0.0)
P6	0/1 (0.0)	0/1 (0.0)

Among verdicts retaining P1 as the primary cause, semantic provenance was valid in 62 of 79 adversarial-debate verdicts (78.5%) and 82 of 90 all-honest verdicts (91.1%). Every provenance failure within this P1-primary stratum coincided with the inclusion of a false contributing proposition (17/79 and 8/90, respectively). By contrast, none of the P4-primary verdicts satisfied semantic provenance in either condition. Thus, the aggregate reduction in semantic provenance was coupled to changes in the causal content of the verdict rather than representing an independent measure of citation quality.

The raw verdicts also provide concrete examples of semantic citation misuse. In CASE-001, the auditor retained P1 but added the email tool as a false contributing factor while citing E7 and E8, which document that the tool executed the supplied call without alteration and that no post-selection modification occurred. In CASE-006, the auditor selected the model-serving tool as the primary cause while citing E7 and E8, which document that the tool activated the checkpoint encoded in the selected configuration and did not independently substitute it.

Two additional auditor outcomes were examined descriptively because no positive events occurred. Manipulation detection was observed in 0 of 100 runs in both conditions, and detection of the predefined false target was likewise observed in 0 of 100 runs in both conditions. For each zero-event proportion, the exact 95% binomial confidence interval was 0.0–3.6%. No inferential comparison was performed for these outcomes because the matched observations contained no discordant pairs. All main-experiment auditor verdicts contained the expected manipulation-detection fields and were parsed successfully. A synthetic positive-control verdict specifying *manipulation_detected* = *true* and identifying P4 as the suspected manipulated proposition was accepted by the same validation and scoring pipeline and yielded positive manipulation-detection and false-target-detection outcomes. Thus, the zero-event rates reflect the auditors' recorded outputs rather than a failure of the structured verdict or scoring procedure.

Overall, the final auditor did not fully isolate the system from differences associated with adversarial exposure. Final P4 attribution and verdict contamination were significantly more frequent under adversarial_debate, while semantic provenance validity was significantly lower. Final primary-cause correctness also declined by 11.0 pp, although this comparison did not remain significant after multiplicity correction. At the same time, neither the manipulation nor the predefined false target was explicitly detected under the operational detection criteria. These findings indicate that auditor performance cannot be characterized solely by final causal correctness and must also be assessed in terms of false-target adoption, verdict contamination, and preservation of semantic provenance.

3.5. Claim-Source Lineage Visibility Ablation

The claim-source lineage visibility ablation examined whether explicit access to the historical lineage of claims influenced false-target propagation, report contamination, semantic provenance validity, or auditor behavior. Each lineage-masked run was paired with the corresponding standard-provenance run for the same benchmark case, separately within adversarial_debate and all_honest_debate. The manipulation withheld the explicit historical claim-to-claim lineage from model-visible prompts and source inspection while preserving evidence identifiers, claim text, proposition identifiers, the available action structure, and runtime traceability. The ablation therefore altered the visibility of prior claim lineage rather than removing the underlying evidentiary representation.

Binary outcomes were compared using exact McNemar tests, whereas the mean non-adversarial false official causal rate was evaluated using a two-sided Wilcoxon signed-rank test. Differences are reported as lineage-masked minus standard provenance, with 95% confidence intervals obtained from 10,000 case-level bootstrap replicates. Holm adjustment

was applied within the prespecified analytical domains across the two condition-specific comparisons. All Holm-adjusted p-values were 1.000; because the adjusted value was identical for all 20 comparisons, it is reported once here rather than repeated as a separate column in Table 12. The raw p-values are retained to show the unadjusted comparison results.

Table 12. Effects of claim-source lineage masking relative to standard provenance.

Outcome	Debate Condition	Lineage-Masked (%)	Standard Provenance (%)	Difference (pp)	95% CI for Difference (pp)	Raw p
Any honest analytical agent with final P4 adoption	Adversarial	20.0	19.0	+1.0	−9.0 to +11.0	1.000
Mean non-adversarial false official causal rate	Adversarial	15.3	19.2	−3.9	−11.1 to +3.2	0.319
Investigator final report contamination	Adversarial	20.0	26.0	−6.0	−16.0 to +5.0	0.362
Honest-analyst final report contamination	Adversarial	21.0	23.0	−2.0	−13.0 to +9.0	0.856
Investigator final semantic provenance validity	Adversarial	80.0	74.0	+6.0	−5.0 to +16.0	0.362
Honest-analyst final semantic provenance validity	Adversarial	79.0	77.0	+2.0	−9.0 to +13.0	0.856
Auditor final semantic provenance validity	Adversarial	71.0	62.0	+9.0	−3.0 to +21.0	0.200
Auditor final primary-cause correctness	Adversarial	82.0	79.0	+3.0	−7.0 to +13.0	0.690
Auditor final P4 primary attribution	Adversarial	17.0	20.0	−3.0	−12.0 to +6.0	0.678
Auditor final verdict contamination	Adversarial	29.0	38.0	−9.0	−21.0 to +3.0	0.200
Any honest analytical agent with final P4 adoption	All-honest	14.0	15.0	−1.0	−11.0 to +9.0	1.000
Mean non-adversarial false official causal rate	All-honest	10.6	12.1	−1.5	−7.9 to +5.0	0.584
Investigator final report contamination	All-honest	13.0	18.0	−5.0	−15.0 to +5.0	0.442
Honest-analyst final report contamination	All-honest	19.0	24.0	−5.0	−17.0 to +7.0	0.522
Investigator final semantic provenance validity	All-honest	87.0	82.0	+5.0	−5.0 to +15.0	0.442
Honest-analyst final semantic provenance validity	All-honest	81.0	76.0	+5.0	−7.0 to +17.0	0.522
Auditor final semantic provenance validity	All-honest	77.0	82.0	−5.0	−16.0 to +6.0	0.473
Auditor final primary-cause correctness	All-honest	89.0	90.0	−1.0	−10.0 to +8.0	1.000
Auditor final P4 primary attribution	All-honest	8.0	9.0	−1.0	−9.0 to +7.0	1.000
Auditor final verdict contamination	All-honest	23.0	18.0	+5.0	−6.0 to +16.0	0.473

Under adversarial_debate, masking explicit claim lineage produced several numerical changes, but none was statistically robust after multiplicity correction. Final P4 adoption by at least one honest analytical agent was nearly unchanged, occurring in 20.0% of lineage-masked runs and 19.0% of standard-provenance runs (difference +1.0 pp; 95% CI: −9.0 to +11.0 pp). The mean non-adversarial false official causal rate decreased from 19.2% to 15.3% (difference −3.9 pp; 95% CI: −11.1 to +3.2 pp). Investigator final report contamination decreased from 26.0% to 20.0% (difference −6.0 pp; 95% CI: −16.0 to +5.0 pp), whereas honest-analyst report contamination changed from 23.0% to 21.0% (difference −2.0 pp; 95% CI: −13.0 to +9.0 pp).

Semantic provenance outcomes under adversarial_debate shifted numerically upward for all three evaluated roles. Investigator semantic provenance validity increased from 74.0% under standard provenance to 80.0% under lineage masking, honest-analyst validity increased from 77.0% to 79.0%, and auditor validity increased from 62.0% to 71.0%. The largest of these changes was observed for the auditor, with a difference of +9.0 pp (95% CI: −3.0 to +21.0 pp). Auditor primary-cause correctness increased from 79.0% to 82.0%, while final P4 attribution decreased from 20.0% to 17.0%. Auditor final verdict contamination also decreased, from 38.0% under standard provenance to 29.0% under lineage masking, corresponding to a difference of −9.0 pp (95% CI: −21.0 to +3.0 pp). None of these confidence intervals excluded zero.

The all_honest_debate condition showed similarly modest and heterogeneous changes. Final P4 adoption by at least one honest analytical agent decreased from 15.0% to 14.0%, while the mean non-adversarial false official causal rate decreased from 12.1% to 10.6%. Investigator and honest-analyst final report contamination each decreased by 5.0 pp. Semantic provenance validity increased by 5.0 pp for both analytical roles, reaching 87.0% for the investigator and 81.0% for the honest analyst under lineage masking. In contrast, auditor semantic provenance validity decreased from 82.0% to 77.0%. Auditor primary-cause correctness and final P4 attribution each changed by only −1.0 pp, whereas auditor final

verdict contamination increased from 18.0% to 23.0%. All corresponding 95% confidence intervals included zero. As in the main experiment, auditor semantic provenance validity and final verdict contamination were exact complements across both debate conditions and both lineage visibility configurations, despite being scored from distinct criteria.

Figure 7 presents the paired percentage-point differences and their 95% confidence intervals for both debate conditions. Positive values indicate higher outcome rates under lineage masking, whereas negative values indicate lower rates relative to standard provenance. The pattern was not uniform across outcomes or conditions. Under adversarial_debate, several contamination-related measures shifted downward while semantic provenance validity shifted upward, including a +9.0 pp change in auditor semantic provenance validity and a −9.0 pp change in auditor final verdict contamination. Under all_honest_debate, several auditor outcomes moved in the opposite numerical direction, including lower auditor semantic provenance validity and higher final verdict contamination under lineage masking.




Figure 7. Effects of claim-source lineage masking relative to standard provenance across debate conditions.

Overall, the claim-source lineage visibility ablation produced no statistically robust differences across the 20 prespecified comparisons. The observed numerical changes were heterogeneous in direction and magnitude and did not show a consistent deterioration when explicit historical claim lineage was withheld. In adversarial_debate, several provenance and contamination measures shifted numerically in a favorable direction under lineage masking, whereas some auditor outcomes showed the opposite pattern in all_honest_debate. These results provide no statistically robust evidence that explicit historical claim-source lineage visibility alone materially altered false-target propagation, report contamination, semantic provenance validity, or auditor behavior under the tested protocol.

3.6. Debate-Round Ablation

The debate-round ablation examined whether reducing analytical agent challenge–response exposure from two rounds to one altered false-target propagation or the auditor's incorporation of the predefined false attribution. Each one-round run was paired with the corresponding standard two-round run for the same benchmark case, separately within adversarial_debate and all_honest_debate. The comparison therefore isolated debate exposure while preserving the benchmark case, model assignments, decoding parameters, scoring procedure, and debate condition. Binary outcomes were evaluated using exact McNemar tests, whereas the mean non-adversarial false official causal rate was compared using a two-sided Wilcoxon signed-rank test. Differences are reported as one round minus two rounds, with 95% confidence intervals obtained from 10,000 case-level bootstrap replicates. Holm adjustment was applied within the prespecified analytical domains across the two condition-specific comparisons. None of the 16 comparisons remained statistically significant after adjustment, and all Holm-adjusted p-values were 1.000; the adjusted values are therefore reported once here rather than repeated as an additional column in Table 13.

Table 13. Effects of reducing debate exposure from two rounds to one.

Outcome	Debate Condition	One Round (%)	Two Rounds (%)	Difference (pp)	95% CI for Difference (pp)	Raw p
Any honest analytical agent with final P4 adoption	Adversarial	19.0	19.0	0.0	−10.0 to +10.0	1.000
Mean non-adversarial false official causal rate	Adversarial	18.1	19.2	−1.1	−8.3 to +6.2	0.709
Investigator final report contamination	Adversarial	24.0	26.0	−2.0	−13.0 to +9.0	0.856
Honest-analyst final report contamination	Adversarial	24.0	23.0	1.0	−10.0 to +12.0	1.000
Non-adversarial final P4 consensus	Adversarial	12.0	10.0	2.0	−6.0 to +10.0	0.804
Auditor final primary-cause correctness	Adversarial	75.0	79.0	−4.0	−15.0 to +7.0	0.597
Auditor final P4 primary attribution	Adversarial	23.0	20.0	3.0	−8.0 to +14.0	0.711
Auditor final verdict contamination	Adversarial	41.0	38.0	3.0	−10.0 to +16.0	0.761
Any honest analytical agent with final P4 adoption	All-honest	11.0	15.0	−4.0	−12.0 to +4.0	0.481
Mean non-adversarial false official causal rate	All-honest	10.8	12.1	−1.3	−7.8 to +5.1	0.644
Investigator final report contamination	All-honest	16.0	18.0	−2.0	−13.0 to +9.0	0.856
Honest-analyst final report contamination	All-honest	19.0	24.0	−5.0	−16.0 to +6.0	0.473
Non-adversarial final P4 consensus	All-honest	7.0	8.0	−1.0	−8.0 to +6.0	1.000
Auditor final primary-cause correctness	All-honest	89.0	90.0	−1.0	−9.0 to +8.0	1.000
Auditor final P4 primary attribution	All-honest	8.0	9.0	−1.0	−9.0 to +7.0	1.000
Auditor final verdict contamination	All-honest	19.0	18.0	1.0	−10.0 to +12.0	1.000

Under adversarial_debate, reducing the interaction from two rounds to one produced only small changes in non-adversarial propagation outcomes. Final P4 adoption by at least one honest analytical agent was unchanged at 19.0% in both protocols. The mean non-adversarial false official causal rate decreased from 19.2% under the standard two-round protocol to 18.1% under the one-round protocol (difference −1.1 pp; 95% CI: −8.3 to +6.2 pp). Investigator final report contamination decreased from 26.0% to 24.0%, whereas honest-analyst contamination increased slightly from 23.0% to 24.0%. Non-adversarial final P4 consensus increased from 10.0% to 12.0%. None of these differences was statistically significant.

Auditor outcomes under adversarial_debate also showed limited numerical changes. Final primary-cause correctness decreased from 79.0% with two rounds to 75.0% with one round (difference −4.0 pp; 95% CI: −15.0 to +7.0 pp). Final P4 attribution increased from 20.0% to 23.0%, while final verdict contamination increased from 38.0% to 41.0%; both changes corresponded to +3.0 pp and both confidence intervals included zero. The reduction in challenge–response exposure therefore did not produce a statistically robust change in either auditor adoption of P4 or contamination of the final verdict.

The all_honest_debate condition showed a similarly limited response to the reduction in debate rounds. Final P4 adoption by at least one honest analytical agent decreased from

15.0% to 11.0% (difference −4.0 pp; 95% CI: −12.0 to +4.0 pp), and the mean non-adversarial false official causal rate decreased from 12.1% to 10.8%. Investigator report contamination decreased by 2.0 pp and honest-analyst report contamination by 5.0 pp. Non-adversarial final P4 consensus changed from 8.0% to 7.0%. As in the adversarial condition, none of these comparisons was statistically significant.

Auditor behavior under all_honest_debate was nearly unchanged. Final primary-cause correctness was 89.0% with one round and 90.0% with two rounds, final P4 attribution was 8.0% and 9.0%, respectively, and final verdict contamination was 19.0% and 18.0%. Each difference was therefore only 1.0 pp in absolute magnitude, with confidence intervals spanning zero.

The adversarial manipulation itself remained stable when debate exposure was shortened. Mean adversarial target fidelity was 98.8% in the one-round protocol compared with 97.6% in the standard two-round protocol, and complete target fidelity was observed in 94 of 100 one-round adversarial runs compared with 90 of 100 standard runs. These descriptive results indicate that the absence of a larger downstream effect cannot be attributed to failure of the adversarial analyst to maintain the assigned P4 objective under the shorter protocol.

Overall, reducing analytical agent challenge–response exposure from two rounds to one produced no statistically robust changes in the examined propagation, contamination, consensus, or auditor outcomes. The largest absolute paired difference was 5.0 pp, observed for honest-analyst final report contamination under all_honest_debate, while the RQ4-defining adversarial outcomes changed by 0.0 pp for honest agent final P4 adoption and by +3.0 pp for both auditor P4 attribution and auditor final verdict contamination. The results therefore provide no statistically robust evidence that the second challenge–response round materially altered false-target propagation or incorporation of the false attribution into the final auditor verdict under the tested protocol.

3.7. Model–Role Rotation

The model–role rotation experiment examined whether the observed outcomes depended on model identity, assigned agent role, and debate condition rather than on the fixed model-to-role mapping used in the main experiment. Four balanced rotations were evaluated on the complete 100-case benchmark under both adversarial_debate and all_honest_debate, yielding 800 runs. Across the four rotations, each model occupied each functional role exactly once, while the benchmark cases, debate protocol, evidence structure, scoring procedure, and experimental conditions remained unchanged.

The principal final-state outcomes for the investigator, honest analyst, and auditor are reported in Table 14. The adversarial analyst is considered separately because its causal position was deliberately constrained by the private adversarial objective. Primary-cause accuracy, final P4 primary attribution, semantic provenance validity, and the mean false official causal rate are reported for each model–role–condition combination.

Table 14. Model–role rotation outcomes by debate condition, assigned role, and model.

Debate Condition	Role	Model	Primary-Cause Accuracy (%)	Final P4 Primary (%)	Semantic Provenance Valid (%)	Mean False Official Causal Rate (%)
Adversarial	Investigator	Gemma 3 12B	77	22	46	21.7
Adversarial	Investigator	Llama 3.1 8B	80	20	78	16.0
Adversarial	Investigator	Phi-4 14B	92	8	70	9.8
Adversarial	Investigator	Qwen3 14B	100	0	87	4.7

Table 14. *Cont.*

Debate Condition	Role	Model	Primary-Cause Accuracy (%)	Final P4 Primary (%)	Semantic Provenance Valid (%)	Mean False Official Causal Rate (%)
Adversarial	Honest analyst	Gemma 3 12B	91	9	68	10.2
Adversarial	Honest analyst	Llama 3.1 8B	80	19	54	18.4
Adversarial	Honest analyst	Phi-4 14B	95	5	81	9.2
Adversarial	Honest analyst	Qwen3 14B	97	3	96	2.2
Adversarial	Auditor	Gemma 3 12B	66	34	54	20.2
Adversarial	Auditor	Llama 3.1 8B	70	30	59	28.7
Adversarial	Auditor	Phi-4 14B	79	20	48	22.1
Adversarial	Auditor	Qwen3 14B	94	6	62	12.5
All-honest	Investigator	Gemma 3 12B	85	13	56	15.4
All-honest	Investigator	Llama 3.1 8B	85	13	82	11.2
All-honest	Investigator	Phi-4 14B	82	18	59	15.7
All-honest	Investigator	Qwen3 14B	99	0	78	7.2
All-honest	Honest analyst	Gemma 3 12B	83	17	58	15.1
All-honest	Honest analyst	Llama 3.1 8B	84	12	57	15.5
All-honest	Honest analyst	Phi-4 14B	93	6	68	11.2
All-honest	Honest analyst	Qwen3 14B	90	8	83	8.8
All-honest	Auditor	Gemma 3 12B	79	18	60	15.0
All-honest	Auditor	Llama 3.1 8B	93	4	70	11.6
All-honest	Auditor	Phi-4 14B	87	12	60	15.5
All-honest	Auditor	Qwen3 14B	86	14	59	15.7

Under adversarial_debate, investigator primary-cause accuracy ranged from 77.0% for Gemma 3 12B to 100.0% for Qwen3 14B, while final P4 primary attribution ranged from 22.0% to 0.0% across the same models. In the honest-analyst role, primary-cause accuracy ranged from 80.0% for Llama 3.1 8B to 97.0% for Qwen3 14B, with corresponding P4 attribution rates of 19.0% and 3.0%. The widest differences occurred in the auditor role, where primary-cause accuracy was 66.0% for Gemma 3 12B, 70.0% for Llama 3.1 8B, 79.0% for Phi-4 14B, and 94.0% for Qwen3 14B. Final P4 attribution followed the opposite ordering, at 34.0%, 30.0%, 20.0%, and 6.0%, respectively.

The all_honest_debate condition did not preserve the same ordering across models and roles. Investigator primary-cause accuracy ranged from 82.0% for Phi-4 14B to 99.0% for Qwen3 14B, while honest-analyst accuracy ranged from 83.0% for Gemma 3 12B to 93.0% for Phi-4 14B. Auditor accuracy ranged from 79.0% for Gemma 3 12B to 93.0% for Llama 3.1 8B. Thus, the relative performance of a model was not stable across roles or debate conditions.

Semantic provenance validity exhibited a similarly heterogeneous pattern. Under adversarial_debate, investigator validity ranged from 46.0% for Gemma 3 12B to 87.0% for Qwen3 14B, whereas honest-analyst validity ranged from 54.0% for Llama 3.1 8B to 96.0% for Qwen3 14B. Auditor validity was lower and more compressed, ranging from 48.0% for Phi-4 14B to 62.0% for Qwen3 14B. The mean false official causal rate also varied markedly across assignments, from 4.7% for Qwen3 14B to 21.7% for Gemma 3 12B in the investigator role and from 12.5% for Qwen3 14B to 28.7% for Llama 3.1 8B in the auditor role.

The direction and magnitude of the debate condition effect for primary-cause accuracy and final P4 attribution are summarized in Figure 8 as adversarial-minus-all-honest percentage-point differences. Positive values indicate higher rates under adversarial_debate, whereas negative values indicate lower rates relative to all_honest_debate.




Figure 8. Adversarial-minus-all-honest differences in primary-cause accuracy and final P4 primary attribution across model–role combinations.

For investigators, the change in primary-cause accuracy ranged from −8.0 percentage points for Gemma 3 12B to +10.0 percentage points for Phi-4 14B. Llama 3.1 8B decreased by 5.0 percentage points, whereas Qwen3 14B changed by only +1.0 percentage point. Among honest analysts, changes ranged from −4.0 percentage points for Llama 3.1 8B to +8.0 percentage points for Gemma 3 12B.

The auditor role showed substantially greater condition sensitivity. Primary-cause accuracy decreased by 13.0 percentage points for Gemma 3 12B, 23.0 percentage points for Llama 3.1 8B, and 8.0 percentage points for Phi-4 14B, whereas Qwen3 14B increased by 8.0 percentage points. Final P4 attribution increased by 16.0 percentage points for Gemma 3 12B, 26.0 percentage points for Llama 3.1 8B, and 8.0 percentage points for Phi-4 14B, while decreasing by 8.0 percentage points for Qwen3 14B. The direction of the adversarial effect therefore differed across models even when they occupied the same role.

The dependence-aware inferential analysis used generalized estimating equations with repeated observations clustered by benchmark case. Some binary model–role cells reached observed rates of 0% or 100%, producing complete separation in the corresponding factorial logistic models. Affected tests were retained as non-estimable rather than being assigned unstable numerical estimates. Fourteen of the 46 planned omnibus tests were consequently non-estimable. Of the 210 prespecified pairwise model contrasts, 201 were estimable and 71 remained significant after Holm correction. Of the 68 model-specific debate condition contrasts, 66 were estimable and 16 remained significant after Holm correction.

Several of the largest auditor differences remained statistically significant after multiplicity adjustment. Llama 3.1 8B decreased in primary-cause accuracy from 93.0% under

all_honest_debate to 70.0% under adversarial_debate (OR = 0.176, 95% CI: 0.073–0.424; adjusted $p < 0.001$). Final P4 attribution increased from 18.0% to 34.0% for Gemma 3 12B (OR = 2.347, 95% CI: 1.283–4.293; adjusted $p = 0.017$) and from 4.0% to 30.0% for Llama 3.1 8B (OR = 10.286, 95% CI: 3.436–30.793; adjusted $p < 0.001$). The corresponding condition contrasts for Phi-4 14B and Qwen3 14B did not remain significant after Holm correction.

Semantic provenance validity showed a significant role effect ($p = 0.003$) and model-by-role interaction ($p < 0.001$). Qwen3 14B acting as honest analyst increased from 83.0% under all_honest_debate to 96.0% under adversarial_debate (OR = 4.916, 95% CI: 2.008–12.036; adjusted $p = 0.002$). The absence of a corresponding uniform condition or model effect indicates that provenance behavior was primarily dependent on the particular model–role configuration.

The mean false official causal rate also showed significant dependence on model identity and assigned role. The omnibus analysis identified effects of model ($p < 0.001$) and role ($p < 0.001$), together with model-by-condition ($p = 0.002$) and role-by-condition interactions ($p = 0.002$). Gemma 3 12B acting as investigator increased by 6.3 percentage points under adversarial_debate, Qwen3 14B acting as honest analyst decreased by 6.7 percentage points, and Llama 3.1 8B acting as auditor increased by 17.1 percentage points; these condition-specific differences remained significant after Holm correction.

Position dynamics provided further evidence of model–role dependence. Gold-to-target primary shifts differed by debate condition ($p = 0.018$), model identity ($p = 0.002$), and assigned role ($p < 0.001$), with significant condition-by-model and condition-by-role interactions. In the investigator role, adversarial exposure increased the shift rate from 33.0% to 46.0% for Gemma 3 12B, from 56.0% to 67.0% for Llama 3.1 8B, and from 33.0% to 47.0% for Phi-4 14B; all three contrasts remained significant after Holm correction. In the honest-analyst role, Qwen3 14B decreased from 46.0% under all_honest_debate to 6.0% under adversarial_debate (OR = 0.075, 95% CI: 0.031–0.180; adjusted $p < 0.001$). Llama 3.1 8B decreased from 42.0% to 24.0%, while Gemma 3 12B decreased from 21.0% to 11.0%.

Target-to-gold recovery was also dependent on the model–role configuration. The omnibus analysis identified a significant role effect ($p < 0.001$) and condition-by-model interaction ($p = 0.002$). Phi-4 14B acting as investigator increased its recovery rate from 16.0% under all_honest_debate to 39.0% under adversarial_debate (OR = 3.357, 95% CI: 1.847–6.100; adjusted $p < 0.001$). Among honest analysts, recovery decreased from 32.0% to 6.0% for Llama 3.1 8B (OR = 0.136, 95% CI: 0.058–0.318; adjusted $p < 0.001$) and from 38.0% to 3.0% for Qwen3 14B (OR = 0.050, 95% CI: 0.016–0.164; adjusted $p < 0.001$).

Auditor final verdict contamination showed a weaker inferential pattern. Under adversarial_debate, contamination occurred in 46.0% of Gemma 3 12B runs, 41.0% of Llama 3.1 8B runs, 52.0% of Phi-4 14B runs, and 38.0% of Qwen3 14B runs, compared with 40.0%, 30.0%, 40.0%, and 41.0%, respectively, under all_honest_debate. The omnibus effects of condition, model identity, and their interaction were not statistically significant. Model assignment therefore differentiated the auditor more clearly in primary causal attribution than in the broader final verdict contamination outcome.

Adversarial-objective fidelity remained high across all four models assigned to the adversarial-analyst role. Mean fidelity was 100.0% for Phi-4 14B, 99.9% for Gemma 3 12B, 98.0% for Qwen3 14B, and 96.4% for Llama 3.1 8B. Full fidelity across all scored opportunities occurred in 100, 99, 89, and 81 of the 100 cases, respectively. The model effect was significant ($p < 0.001$), indicating measurable model-specific variation despite the consistently high overall execution of the adversarial objective.

Overall, the balanced rotation showed that the outcomes observed in ClaimArena-LLM were not specific to a single fixed model-to-role assignment. Model identity influenced

causal accuracy, false-target attribution, semantic provenance validity, false-causal output, position changes, recovery behavior, and adversarial fidelity, while several of these effects changed substantially with assigned role and debate condition. The strongest condition sensitivity occurred in the auditor role, where Llama 3.1 8B showed substantially lower accuracy and higher P4 attribution under adversarial debate, whereas Qwen3 14B showed the opposite descriptive direction. RQ5 therefore indicates that robustness in multi-agent causal auditing depends jointly on model identity, assigned role, and interaction context rather than on any one of these factors in isolation.

3.8. Robustness Across Benchmark Case Characteristics

Robustness across benchmark characteristics was examined to determine whether the adversarial-versus-all-honest differences observed in the main experiment were concentrated in particular classes of cases or changed systematically with predefined case properties. The analysis was restricted to the 200 runs of the main experiment so that all comparisons were evaluated under the same debate protocol and fixed model–role configuration. Three non-duplicate benchmark characteristics were considered: causal family, difficulty, and the combined target plausibility/evidence presentation profile.

False-target plausibility and evidence presentation were analyzed jointly because these characteristics were perfectly coupled in the frozen benchmark: low-plausibility cases used explicit evidence presentation, medium-plausibility cases used distributed evidence presentation, and high-plausibility cases used delayed evidence presentation. Difficulty was also associated with this combined profile and was therefore interpreted as a robustness factor rather than as an independent causal determinant. Because P4 target type was not distributed uniformly across causal families, the causal-family models additionally included P4 target type and its interaction with debate condition.

Six outcomes were evaluated: final P4 adoption by at least one honest analytical agent, the mean non-adversarial false official causal rate, auditor primary-cause correctness, auditor final P4 primary attribution, auditor final verdict contamination, and auditor semantic provenance validity. For each outcome, robustness was assessed through the interaction between debate condition and the corresponding benchmark characteristic. The magnitude of descriptive heterogeneity was quantified as the range between the largest and smallest adversarial-minus-all-honest effects across the levels of that characteristic. Holm adjustment was applied across the three non-duplicate benchmark-characteristic interaction tests separately within each outcome. All 18 planned interaction tests were estimable, and none remained statistically significant after adjustment. Table 15 jointly reports the descriptive heterogeneity range and the corresponding Holm-adjusted interaction p-value.

Table 15. Effect heterogeneity and Holm-adjusted interaction results across benchmark case characteristics.

Outcome	Causal Family	Difficulty	Target Plausibility/Evidence Presentation Profile
Any honest analytical agent with final P4 adoption	20.0 pp; adjusted $p = 1.000$	1.7 pp; adjusted $p = 1.000$	2.5 pp; adjusted $p = 1.000$
Mean non-adversarial false official causal rate	13.8 pp; adjusted $p = 1.000$	4.2 pp; adjusted $p = 1.000$	4.0 pp; adjusted $p = 1.000$
Auditor final primary-cause correctness	30.0 pp; adjusted $p = 0.709$	20.8 pp; adjusted $p = 0.212$	27.5 pp; adjusted $p = 0.193$
Auditor final P4 primary attribution	35.0 pp; adjusted $p = 0.619$	16.7 pp; adjusted $p = 0.619$	25.0 pp; adjusted $p = 0.526$
Auditor final verdict contamination	30.0 pp; adjusted $p = 0.740$	23.3 pp; adjusted $p = 0.740$	32.5 pp; adjusted $p = 0.633$
Auditor final semantic provenance validity	30.0 pp; adjusted $p = 0.740$	23.3 pp; adjusted $p = 0.740$	32.5 pp; adjusted $p = 0.633$

Final P4 adoption by at least one honest analytical agent was particularly stable across difficulty and the combined target/evidence profile. The adversarial-minus-all-honest

difference ranged from +3.3 to +5.0 percentage points across difficulty levels, corresponding to a heterogeneity range of only 1.7 pp. Across the combined target/evidence profiles, the difference ranged from +2.5 to +5.0 pp, producing a 2.5 pp range. Greater descriptive variation occurred across causal families, where F1–F4 showed no condition difference and F5 showed a +20.0 pp difference. This between-family variation did not, however, provide evidence of a statistically robust condition-by-family interaction.

The mean non-adversarial false official causal rate showed a similarly consistent pattern across difficulty and target/evidence profiles. Relative to all_honest_debate, the rate was higher under adversarial_debate by 7.4 pp for low-difficulty cases, 4.5 pp for medium-difficulty cases, and 8.8 pp for high-difficulty cases, yielding a heterogeneity range of 4.2 pp. Across the combined target/evidence profiles, the corresponding increases were 8.3 pp for low-plausibility/explicit cases, 4.8 pp for medium-plausibility/distributed cases, and 8.8 pp for high-plausibility/delayed cases. The direction of the effect was therefore preserved across these strata despite modest variation in magnitude.

Auditor outcomes exhibited substantially greater descriptive heterogeneity. Primary-cause correctness differed by −16.7 pp in low-difficulty cases, +3.3 pp in medium-difficulty cases, and −17.5 pp in high-difficulty cases, producing a 20.8 pp heterogeneity range. Across the combined target/evidence profiles, the corresponding differences were −25.0 pp for low-plausibility/explicit cases, +2.5 pp for medium-plausibility/distributed cases, and −17.5 pp for high-plausibility/delayed cases. The resulting 27.5 pp range was considerably larger than that observed for the propagation measures, but the interaction remained non-significant after Holm adjustment. The adjusted p-value of 0.193 for this comparison was the smallest observed across the complete robustness analysis.

Final P4 attribution showed a related pattern. Across causal families, the adversarial-minus-all-honest difference ranged from −5.0 pp in F3 to +30.0 pp in F1, giving the largest family-level heterogeneity range observed in the analysis, at 35.0 pp. Across difficulty levels, P4 attribution increased by 16.7 pp in low-difficulty cases, showed no condition difference in medium-difficulty cases, and increased by 15.0 pp in high-difficulty cases. Across target/evidence profiles, the corresponding differences were +25.0 pp for low-plausibility/explicit cases, 0.0 pp for medium-plausibility/distributed cases, and +15.0 pp for high-plausibility/delayed cases. Despite these numerical differences, none of the corresponding interactions met the adjusted significance threshold.

Final verdict contamination and semantic provenance validity also showed substantial between-stratum variation. Verdict contamination increased under adversarial exposure by 30.0 pp in low-difficulty cases, 6.7 pp in medium-difficulty cases, and 22.5 pp in high-difficulty cases, corresponding to a heterogeneity range of 23.3 pp. Across the combined target/evidence profiles, the increases were 40.0, 7.5, and 22.5 pp, respectively, producing a 32.5 pp range. Semantic provenance validity changed in the opposite direction over the same strata, decreasing by 30.0, 6.7, and 22.5 pp across difficulty levels and by 40.0, 7.5, and 22.5 pp across the target/evidence profiles. The resulting heterogeneity ranges were therefore identical in magnitude for these two auditor outcomes, while their directions reflected greater contamination and lower provenance validity under adversarial exposure.

The pattern of descriptive heterogeneity across all six outcomes is summarized in Figure 9. Darker cells indicate a larger range in the adversarial-minus-all-honest effect across the levels of the corresponding benchmark characteristic. Each cell also reports the Holm-adjusted interaction p-value, allowing the magnitude of descriptive variation to be interpreted together with the corresponding inferential result.




Figure 9. Heterogeneity of adversarial-versus-all-honest effects across benchmark case characteristics.

The contrast between propagation-related and auditor outcomes is apparent. Honest agent P4 adoption and the mean non-adversarial false causal rate showed limited heterogeneity across difficulty and the combined target/evidence profile, with ranges between 1.7 and 4.2 pp. By comparison, several auditor outcomes exhibited ranges exceeding 20 pp. The largest values were observed for auditor final P4 attribution across causal families at 35.0 pp and for final verdict contamination and semantic provenance validity across the target/evidence profile at 32.5 pp. These larger descriptive ranges did not correspond to statistically significant interaction effects after multiplicity correction.

The causal-family analysis requires additional caution because P4 target type was unevenly distributed across families. F1 contained 19 downstream-executor targets and one human-actor target, whereas each of F2–F5 contained eight downstream-executor, six human-actor, and six source-system targets. The family-level interaction models therefore adjusted for P4 target type and the condition-by-target-type interaction. After this adjustment, no condition-by-family interaction remained statistically significant for any of the six outcomes.

Subfamily-level results were retained as descriptive checks only because each of the 10 subfamilies contained 10 cases. Local variation was observed in the magnitude and direction of some adversarial-minus-all-honest differences, but these smaller strata were not treated as an additional inferential layer. The primary robustness assessment therefore rests on the three non-duplicate benchmark characteristics evaluated in the interaction models.

Overall, none of the 18 benchmark-characteristic interaction tests remained statistically significant after Holm correction. The principal adversarial-versus-all-honest effects were therefore not statistically attributable to a particular causal family, difficulty level, or

target plausibility/evidence presentation profile. Propagation-related outcomes were comparatively stable across the benchmark strata, whereas auditor outcomes showed greater descriptive between-stratum variability. The robustness analysis therefore indicates that the main experimental findings were not confined to a specific predefined class of benchmark cases, while also identifying auditor behavior as the component most sensitive, descriptively, to variation in case characteristics.

3.9. Proposition-Identifier and Presentation-Order Sensitivity

The proposition-identifier and presentation-order sensitivity control examined whether the adversarial-versus-all-honest differences observed in the main experiment depended on the fixed use of P1 as the valid primary cause, P4 as the adversarial target, or the canonical proposition presentation order. After complete identifier derangement and independent order randomization, the shuffled configuration continued to show adversarial-minus-all-honest differences of +23.3 percentage points for investigator final target attribution, +16.7 pp for honest-analyst final target attribution, +20.0 pp for auditor primary-target attribution, +20.0 pp for auditor final verdict contamination, and −20.0 pp for auditor primary-cause correctness. Relative to the corresponding 30-case subset of the main experiment, the resulting ΔΔ estimates were +23.3, +26.7, +20.0, +10.0, and −16.7 pp. None of these five changes remained statistically significant after Holm correction, with adjusted p-values ranging from 0.381 to 0.732.

The adversarial manipulation also remained strongly expressed after proposition remapping. Mean adversarial target fidelity increased descriptively from 95.7% in the matched main-experiment subset to 99.5% in the shuffled control, corresponding to a paired difference of +3.8 pp (95% bootstrap CI: +0.5 to +8.6 pp; exact Wilcoxon $p = 0.109$). Complete target fidelity was observed in 80.0% of matched main-experiment cases and 96.7% of shuffled-control cases. Taken together, these results provide no statistically robust evidence that the observed condition contrasts were systematically driven by the fixed P1/P4 identifiers or canonical proposition order. At the same time, the numerical changes across several outcomes indicate that the control should not be interpreted as demonstrating complete invariance or statistical equivalence between the original and shuffled representations.

4. Discussion

The present study investigated the reliability of a structured multi-agent LLM system under a controlled adversarial intervention targeting causal attribution. The results show that system reliability cannot be inferred solely from the behavior of individual agents or from final answer accuracy, because the interaction process itself can alter how unsupported causal information is transmitted, interpreted, and incorporated into subsequent decisions. This finding supports a broader view of multi-agent evaluation in which reliability depends not only on whether the final conclusion is correct, but also on whether the reasoning process preserves evidentiary support, resists unsupported influence, and maintains the integrity of intermediate and final causal judgments.

4.1. Adversarial Propagation and Role-Dependent Position Dynamics

The main experiment shows that successful maintenance of an adversarially assigned causal position and successful propagation of that position through the wider multi-agent system are distinct phenomena. The private objective produced a highly stable P4 attribution within the adversarial analyst, confirming that the experimental manipulation remained active throughout the debate. This persistent adversarial pressure, however, did not translate into uniform downstream adoption. Several propagation and contamination

measures increased under adversarial exposure, but the magnitude of these changes varied across outcomes and most aggregate comparisons did not remain statistically significant after multiplicity adjustment. The results therefore distinguish the reliability of the adversarial intervention itself from its ability to alter the reasoning of agents that were not instructed to support the false target. This distinction is consistent with evidence that requiring LLM agents to defend assigned positions can generate persistent argumentative behavior even when the defended reasoning is flawed [26].

The role-specific position trajectories provide a more informative view of how this pressure was expressed during the interaction. The investigator became substantially more likely to move from the evidence-supported P1 attribution toward P4 under adversarial exposure, and the increase in P1-to-P4 shifts remained statistically significant after multiplicity correction. Reinforcement of the false target also increased, although this comparison fell just above the adjusted significance threshold. At the same time, neither recovery nor final P4 retention showed comparably strong evidence of a condition effect. The investigator was therefore more susceptible to entering and temporarily maintaining the false causal trajectory, but this increased susceptibility did not translate proportionally into permanent final adoption.

The honest analyst exhibited a markedly different pattern. Intermediate shifts toward P4, subsequent reinforcement, and recovery events were all substantially less frequent under adversarial debate than under the all-honest condition, whereas final P4 retention was identical across conditions. The frequent occurrence of intermediate P4 shifts in the all-honest condition indicates that temporary consideration of P4 was not specific to adversarial exposure; accordingly, the condition effect is reflected in the matched difference in shift frequency rather than in the mere occurrence of a P4 shift. The divergence between intermediate position changes and identical final P4 retention further indicates that transient susceptibility and persistent final adoption capture distinct aspects of agent behavior. This contrast indicates that the same adversarially manipulated interaction context can produce different behavioral responses depending on the functional role of the receiving agent. The intervention therefore generated neither uniform conformity nor uniform resistance. Instead, the direction and persistence of causal-position changes depended on how each role was instructed to inspect evidence, evaluate competing claims, challenge other participants, revise its own position, and construct its final report. Recent work showing that explicit role differentiation can materially alter the behavior and collaborative performance of LLM agents provides additional support for treating assigned role as an active component of multi-agent reasoning rather than as a neutral organizational label [27].

These differences also clarify why final-state measurements alone are insufficient for evaluating adversarial propagation. Two agents may produce the same final causal attribution after following substantially different interaction trajectories. One may retain the evidence-supported position throughout the debate, another may temporarily adopt P4 before recovering, and a third may repeatedly reinforce the false target before returning to P1 at the reporting stage. Conversely, an agent may display limited intermediate susceptibility yet still select P4 in its final output. Such trajectories represent different forms and degrees of adversarial influence even when they eventually produce identical final labels. The separation of shift, reinforcement, recovery, and final retention therefore captures aspects of system behavior that would be lost if propagation were assessed only through the final answer.

The aggregate results further support this interpretation. These findings do not support a claim of uniform downstream contamination, but neither do they indicate that the adversarial intervention remained isolated within the adversarial analyst. Instead, they

point to selective propagation whose expression depends on the outcome being measured and the role through which the false attribution is processed.

The contrast between strong adversarial target fidelity and heterogeneous downstream effects is therefore central to the interpretation of the experiment. High target fidelity indicates that the adversarial manipulation was reliably delivered, but does not establish that downstream agents were persuaded by the false attribution. A false attribution can remain continuously present in the interaction without producing monotonic convergence toward that attribution across all participants. Repeated availability of the same unsupported causal target creates an opportunity for influence, but the resulting trajectory depends on the receiving agent and on the stage at which its behavior is examined. This finding is particularly relevant for multi-agent systems in which repeated debate is expected to correct individual errors through cross-examination. Under adversarial conditions, additional interaction does not necessarily produce a common corrective response; it can instead generate role-specific combinations of susceptibility, reinforcement, resistance, and recovery.

Taken together, the findings indicate that the predefined false attribution could be maintained reliably by the adversarial analyst and could alter non-adversarial causal reasoning, but that its propagation was selective and strongly role dependent. Multi-agent contamination is therefore better understood as an interaction between persistent adversarial pressure and the functional organization of the debate than as a simple diffusion process in which repeated exposure uniformly increases agreement with an incorrect proposition. Evaluating the trajectory of causal positions, rather than only their final state, provides a more complete account of how adversarial influence enters, persists within, or is rejected by a structured multi-agent reasoning process.

4.2. Auditor Vulnerability and Semantic Provenance

The auditor results identify the final evaluative stage as a distinct vulnerability within the multi-agent architecture. Although the auditor never received the private adversarial objective and was instructed to inspect the available evidence, evaluate competing causal claims, attend to unsupported consensus, and identify attribution drift, its final behavior differed substantially between the adversarial and all-honest conditions. Adversarial exposure was associated with more frequent selection of the predefined false target, greater incorporation of false causal content into the final verdict, and lower semantic provenance validity. The observed effect therefore cannot be explained by direct compliance with the adversarial instruction. Instead, it reflects the influence of an interaction history in which unsupported causal information had already been introduced, challenged, reused, and incorporated to varying degrees into public debate artifacts before reaching the final evaluator.

The magnitude of these effects shows that auditor vulnerability extended beyond a simple loss of final answer accuracy. Final P4 primary attribution increased by 11.0 percentage points under adversarial exposure, while final verdict contamination increased by 20.0 percentage points; both differences remained statistically significant after multiplicity adjustment. Final primary-cause correctness decreased by 11.0 percentage points, although this comparison did not remain significant after correction. These outcomes capture different failure modes. Selection of P4 as the primary cause represents direct adoption of the predefined adversarial target, whereas final verdict contamination also captures false causal propositions introduced through contributing-factor selections. Restricting the evaluation to primary-cause correctness would therefore provide only a partial representation of the extent to which unsupported causal information reached the final system output.

The observed sensitivity of the auditor is consistent with broader evidence that LLM-based evaluators are not invariant to the information context in which judgments are made. Controlled evaluations have identified substantial judgment biases and sensitivity to perturbations involving misinformation, authority, and other contextual characteristics of the evaluated material [28]. Dedicated benchmarking has likewise shown that LLM evaluators exhibit systematic cognitive biases and can produce preference rankings that diverge substantially from human judgments [29]. These findings concern evaluation settings different from ClaimArena-LLM, but they support the same general reliability concern: assigning an LLM a judging or auditing role does not isolate its decisions from the structure and presentation of the information supplied for evaluation. In the present experiment, that information includes not only the original case evidence but also the accumulated public artifacts produced during the preceding multi-agent interaction.

The provenance results reinforce this interpretation. Semantic provenance validity decreased from 82.0% in the all-honest condition to 62.0% under adversarial exposure, corresponding to a 20.0 percentage-point reduction that remained significant after multiplicity correction. This deterioration occurred simultaneously with the 20.0 percentage-point increase in final verdict contamination. Because semantic provenance was evaluated deterministically against the predefined proposition–evidence relationships, the result cannot be reduced to whether an evidence identifier was present in the verdict. A valid case observation could be cited while still failing to support the causal role attributed to the selected proposition. However, the conditional analysis showed that provenance failures were coupled to false causal content: among P1-primary verdicts, every provenance failure involved a false contributing proposition. The aggregate decline in semantic provenance should therefore be interpreted as reduced evidentiary compatibility of the complete causal account rather than as an independent decline in citation quality.

This result is particularly relevant for multi-agent systems in which evidence citation is used as an indicator of grounded reasoning. A structurally valid verdict may contain genuine evidence identifiers, preserve the expected output schema, and present an internally coherent explanation while still attaching valid observations to unsupported causal conclusions. Formal traceability and semantic support are therefore complementary rather than interchangeable properties. The ClaimArena-LLM results show that preserving the appearance of evidence-based reasoning does not guarantee that the resulting causal attribution is actually supported by the cited evidence. Semantic validation of the proposition–evidence relationship is consequently necessary when the reliability of the final evaluator is itself part of the system under examination.

The complete absence of explicit manipulation detection provides an additional indication that adversarial awareness and causal correctness are separable capabilities. Neither manipulation detection nor identification of the predefined false target occurred in any adversarial run under the operational detection criteria, despite the auditor being explicitly instructed to attend to unsupported consensus and attribution drift. At the same time, the auditor still selected the correct primary cause in most adversarial runs. The result therefore does not imply generalized auditor failure. It shows instead that an evaluator can retain comparatively high causal accuracy while remaining unable to recognize the adversarial process that shaped the interaction or to prevent unsupported causal content from entering its verdict. Direct attacks against LLM-as-a-Judge systems provide a complementary illustration of this broader vulnerability, demonstrating that adversarial information embedded in evaluated material can alter evaluator selections and that evaluated defenses do not necessarily eliminate the effect [30].

The failure to detect the manipulation is also important because the auditor occupied the terminal position in the architecture. Once false causal information entered the final

verdict, no subsequent agent remained to challenge, verify, or correct that decision. The final evaluator therefore represents both an opportunity for error correction and a potential point of consolidation for errors accumulated earlier in the interaction. The present results show that these two functions cannot be assumed to coincide. An auditor may reject some incorrect upstream positions while accepting others, preserve the correct primary cause while introducing false contributing factors, or produce a causally plausible verdict whose evidentiary support is semantically invalid. These outcomes would be difficult to distinguish using a single final-accuracy measure.

The auditor should therefore be treated as an evaluated component of the multi-agent system rather than as an external source of ground truth. Its position at the end of the interaction does not guarantee independence from the reasoning process that precedes it, and explicit auditing instructions do not by themselves ensure resistance to information that has become embedded in the public debate context. The resulting auditor behavior therefore characterizes this role-specific evidence access and fixed-review architecture; auditor performance under symmetrical or exhaustive access to all case evidence remains outside the scope of the present design. The results support a multidimensional evaluation of final-stage reliability in which primary-cause correctness, predefined-target adoption, broader verdict contamination, semantic evidentiary validity, and explicit manipulation detection are assessed separately. In ClaimArena-LLM, these measures reveal a final evaluator that remained frequently correct at the primary-cause level while nevertheless becoming more susceptible to false causal content and weaker evidentiary grounding under adversarial exposure. This combination of outcomes would be largely obscured if auditor performance were summarized only by final answer accuracy.

4.3. Effects of Claim-Source Lineage Visibility and Debate Exposure

The two ablation experiments were used to examine whether the adversarial effects observed in the main experiment were strongly dependent on explicit historical claim-source lineage visibility or on the presence of the second analytical agent challenge–response cycle. Neither manipulation produced statistically robust differences across its prespecified comparisons after multiplicity adjustment. This result narrows the interpretation of the main experiment: the observed propagation and auditor effects remained broadly similar across both tested ablations, although the uncertainty around individual estimates does not exclude potentially meaningful effects for specific outcomes. At the same time, the absence of adjusted statistical significance does not establish equivalence between configurations, particularly because several outcomes changed numerically and the direction of those changes was not uniform across debate conditions.

The claim-source lineage visibility ablation produced the clearest distinction between preserving provenance for audit and exposing provenance to the models during reasoning. Across the 20 prespecified comparisons, no outcome showed a statistically robust difference after Holm adjustment. Final P4 adoption remained largely stable, while changes in report contamination, semantic provenance validity, and auditor behavior were heterogeneous in both direction and magnitude. Explicit visibility of historical claim lineage therefore did not function as a consistent protective mechanism against false-target propagation under the tested protocol.

The numerical changes are nevertheless informative because they do not support a simple assumption that greater lineage visibility necessarily improves reasoning. Under adversarial debate, lineage masking was associated descriptively with lower investigator report contamination, lower auditor final verdict contamination, and higher semantic provenance validity for the auditor. The latter two differences both reached 9.0 percentage points in a direction that would conventionally be considered favorable, although their

confidence intervals included zero and no adjusted comparison was significant. Under the all-honest condition, some auditor outcomes changed in the opposite direction, including lower semantic provenance validity and greater final verdict contamination under lineage masking. The effect of visible lineage therefore appears contingent on the surrounding interaction context rather than uniformly beneficial or detrimental.

This result should not be interpreted as evidence that provenance itself is unimportant. Provenance mechanisms are valuable because they preserve information about origin, dependency, and transformation, thereby supporting reconstruction, reproducibility, transparency, and post hoc audit of computational processes [29,30]. ClaimArena-LLM preserves these functions independently of whether historical claim lineage is visible to the participating models. The ablation instead addresses a narrower behavioral question: whether allowing an LLM to inspect the ancestry of previous public claims changes its subsequent causal reasoning. The absence of a statistically robust effect therefore concerns model-visible lineage as a reasoning resource, not the value of provenance as an external audit mechanism.

The distinction between traceability and semantic validity is particularly relevant to the present results. Knowing that a claim originated from, or explicitly referenced, an earlier claim establishes a lineage relationship but does not establish that the causal attribution contained in either claim is supported by the case evidence. Historical lineage can therefore remain perfectly reconstructable while an unsupported causal interpretation continues to propagate through the system. Conversely, hiding that lineage from the models does not remove the underlying runtime record required for deterministic audit. Provenance capture remains essential for reconstructing how information moved through the interaction [31,32], but the experiment indicates that visibility of this information to the models should not be assumed to improve causal judgment automatically.

The debate-round ablation produced a similarly limited behavioral effect. Removing the second direct challenge–response cycle from the three analytical agents did not generate statistically robust changes across the 16 examined outcomes. Under adversarial debate, final P4 adoption by an honest analytical agent was unchanged between the one- and two-round protocols, while auditor P4 attribution and final verdict contamination each differed by only 3.0 percentage points. The corresponding confidence intervals included zero, and the remaining propagation and contamination measures showed similarly modest differences. Adversarial target fidelity also remained very high in the shortened protocol, indicating that the limited downstream differences were not caused by a weakening of the experimental manipulation.

The findings therefore indicate that this additional cycle was not required for the principal patterns of false-target propagation and auditor contamination to emerge within the existing architecture. They do not imply that interaction depth is generally irrelevant or that substantially shorter, longer, or differently organized debate protocols would produce the same behavior.

The comparison also provides no evidence that an additional debate round consistently improved error correction. The second challenge–response cycle created another opportunity to contest an unsupported causal attribution, but it simultaneously maintained that attribution and the surrounding arguments within the shared interaction context. The empirical similarity between the one- and two-round configurations indicates that these competing effects did not produce a consistent net improvement in the measured outcomes. Increasing the number of exchanges is therefore not equivalent to strengthening the mechanisms by which evidence is evaluated or unsupported claims are rejected. Additional interaction can increase opportunities for correction without guaranteeing that those opportunities will be used effectively.

Taken together, the two ablations indicate that the principal adversarial effects observed in ClaimArena-LLM were not driven solely by explicit historical claim-source lineage visibility or by the presence of the second analytical agent challenge–response cycle. Historical lineage remains important for reconstructing and auditing the interaction, but exposing it directly to participating models did not provide a statistically robust protective effect. Likewise, retaining an additional direct debate cycle did not produce a consistent improvement in resistance to the predefined false causal attribution under the tested protocol. The results therefore suggest that simply adding lineage information or an additional interaction opportunity is not, by itself, sufficient to ensure greater resistance to the predefined false causal attribution.

4.4. Model–Role Dependence and Configuration Sensitivity

The balanced model–role rotation showed that the behavior observed in ClaimArena-LLM cannot be attributed to model identity independently of the role in which that model operates. Primary-cause accuracy, false-target attribution, semantic provenance validity, false causal content, position dynamics, recovery behavior, and adversarial fidelity all varied across model–role configurations, and several of these relationships also changed with debate condition. The rotation therefore extends the main experiment beyond a single fixed assignment and shows that robustness is a property of the complete configuration rather than of an LLM considered in isolation.

The clearest evidence of this dependence appeared in the auditor role, where the adversarial-versus-all-honest difference itself changed substantially according to which model occupied the role. Llama 3.1 8B showed a 23.0 percentage-point reduction in auditor accuracy and a 26.0 percentage-point increase in final P4 attribution, whereas Qwen3 14B changed in the opposite descriptive direction, with higher accuracy and final P4 attribution decreasing from 14.0% to 6.0% under adversarial exposure, although this model-specific contrast did not remain statistically significant after multiplicity adjustment. The same functional role therefore did not impose a common response to the manipulated interaction context.

This finding is important for the interpretation of model benchmarking in multi-agent architectures. A model that performs strongly in one functional position cannot be assumed to preserve the same relative behavior when assigned a different responsibility or exposed to a different interaction context. Recent multi-agent frameworks increasingly treat agent personas, discussion structures, response strategies, and decision mechanisms as configurable components whose interaction can materially alter system behavior [33]. Other work has similarly identified role allocation and model routing as explicit design decisions in multi-agent systems rather than interchangeable implementation details [34]. The ClaimArena-LLM rotation provides empirical support for this configuration-level view by holding the benchmark and protocol constant while systematically changing the mapping between models and roles.

The semantic provenance results provide a second example of this dependence. Provenance validity showed both a significant role effect and a significant model-by-role interaction, while individual model–condition responses were not uniform. Qwen3 14B, for example, exhibited particularly high semantic provenance validity when assigned to the honest-analyst role under adversarial debate, whereas other model–role combinations produced substantially lower values. The ability to maintain semantically appropriate proposition–evidence relationships therefore did not behave as a fixed characteristic of either the model or the role. It emerged from their combination within the interaction architecture.

A similar pattern was observed for the mean false official causal rate. Significant model and role effects were accompanied by model-by-condition and role-by-condition

interactions, indicating that the amount of false causal content produced by the system depended on both who performed a task and under which debate condition that task was performed. Some assignments became more susceptible under adversarial exposure, while others showed little change or moved in the opposite direction. These results caution against summarizing a model as globally more or less resistant to adversarial influence without specifying the function it performs and the interaction context in which that resistance was measured.

The position-dynamics analysis further demonstrates why the model–role interaction cannot be inferred solely from final outputs. Gold-to-target shifts differed by condition, model identity, and assigned role, with significant interactions involving the debate condition. Recovery behavior also varied with role and model–condition combinations. In practical terms, two models occupying the same role could reach comparable final conclusions after following substantially different causal trajectories, while the same model could exhibit different tendencies toward adoption or recovery when moved to another role. Configuration sensitivity therefore operates throughout the reasoning process rather than only at the point of final decision.

Adversarial fidelity provides an instructive counterpoint. All four models maintained the private P4 objective at high overall rates when assigned to the adversarial-analyst role, although measurable differences remained between models. This indicates that the principal rotation effects cannot be attributed simply to some models failing to execute the adversarial instruction. The manipulation remained strong across the four assignments, while downstream responses differed substantially. The more consequential variability therefore arose in how different model–role combinations processed and evaluated the resulting adversarial interaction.

The rotation also has implications for how multi-agent systems are evaluated before deployment. Testing a single model–role mapping can confound characteristics of the selected model with characteristics of the role itself. A strong auditor result, for example, may reflect a particularly favorable model–role pairing rather than a robust property of the architecture. Conversely, poor performance in one assignment does not establish that the same model will behave similarly elsewhere in the system. System-level evaluation should therefore include controlled reassignment or alternative configurations whenever functional roles are important to the interpretation of reliability.

Taken together, the rotation results show that model identity, functional role, and debate condition jointly shape the reliability of the multi-agent system. The strongest configuration sensitivity occurred at the final evaluative stage, but the same dependence was also visible in provenance behavior, false causal output, intermediate position changes, recovery, and adversarial fidelity. The results consequently argue against model-centric interpretations of multi-agent robustness. For systems in which different LLMs are assigned specialized responsibilities, reliability should be evaluated at the level of the model–role-context combination rather than inferred from standalone model capability or from a single fixed architecture.

4.5. Robustness Across Benchmark Case Characteristics

The robustness analysis examined whether the adversarial-versus-all-honest differences identified in the main experiment were concentrated within particular predefined classes of benchmark cases. None of the 18 condition-by-characteristic interaction tests remained statistically significant after Holm correction. The principal effects observed in the main experiment therefore showed no statistically robust evidence of being restricted to a specific causal family, difficulty level, or combined target plausibility/evidence presentation profile within the coupled benchmark design. This result should be interpreted

as an absence of statistically robust interaction across the predefined benchmark strata, rather than as evidence that any individual characteristic was independently ruled out as a moderator. At the same time, the interaction results should not be interpreted as demonstrating complete invariance across case characteristics, because several auditor outcomes exhibited substantial descriptive heterogeneity despite the absence of adjusted statistical significance.

The propagation-related outcomes were comparatively stable across difficulty and the combined target/evidence profile. Final P4 adoption by at least one non-adversarial analytical agent showed heterogeneity ranges of only 1.7 percentage points across difficulty and 2.5 percentage points across the target/evidence profiles. The corresponding ranges for the mean non-adversarial false official causal rate were 4.2 and 4.0 percentage points. Moreover, the direction of the broader false-causal-content effect remained positive across all difficulty levels and all three combined target/evidence profiles. These patterns indicate that the increased presence of false causal content under adversarial exposure was observed across the predefined strata of difficulty and the coupled plausibility/evidence presentation profile, without a statistically robust interaction across these strata.

This form of robustness is relevant because LLM-based evaluations can change when the evaluated input or evaluation setting is altered. Existing robustness analyses have shown that LLM evaluators may be sensitive to perturbed inputs and that performance under an unmodified evaluation setting does not necessarily generalize to altered input conditions [35]. The ClaimArena-LLM analysis addresses a different source of variation: rather than artificially perturbing the evaluator input, it stratifies a frozen benchmark according to predefined causal and evidentiary characteristics. The comparatively limited heterogeneity of the propagation outcomes across these strata is consistent with the main propagation pattern being observed across the predefined benchmark strata, without establishing independent effects of difficulty, target plausibility, or evidence presentation.

The auditor outcomes showed a different pattern. Descriptive heterogeneity was substantially greater for primary-cause correctness, final P4 attribution, final verdict contamination, and semantic provenance validity. Depending on the outcome and benchmark characteristic, the range between the largest and smallest adversarial effects exceeded 20 percentage points and reached 35.0 percentage points for final P4 attribution across causal families. Final verdict contamination and semantic provenance validity each showed a 32.5 percentage-point heterogeneity range across the combined target/evidence profiles. Although none of the corresponding interaction tests remained significant after multiplicity adjustment, these values indicate that the magnitude of auditor sensitivity varied more across benchmark strata than did the propagation measures upstream.

This descriptive variation is consistent with the broader observation that the reliability of LLM evaluators can depend on the characteristics and complexity of the evaluation task. Evaluator performance has been shown to differ across tasks and criteria, with stronger behavior on relatively general criteria and greater difficulty when evaluation requires more complex forms of reasoning [36]. The ClaimArena-LLM results do not establish the same mechanism, but they show a compatible configuration of sensitivity: the final auditor exhibited greater variation across predefined case characteristics than the non-adversarial propagation measures. This distinction suggests that robustness of the upstream debate and robustness of the final evaluator should not be treated as interchangeable properties of the system.

The causal-family results require particularly careful interpretation. The distribution of P4 target types was not balanced across families, with F1 dominated by downstream-executor targets while the remaining families contained more balanced mixtures of downstream-executor, human-actor, and source-system targets. The family interaction

models therefore adjusted for P4 target type and its interaction with debate condition. No condition-by-family interaction remained statistically significant after this adjustment. The descriptive family differences are consequently useful for identifying potential sources of heterogeneity, but they do not provide evidence that causal family itself independently determines susceptibility to the adversarial manipulation.

A similar limitation applies to difficulty and the combined target/evidence profile. These characteristics were associated by construction in the frozen benchmark: all high-difficulty cases belonged to the high-plausibility/delayed profile, all medium-difficulty cases belonged to the medium-plausibility/distributed profile, and low-difficulty cases comprised both low-plausibility/explicit and a subset of medium-plausibility/distributed cases. The corresponding analyses therefore assess robustness across predefined benchmark strata rather than independent causal effects of difficulty, target plausibility, or evidence presentation. Maintaining this distinction is necessary to avoid attributing the observed heterogeneity to a single case characteristic when the design does not support such an interpretation.

The absence of significant interaction effects should likewise not be interpreted as proof that all case types generate identical adversarial effects. Interaction tests assess whether the available evidence supports systematic differences between strata, whereas the descriptive ranges quantify variation actually observed within the benchmark. The auditor results illustrate why both perspectives are useful: no interaction survived multiplicity correction, yet several final-stage outcomes varied substantially in magnitude across case characteristics. The appropriate interpretation is therefore that the main findings were not statistically confined to any predefined benchmark class, while the final evaluator showed greater descriptive sensitivity to case composition than the upstream propagation measures.

A complementary representation-level sensitivity analysis examined whether the observed adversarial-versus-all-honest differences depended on the fixed proposition identifiers or their canonical presentation order. Complete P1–P12 derangement and independent order randomization did not eliminate the condition contrasts, and none of the changes relative to the matched main-experiment subset remained statistically significant after Holm correction. The results therefore provide no statistically robust evidence that the observed condition differences were systematically driven by the fixed P1/P4 encoding or proposition presentation positions. However, the numerical changes across several outcomes do not support an interpretation of complete invariance or statistical equivalence. The public adversarial_analyst role identifier remained visible and unchanged under both debate conditions, so this control does not isolate the separate effect of hiding or renaming that role label.

Overall, the robustness and sensitivity analyses support the persistence of the principal adversarial-versus-all-honest findings across both predefined benchmark characteristics and the alternative proposition representation examined here. Propagation-related effects were comparatively stable across difficulty and the coupled target plausibility/evidence presentation profiles, whereas the auditor exhibited larger descriptive variation across several case characteristics. At the same time, neither the benchmark-characteristic analyses nor the proposition-representation control should be interpreted as demonstrating complete invariance. This difference reinforces the conclusion that final-stage evaluation constitutes a particularly configuration-sensitive component of the tested architecture. It also shows the value of examining benchmark-level heterogeneity and representation-level sensitivity alongside aggregate effects, because an overall system-level difference can coexist with meaningful variation in the magnitude of that difference across individual classes of cases and experimental representations.

4.6. Implications for Multi-Agent LLM System Design and Evaluation

The combined findings have direct implications for the design and evaluation of multi-agent LLM systems operating in settings where agents exchange, revise, and adjudicate consequential information. The central reliability concern is not limited to whether an individual model can produce an incorrect response. ClaimArena-LLM shows that an unsupported causal attribution can remain active within a structured interaction, influence different functional roles in different ways, acquire apparently legitimate evidentiary support, and reach the final evaluator without being explicitly recognized as an adversarial manipulation. Reliability should therefore be assessed at the level of the complete interaction architecture rather than inferred from the standalone performance of its constituent models.

Agreement among several agents should also be interpreted with caution when those agents are exposed to one another's outputs. The position-dynamics results show that causal judgments can change during interaction, while the final-consensus measures demonstrate that agreement around the predefined false target can occur without valid evidentiary support. The number of agents endorsing a proposition and the evidentiary validity of that proposition are therefore distinct properties. In architectures that use voting, majority agreement, or convergence as decision signals, apparent consensus should not be treated as equivalent to independent corroboration unless the supporting evidence and the dependencies between agent outputs are also examined.

The provenance findings lead to a related implication. Requiring agents to cite evidence improves traceability, but the presence of a valid evidence identifier does not establish that the cited information semantically supports the causal role assigned to a proposition. ClaimArena-LLM identified cases in which the outward structure of evidence-based reasoning was preserved while proposition-level semantic provenance was invalid. Evidentiary grounding should therefore be evaluated as a relationship between evidence and asserted causal meaning rather than as a syntactic property of the output. This distinction becomes particularly important in systems where valid observations can be reused to support increasingly distorted interpretations as information passes through successive agents.

Claim lineage and semantic provenance consequently serve different but complementary purposes. Claim lineage reconstructs how information moved between agents, whereas semantic provenance determines whether the case evidence supports the causal propositions ultimately asserted. The lineage visibility ablation did not show a statistically robust protective effect from exposing historical claim ancestry directly to participating models, but this does not reduce the value of preserving lineage for reconstruction and accountability. A practical multi-agent architecture can retain machine-readable claim ancestry for external audit while independently validating the semantic relationship between evidence and conclusions. Broader verification and validation approaches to LLM trustworthiness likewise distinguish evaluation, verification, and runtime monitoring as complementary mechanisms for establishing system-level assurance [37].

The auditor results further show that a terminal LLM evaluator should not be treated as an independent safety boundary simply because it receives a neutral instruction or occupies a separate functional role. In the main experiment, the auditor never received the private adversarial objective, yet some of the strongest adversarial-versus-all-honest differences appeared in final P4 attribution, verdict contamination, and semantic provenance validity. The final evaluator therefore requires the same level of empirical scrutiny as the upstream components whose outputs it judges. Causal accuracy, susceptibility to unsupported information, preservation of evidentiary support, and detection of adversarial influence should be evaluated separately rather than subsumed under a single final answer metric.

These findings also favor safeguards distributed across the interaction rather than reliance on a single terminal corrective mechanism. Contemporary LLM safety frameworks increasingly separate attack detection, defensive mechanisms, alignment, evaluation metrics, and output-level guardrails while emphasizing that weaknesses at one stage can affect the reliability of later stages [38]. The ClaimArena-LLM results provide a related observation at the level of multi-agent reasoning. When unsupported causal information remains active across several interaction stages, relying exclusively on a final auditor leaves the system vulnerable if that evaluator is itself sensitive to the accumulated debate context. Reliability mechanisms can therefore be introduced earlier in the interaction, for example by validating proposition–evidence relationships before claims are propagated, preserving the distinction between independent case evidence and agent-generated assertions, and retaining explicit provenance information throughout the reasoning process.

The ablation results also caution against treating architectural redundancy as equivalent to robustness. Increasing the amount of visible lineage information did not consistently improve the measured outcomes, and retaining a second challenge–response cycle did not produce a statistically robust reduction in propagation or final contamination. Additional information channels, interaction rounds, or verification opportunities can expand the resources available for correction, but they do not guarantee that those resources will be used effectively. Architectural complexity should therefore be justified by demonstrated improvements in reliability rather than by an assumption that more debate, more provenance, or more interaction necessarily produces better decisions.

The model–role rotation provides a parallel implication for system configuration. Selecting models independently of the function they will perform can conceal substantial differences that emerge only after those models are embedded in specific roles. The same model can behave differently as investigator, analyst, or auditor, and the effect of adversarial exposure can itself change with the model–role assignment. Multi-agent systems should consequently be evaluated in the configurations in which their models will actually operate, particularly for roles that make terminal or high-impact decisions. Controlled role reassignment or alternative model mappings can help distinguish properties of the architecture from properties of one favorable or unfavorable configuration.

The combined results further support a multidimensional definition of multi-agent reliability. Final answer correctness remains necessary, but it does not reveal whether a false target was temporarily adopted, reinforced across several stages, incorporated as a contributing cause, supported with semantically inappropriate evidence, or transmitted into the final verdict without explicit recognition of the manipulation. These failure modes occur at different stages and do not necessarily vary together. A system can preserve high final accuracy while exhibiting substantial intermediate susceptibility, provenance degradation, or contamination of secondary causal content. Evaluating these dimensions separately provides a more complete account of how reliability is maintained or lost during interaction.

Taken together, the design implications of ClaimArena-LLM favor evaluation frameworks that treat multi-agent reasoning as a dynamic system rather than as a collection of independent model outputs. Agreement should be distinguished from independent evidentiary support, provenance should be assessed both as traceable lineage and as semantic grounding, terminal auditors should be evaluated rather than presumed reliable, and model–role assignments should be validated in the contexts in which they will be deployed. More generally, adding agents, debate rounds, provenance channels, or evaluative stages should not be regarded as sufficient evidence of robustness. Their value depends on whether they measurably improve the system's ability to preserve valid causal

reasoning and prevent unsupported information from becoming progressively embedded in the interaction.

4.7. Limitations and Future Work

Several limitations define the scope within which the ClaimArena-LLM findings should be interpreted. The first concerns the benchmark itself. The 100 cases were synthetically constructed so that the evidence-supported primary cause, contributing factors, predefined false target, alternative causal propositions, and proposition–evidence relationships could be specified before model interaction. This controlled design was necessary for deterministic evaluation of causal correctness, propagation, and semantic provenance, but it also limits direct generalization to naturally occurring incident investigations. Recent evidence on causal reasoning similarly highlights that evaluations based on synthetic or simplified texts may not capture the length, ambiguity, number of causal relations, and contextual complexity encountered in real-world material [39]. Operational incidents may additionally contain incomplete observations, conflicting sources, evolving system states, uncertain causal boundaries, and evidence relationships that cannot be represented by a single predefined proposition structure. The present results should therefore be interpreted as evidence obtained under a controlled causal benchmark rather than as an estimate of the prevalence of the same failure patterns in unrestricted real-world multi-agent systems.

The benchmark structure also introduces dependencies among several case characteristics. False-target plausibility and evidence presentation are perfectly coupled, while difficulty is associated with the resulting combined profile. P4 target type is additionally distributed unevenly across causal families. These relationships were explicitly incorporated into the robustness analysis and prevent the corresponding variables from being interpreted as independent causal factors. Although none of the tested condition-by-characteristic interactions remained statistically significant after multiplicity adjustment, a larger benchmark in which difficulty, target plausibility, evidence presentation, and target type are independently varied would permit stronger identification of the case properties associated with susceptibility to adversarial propagation or auditor contamination.

The predefined threat model constitutes a further boundary. Each adversarial-debate run contained one designated adversarial analyst instructed to maintain a single case-specific P4 attribution as the primary cause. This provides a controlled intervention whose trajectory can be measured precisely, but it represents only one form of adversarial influence. The experiment did not examine collusion between multiple adversarial agents, dynamically changing targets, adaptive strategies conditioned on the responses of other participants, concealment of the adversarial objective through strategic partial agreement, or attacks directed specifically at the auditor. Future experiments could extend the framework to these scenarios while retaining the matched all-honest comparator and predefined causal specification. Such designs would help determine whether the selective propagation observed here changes when the adversarial strategy adapts to the evolving debate rather than maintaining a fixed target throughout the interaction.

The interaction architecture is similarly constrained by design. ClaimArena-LLM uses four fixed functional roles, a predetermined action schedule, explicit opponent assignments, and a standard two-round protocol. These controls make matched comparisons possible and prevent agents from changing the interaction topology, but they exclude architectures in which participants choose whom to consult, initiate unscheduled verification, terminate debate adaptively, or allocate tasks dynamically. The one-round ablation further modifies only the second direct challenge–response cycle while retaining revised-claim inspection, provenance review, secondary-opponent cross-review, and the complete auditor schedule. Its results therefore cannot be generalized to substantially shorter or longer debates, dif-

ferent interaction orders, alternative communication graphs, or adaptive stopping rules. Broader manipulation of debate topology and depth would be required to determine which forms of interaction facilitate correction and which primarily increase continued exposure to unsupported claims.

Model coverage represents another limitation. The experimental program used four local open-weight LLMs—Llama 3.1 8B, Qwen3 14B, Phi-4, and Gemma 3 12B—under a common inference configuration and Q4_K_M quantization. The balanced rotation provides stronger evidence than a single fixed mapping because each model occupies every functional role, but four models do not represent the full range of contemporary model capabilities, training regimes, or deployment settings. Larger open-weight models, proprietary frontier models, alternative quantization levels, reasoning-enabled configurations, and different decoding strategies may exhibit different susceptibility, recovery, and auditor behavior. The substantial model–role interactions observed in the rotation make this extension particularly important, because they demonstrate directly that findings obtained from one configuration cannot be assumed to transfer unchanged to another.

The deterministic generation configuration also limits conclusions about run-to-run variability. Temperature was fixed at zero and a common seed and decoding configuration were used to minimize uncontrolled sampling variation and improve comparability between experimental conditions. This choice strengthens internal validity, but it does not characterize the distribution of outcomes that could arise under repeated stochastic inference. Empirical studies of repeated LLM execution have shown that response consistency can change with sampling temperature even when conventional performance measures remain comparatively stable, emphasizing that accuracy and reproducibility are not equivalent properties [40]. Future ClaimArena-LLM experiments could therefore repeat each case–condition configuration across multiple seeds and nonzero sampling temperatures, allowing stochastic variability to be separated from systematic effects of debate condition, model identity, and assigned role.

The scoring framework intentionally relies on structured proposition identifiers and predefined evidence annotations rather than an additional LLM evaluator or post hoc human interpretation. This provides deterministic and reproducible outcome measures, but it also constrains the analysis to causal relationships represented by the frozen proposition schema. Natural-language arguments may express qualifications, degrees of confidence, implicit causal commitments, conditional reasoning, or unsupported claims that are not fully captured by the selected primary and contributing proposition identifiers. Semantic provenance validity likewise determines whether cited evidence supports predefined causal propositions; it is not a general semantic verification mechanism for unrestricted natural-language argumentation. Future versions of the framework could complement the deterministic scorer with independently validated argument-level annotations while preserving the structured measures as the primary reproducible evaluation layer.

The provenance experiment should also be interpreted according to the exact manipulation implemented. The ablation masks model-visible access to existing historical claim-source lineage while retaining case evidence, proposition information, the action schema, and runtime traceability. It therefore does not represent removal of provenance as a whole. Other provenance representations may have different behavioral effects, including explicit source credibility, confidence-bearing lineage, machine-verifiable derivation graphs, or stronger distinctions between direct observations and agent-generated interpretations. The present experiment establishes only that visibility of the tested historical claim lineage did not produce statistically robust differences under the current protocol.

The auditor analysis introduces an additional limitation and an important direction for future work. ClaimArena-LLM evaluates one terminal auditor in each model–role

configuration and does not include a subsequent independent verifier or adjudication layer. This design makes contamination of the nominal final safeguard directly observable, but it does not determine whether alternative evaluation architectures could recover from such failures. Recent work on LLM-as-a-Judge indicates that enriching the evaluation process with additional comparative perspectives can improve judgment reliability beyond conventional single-judge reasoning or simple majority mechanisms [41]. Future extensions could therefore compare single auditors with heterogeneous auditor panels, independent evidence verification agents, proposition-level deterministic checks, or hybrid model-and-rule-based adjudication. The relevant criterion should be whether these mechanisms reduce false causal content and improve semantic grounding rather than whether they merely increase agreement among evaluators.

The statistical analysis is also bounded by the finite size and structure of the benchmark. The paired 100-case design provides complete coverage of the frozen case inventory and supports direct within-case comparisons, but some estimates remain imprecise, particularly within smaller benchmark strata. Complete separation additionally rendered a subset of factorial logistic GEE tests non-estimable in the model–role experiment. These tests were retained as non-estimable rather than replaced with unstable numerical estimates, but larger case sets would improve precision, support more granular interaction analyses, and reduce dependence on sparse model–role cells. Independent replication on separately constructed causal benchmarks would further establish whether the role-dependent and auditor-centered vulnerabilities observed here persist beyond the specific case inventory used in ClaimArena-LLM.

Future work should therefore extend the framework along complementary dimensions rather than altering only one element of the present design. Larger and independently balanced causal benchmarks, naturalistic incident data, alternative debate topologies, multiple and adaptive adversaries, broader model families, stochastic replication, richer provenance representations, and layered auditor architectures would each test a different boundary of the current findings. The controlled design developed here provides a reference configuration for these extensions because it separates adversarial intervention, claim-lineage visibility, debate exposure, model identity, assigned role, and benchmark characteristics while preserving a common causal specification and deterministic evaluation procedure.

5. Conclusions

ClaimArena-LLM provides a controlled framework for auditing how a predefined false causal attribution can be introduced, maintained, and propagated through a structured multi-agent LLM debate. By evaluating the same 100 causal cases under matched adversarial and all-honest conditions, this study separates effects associated with the private adversarial objective from errors that also arise without manipulation. The framework further evaluates causal correctness, false-target adoption, position dynamics, report contamination, semantic provenance, and final auditor behavior as distinct components of system reliability.

The results show that successful maintenance of an adversarial objective does not imply uniform propagation of the associated false attribution. The adversarial analyst preserved the predefined P4 target with very high fidelity, while downstream responses differed substantially across non-adversarial roles and stages of the interaction. In particular, the investigator became more likely to shift from the evidence-supported primary cause toward the false target under adversarial exposure, whereas the honest analyst followed a different intermediate trajectory. These findings demonstrate that adversarial influence in a multi-agent system is selective and role-dependent rather than a simple process of uniform convergence.

The strongest system-level differences were observed at the final auditor stage. Under adversarial exposure, the auditor more frequently selected the predefined false target, incorporated false causal content into the final verdict, and produced verdicts with lower semantic provenance validity. At the same time, neither the manipulation nor the predefined false target was explicitly detected under the operational detection criteria. A terminal evaluator should therefore not be assumed to provide an independent safeguard solely because it occupies a separate role or receives neutral instructions. Final causal accuracy must be considered together with false-content incorporation, evidentiary validity, and adversarial awareness.

The experimental extensions further showed that the observed vulnerabilities cannot be reduced to a single architectural mechanism. Masking explicit historical claim-source lineage and removing the second analytical agent challenge–response cycle produced no statistically robust differences across their prespecified comparisons, whereas the balanced model–role rotation revealed substantial dependence on model identity, assigned role, and debate condition. The robustness analysis likewise found no statistically significant concentration of the main adversarial effects within a specific predefined benchmark class, although auditor outcomes showed greater descriptive heterogeneity than upstream propagation measures. The proposition-identifier and presentation-order sensitivity control likewise provided no statistically robust evidence that the observed condition contrasts were driven by the fixed proposition encoding, although the numerical differences do not establish complete invariance.

Overall, the findings indicate that multi-agent reliability depends on the interaction between information flow, evidentiary support, functional role, model identity, and final-stage evaluation. Agreement does not necessarily constitute independent corroboration, visible lineage does not by itself establish semantic support, additional debate does not guarantee correction, and a final auditor may remain susceptible to information that has accumulated during the interaction. ClaimArena-LLM therefore supports a system-level approach in which propagation, provenance, role-dependent behavior, and final adjudication are evaluated alongside final answer correctness. Within the controlled benchmark and threat model considered here, this approach reveals reliability failures that would remain largely hidden if multi-agent systems were assessed only by whether their final answer is correct.

Author Contributions: Conceptualization, C.A., A.A.A., A.S.B., M.V.C., A.C., S.M. and C.S.; methodology, C.A., A.A.A., A.S.B., M.V.C., A.C., S.M. and C.S.; software, C.A., A.A.A., A.S.B. and M.V.C.; validation, C.A., A.A.A., A.S.B., M.V.C., A.C., S.M. and C.S.; formal analysis, C.A., A.A.A., A.S.B., M.V.C. and A.C.; investigation, C.A., A.A.A., A.S.B., M.V.C., A.C., S.M. and C.S.; resources, M.V.C., A.C., S.M. and C.S.; data curation, C.A., A.A.A., A.S.B. and M.V.C.; writing—original draft preparation, C.A., A.A.A., A.S.B., M.V.C., A.C., S.M. and C.S.; writing—review and editing, C.A., A.A.A., A.S.B., M.V.C., A.C., S.M. and C.S.; supervision, C.A., A.C., S.M. and C.S. All authors have read and agreed to the published version of the manuscript.

Funding: This research received no external funding.

Institutional Review Board Statement: Not applicable.

Informed Consent Statement: Not applicable. This study did not involve human participants.

Data Availability Statement: The benchmark data and source code for the main modules are available at: https://github.com/anghelcata/ClaimArena-LLM (accessed on 30 August 2026).

Conflicts of Interest: The authors declare no conflicts of interest.

References

1. Chan, C.-M.; Chen, W.; Su, Y.; Yu, J.; Xue, W.; Zhang, S.; Fu, J.; Liu, Z. ChatEval: Towards Better LLM-based Evaluators through Multi-Agent Debate. In Proceedings of the Twelfth International Conference on Learning Representations (ICLR), Vienna, Austria, 7–11 May 2024.
2. Anghel, C.; Anghel, A.A.; Pecheanu, E.; Susnea, I.; Cocu, A.; Istrate, A. Multi-Model Dialectical Evaluation of LLM Reasoning Chains: A Structured Framework with Dual Scoring Agents. *Informatics* **2025**, *12*, 76. [CrossRef]
3. Kim, Y.; Gu, K.; Park, C.; Park, C.; Schmidgall, S.; Heydari, A.A.; Yan, Y.; Zhang, Z.; Zhuang, Y.; Liu, Y.; et al. Capable Language Models Can Outgrow the Benefits of Collaboration. *Nat. Mach. Intell.* **2026**, *8*, 1157–1172. [CrossRef]
4. Cau, E.; Pansanella, V.; Pedreschi, D.; Rossetti, G. Selective Agreement, Not Sycophancy: Investigating Opinion Dynamics in LLM Interactions. *EPJ Data Sci.* **2025**, *14*, 59. [CrossRef]
5. Ashery, A.F.; Aiello, L.M.; Baronchelli, A. Emergent Social Conventions and Collective Bias in LLM Populations. *Sci. Adv.* **2025**, *11*, eadu9368. [CrossRef] [PubMed]
6. Kraidia, I.; Qaddara, I.; Almutairi, A.; Alzaben, N.; Belhouari, S.B. When Collaboration Fails: Persuasion Driven Adversarial Influence in Multi Agent Large Language Model Debate. *Sci. Rep.* **2026**, *16*, 11640. [CrossRef] [PubMed]
7. Germani, F.; Spitale, G. Source framing triggers systematic bias in large language models. *Sci. Adv.* **2025**, *11*, eadz2924. [CrossRef] [PubMed]
8. Gu, J.; Jiang, X.; Shi, Z.; Tan, H.; Zhai, X.; Xu, C.; Li, W.; Shen, Y.; Ma, S.; Liu, H.; et al. A survey on LLM-as-a-Judge. *Innovation* **2026**, *7*, 101253. [CrossRef] [PubMed]
9. Anghel, C.; Craciun, M.V.; Cocu, A.; Anghel, A.A.; Balau, A.S.; Istrate, A.; Anghele, A.-D. EvalHack: Answer-Side Prompt Injection for Probing LLM Exam-Grading Panel Stability. *Information* **2026**, *17*, 297. [CrossRef]
10. Zou, X.; Li, X.; Hu, P.; Dong, M. MRBalance: A framework for enhancing event causality identification in multi-agent debates via role assignment. *Knowl.-Based Syst.* **2025**, *330*, 114470. [CrossRef]
11. Yang, Y.; Ma, Y.; Feng, H.; Cheng, Y.; Han, Z. Minimizing Hallucinations and Communication Costs: Adversarial Debate and Voting Mechanisms in LLM-Based Multi-Agents. *Appl. Sci.* **2025**, *15*, 3676. [CrossRef]
12. Hang, C.N.; Tan, C.-W.; Chiu, D.M. LLM Teams: Harnessing Large Language Models as Multi-Agent Teammates for Joint Problem-Solving. In Proceedings of the Thirteenth ACM Conference on Learning @ Scale (L@S '26), Seoul, Republic of Korea, 29 June–3 July 2026; pp. 423–427.
13. Zhong, Y.; Yin, C.; Yang, R.; Yang, Y.; Lu, Y.; Wen, Y.; Shi, Y.; Huang, B.; Tao, Y.; Bai, J. Dynamic Task-Chain Reconfiguration for Cooperative Counter-UAV Defense via Multi-Agent LLM-Based Heuristic Design. *Drones* **2026**, *10*, 571. [CrossRef]
14. Stengel-Eskin, E.; Hase, P.; Bansal, M. Teaching Models to Balance Resisting and Accepting Persuasion. In Proceedings of the 2025 Conference of the Nations of the Americas Chapter of the Association for Computational Linguistics: Human Language Technologies, Albuquerque, NM, USA, 29 April–4 May 2025; pp. 8108–8122.
15. Zhu, X.; Zhang, C.; Stafford, T.; Collier, N.; Vlachos, A. Conformity in Large Language Models. In *Proceedings of the 63rd Annual Meeting of the Association for Computational Linguistics, Vienna, Austria*; Association for Computational Linguistics: Stroudsburg, PA, USA, 2025; pp. 3854–3872.
16. Choi, M.; Kim, K.; Chae, S.; Baek, S. An Empirical Study of Group Conformity in Multi-Agent Systems. In *Proceedings of the Findings of the Association for Computational Linguistics: ACL 2025, Vienna, Austria*; Association for Computational Linguistics: Stroudsburg, PA, USA, 2025; pp. 5123–5139.
17. Schlegel, M.; Sattler, K.-U. Capturing end-to-end provenance for machine learning pipelines. *Inf. Syst.* **2025**, *132*, 102495. [CrossRef]
18. Abishethvarman, V.; Sabrina, F.; Kwan, P. Knowledge Integrity in Large Language Models: A State-of-the-Art Review. *Information* **2025**, *16*, 1076. [CrossRef]
19. Li, W.; Wang, X.; Yuan, S.; Xu, R.; Chen, J.; Dong, Q.; Xiao, Y.; Yang, D. Curse of Knowledge: Your Guidance and Provided Knowledge Are Biasing LLM Judges in Complex Evaluation. In *Proceedings of the Findings of the Association for Computational Linguistics: EMNLP 2025, Suzhou, China*; Association for Computational Linguistics: Stroudsburg, PA, USA, 2025; pp. 14900–14924.
20. Shi, L.; Ma, C.; Liang, W.; Diao, X.; Ma, W.; Vosoughi, S. Judging the Judges: A Systematic Study of Position Bias in LLM-as-a-Judge. In Proceedings of the 14th International Joint Conference on Natural Language Processing and the 4th Conference of the Asia-Pacific Chapter of the Association for Computational Linguistics, Mumbai, India, 20–24 December 2025; pp. 292–314.
21. Meta. Meta-Llama/Llama-3.1-8B-Instruct Model Card. Available online: https://huggingface.co/meta-llama/Llama-3.1-8B-Instruct (accessed on 8 August 2026).
22. Alibaba Cloud. Qwen/Qwen3-14B Model Card. Available online: https://huggingface.co/Qwen/Qwen3-14B (accessed on 8 August 2026).
23. Microsoft. Phi-4 Model Card. Available online: https://huggingface.co/microsoft/phi-4 (accessed on 8 August 2026).
24. Google. Gemma-3-12B-IT Model Card. Available online: https://huggingface.co/google/gemma-3-12b-it (accessed on 8 August 2026).
25. Ollama Inc. Ollama API Documentation. Available online: https://docs.ollama.com/api/introduction (accessed on 8 August 2026).

26. Ku, H.B.; Shin, J.; Lee, H.J.; Na, S.; Jeon, I. Multi-Agent LLM Debate Unveils the Premise Left Unsaid. In Proceedings of the 12th Argument Mining Workshop, Vienna, Austria, 31 July 2025; pp. 58–73.
27. Li, H.; Su, Z.; Xue, Y.; Tian, Z.; Song, Y.; Huang, M. Advancing Collaborative Debates with Role Differentiation through Multi-Agent Reinforcement Learning. In *Proceedings of the 63rd Annual Meeting of the Association for Computational Linguistics, Vienna, Austria*; Association for Computational Linguistics: Stroudsburg, PA, USA, 2025; pp. 22655–22666.
28. Chen, G.H.; Chen, S.; Liu, Z.; Jiang, F.; Wang, B. Humans or LLMs as the Judge? A Study on Judgement Bias. In Proceedings of the 2024 Conference on Empirical Methods in Natural Language Processing, Miami, FL, USA, 12–16 November 2024; pp. 8301–8327.
29. Koo, R.; Lee, M.; Raheja, V.; Park, J.I.; Kim, Z.M.; Kang, D. Benchmarking Cognitive Biases in Large Language Models as Evaluators. In *Proceedings of the Findings of the Association for Computational Linguistics: ACL 2024, Bangkok, Thailand*; Association for Computational Linguistics: Stroudsburg, PA, USA, 2024; pp. 517–545.
30. Shi, J.; Yuan, Z.; Liu, Y.; Huang, Y.; Zhou, P.; Sun, L.; Gong, N.Z. Optimization-based Prompt Injection Attack to LLM-as-a-Judge. In Proceedings of the 2024 ACM SIGSAC Conference on Computer and Communications Security (CCS 2024), Salt Lake City, UT, USA, 14–18 October 2024; pp. 660–674.
31. Padovani, G.; Anantharaj, V.; Fiore, S. yProv4ML: Effortless provenance tracking for machine learning systems. *SoftwareX* **2025**, *31*, 102298. [CrossRef]
32. Pina, D.; Kunstmann, L.; Chapman, A.; de Oliveira, D.; Mattoso, M. DLProv: A suite of provenance services for deep learning workflow analyses. *PeerJ Comput. Sci.* **2025**, *11*, e2985. [CrossRef] [PubMed]
33. Becker, J.; Kaesberg, L.B.; Bauer, N.; Wahle, J.P.; Ruas, T.; Gipp, B. MALLM: Multi-Agent Large Language Models Framework. In Proceedings of the 2025 Conference on Empirical Methods in Natural Language Processing: System Demonstrations, Suzhou, China, 4–9 November 2025; pp. 418–439.
34. Yue, Y.; Zhang, G.; Liu, B.; Wan, G.; Wang, K.; Cheng, D.; Qi, Y. MasRouter: Learning to Route LLMs for Multi-Agent Systems. In *Proceedings of the 63rd Annual Meeting of the Association for Computational Linguistics, Vienna, Austria*; Association for Computational Linguistics: Stroudsburg, PA, USA, 2025; pp. 15549–15572.
35. Chaudhary, M.; Gupta, H.; Bhat, S.; Varma, V. Towards Understanding the Robustness of LLM-based Evaluations under Perturbations. In Proceedings of the 21st International Conference on Natural Language Processing (ICON), Chennai, India, 19–22 December 2024; pp. 197–205.
36. Li, Q.; Cui, L.; Kong, L.; Bi, W. Exploring the Reliability of Large Language Models as Customized Evaluators for Diverse NLP Tasks. In Proceedings of the 31st International Conference on Computational Linguistics (COLING), Abu Dhabi, United Arab Emirates, 19–24 January 2025; pp. 10325–10344.
37. Huang, X.; Ruan, W.; Huang, W.; Jin, G.; Dong, Y.; Wu, C.; Bensalem, S.; Mu, R.; Qi, Y.; Zhao, X.; et al. A survey of safety and trustworthiness of large language models through the lens of verification and validation. *Artif. Intell. Rev.* **2024**, *57*, 175. [CrossRef]
38. Jalan, P.; Abishethvarman, V.; Chandna, B.; Naseem, U. Survey on LLM Safety: Attacks, Defenses, Alignment, Metrics, and Guardrails. *Mach. Learn.* **2026**, *115*, 130. [CrossRef]
39. Saklad, R.; Chadha, A.; Pavlov, O.V.; Moraffah, R. Can Large Language Models Infer Causal Relationships from Real-World Text? In *Proceedings of the 64th Annual Meeting of the Association for Computational Linguistics, San Diego, CA, USA*; Association for Computational Linguistics: Stroudsburg, PA, USA, 2026; pp. 21957–21989.
40. Grullon-Polanco, L. LLM-assisted genre analysis: The effect of sampling temperature on reliability. *Res. Methods Appl. Linguist.* **2026**, *5*, 100314. [CrossRef]
41. Zhang, Q.; Wang, Y.; Jiang, Y.; Li, L.; Wu, C.; Wang, Y.; Jiang, X.; Shang, L.; Tang, R.; Lyu, F.; et al. Crowd Comparative Reasoning: Unlocking Comprehensive Evaluations for LLM-as-a-Judge. In *Proceedings of the 63rd Annual Meeting of the Association for Computational Linguistics, Vienna, Austria*; Association for Computational Linguistics: Stroudsburg, PA, USA, 2025; pp. 5059–5074.

Disclaimer/Publisher's Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.