AT&T ATOMIC API: Critical Reference Guide (EB)

Last Updated: 03/27/2026

Allowed API Calls

Step	API Call	requestType	Purpose
1	Activate New Subscriber	Activate	Activate a new subscriber (SIM + IMEI + address + plan)
2	Subscriber Inquiry	subsriberInquiry	Look up subscriber details by MSISDN / SIM
3	Change Subscriber Status	(see below)	Suspend / Restore / Deactivate / Reconnect
4	Swap MSISDN	swapMSISDN	Change MDN based on ZIP code
5	Update Subscriber Info	UpdateSubscriberInfo	Update name/address on a subscriber
6	Resend OTA Profile	resendOtaProfile	Trigger OTA refresh for a subscriber

No other API calls are permitted without prior authorization.

🔐 Credentials

Field	Value
userName	“ezbiz”
token	“EZ(3928_*=wH)le”
pin	“EZ32726”

You must always use these credentials in the session block of every request.

Critical Enforcement Rules

1. Only use your assigned credentials (ezbiz / EZ32726).
2. Always use plan code ATTNOVOICE for activations.
3. Always verify MDN after activation using Subscriber Inquiry.
4. Use the correct reasonCode for each status change action (see Section 3 table).

Activation Sequence

Step	Action	Purpose
1	Activate New Subscriber	Activate SIM + IMEI on ATTNOVOICE plan
2	Subscriber Inquiry	Verify activation, get assigned MDN and BAN

MDN Change Sequence

Step	Action	Purpose
1	Subscriber Inquiry	Verify Address Associated With MDN
2	Update Subscriber Information	Update the MDNs PPU Address
3	Swap MSISDN	Change MDN to a different area code based on new/current PPU
4	Subscriber Inquiry	Verify new MDN after swap

🆕 1. Activate New Subscriber

POST	https://solutionsatt-atomic.telgoo5.com:22712

Request:

```
{"wholeSaleApi": {
    "session": {
    "userName": "ezbiz",
    "token": "EZ(3928_*=wH)le",
    "pin": "EZ32726"
},
    "wholeSaleRequest": {
        "requestType": "Activate",
        "partnerTransactionId": "TransID123",
        "imei": "YOUR_IMEI",
        "sim": "YOUR_SIM",
        "eSim": "N",
        "EID": "",
        "BAN": "",
        "firstName": "FIRST_NAME",
        "lastName": "LAST_NAME",
        "streetNumber": "YOUR_STREET_NUMBER",
        "streetDirection": "",
        "streetName": "YOUR_STREET_NAME",
        "zip": "YOUR_ZIP",
        "plan": "ATTNOVOICE",
        "portMdn": ""
    }
}}
```

Update Only: IMEI, SIM, FIRSTNAME, LASTNAME, streetNumber, streetName, zip

Response (Preview):

```
{
    "wholeSaleApi": {
        "session": {"userName": "ezbiz", "timestamp": "202603
27..."},
        "wholeSaleResponse": {
```

```
            "requestType": "Activate",
            "statusCode": "00",
            "description": "Sending Request To ATT.",
            "Result": {
                "MSISDN": "ASSIGNED_MDN",
                "status": "Reserved",
                "BAN": "ASSIGNED_BAN"
            }
        }
    }
}
```

🔎 2. Subscriber Inquiry

> Returns full subscriber details including: attStatus, BAN, activationDate, plan info, device info (BLIMEI/NWIMEI), address, and SOC codes.

POST	https://solutionsatt-atomic.telgoo5.com:22712

Request:

```
{"wholeSaleApi": {
    "session": {
    "userName": "ezbiz",
    "token": "EZ(3928_*=wH)le",
    "pin": "EZ32726"
},
    "wholeSaleRequest": {
        "requestType": "subsriberInquiry",
        "MSISDN": "YOUR_MDN",
        "sim": "YOUR_SIM"
    }
}}
```

Update Only: MSISDN, SIM

❌ 3. Change Subscriber Status

> This single endpoint handles all subscriber lifecycle state changes. The request structure is identical for all four actions - only the requestType and reasonCode values differ.

POST	https://solutionsatt-atomic.telgoo5.com:22712

Action Reference:

Action	requestType	reasonCode	Description
Suspend	suspendSubscriber	NPG	Temporarily suspend service
Restore	restoreSubscriber	CR	Restore a suspended subscriber
Deactivate	deactivateSubscriber	DD	Permanently deactivate/cancel
Reconnect	reconnectSubscriber	(blank)	Reconnect a deactivated subscriber

Request Template (for all actions):

🔴 **Request Example - Suspend:**

```
{"wholeSaleApi": {
    "session": {
    "userName": "ezbiz",
    "token": "EZ(3928_*=wH)le",
    "pin": "EZ32726"
},
    "wholeSaleRequest": {
        "requestType": "suspendSubscriber",
        "MSISDN": "YOUR_MDN",
        "reasonCode": "NPG"
```

```
    }
}}
```

🟢 **Request Example - Restore:**

```
{"wholeSaleApi": {
    "session": {
    "userName": "ezbiz",
    "token": "EZ(3928_*=wH)le",
    "pin": "EZ32726"
},
    "wholeSaleRequest": {
        "requestType": "restoreSubscriber",
        "MSISDN": "YOUR_MDN",
        "reasonCode": "CR"
    }
}}
```

❌ **Request Example - Deactivate:**

```
{"wholeSaleApi": {
    "session": {
    "userName": "ezbiz",
    "token": "EZ(3928_*=wH)le",
    "pin": "EZ32726"
},
    "wholeSaleRequest": {
        "requestType": "deactivateSubscriber",
        "MSISDN": "YOUR_MDN",
        "reasonCode": "DD"
    }
}}
```

✅ Request Example - Reconnect:

```
{"wholeSaleApi": {
    "session": {
    "userName": "ezbiz",
    "token": "EZ(3928_*=wH)le",
    "pin": "EZ32726"
},
    "wholeSaleRequest": {
        "requestType": "reconnectSubscriber",
        "MSISDN": "YOUR_MDN",
        "reasonCode": ""
    }
}}
```

Update Only: requestType, MSISDN, reasonCode (per table above)

🔄 4. Swap MSISDN (MDN Change)

POST	https://solutionsatt-atomic.telgoo5.com:22712

Request:

```
{"wholeSaleApi": {
    "session": {
    "userName": "ezbiz",
    "token": "EZ(3928_*=wH)le",
    "pin": "EZ32726"
},
    "wholeSaleRequest": {
        "requestType": "swapMSISDN",
        "MSISDN": "CURRENT_MDN",
        "zipCode": "TARGET_ZIP_CODE"
```

```
    }
}}
```

Update Only: MSISDN, zipCode

Note: The new MDN area code will be based on the ZIP code that is currently assosciated with the MDN. If requiring a specific area code please ensure that the Update Subscriber Information call is completed to change the MDNs PPU address.

ℹ️ 5. Update Subscriber Information

POST	https://solutionsatt-atomic.telgoo5.com:22712

Request:

```
{"wholeSaleApi": {
    "session": {
    "userName": "ezbiz",
    "token": "EZ(3928_*=wH)le",
    "pin": "EZ32726"
},
    "wholeSaleRequest": {
        "requestType": "UpdateSubscriberInfo",
        "MSISDN": "YOUR_MDN",
        "firstName": "NEW_FIRST_NAME",
        "lastName": "NEW_LAST_NAME",
        "address": {
            "streetNumber": "YOUR_STREET_NUMBER",
            "streetName": "YOUR_STREET_NAME",
            "streetDirection": "",
            "zipCode": "YOUR_ZIP"
        }
```

```
    }
}}
```

Update Only: MSISDN, firstName, lastName, address fields

🍃 6. Resend OTA Profile

> Trigger an OTA refresh when a device/SIM needs a network profile update.

POST	https://solutionsatt-atomic.telgoo5.com:22712

Request:

```
{"wholeSaleApi": {
    "session": {
    "userName": "ezbiz",
    "token": "EZ(3928_*=wH)le",
    "pin": "EZ32726"
},
    "wholeSaleRequest": {
        "requestType": "resendOtaProfile",
        "MSISDN": "YOUR_MDN",
        "sim": "YOUR_SIM"
    }
}}
```

Update Only: MSISDN, sim

📩 Support

If you experience any issues, please contact dan@wingalpha.com