• **Filename:** the name of this file indicates that this PDF contains the documentation information of environmental air data (EAD) captured at a CAPTOR node identified as Node-ID 21, deployed in the Spanish testbed in the 2018 campaign.

• **Project information:** CAPTOR project is funded by the European Union's Horizon 2020 Programme under the Grant Agreement No. 688110, www.captor-project.eu

• **Contact of the responsible of the dataset:**

  o CSIC: Mar Viana, mar.viana@idaea.csic.es, tf:+34 93 400 61 26

  o UPC: Jose M. Barcelo-Ordinas, joseb@ac.upc.edu, tf: +34 93 405 40 51

• **Description of the content of the data set:** the data set contents ozone calibrated data of a captor node located in a volunteer's house during the 2018 summer campaign.

• **Testbed location description:** The testbed was found in the Barcelonès-Vallesos-Osona (Catalonia, Spain) a rural/suburban region in NE Spain located 60-70 km from a major urban area (Barcelona).

• **Node ID:** 18021

• **Location of the node:** Santa Eugènia de Berga (Osona)

• **Technical information of the node:** specific information of the node:

  o number and type of sensors in the CAPTOR node: 3 SGX Sensortech MICS 2614 metal-oxide O3 sensors, 1 Temperature/Relative humidity sensor (DHT1) Grove - Temp&Humi sensor,

  o Information of calibration: the calibration of this node was performed applying a Multiple Linear Regression model to a training and validation set. The model consists of:

  $y \sim b_0 + b_1 x_1 + b_2 x_2 + b_3 x_3$, where y is the reference station data, x_1 the values measured by the O3 sensor, x_2 the values measured by the temperature sensor and x_3 the values measured by the relative humidity sensor.

  The calibration coefficients $\{b_0, b_1, b_2, b_3\}$ were calculated during a calibration period (14/06-04/07/2018) in the reference station of Tona. Additional information on the procedure to calibrate the node can be found in CAPTOR deliverable 2.3. "Software tool for Ozone Concentration Estimation Development",

  o Root Mean Square Error (RMSE) obtained in the calibrated process defined as the square of the Mean Square Error of the testing data set with respect the reference values. RMSE = 4.11 ($\mu g/m^3$)
  R^2 (Coefficient of Determination) measures the proportion of variability in Y that can be explained using X and it is bound between 0 and 1. When R^2 is close to 1 it indicates that a large proportion of the variability in the response has been explained by the regression. R^2 = 0.92

• **Dates of the campaign:** this node was in a volunteer's house from 04/07/2018 to 18/07/2018

• **Duration of the campaign:** 15 days

• **Length of the data size:** 654 samples (rows) of the data set

• **Rights:** The results and methods in this dataset are property of the CAPTOR consortium. Any use of the data should be notified and acknowledged to the CAPTOR project.

• **Description of the data set file:** the data set file DataSet_Spain_EAD_Node-ID21_2018.csv contains (columns): Start_local (local date and time at which the sensors started monitoring), End_local (local date and time at which the sensors ended monitoring), and Ozone (averaged ozone concentration in $\mu g/m^3$); (rows): samples.

• **Additional information (optional):** none