



TRAVEL

These compact, portable calculators are convenient for use away from the office or workplace. Models with a wide variety of functions are available.



Please visit the website for details in English.
<https://www.casio-intl.com/asia/en/calc/travel/>



The above link goes to Asia & Oceania English page,
for other areas and languages choose from the below link.
<https://world.casio.com/country/>



PRACTICAL CALCULATORS

Solar & Battery



 SL-340VA 14 DIGITS	 SL-320TV 12 DIGITS	 SL-300TV 8 DIGITS
EXTRA LARGE DISPLAY Plastic Keys Metal Faceplate TAX Function Command Signs		
 SL-300LV 8 DIGITS	 SL-797TV 8 DIGITS	 SL-797TV-BK SL-797TV-GD
EXTRA LARGE DISPLAY Plastic Keys Metal Faceplate TAX Function Command Signs		
Battery-operated LC-1000TV 10 DIGITS		
 LC-403TV 8 DIGITS		
 LC-401LV 8 DIGITS		
 LC-160LV 8 DIGITS		
 HL-122TV 12 DIGITS		
 HL-100LB 10 DIGITS		
 HL-820VA 8 DIGITS		
 HL-820LV 8 DIGITS		

PRACTICAL CALCULATORS

Battery-operated



HL-815L 8 DIGITS

LARGE DISPLAY % AA SIZE×1



HL-4A 8 DIGITS

LARGE DISPLAY %

Dual Leaf Type



SL-240LB 14 DIGITS

EXTRA LARGE DISPLAY Key Rollover Profit Margin % Function Command Signs Rounding Selector Decimal Selector



SL-220TE 12 DIGITS

EXTRA LARGE DISPLAY Key Rollover TAX Currency Exchange Profit Margin % Function Command Signs Rounding Selector Decimal Selector




SL-100L 8 DIGITS

LARGE DISPLAY %

VALUE SERIES

Portable Type



SX-320P 12 DIGITS

EXTRA LARGE DISPLAY Key Rollover Metal Faceplate %



SX-300P 8 DIGITS

EXTRA LARGE DISPLAY Key Rollover Plastic Keys Metal Faceplate %



SX-300 8 DIGITS

EXTRA LARGE DISPLAY %



SX-220 12 DIGITS

EXTRA LARGE DISPLAY Key Rollover %



SX-100 8 DIGITS

LARGE DISPLAY %

TRAVEL Specifications

Model	SL-340VA	SL-320TV	SL-300TV	SL-300LV	SL-797TV	LC-1000TV	LC-403TV	LC-401LV	LC-160LV	HL-122TV	HL-100LB	HL-820VA
Digits	14	12	8	8	8	10	8	8	8	12	10	8
Independent memory	●	●	●	●	●	●	●	●	●	●	●	●
Grand total (GT)	—	—	—	—	—	—	—	—	—	—	—	—
Regular percent (%)	●	●	●	●	●	●	●	●	●	●	●	●
Profit margin percent	●	●	●	—	●	●	●	●	—	●	●	—
Mark-up (MU)	—	—	—	—	—	—	—	—	—	—	—	—
Square root (✓)	—	—	—	●	—	—	—	●	●	●	●	●
Sign change (+/-)	●	●	●	●	—	—	—	●	●	●	●	—
Shift key [▼]	●	—	—	—	—	—	—	—	—	●	—	—
Time calculation	●	●	●	—	●	●	●	●	—	—	—	—
Tax calculation	—	—	●	—	●	●	●	●	—	●	—	—
Currency exchange function	—	—	—	—	●	—	—	—	—	—	—	—
Rounding F CUT selector 5/4	—	—	—	—	—	—	—	—	—	●	●	—
Decimal selector	—	—	—	—	—	—	—	—	—	—	—	—
3-digit comma markers	●	●	●	●	●	●	●	●	●	●	●	●
Power supply	Solar & Battery	LR54×1	LR54×1	LR54×1	LR54×1	AA (LR6 or R6P) ×1	AA (LR6 or R6P) ×1	LR54×1				
Approximate battery life (hours)	—	—	—	—	—	3 years	3 years	4,500	6,500	17,500	2 years	2 years
Dimensions H×W×D (mm)	7.5×70×118.5	7.5×70×118.5	7.5×70×118.5	7.5×70×118.5	6.9×57×102	7.5×70×118.5	7.5×70×118.5	⑤ 10.7×75×120 ⑥ 10×87×58 ⑦ 7.3×151.5×120 ⑧ 8×87×117.5	⑨ 19.5×77×141	18×69.5×118	6.9×57×102	18×69.5×118
Approximate weight (g)	50	50	50	50	35	50	50	70	35	115	65	35
Case/Others	Wallet	Wallet	Wallet	Wallet	Wallet	Wallet	Wallet	Hard	Hard	Soft	—	Wallet

Model	HL-820LV	HL-815L	HL-4A	SL-240LB	SL-220TE	SL-100L	SX-320P	SX-300P	SX-300	SX-220	SX-100
Digits	8	8	8	14	12	8	12	8	8	12	8
Independent memory	●	●	●	●	●	●	●	●	●	●	●
Grand total (GT)	—	—	—	●	—	—	—	—	—	—	—
Regular percent (%)	●	●	●	●	●	●	●	●	●	●	●
Profit margin percent	—	—	—	●	●	●	—	—	—	—	—
Mark-up (MU)	—	—	—	—	—	—	—	—	—	—	—
Square root (✓)	●	●	●	●	—	●	●	●	●	●	●
Sign change (+/-)	—	—	●	●	●	●	●	●	●	●	●
Shift key [▼]	—	—	—	●	●	—	—	●	●	●	—
Time calculation	—	—	—	—	—	●	—	—	—	—	—
Tax calculation	—	—	—	—	—	●	—	—	—	—	—
Currency exchange function	—	—	—	—	—	●	—	—	—	—	—
Rounding F CUT selector 5/4	—	—	—	—	●	●	—	—	—	—	—
Decimal selector	—	—	—	—	—	2	2	—	—	—	—
3-digit comma markers	●	●	●	—	●	●	●	●	●	●	●
Power supply	LR54×1	AA (LR6 or R6P) ×1	LR54×1	Solar & Battery	Solar & Battery	Solar & Battery	Solar & Battery	Solar & Battery	Solar & Battery	Solar & Battery	Solar & Battery
Approximate battery life (hours)	6,500	2 years	6,500	—	—	—	—	—	—	—	—
Dimensions H×W×D (mm)	⑤ 10×62.5×104 ⑥ 7.5×127×104	18×69.5×118	8.8×56×87	⑤ 12.5×120×73 ⑥ 6.5×120×141	⑤ 12.5×120×73 ⑥ 6.5×120×141	⑤ 13.5×91×55 ⑥ 9.4×91×110.5	7.5×70×118.5	7.5×70×118.5	7.5×70×118.5	⑤ 12.5×120×73 ⑥ 6.5×120×141	⑤ 13.5×91×55 ⑥ 9.4×91×110.5
Approximate weight (g)	45	65	25	76	76	55	50	50	50	80	55
Case/Others	Hard	—	—	—	—	—	Wallet	Wallet	Wallet	—	—

LR54=LR1130, LR6=AM3, R6P=UM-3 ⑤ Folded ⑥ Unfolded



LABELING

Convenient functions help you organize your working environment easily.



Please visit the website for details in English.
<https://www.casio-intl.com/asia/en/kl/>



The above link goes to Asia & Oceania English page,
for other areas and languages choose from the below link.
<https://world.casio.com/country/>



LABEL IT! EZ-LABEL PRINTER

for PCs or mobile devices



KL-P350W

Printing speed of 20mm/sec
(twice the previous speed)*
* Compared to the CASIO KL-HD1, when using the AC adaptor.

USB Wi-Fi Windows® PC / Android™ / iOS Mac®
Accepts 24mm tape

REPORTS 2025



It's possible to print labels in any language used on PCs or mobile devices.



- Accepts 24, 18, 12, 9 and 6mm tape widths
- 18mm print head / 200 dpi resolution
* When using Magnetic tape, print head is max. 16mm
- Auto cutter with half-cut function
- AC adaptor (included)

■ Convenient printer keys for one-touch printing



Memory print

One-touch printing of pre-registered label data is useful for printing frequently used labels.



Reprint

One-touch reprinting of the previously printed content is convenient when you want to replace an existing label.

■ KL-P350W Product Features

Fast, easy printing of labels useful for organizing and managing things

It's simple to print labels useful for a variety of applications, including filing, asset management, and attention notices. Insert QR Codes or barcodes.

Name	Label Printer	
Date	01-Apr-2025	
Section	Accounting Div.	

Actual size

Estimates

Space-saving design for desktop use

Choose horizontal or vertical setup according to the space available. The compact printer is always available to create labels when needed.



Flagship model



■ 642 illustrations and symbols



■ 60 designed logos




* Available in 8 languages (English / Spanish / German / French / Italian / Swedish / Portuguese / Indonesian)

■ Barcode printing



■ Auto cutter with half-cut function

Slits only the tape for easy removal from the backing paper.



* Continuous printing of up to 100 labels is possible.

KL-G2

- Large, easy-to-read 4-line, 16-digit backlit LCD
- Input area: 3 lines
- Accepts 24, 18, 12, 9 and 6mm tape widths
- Prints up to 8 lines (24 or 18mm tape)
- 16mm print head / 200 dpi resolution
- Auto cutter with half-cut function
- Designed logo printing

■ PC-connectable (via USB)

Multiple languages



Two compatible label printing softwares - BA-300 and LABEL DESIGN MAKER

	USB Connection	Internet Connection
LABEL DESIGN MAKER	●	Necessary (Unnecessary for original labels)
BA-300	●	Unnecessary

LABEL DESIGN MAKER For details on Label Design Maker see p.46

Label printing software BA-300 operating environment

OS	Microsoft® Windows® 10 / Windows® 8.1 / Windows® 7 SP1
PC	At least 1 GB of memory, USB port as standard equipment

■ Printing speed of 20mm/sec (twice the previous speed)*

Twice the printing speed of previous models with no loss of printing quality. Increases work efficiency by reducing label production time!

* Compared to the CASIO KL-HD1, when using the AC adaptor.

■ Extended printing

Attach together to make large labels easily.



* 12 mm or wider tape (top and bottom margins occur with 18 and 24 mm tape)



LABEL DESIGN MAKER

Label Printing Software for KL-P350W and KL-G2

Simple operation for quick and easy label creation

Create original labels or print pre-designed labels simply by choosing from a wide variety of pre-loaded label samples.


Label samples



Choosing labels by scene

Label samples are searchable by setting.


- Factory • Office • Hospital
- School • Store • Construction



Examples of office use

Freestyle creation

You can freely create original labels.





for PC / for Smartphone

Choosing labels by category

for PC / for Smartphone

Samples are searchable by category.

- Equipment • Device Calibration
- Attention • Sign • SS campaign
- Trash separation • Documents
- Name tag • Power saving • Price tag



Connection methods of compatible label

	PC	Smartphone
Windows®	Windows®	Mac®
KL-P350W	USB WirelessLAN	WirelessLAN
KL-G2	USB	—

PC system requirements

Operating system	Windows® or macOS® For details about which operating systems are supported, see the following support page: https://world.casio.com/support/os_support/
Personal computer	PC/AT-compatible computer that satisfies the following conditions: • Pre-installed with one of the above operating systems • CPU recommended for the operating system in use • USB port installed as standard or compatible with wireless LAN IEEE 802.11b/g/n
Memory	At least 2 GB
Hard disk	At least 1 GB of free space
Pointing device	Mouse or equivalent device compatible with the above operating systems

Smartphone system requirements

Operating system	Android or iOS For details about which operating systems are supported, see the following support page: https://world.casio.com/os_mobile/
	Downloadable free of charge

* An Internet connection is required for certain functions, such as searching for samples.

* LABEL DESIGN MAKER is not compatible with Windows for smartphones or tablets.

* Comply with other system requirements recommended for the above operating systems.

* Certain equipment configurations may not support proper operation.

* Operation is not guaranteed on an operating system that has been upgraded or otherwise modified from the pre-installed state.

Specifications


	for PC	for Smartphone
Samples	Categories: 10 types (Equipment / Device Calibration / Attention / Sign / SS campaign / Trash separation / Documents / Name tag / Power saving / Price tag) English, Thai, Traditional Chinese: 131 each Scenes: 6 types (Factory / Office / Hospital / School / Store / Construction) English, Thai, Traditional Chinese: 355 each*	8 types (Attention / Sign / SS campaign / Trash separation / Documents / Name tag / Power saving / Hospital) English, Thai: 83 each
Tape length	~ 600 mm	~ 600 mm
Fonts	PC fonts, LABEL DESIGN MAKER fonts	Smartphone fonts, LABEL DESIGN MAKER fonts
Character size	3 ~ 600	Freely scalable
Character styles	Normal / Bold / Italic / Underline / Color reversal (white)	—
Print direction	Horizontal / Vertical	Horizontal / Vertical
Numbering	● (0-9, a-z)	●
Merge print (import)	● (xlsx, csv)	●
Image paste	● (BMP, JPG, PNG, GIF)	—
Table creation	●	—
Time stamp	●	●
Barcode printing	14 types: EAN-13 (JAN-13), EAN-8 (JAN-8), UPC-A, UPC-E, ITF, CODE39, NW-7 (CODABAR), CODE128, GS1-128, GS1 DataBar, QR Code, PDF417, Data Matrix, MaxiCode	5 types: EAN-13 (JAN-13), ITF, CODE39, CODE128, QR Code
Frames	41	46
Storage	●	● (200 items)
Administrator privileges	Unnecessary	—
USB driver	Unnecessary (Note: Necessary for Windows® 7)	English / Thai / Traditional Chinese
Language support	English / Thai / Traditional Chinese	English / Thai

*Includes samples that overlap with samples searchable by category

Please visit the website for details. ►

Check the website for details about LABEL DESIGN MAKER.
labeldesignmaker.casio.jp

Compact and powerful



KL-130

- Easy-to-read, 12-digit, 1-line LCD
- Accepts 18, 12, 9 and 6mm tape widths
- 12mm print head / 200 dpi resolution
- Designed logo printing
- Barcode printing
- 534 built-in characters
- AC adaptor (sold separately)

2-WAY power supply



AC adaptor
* AC adaptor sold separately



8 installed fonts



Prints up to 3 lines (18 mm tape)

Equipment type : PC
Control tag No.0896
Thomas Sweeney

* Actual size

Barcode printing for your business



• EAN-13/EAN-8 • UPC-A/UPC-E
• ITF • CODE39 • CODABAR (NW-7)

Portable label printer



KL-HD1

- Accepts 18, 12, 9 and 6mm tape widths
- 12mm print head / 200 dpi resolution
- 8 languages

60 designed logos



* Available in 8 languages (English / Spanish / German / French / Italian / Swedish / Portuguese / Indonesian)

Multifunctional model with excellent memory




Prints up to 3 lines (24 or 18mm tape)

No. BCG-11342
Personnel Dept., CASIO

KL-820

- Accepts 24, 18, 12, 9 and 6mm tape widths
- Barcode printing
- 6 languages
- AC adaptor (sold separately)

Affordable model




KL-60

- Accepts 12, 9 and 6mm tape widths
- Prints up to 2 lines (12 or 9mm tape)
- Battery life: 4 tape cartridges



KL-120

- Accepts 18, 12, 9 and 6mm tape widths
- Print preview
- 5 languages



A varied selection of label tapes for use almost anywhere.

High-Strength Adhesive Tape - No residue - Cover up


This tape uses a newly developed adhesive that is very strong and leaves no residue when labels are removed. When used for over-labeling, it covers up the surface.

Labels peel off cleanly.




Compared to other adhesives, this product doesn't leave any residue.

The tape covers up the surface.



In an over-labeling comparison test, the new adhesive tape completely covers the surface.



*1 BLACK on SILVER not available in 6 mm width




Color Tape

This standard labelling tape comes in a wide variety of colors. Using labels color-coded according to the objects to be labeled or their purpose makes it easy to organize and manage things.



This standard labelling tape comes in a wide variety of colors. Using labels color-coded according to the objects to be labeled or their purpose makes it easy to organize and manage things.




Tamper-Evident Tape



This tape leaves the word "VOID" on the application surface when removed, making it possible to detect whether labels have been removed. It is effective for applications such as anti-tampering security and protection of confidential information.

* If applied to hard-to-stick surfaces, VOID pattern might not be left sufficiently when the label is peeled off.



Cable Flexible Tape



This tape conforms to curved surfaces such as cables and bottles.

* Suitable for use with USB cables and other cables with connectors




Tape for Oily Surfaces



This tape uses an adhesive that can absorb oil from the surface. Labels can be attached to surfaces contaminated with salad oil, lubricating oil, engine oil, anti-rust oil, or other types of oil or grease.

* If a surface is heavily covered with oil, the tape may not reach full adhesive power.



Heat Shrink Tube



*2 Φ(diameter) 5.0mm~Φ11.0mm *3 Φ2.5mm~Φ5.0mm

These fabric tubes shrink when heat is applied. Pass a cable through a tube and apply hot air using an industrial hot-air gun to shrink the tube to fit the cable.

* Suitable for use with conductor wire without connectors and other cables of smaller diameter than the tubes

* Tubes shrink when hot air of from 90°C to 270°C is applied.




Magnetic Tape^{*4}



The back of the tape is magnetized, so labels can be attached to whiteboards, fridges, and other metallic surfaces.

*4 For use with model KL-G2 and KL-P350W



Fluorescent Tape



These fluorescent colored tapes are great for producing labels with high visual impact.



Paper Tape



This is affordable paper tape. The tape surface is coated to increase print permanence. * Use indoors away from direct sunlight.



Iron-On Fabric Tape




This tape can be attached directly to fabrics using a clothes iron.



Tape Lineup

* Actual size



Width	24mm	18mm	12mm	9mm	6mm
High-Strength Adhesive Tape [8m] - No Residue - Cover up	BLACK on WHITE	XR-24GCWE	XR-18GCWE	XR-12GCWE	XR-9GCWE
	BLACK on YELLOW	XR-24GCYW	XR-18GCYW	XR-12GCYW	XR-9GCYW
	BLACK on SILVER	XR-24GCSR	XR-18GCSR	XR-12GCSR	XR-9GCSR
Color Tape [8m]	BLACK on WHITE	XR-24WE1	XR-18WE1	XR-12WE1	XR-9WE1
	BLACK on CLEAR	XR-24X1	XR-18X1	XR-12X1	XR-9X1
	BLACK on RED	XR-24RD1	XR-18RD1	XR-12RD1	XR-9RD1
	BLACK on YELLOW	XR-24YW1	XR-18YW1	XR-12YW1	XR-9YW1
	BLACK on BLUE	XR-24BU1	XR-18BU1	XR-12BU1	XR-9BU1
	BLACK on GREEN	XR-24GN1	XR-18GN1	XR-12GN1	XR-9GN1
	BLACK on GOLD	—	XR-18GD1	XR-12GD1	XR-9GD1
	BLACK on SILVER	—	XR-18SR1	XR-12SR1	XR-9SR1
	RED on WHITE	—	XR-18WER1	XR-12WER1	XR-9WER1
	BLUE on WHITE	—	XR-18WEB1	XR-12WEB1	XR-9WEB1
Tamper-Evident Tape [5.5m]	BLACK on SILVER	XR-24SCSR	XR-18SCSR	—	—
Tape for Oily Surfaces [5.5m]	BLACK on WHITE	XR-24TRWE	XR-18TRWE	XR-12TRWE	XR-9TRWE
Cable Flexible Tape [5.5m]	BLACK on WHITE	—	XR-18HMWE	XR-12HMWE	XR-9HMWE
Heat Shrink Tube [2.5m]	BLACK on WHITE	—	XR-18HSWE (Φ5.0mm~Φ11.0mm)	—	XR-9HSWE (Φ2.5mm~Φ5.0mm)
Magnetic Tape ^{*5} [1.5m]	BLACK on WHITE	XR-24JWE	—	—	—
	BLACK on YELLOW	XR-24JYW	—	—	—
	BLACK on FLUORESCENT PINK	—	XR-18FPK	XR-12FPK	XR-9FPK
	BLACK on FLUORESCENT ORANGE	—	XR-18FOE	XR-12FOE	XR-9FOE
	BLACK on FLUORESCENT YELLOW	—	XR-18FYW	XR-12FYW	XR-9FYW
	BLACK on FLUORESCENT GREEN	—	XR-18FGN	XR-12FGN	XR-9FGN
Paper Tape [8m]	BLACK on WHITE	—	XR-18TWE	XR-12TWE	XR-9TWE
Iron-On Fabric Tape [3.5m]	BLACK on WHITE	—	—	XR-12VWE	—

*5 For use with models KL-G2 and KL-P350W

Specifications

Model	KL-P350W	LABEL DESIGN MAKER		KL-G2	KL-820	KL-HD1	KL-130	KL-120	KL-60
		PC	smartphone						
Keyboard layout	—	Depends on PC input method	Depends on smartphone input method	QWERTY	QWERTY	ABCD keyboard	QWERTY	QWERTY	QWERTY
Display	LCD	—	—	128 x 64 dots with backlight	95 x 32 dots	96 x 32 dots	96 x 16 dots	96 x 16 dots	20 x 7 dots + cursor
	LED	Power/wireless LAN/status	—	—	—	—	—	—	—
	Display (input data)	—	—	16 digits x 3 lines	16 digits x 3 lines	12 digits x 1 line	12 digits x 1 line	16 digits x 2 lines	4 digits x 1 line
Available tape width (mm)	24/18/12/9/6	—	—	24 / 18 / 12 / 9 / 6	24 / 18 / 12 / 9 / 6	18 / 12 / 9 / 6	18 / 12 / 9 / 6	18 / 12 / 9 / 6	12 / 9 / 6
Printing resolution	200 dpi / 144 dots	—	—	200 dpi / 128 dots	200 dpi / 96 dots	200 dpi / 96 dots	200 dpi / 96 dots	200 dpi / 96 dots	160 dpi / 32 dots
Maximum printing speed (mm/sec)	20	—	—	20	6	10	6	6	11.6
Unit of length switching	—	mm	mm	cm / inches	cm / inches	cm / inches	cm / inches	cm / inches	—
Maximum printing height (mm)	18	—	—	16	12	12	12	12	5
Maximum printing lines	—	—	9	8	3	3	2	2	2
Maximum printing length (cm)	60	—	—	800	—	—	—	—	—
Fonts	See the corresponding software type →	All fonts installed on PC + LABEL DESIGN MAKER fonts	All fonts installed on smartphone + LABEL DESIGN MAKER fonts	Sans-serif / Sans-serif Rounded / Roman / Courier / Pop / Slab Serif / Bordeaux Heavy / Cursive	Sans-serif / Sans-serif Rounded / Roman / Courier / Pop / Slab Serif / Bordeaux Heavy / Cursive	Sans-serif / Sans-serif Rounded / Roman / Courier / Pop / Slab Serif / Bordeaux Heavy / Cursive	Sans-serif / Sans-serif Rounded / Roman / Courier / Pop / Slab Serif / Bordeaux Heavy / Cursive	Sans-serif	Sans-serif
Character styles		Normal / Bold / Italic / Underline / Color reversal (white)	Normal / Bold / Outline / Shadow / Raised	Normal / Bold / Outline / Shadow / Raised	Normal / Bold / Outline	Normal / Bold / Outline	Normal / Bold / Outline	Normal	Normal
Character effects		Normal / Bold / Italic / Underline / Color reversal (white)	Shading / Underline / Box	Shading / Underline / Box	Shading / Underline / Box	Shading / Underline / Box	Shading / Underline / Box	Shading / Underline / Box	Shading / Underline / Box
Built-in character types	—	—	—	883	248	668	534	248	207
Alphanumeric characters	See the corresponding software type →	See "Fonts"	See "Fonts"	62	62	62	62	62	62
Illustrations		292	286	245	—	245	111	—	—
Special characters / Accented characters		See "Fonts"	See "Fonts"	397	87	182	182	87	46
Country codes / symbols	It is in PC	It is in smartphone	179	99	179	179	99	99	99
Auto cutter with half-cut function		●	—	●	—	—	—	—	—
Frame printing		41	46	65	65	65	—	—	—
Layouts according to use	See the corresponding software type →	200 or more	83	—	24	—	—	18	—
Mirror printing		●	●	●	●	●	●	●	●
Printing direction		Horizontal / Vertical	Horizontal / Vertical	Horizontal / Vertical	Horizontal / Vertical	Horizontal / Vertical	Horizontal	Horizontal	Horizontal
Printing number setting	—	99	99	100	9	9	9	9	—
Designed logos	—	—	—	60	60	60	60	—	—
Numbering	—	●	●	●	●	—	—	—	—
Barcode printing	See the corresponding software type →	●	●	●	●	—	●	—	—
Message switching (Language)		English / Thai / Traditional Chinese	English / Thai	8 languages*1	6 languages*2	8 languages*1	8 languages*1	5 languages*3	English only
Print job memories	Reprint / Memory Print	Unlimited (depending on PC memory size)	200	Approx. 2,000 characters	100 characters / Layout / Numbering / Barcode x 10 each	80 characters x 2	80 characters x 10 / Barcode x 10	80 characters x 2	63 characters x 1
Auto power off	Approx. 6 minutes (excluding when connected)	—	—	●	●	●	●	●	●
Maximum characters per input data	—	—	100	255	100	80	80	80	63
Power supply	AC adaptor*4 (included)	—	—	AC adaptor*4 (included) or 8 x AA-size alkaline (LR6) batteries (sold separately)	AC adaptor*4 (sold separately) or 6 x AA-size alkaline (LR6) batteries (sold separately)	AC adaptor*4 (sold separately) or 6 x AA-size alkaline (LR6) batteries (sold separately)	6 x AA-size alkaline (LR6) batteries (sold separately)	6 x AA-size alkaline (LR6) batteries (sold separately)	6 x AA-size alkaline (LR6) batteries (sold separately)
Approximate battery life*5	—	—	—	2 tape cartridges	4 tape cartridges	4 tape cartridges	4 tape cartridges	4 tape cartridges	4 tape cartridges
Dimensions : H x W x D (mm)*6	61 x 131.7 x 136	—	—	67.5 x 202 x 212	52.5 x 167 x 223	60 x 112 x 202	54.5 x 189 x 115	54.5 x 189 x 115	51.5 x 168 x 114
Approximate weight (g)*7	495	—	—	850	610	340	430	430	300
Bundled tape cartridge (sample)	18mm x 1	—	—	12mm x 1	12mm x 1	12mm x 1	12mm x 1	12mm x 1	9mm x 1
USB	●	—	—	●	—	—	—	—	—
Wireless LAN	●	—	—	—	—	—	—	—	—
BA-300 (software)	—	—	—	●	—	—	—	—	—
Label Design Maker (software)	●	—	—	●	—	—	—	—	—

*1 English / Spanish / German / French / Italian / Swedish / Portuguese / Indonesian *2 English / Spanish / German / French / Italian / Swedish *3 English / Spanish / German / French / Italian

*4 KL-P350W: AD-1824L, KL-G2: AD-1832L, KL-820 / KL-130: AD-95100 *5 Continuous printing *6 The height dimension includes the feet *7 Not including batteries

Labemo

For labels you want to replace from time to time!



Labemo tape lineup*

Width	18mm	12mm	9mm
BLACK on WHITE	XA-18WE1	XA-12WE1	XA-9WE1
BLACK on YELLOW	XA-18YW1	XA-12YW1	XA-9YW1
BLACK on PINK	XA-18PK1	XA-12PK1	XA-9PK1

Length: 5 meters
Labemo dedicated tapes cannot be used with LABEL IT! products.

* For use with MEP-T10, MEP-U10 and MEP-K10

* "QR Code" is a registered trademark of DENSO WAVE INCORPORATED.
* Company names and product names shown are the registered trademarks and trademarks of their respective companies.
* Displays shown in this catalog are photographic images.
* Most of the printing examples are reduced to less than actual size.
* Product and accessory specifications and designs are subject to change without notice.
* Printing examples are simulations.

FUNCTION SYMBOLS

Scientific Calculator/Financial Consultant

763 FUNCTIONS

1,500 FUNCTIONS

Natural Textbook Display
Display expression same as textbook.

S-V.P.A.M. (Super Visually Perfect Algebraic Method)
All the features of the existing V.P.A.M. series plus a new 2-line display and a useful Replay function. All this helps to make mathematics easier to use and easier to understand than ever before.

STAT-data editor
Back-step viewing and editing of input data.

List based STAT-data editor
Viewing and editing of input data in list format, showing data groups (x-data, y-data, frequency) and surrounding data.

Multi-replay
Quick and easy recall of previously executed formulas for editing and re-execution.

10+2 DIGITS
10-digit mantissa + 2-digit exponential display.

ICON MENU
Specify the operation you want to perform by selecting an icon or inputting a number.

Dot matrix display
High-resolution screen provides beautiful looking every time.

Data communication with a personal computer
Allows data communication with a personal computer.

Plastic keys
Designed and engineered for easy operation.

Practical Calculator/Printing Calculator

COST SELL MAR
Cost/Sell/Margin
Calculate the cost, selling price, or margin of profit on an item, given the other two values.

EXTRA LARGE DISPLAY
Extra large display
Larger display makes more data easier to read.

LARGE DISPLAY
Large display
Large, easy-to-read display.

TAX
Tax calculation
Automatic calculation of price plus tax, price less tax, discount, selling price, tax amount, discount amount, and margin amount.

Currency Exchange
Currency exchange function
Currency conversion.

Remainder calculation
Remainder calculation
Rapidly calculates quotient and remainder.

Key Rollover
Key rollover
Key operations are stored in a buffer, so nothing is lost even during high-speed input.

Durable anti-fade keys
Durable anti-fade keys
Keys are produced by injecting plastic of two different colors. Key markings are plastic, which means they do not wear or fade with use.

UV-coated durable keys
UV-coated durable keys
Durable key printings with UV-coating.

Plastic keys
Plastic keys
Designed and engineered for easy operation.

Metal faceplate
Metal faceplate
Tough cover stands up to rough treatment.

TILT DISPLAY
Tilt display
The degree of display can be adjusted freely.

Change function
Change function
Allows easy calculation of payment amount and change.

Rounding selector
F: Floating decimals. CUT: Values are cut off.
UP: Values are rounded up. 5/4: Values are rounded off.

Decimal selector
4,3,2,1,0: Specifies the number of decimal places as 4,3,2,1,0.
ADD2: 2 decimal places are assumed for entries and results of all addition and subtraction operations.

300 STEPS CHECK 150 STEPS CHECK
300 steps check and 150 steps check
Displays up to 300 or 150 previous calculation steps.

Recheck with sound assist
Allows confirmation of errors by sound when checking calculations.

Localized number display
Displays numbers in four digit separator formats (Type A, Type B, Type C, and Indian). Choice of a comma or period as the decimal point.

2-color printing
Positive values are shown in black, and negative values are shown in red for easy checking.

Reprint function
Printing of multiple copies of the calculation history.

After print function
Printing of the calculation history later even in print off mode.


3.5 line-per-second printing
The value indicates the number of lines printed per second.

Clock & Calendar function
Printing of the current time and date.

Line printing
Line printing for higher speed, superior print quality, and quieter operation.

MODEL INDEX Red numbers indicate new models.

Model	Page	Model	Page	Model	Page	Model	Page	Model	Page
A		FA-CP400S3A	15	HL-815L-BU ④	42	MC-12M33	SL-100L	42
AX-12B	34	FA-CP400SA/SB/SC/SD	15	HL-815L-PK ④	42	MH-12-BK25	SL-220TE	42
AX-120B	34	FA-CP400-W1A/W1B/W1C/W1D	15	HL-815L-WE	42	MH-12-WE25	SL-240LB	42
AX-120ST	34	FA-CP400-W3A/W3B/W3C/W3D	15	HL-820LV-BK	41	MH-14-BK25	SL-300LV	41
C		FA-CW1SA/CW1SB/CW1SC/CW1SD	15	HL-820LV-WE	41	MH-16-BK25	SL-310UC-BK	37
ClassPad.net	15	FA-CW1-W1A/W1B/W1C/W1D	15	HL-820VA	41				



CASIO will continue delivering content that is enjoyable and useful.

world.casio.com

For information about accessories and options of calculators models, visit
<https://www.casio-intl.com/calc/>

 [facebook](https://www.facebook.com/CASIO-Calculators-Global-155268021727400/) <https://www.facebook.com/CASIO-Calculators-Global-155268021727400/>

CASIO COMPUTER CO., LTD. Tokyo, Japan

* Designs and specifications are subject to change without notice.

