Assignment 3. FTorresPerez

domingo, 20 de octubre de 2019 08:09 p.m.

Previous Results:

Rtotal= **6,8122** °*C*/*W*

$$\dot{Q} = \frac{\Delta T}{R_{Tot}} = \frac{20 - (10)}{6,8122} = \frac{10}{6,8122} = 1,4679 W$$

Same question, with different brick:

A = 3m * 5m = 15 m2T(foam) = 0.03 mk(foam) = $0.026 W/m^{\circ}C$ T(plaster1) = 0.02 mk(plaster) = $0.022 W/m^{\circ}C$ T(plaster2) = 0.015 mT(brick) = 0.32 mk(brick) = $0.72 W/m^{\circ}C$ h1= $10 W/m2 \cdot {^{\circ}C}$ h2= $40 W/m2 \cdot {^{\circ}C}$ T(inf)1= $20 {^{\circ}C}$ T(inf)2= $10 {^{\circ}C}$

$$R_{conv_1} = \frac{1}{h_1 * A} = \frac{1}{10 * (1 * 0.25)} = \frac{1}{10 * 0.25} = \frac{1}{2.5} = 0.4 °C/W$$

$$R_{conv_2} = \frac{1}{h_2 * A} = \frac{1}{40 * (1 * 0.25)} = \frac{1}{40 * 0.25} = \frac{1}{10} = 0.1 °C/W$$

$$R(foam) = \frac{T(foam)}{(K(foam)*A)} = \frac{0.03}{0.026*0.25} = \frac{0.03}{0.0065} = 4.6153 \text{ °C/W}$$

$$R(plaster1) = \frac{T(plaster1)}{(K(plaster1) * A)} = \frac{0.02}{0.22 * 0.25} = \frac{0.02}{0.055} = 0.3636 \circ \frac{C}{W}$$

R(parallel)

$$R_{plaster2} = \frac{T(plaster2)}{(K(plaster) * A)} = \frac{0.32}{0.22 * 0.015} = \frac{0.32}{0.0033} = 96,9696 °C/W$$

$$R_{brick 2} = \frac{T(brick)}{(K(brick) * A)} = \frac{0.32}{0.72 * 0.22} = \frac{0.32}{0.1584} = 2.0202 °C/W$$

$$\frac{1}{R(parallel)} = \frac{1}{R(brick2)} + \frac{1}{R(plaster2)} + \frac{1}{R(plaster2)}$$

$$\frac{1}{R(parallel)} = \frac{1}{2,0202} + \frac{1}{96,9696} + \frac{1}{96,9696}$$

$$\frac{1}{R(parallel)} = 0,4950 + 0,0103 + 0,0103$$

$$\frac{1}{R(parallel)} = 0,5156$$

$$R(parallel) = \frac{1}{0,5156}$$

R(parallel)= 1,9394 °C/W

$$R_{tot} = R_{conv_1} + R_{(foam)} + R_{(plaster1)} + R_{(parallel)} + R_{(plaster1)} + R_{conv_2}$$

$$R_{tot} = 0.4 + 4.6153 + 0.3636 + 1.9394 + 0.3636 + 0.1 = 7.7819 \,^{\circ}C/W$$

$$\dot{Q} = \frac{\Delta T}{R_{Tot}} = \frac{20 - (10)}{7,7819} = \frac{10}{7,7819} = 1,2850 W$$

Increasing the thickness of the wall through the bricks is still useless, since \dot{Q} is the same number, even though we have augmented the thickness of the bricks by twice. Once again, what makes the difference is the insulator, which in this case is the foam.

Simplified wall exercise:

Urethane Rigid Foam		Plywood	
Outside Air	0,03	0,03	
Wood bevel l.	0,14	0,14	
fiberboard(13mm)	0,23	0,23	
Urethane R.F.	(0,98*90/25) 3,528	No	
Plywood	No	(0,11*90/25) 0,7615	
Gypsum board	0,079	0,079	
Inside surface	0,12	0,12	
$R'_{URF} = 0.03 + 0.14 + 0.23 + 3,528 + 0.079 + 0.12 = 4,127 \ m^2.°C/W$			
$R'_{Plywood} = 0.03 + 0.14 + 0.23 + 0.7605 + 0.079 + 0.12 = 1,3605 m^2.$ ° C/W			