23. Jointly Distributed Random Variables

Examples [Ross S6.1]

Example 23.1: The joint pdf of X and Y is given by

$$f_{XY}(x,y) = \begin{cases} 2e^{-x}e^{-2y} & x > 0 \text{ and } y > 0\\ 0 & \text{else} \end{cases}$$

Compute

a)
$$P[X > 1, Y < 1]$$

b)
$$P[X < Y]$$

c)
$$P[X < a]$$
 (assume $a > 0$)

Solution:

Example 23.2: Given R > 0, consider the joint pdf

$$f_{XY}(x,y) = \begin{cases} c & \text{if } x^2 + y^2 \le R^2 \\ 0 & \text{else} \end{cases}$$

for some c > 0.

- a) Find c.
- b) Find the marginal pdf of X.
- c) Let $D=\sqrt{X^2+Y^2}$ be the distance of the pair (X,Y) from the origin. Find $P[D\leq a]$.
- d) Find E[D].

Note: This is the uniform distribution on a disk of radius R.

Solution:

Example 23.3: [Cover if time] The joint pdf of X and Y is

$$f_{XY}(x,y) = \begin{cases} e^{-(x+y)} & x > 0 \text{ and } y > 0 \\ 0 & \text{else} \end{cases}$$

Find the pdf of Z = X/Y.

Solution: