Basic YAML-LD

```
%YAML 1.2
"@context":
  "@vocab": http://xmlns.com/foaf/0.1/
name: Gregg Kellogg
homepage: https://greggkellogg.net/
depiction: http://www.gravatar.com/avatar/42f948adff3afaa52249d963117af7c8
date: "2022-09-12"
                        @prefix foaf: <http://xmlns.com/foaf/0.1/> .
                          foaf:name "Gregg Kellogg";
                          foaf:homepage "http://xmlns.com/foaf/0.1/homepage";
                          foaf:depiction "http://www.gravatar.com/avatar/42f948...";
                          foaf:date "2022-09-12";
```

Extended YAML-LD (PR #78)

Allows use of tagged value to express datatyped- and language-tagged literals

- Extends JSON-LD Internal Representation beyond strings, booleans, and numbers.
- Note: library shortcomings may require the use of "%23" instead of "#" in tag URIs.

```
%YAML 1.2
%TAG !xsd! http://www.w3.org/2001/XMLSchema#
---
"@context":
    "@vocab": http://xmlns.com/foaf/0.1/
name: !xsd!string Gregg Kellogg
homepage: https://greggkellogg.net/
depiction: http://www.gravatar.com/avatar/42f948...
date: !xsd!date "2022-09-12"
```

```
@prefix foaf: <http://xmlns.com/foaf/0.1/> .
@prefix xsd: <http://www.w3.org/2001/XMLSchema#> .

[
    foaf:name "Gregg Kellogg";
    foaf:homepage "http://xmlns.com/foaf/0.1/homepage";
    foaf:depiction "http://www.gravatar.com/avatar/42f948...";
    foaf:date "2022-09-12"^^xsd:date;
] .
```