

Threat hunting report

Browse through your security alerts, identifying issues and threats in your environment.


🕒 2026-08-16T19:06:36 to 2026-08-18T19:06:36

🔍 manager.name: wazuh.manager


Top 3 agents with level 15 alerts

No results match your search criteria


Top 10 Alert level evolution



Top 10 MITRE ATT&CKS



Alerts evolution - Top 5 agents



19,1...

- Total -

141

- Level 12 or above alerts -


175

- Authentication failure -

2,312

- Authentication success -

Top 5 agents



Alerts summary

Rule ID	Description	Level	Count
60137	Windows User Logoff	3	3133
60106	Windows Logon Success	3	1984
60104	Windows audit failure event	5	1862
67027	A process was created.	3	828
92021	Powershell was used to delete files or directories	3	397
92205	Powershell process created an executable file in Windows root folder	9	353
92052	Windows command prompt started by an abnormal process	4	245
67028	Special privileges assigned to new logon.	3	230
92066	C:\Windows\SysWOW64\SecEdit.exe binary in a suspicious location launched by C:\Windows\SysWOW64\WindowsPowerShell\v1.0\powershell.exe	4	223
60642	Software protection service scheduled successfully.	3	196
92031	Discovery activity executed	3	172
92032	Suspicious Windows cmd shell execution	3	167
92217	Executable dropped in Windows root folder	6	165
92652	Successful Remote Logon Detected - User:\Zabi - NTLM authentication, possible pass-the-hash attack.	6	104
19009	CIS Microsoft Windows Server 2025 Benchmark: Ensure 'Maximum password age' is set to '365 or fewer days, but not 0'.	3	64
19009	CIS Microsoft Windows Server 2025 Benchmark: Ensure 'Minimum password age' is set to '1 or more day(s)'.	3	64
19009	CIS Microsoft Windows Server 2025 Benchmark: Ensure 'Enforce password history' is set to '24 or more password(s)'.	3	62
92652	Successful Remote Logon Detected - User:\ANONYMOUS LOGON - NTLM authentication, possible pass-the-hash attack.	6	58
92652	Successful Remote Logon Detected - User:\Administrator - NTLM authentication, possible pass-the-hash attack.	6	58
19009	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Account lockout duration' is set to '15 or more minute(s)'.	3	28
19009	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Account lockout threshold' is set to '5 or fewer invalid logon attempt(s), but not 0'.	3	28
19009	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Accounts: Guest account status' is set to 'Disabled'.	3	28
19009	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Enforce password history' is set to '24 or more password(s)'.	3	28
19009	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Maximum password age' is set to '365 or fewer days, but not 0'.	3	28
19009	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Minimum password age' is set to '1 or more day(s)'.	3	28
19009	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure	3	28

Rule ID	Description	Level	Count
	'Minimum password length' is set to '14 or more character(s)'.		
19009	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Reset account lockout counter after' is set to '15 or more minute(s)'.	3	28
19007	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Choose how BitLocker-protected operating system drives can be recovered: Allow data recovery agent' is set to 'Enabled: False'.	7	20
19008	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Allow Basic authentication' is set to 'Disabled'.	3	20
92652	Successful Remote Logon Detected - User:\mharoon - NTLM authentication, possible pass-the-hash attack.	6	20
19008	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Allow unencrypted traffic' is set to 'Disabled'.	3	17
92652	Successful Remote Logon Detected - User:\backdoor - NTLM authentication, possible pass-the-hash attack.	6	16
92219	Possible DLL search order hijack by C:\Windows\SoftwareDistribution\Download\d4e0cfe04727bf505ed642396bff2b7f\Metadata\AppxDeviceInventory.dll created in Windows root folder	6	11
92219	Possible DLL search order hijack by C:\Windows\SoftwareDistribution\Download\d4e0cfe04727bf505ed642396bff2b7f\Metadata\Mitigation.dll created in Windows root folder	6	11
92219	Possible DLL search order hijack by C:\Windows\SoftwareDistribution\Download\d4e0cfe04727bf505ed642396bff2b7f\Metadata\MsixPackageProvisioner.dll created in Windows root folder	6	11
92219	Possible DLL search order hijack by C:\Windows\SoftwareDistribution\Download\d4e0cfe04727bf505ed642396bff2b7f\Metadata\ReserveManager.dll created in Windows root folder	6	11
92219	Possible DLL search order hijack by C:\Windows\SoftwareDistribution\Download\d4e0cfe04727bf505ed642396bff2b7f\Metadata\TurboStack.dll created in Windows root folder	6	11
92219	Possible DLL search order hijack by C:\Windows\SoftwareDistribution\Download\d4e0cfe04727bf505ed642396bff2b7f\Metadata\UaOneSettings.dll created in Windows root folder	6	11
92219	Possible DLL search order hijack by C:\Windows\SoftwareDistribution\Download\d4e0cfe04727bf505ed642396bff2b7f\Metadata\UpdateAgent.dll created in Windows root folder	6	11
92219	Possible DLL search order hijack by C:\Windows\SoftwareDistribution\Download\d4e0cfe04727bf505ed642396bff2b7f\Metadata\UpdateCompression.dll created in Windows root folder	6	11
92219	Possible DLL search order hijack by C:\Windows\SoftwareDistribution\Download\d4e0cfe04727bf505ed642396bff2b7f\Metadata\WinREAgent.dll created in Windows root folder	6	11

Rule ID	Description	Level	Count
92219	Possible DLL search order hijack by C:\\Windows\\SoftwareDistribution\\Download\\d4e0cfe04727bf505ed642396bff2b7f\\Metadata\\dpx.dll created in Windows root folder	6	11
92219	Possible DLL search order hijack by C:\\Windows\\SoftwareDistribution\\Download\\d4e0cfe04727bf505ed642396bff2b7f\\Metadata\\featurestaging.dll created in Windows root folder	6	11
92219	Possible DLL search order hijack by C:\\Windows\\SoftwareDistribution\\Download\\d4e0cfe04727bf505ed642396bff2b7f\\Metadata\\turbocontainer.dll created in Windows root folder	6	11
92219	Possible DLL search order hijack by C:\\Windows\\SoftwareDistribution\\Download\\d4e0cfe04727bf505ed642396bff2b7f\\Metadata\\updateddeploy.dll created in Windows root folder	6	11
92219	Possible DLL search order hijack by C:\\Windows\\SoftwareDistribution\\Download\\d4e0cfe04727bf505ed642396bff2b7f\\Metadata\\wcp.dll created in Windows root folder	6	11
19007	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Allow Cortana' is set to 'Disabled'.	7	10
19007	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Allow Online Tips' is set to 'Disabled'.	7	10
19008	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Domain member: Digitally sign secure channel data (when possible)' is set to 'Enabled'.	3	10
19009	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Computer Browser (Browser)' is set to 'Disabled' or 'Not Installed'.	3	10
19009	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Configure Automatic Updates: Scheduled install day' is set to '0 - Every day'.	3	10
19009	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Download Mode' is NOT set to 'Enabled: Internet'.	3	10
19009	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'PNRP Machine Name Publication Service (PNRPAutoReg)' is set to 'Disabled'.	3	10
19009	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Peer Name Resolution Protocol (PNRPsvc)' is set to 'Disabled'.	3	10
19009	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Peer Networking Grouping (p2psvc)' is set to 'Disabled'.	3	10
19009	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Support device authentication using certificate' is set to 'Enabled: Automatic'.	3	10
19009	CIS Microsoft Windows Server 2025 Benchmark: Ensure 'Account lockout duration' is set to '15 or more minute(s)'.	3	10
19009	CIS Microsoft Windows Server 2025 Benchmark: Ensure 'Minimum password length' is set to '14 or more character(s)'.	3	10
19008	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Configure Offer Remote Assistance' is set to 'Disabled'.	3	9

Rule ID	Description	Level	Count
19008	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Enable features introduced via servicing that are off by default' is set to 'Disabled'.	3	9
19008	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Enumerate local users on domain-joined computers' is set to 'Disabled'.	3	9
19008	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'MSS: (ScreenSaverGracePeriod) The time in seconds before the screen saver grace period expires' is set to 'Enabled: 5 or fewer seconds'.	3	9
19008	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Network access: Remotely accessible registry paths and sub-paths' is configured.	3	9
19008	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Network access: Restrict anonymous access to Named Pipes and Shares' is set to 'Enabled'.	3	9
19007	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Allow data persistence for Microsoft Defender Application Guard' is set to 'Disabled'.	7	8
19007	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Allow enhanced PINs for startup' is set to 'Enabled'.	7	8
19007	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Block all consumer Microsoft account user authentication' is set to 'Enabled'.	7	8
19008	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Accounts: Limit local account use of blank passwords to console logon only' is set to 'Enabled'.	3	8
19008	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Allow indexing of encrypted files' is set to 'Disabled'.	3	8
19008	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Do not delete temp folders upon exit' is set to 'Disabled'.	3	8
19008	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Domain member: Maximum machine account password age' is set to '30 or fewer days, but not 0'.	3	8
19008	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'MSS: (SafeDllSearchMode) Enable Safe DLL search mode' is set to 'Enabled'.	3	8
19008	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Manage preview builds' is set to 'Disabled'.	3	8
19008	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Network access: Sharing and security model for local accounts' is set to 'Classic - local users authenticate as themselves'.	3	8
19007	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Audit Authorization Policy Change' is set to include 'Success'.	7	7
19007	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Audit Removable Storage' is set to 'Success and Failure'.	7	7
19007	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Bluetooth Audio Gateway Service (BTAGService)' is set to 'Disabled'.	7	7
19007	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure	7	7

Rule ID	Description	Level	Count
	'Choose how BitLocker-protected fixed drives can be recovered' is set to 'Enabled'.		
19007	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Choose how BitLocker-protected fixed drives can be recovered: Configure storage of BitLocker recovery information to AD DS' is set to 'Enabled: Backup recovery passwords and key packages'.	7	7
19007	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Choose how BitLocker-protected operating system drives can be recovered: Configure storage of BitLocker recovery information to AD DS' is set to 'Enabled: Store recovery passwords and key packages'.	7	7
19007	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Choose how BitLocker-protected removable drives can be recovered: Recovery Password' is set to 'Enabled: Do not allow 48-digit recovery password'.	7	7
19007	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Choose how BitLocker-protected removable drives can be recovered: Save BitLocker recovery information to AD DS for removable data drives' is set to 'Enabled: False'.	7	7
19007	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Do not allow WebAuthn redirection' is set to 'Enabled'.	7	7
19007	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Do not display network selection UI' is set to 'Enabled'.	7	7
19007	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Enable App Installer ms-appinstaller protocol' is set to 'Disabled'.	7	7
19007	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Interactive logon: Smart card removal behavior' is set to 'Lock Workstation' or higher.	7	7
19007	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'MSS: (KeepAliveTime) How often keep-alive packets are sent in milliseconds' is set to 'Enabled: 300,000 or 5 minutes'.	7	7
19007	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Notify Password Reuse' is set to 'Enabled'.	7	7
19008	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Allow remote server management through WinRM' is set to 'Disabled'.	3	7
19008	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Always install with elevated privileges' is set to 'Disabled'.	3	7
19008	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Audit: Shut down system immediately if unable to log security audits' is set to 'Disabled'.	3	7
19008	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'System objects: Require case insensitivity for non-Windows subsystems' is set to 'Enabled'.	3	7
92066	C:\Windows\SysWOW64\certutil.exe binary in a suspicious location launched by C:\Windows\SysWOW64\WindowsPowerShell\v1.0\powershell.exe	4	2
92219	Possible DLL search order hijack by C:\Windows\SystemTemp\{0196EAAE-73B7-41FA-A1C5-FF5702149F	6	2

Rule ID	Description	Level	Count
	B1}\ssshim.dll created in Windows root folder		
92219	Possible DLL search order hijack by C:\Windows\SystemTemp\{0F1A941B-4870-43EE-9026-742F7E9532 E2}\ssshim.dll created in Windows root folder	6	2
92219	Possible DLL search order hijack by C:\Windows\SystemTemp\{3496128B-8FE8-47D3-99B5-A92CF8FFB9 20}\ssshim.dll created in Windows root folder	6	2
92219	Possible DLL search order hijack by C:\Windows\SystemTemp\{59031F60-6D0F-4DE5-B574-9E5C0CC388 A3}\ssshim.dll created in Windows root folder	6	2
92219	Possible DLL search order hijack by C:\Windows\SystemTemp\{673E25FB-046C-4D36-BD62-972691CDBA 57}\ssshim.dll created in Windows root folder	6	2
92219	Possible DLL search order hijack by C:\Windows\SystemTemp\{72DAAFFD-3318-47EF-9345-FE9C88A063 57}\ssshim.dll created in Windows root folder	6	2