

Roobet Tracker

The complete friend walkthrough:
get the code, run it on your laptop,
connect it to Roobet, and read your results.

Private gambling P&L tracker
Bookmarklet ingest + monthly ROI dashboard

Guide version 1.0 - September 2026
App: Next.js + Postgres (Supabase) + Prisma
Time needed: about 1-2 hours, most of it waiting on installs

How to use this guide: work top to bottom, do every step in order, and tick the checklists. Anything in a **grey code box** is typed into a terminal exactly as shown. Anything in a **yellow box** is important - read it twice.

What's inside

This guide takes you from zero to a working private dashboard for your own Roobet betting history. There are five milestones:

#	Milestone	Where
1	Get the code onto your laptop	Part A
2	Install Node.js and tools	Part B
3	Create your database + configure the app	Parts C-D
4	Run it and log in	Part E
5	Connect it to Roobet and import your bets	Part F

After that: a tour of the dashboard (Part G), the once-a-week habit that keeps it accurate, troubleshooting, and house rules for keeping your data private.

1 - What you are building

Roobet Tracker is a small private website that runs on **your own laptop**. It keeps a permanent database of every bet you place on Roobet, then shows you profit-and-loss charts: how much you are up or down per day, which games make or lose money, and your win rate. Nobody else can see it - it is locked with a username and password you choose.

Figure 1 - How the pieces fit together




Figure 1 - Data flows left-to-right in real life; top-to-bottom here. Your database is the permanent record.

The five moving parts

Part	What it is	Where it lives
Bookmarklet (bookmarklet.js)	A saved browser bookmark that scrapes the Roobet history page and POSTs the bets.	Your browser's bookmarks bar
Ingest API (/api/ingest)	Receives bets, checks the x-api-key header, validates each bet, upserts into the database.	Your laptop (Next.js)
Database (Postgres)	Three tables: Bet, Session, BankrollSnapshot. Hosted on Supabase so it survives laptop restarts.	Supabase cloud
Stats API (/api/stats)	Computes 24h / 7d / 30d summaries, daily P&L, game ROI, recent bets.	Your laptop (Next.js)
Dashboard (page.tsx)	Sidebar + headline + metric cards + charts + table. Protected by login.	Your browser at localhost:3000

One golden rule for the whole guide: Roobet does **not** publish how long it keeps your bet history. Treat their page as a short rolling window. Your database is the permanent record - import at least once a week or old bets may vanish forever.

2 - Sites and accounts you will visit

Everything here is free. Open each site when the guide tells you to - the table below is just the map.

Site	Why you go there	Cost
nodejs.org	Download Node.js 22 LTS (runs the app).	Free
supabase.com	Create your online Postgres database.	Free tier is plenty
github.com	Only if you want to browse the code online. Cloning uses git, no account needed for a public repo.	Free
roobet.com	Your bet-history page (logged in) - where the bookmarklet reads your bets.	Your account
localhost:3000	Your dashboard, running on your own laptop.	Free

Part A - Get the code onto your laptop

A.1 - Install Git (skip if you already have it)

Mac: Git comes with Xcode command-line tools. Open a terminal and run:

```
git --version
# If missing on Mac, this installs it:
xcode-select --install
```

Windows: download Git from **git-scm.com**, run the installer, accept the defaults.

A.2 - Clone the project

Open a terminal (Mac: Terminal app. Windows: PowerShell), go where you keep projects, and run:

```
git clone -b roobet-tracker \
  https://github.com/ZachBoyd1912/forever-grateful.git \
  roobet-tracker
cd roobet-tracker
```

Do not skip the *-b roobet-tracker* part. This repository's *main* branch is a different project. All of the tracker code lives on the *roobet-tracker* branch. If you forget it you will get the wrong app.

A.3 - Look around (30 seconds)

You should see these - don't edit anything yet:

File / folder	What it is
bookmarklet.js	The Roobet scraper you will turn into a bookmark (Part F).
.env.example	Template for your secrets - you copy it to .env in Part D.
src/app/page.tsx	The dashboard page itself.
src/app/api/ingest/route.ts	Receives bets from the bookmarklet.
src/app/api/stats/route.ts	Computes the numbers the dashboard shows.
prisma/schema.prisma	Database blueprint: Bet, Session, BankrollSnapshot.

Checkpoint: the folder lists files and *git status* prints nothing scary. Move on.

Part B - Install Node.js and pnpm

The app needs **Node.js 22** (JavaScript runtime) and **pnpm 10** (package installer). Install once, use forever.

B.1 - Mac

```
# 1. Install Node 22 LTS from https://nodejs.org
# (the big green LTS button, then run the .pkg)
node --version
# expect: v22.x.x
```

```
# 2. Enable pnpm (ships with Node via corepack):
corepack enable
corepack prepare pnpm@10.33.2 --activate
pnpm --version
# expect: 10.33.2
```

B.2 - Windows

```
# 1. Install Node 22 LTS from https://nodejs.org
# 2. In PowerShell (same roobet-tracker folder):
corepack enable
corepack prepare pnpm@10.33.2 --activate
pnpm --version
# expect: 10.33.2
```

B.3 - Install the project's libraries

```
pnpm install
# takes a few minutes the first time - that is normal
```

Checkpoint: `node --version` shows v22 and `pnpm --version` shows 10.33.2.

House rule for later: on this laptop **never run `pnpm build`** - it can freeze smaller machines. The safe checks are `pnpm typecheck` and `pnpm lint`, which you will meet in Part E.

Part C - Create your database (Supabase)

Your bets live in a Postgres database hosted free on Supabase. You need your **own** project - do not reuse anyone else's connection string, or you will each see the other's bets.

C.1 - New project

- 1 Go to **supabase.com**, sign up / log in.
- 2 Click **New project**. Name it *roobet-tracker*, set a strong database password, pick the region closest to you, and create it (takes ~2 minutes).
- 3 Open the project, go to **Project Settings (gear icon) -> Database -> Connection string**.

C.2 - Copy the DIRECT string (important)

Supabase shows two connection strings. For setup you need the **Direct** one (port **5432**). It looks like this:

```
postgresql://postgres:YOUR-PASSWORD@db.xxxxx.supabase.co:5432/postgres
```

Keep this tab open - you paste it into `.env` in Part D. (The *Pooled* string on port 6543 is only for hosted deployments later; local setup uses Direct.)

If a database command later fails with **P1001: Can't reach database server**, you almost certainly copied the wrong string or a stale password. Re-copy the Direct string from Supabase and try again.

Part D - Configure the app (.env)

Secrets live in a file called `.env` that is never shared or uploaded (it is git-ignored). Create it from the template:

```
cp .env.example .env
# Windows PowerShell instead:
# Copy-Item .env.example .env
```

Open `.env` in a text editor and fill in these four values:

Variable	What to put	Example
DATABASE_URL	Your Supabase Direct string from Part C.	postgresql://postgres:... @db.xxxx...:5432/postgr es

Variable	What to put	Example
BOOKMARKLET_API_KEY	A long random password you invent. Generate one:	run: openssl rand -hex 32
BASIC_USER	Username for your dashboard login (you choose).	myname
BASIC_PASS	Strong password for your dashboard login.	a long random phrase

macOS / Linux: make a random API key like this
openssl rand -hex 32
copy the output into BOOKMARKLET_API_KEY

Windows without openssl: mash the keyboard for 40+ random letters and numbers - that works fine too.

Privacy rules: (1) Never commit `.env` or paste these values into chat, email, or screenshots. (2) Your `BOOKMARKLET_API_KEY` is the password between your browser and your laptop - anyone with it can add bets. (3) Your `BASIC_USER` / `BASIC_PASS` is the front door of the dashboard.

Part E - Build the database and run the app

Figure 2 - Setup flow




Figure 2 - Do these in order; each step depends on the one above.

E.1 - Create the tables

```
pnpm exec prisma migrate dev --name init
# Windows runs the same two lines after pnpm install:
#   pnpm exec prisma generate
#   pnpm exec prisma migrate dev --name init
```

Prisma reads *prisma/schema.prisma*, connects to Supabase with your DATABASE_URL, and creates the tables. Success ends with something like *Your database is now in sync*.

E.2 - Start the app

```
pnpm dev
```

Wait for *Ready*, then open **http://localhost:3000**. Your browser asks for a username and password - those are the BASIC_USER / BASIC_PASS from Part D.

E.3 - What success looks like

An empty dark dashboard: *30-day headline* showing +0.00, metric cards at zero, *Monthly trend* for the current month, *How to import* instructions, and a *Recent bets* card saying *No bets yet*. That is correct - there is no data until Part F.

E.4 - Sanity checks (optional but recommended)

```
pnpm typecheck
# expect: no output = zero errors (this is the main check)
```

```
pnpm lint
# expect: no output = zero errors
```

Checkpoint: dashboard loads, login works, checks pass. Leave *pnpm dev* running while you do Part F.

Part F - Connect Roobet (the bookmarklet)

The bookmarklet is a bookmark that is secretly a tiny program. Clicked while you look at your Roobet bet history, it reads every visible row and sends the bets to your laptop. Three jobs: **configure it, install it, click it weekly**.

F.1 - Point it at YOUR laptop

Open *bookmarklet.js* (in the project folder) and set these two lines:

```
var API_URL = 'http://localhost:3000/api/ingest';
var API_KEY = 'paste-your-BOOKMARKLET_API_KEY-here';
```

API_URL is where bets are sent (your laptop for now). API_KEY must exactly match the BOOKMARKLET_API_KEY in your *.env*. (If the app is later deployed to a public address, this line changes to that address + */api/ingest*.)

F.2 - Match it to Roobet's page (only if needed)

The file guesses which page elements hold each bet (ROW_SELECTOR + CELLS). Roobet redesigns sometimes, so if clicking later says *No bet rows found*, do this:

- 1 On the Roobet history page, press **F12** to open developer tools.
- 2 Click the inspect arrow (top-left of the panel), then click one bet row.

- Note the row's tag/class (e.g. *tr* or a *data-testid*), and the order of its cells (time, game, stake, payout, multiplier).
- Update `ROW_SELECTOR` and `CELLS` in *bookmarklet.js* to match, save, and re-install the bookmark below.

F.3 - Install it as a bookmark

- Copy the whole *bookmarklet.js* file, paste it into a JavaScript minifier (search *js minifier*), and copy the one-line result.
- Put **javascript:** in front of that line (no space).
- Bookmark any page (Ctrl/Cmd+D), edit the bookmark: name it **Import Roobet Bets** and replace its URL with your javascript: line. Show the bookmarks bar so it is one click away.

Figure 3 - Weekly import flow




Figure 3 - The five-minute habit that keeps every chart honest.

F.4 - What the popups mean

Popup / symptom	Meaning	Do this
Imported 48 / 48 bets	Perfect - all rows saved.	Check Recent bets on the dashboard.
Imported 0 / 30 bets	Rows found but nothing parsed.	Fix <code>CELLS</code> selectors (F.2).
No bet rows found	Page structure changed.	Fix <code>ROW_SELECTOR</code> (F.2).
Import failed (401)	Wrong API key.	Match <code>API_KEY</code> to <code>.env</code> exactly, restart dev, retry.
Import failed (413)	Over 2000 bets at once.	Import in smaller chunks (scroll less far).

Duplicates: bets WITH a Roobet ID are **upserted** (re-clicking is safe). Bets without an ID are added fresh every time - so prefer selectors that capture the bet ID.

Part G - Reading your dashboard

Area	What it tells you
Sidebar (left)	Jump to Overview, Recent bets, Month, Games, ROI chart, Import help. Badge shows total bet count. On phones it becomes a menu button.
Header tabs	Same four sections as the sidebar. Month picker (top right) changes which month the Monthly card shows.
30-day headline	The one big number: net profit/loss over the last 30 days, plus ROI badge, win rate, and amounts wagered/paid.
Last 24h / 7d / 30d cards	Rolling windows - green Profit or red Loss badge, ROI, bet count, win rate each.
Monthly trend	Daily net P&L bars for the chosen month, best and worst bet highlighted.
Top games + How to import	Which games you play most; the 3-step reminder for importing.
ROI by game	Which game types hold (green) or bleed (red) - size bets accordingly.
Recent bets	Newest first, sortable by Time/Stake/Payout/Net (click headers), with a totals footer. Shows up to 50 at a time.

Green means profit, red means loss - every money number also has text/a dot, never color alone.

The weekly habit (read this twice)

Roobet states **no public bet-history retention period**. Other players report struggling to recover old history. Your database only knows what you import, so:

- **Every week:** Roobet history -> click bookmark -> check the popup -> glance at Recent bets.
- **After big sessions:** import the same night.
- **Before cashing out conclusions:** make sure the latest session is imported, or the charts lie by omission.

Troubleshooting

Symptom	Likely cause	Fix
P1001: Can't reach database	Wrong/stale DATABASE_URL.	Re-copy the Supabase Direct (5432) string into .env; restart dev.
Browser login loops / 401	BASIC_USER/PASS mismatch.	Check .env spelling; restart dev; retry.
Dashboard shows 500 Auth	Running in production mode with no creds.	Set BASIC_USER + BASIC_PASS (dev allows empty, prod does not).
No bet rows found	Roobet changed its page.	Redo F.2 selectors.
Nothing parses (0/N)	CELLS selectors wrong.	Redo F.2; check console (F12) for the row HTML.
Port 3000 in use	Old dev server still running.	Close other terminals, or run: <code>pnpm dev --port 3001</code> .
pnpm build freezes laptop	Known: 8GB machines choke on builds.	Never build locally - use <code>pnpm typecheck + pnpm lint</code> .
Charts empty after import	Month picker on wrong month.	Set picker to the month you imported.
Duplicates appearing	Rows have no stable bet ID.	Capture the bet-ID cell so upserts work.

House rules (keep everyone safe)

- **.env never leaves your laptop.** Not git, not chat, not screenshots. It holds your database password and keys.
- **Your data is yours.** Each friend runs their own Supabase project and their own keys - never share a DATABASE_URL.
- **Updates come through git.** To get the latest fixes: *git pull origin roobet-tracker*, then *pnpm install* and re-run migrations if told to.
- **Gambling reality check:** this tool measures results; it does not change them. Set limits, and treat red numbers as information, not a challenge.

Final checklist - tick them off

- Code cloned with *-b roobet-tracker*
- Node 22 + pnpm 10.33.2 installed, *pnpm install* done
- Own Supabase project; Direct URL in .env
- .env has all four values; never shared
- Tables migrated; *pnpm dev* running; login works
- Bookmarklet installed with my URL + key
- First import done; Recent bets shows my bets
- Weekly reminder set (phone alarm counts)

Guide v1.0 - September 2026. App branch: roobet-tracker. Questions? Ask the person who gave you this PDF - they have run every step above.