Coordination of a Multi-Agent System for Emergency Response

Team 05

January 11, 2025

Overview of the Project

Agents and Tasks

Crews Module

Data Models

Database and Tools

GPS Tools

Scripts

Test Script

Test Folder

emergency_planner/main.py

```
class EmergencyPlannerFlow(Flow[EmergencyPlannerState]):
   @start()
   def get_call_transcript(self): ...
   @listen(get_call_transcript)
   def emergency_services(self): ...
   @listen(emergency_services)
   def firefighters(self): ...
   @listen(emergency_services)
   def medical services(self):
       if not self.state.call_assessment.medical_services_required:
          return
       . . .
   @listen(or_(and_(firefighters, medical_services), "
        retry_public_communication"))
   def public_communication(self): ...
   @router(public_communication)
   def check_approval(self): ...
```

data/

```
✓ data

√ inputs

 .gitkeep
 ≡ call_transcripts.txt

✓ outputs

 gitkeep
   emergency_report_2.md
 emergency_report.md
  ≡ logs1.txt
  ≡ logs2.txt
```

```
Ostart()
def get_call_transcript(self):
   with open (EMERGENCY_CALL_TRANSCRIPTS_FILENAME,
        ) as f:
       self.state.call_transcript = f.readlines()[
            TRANSCRIPT INDEX
@listen("save full emergency report")
def save_full_emergency_report(self):
   full_emergency_report = f"""
# Emergency Report
## Call Transcript
{self.state.call transcript}
.. .. ..
with open (EMERGENCY_REPORT_FILENAME, "w") as f:
   f.write(full_emergency_report)
```

Thank you!

Questions?

