Skidbacken

Zacharias Brohn*

Luleå tekniska universitet
971 87 Luleå, Sverige

17 september 2024

Sammanfattning

I denna rapport ska jag beskriva och förklara uppgifter angående en given funktion på en kurva

1 Introduktion

Rapporten kommer lösa och beskriva uppgifter kring en skidbacke som har fallhöjden 500 meter. Här ser du den grafiskt ritad:



Grafen är ritad med ett samband mellan y (höjden i km.) och x (längden i km.) som kan srivas som:

$y = 0,5e^{-x^2}$ där $0 \leq x \leq 2,5$

*email: `zacbro-8@student.ltu.se`

2 En skidbackes lutning

First we solve:

Determine the angle at which the curve of the function is inclined at the point $x = 0,8$.

To do this, we first need to calculate the derivative $\left(\frac{dy}{dx}\right)$ of the function, which will give us the slope of the tangent line at that point. From the slope, we can then calculate the angle using the arctangent function. Because the function involves an exponential expression, we will use the **chain rule**:

2.1 Splitting the function

The function $y = 0,5e^{-x^2}$ can be viewed as a composition of two functions:

- The outer function $f(u) = 0,5e^u$, where $u = -x^2$.
- The inner function $g(x) = -x^2$.

According to the chain rule, the derivative of the composite function is:

$$\frac{dy}{dx} = \frac{dy}{du} \cdot \frac{du}{dx}$$

2.2 Step 1: Derivative of the Outer Function

First, we differentiate the outer function $y = 0,5e^u$ with respect to u. The derivative of e^u with respect to u is simply e^u, and since there is a constant 0,5 in front, we have:

$$\frac{dy}{du} = 0,5e^u \tag{1}$$

2.3 Step 2: Derivative of the Inner Function

Next, we differentiate the inner function $u = -x^2$ with respect to x using the basic power rule differentiation:

$$\frac{du}{dx} = \frac{d}{dx}\left(-x^2\right) = -2x \tag{2}$$

2.4 Step 3: Applying the Chain Rule

Now, we apply the chain rule by multiplying the results from Step 1 and Step 2:

$$\frac{dy}{dx} = \frac{dy}{du} \cdot \frac{du}{dx} = 0,5e^{-x^2} \cdot (-2x) \tag{3}$$

And by simplifying this expression we get:

$$\frac{dy}{dx} = -x \cdot e^{-x^2} \tag{4}$$

Thus we have the derivative of y.

2.5 Finding the Slope at $x = 0,8$

Now that we have the general expression for the derivative, we can calculate the slope of the curve at the point x. Substituting $x = 0,8$ into the derivative as well as simplifying:

$$\begin{aligned} y'(0,8) &= -0,8 \cdot e^{-(0,8)^2} \\ &= -0,8 \cdot e^{-(0,64)} \\ &= -0,8 \cdot 0,5272 = -0,4218 \end{aligned} \tag{5}$$

3 Nästa (del-) uppgift

4 Och ännu nästa (del-) uppgift...

5 Diskussion [och slutsatser]

Sammanfatta vad som avhandlats i rapporten, vad du kommit fram till, och sätt det i sitt sammanhang.

Referenser

[1] Michel Goossens, Frank Mittelbach, and Alexander Samarin. *The LaTeX Companion*. Addison-Wesley, Reading, Massachusetts, 1993.

[2] Albert Einstein. *Zur Elektrodynamik bewegter Körper*. (German) [*On the electrodynamics of moving bodies*]. Annalen der Physik, 322(10):891–921, 1905.