

# HTML Notes

Zachary Sears

January 21, 2026

## 1 General Notes

From the Javascript tutorial:

"Where do I Put my Javascript? How to link Javascript to HTML | Tutorial for Beginners": The script element: `<script>|/script>`, similarly to the link element, allows us to:

- Write JavaScript directly into the element
- Link a src JavaScript file

## 2 Lesson 1

Playlist for learning HTML is found [here](#). All HTML files are a combination of element tags and text.

Each file begins with an `<html>` opening tag and ends with an `</html>` closing tag. Within these two tags is the actual webpage definition. The first half of which is the `<head></head>` tag set which holds and defines data not on the actual page. However, if a `<title></title>` element is defined, this will show up in the page's tab at the top of the browser. The second half of the page is the `<body></body>` tag set which defines what the page displays. There are heading tags, such as `<h1></h1>` which displays header size text, and paragraph tags: `<p></p>` which displays blocks of text. Webpage validation can be done at <https://validator.w3.org>. This site allows file uploads to check against current HTML conventions and definitions.

## 3 Lesson 2

An author and page description tag in the head of an HTML index file is useful for search engines to learn more about a page. These are not displayed on the page itself and are formatted as follows:

- `<meta name = "author" content = "...">`
- `<meta name = "description" content = "...">`

There is a `<link>` element that can be placed in the `<head>` element. `<link>` has three attributes:

1. `rel` (relation) - How this element relates to the page.
2. `href` (hypertext reference) - A reference to a resource that will be used by the page.
3. `type` - What kind of resource is being referenced by this link.

CSS code can be relegated to a separate file and replace with a link to that file using the previously described link element.

## 4 Lesson 3

Moved the the CSS and image files into the parent folder and the links broke. Looked up a fix for this and found that because the files are in the parent folder, I can use the `../<filename>` relative path to reference them.

New tags:

- `<hr>` - Horizontal rule, places a horizontal line across the page.
- `<br>` - Line break, inserts a line break.
- `<em>` - Emphasis, emphasizes the text inside the element. Does not create a new line.
- `<strong>` - Strong emphasis, also emphasizes the text but bolds the text instead of italicizing it.
- `&` - Begins an HTML entity. A list of HTML entities can be found [here](#)
  - `&nbsp;` - Adds a space into a text block.
  - `&lt;` - Less than: `>`
  - `&gt;` - Greater than: `<`
  - `&copy;` - Inserts the copyright symbol.
- `<address>` - Displays an address on the page.
- `<!--...-->` - Comment structure.

## 5 Lesson 4

More new elements!

- `<ol>` - Ordered list, create a numbered list by default.
- `<ul>` - Unordered list, create a bulleted list by default.

- `<li>` - List item
- `<dl>` - Description list, create a list of items with indented descriptions.
  - `<dt>` - Description term, name of the list item.
  - `<dd>` - Description details - details about the description term.
  - Format of `<dl>` in a webpage by default is:
 

```

<body>
  <dl>
    item 1
      item 1 details
    item 2
      item 2 details
  </dl>
</body>
          
```

## 6 Lesson 5

`<a>` - Anchor tage, used to link other webpages. Attributes for href are defined in [3](#) under the `<link>` element.