$\label{eq:local_control} \begin{tabular}{ll} L\ddot{O}VR \ Demo \ Docs \\ for \ Interactive \ Music \ Experiences \\ \end{tabular}$

assembled by Zachary Talis

Contents

1	Introduction		
	1.1	What does this doc cover?	2
	1.2	Tools we'll use	2
2	Blender (Suzanneification)		
	2.1	A fresh Suzanne	3
	2.2	Exporting to glTF	3
3	Substance Painter		
	3.1	New file	4
	3.2	Rendering maps	4
	3.3	Smart materials	4
	3.4	Exporting	5
4	Krita		
	4.1	An ambient excursion	5
5	Blender (Final Export)		
	5.1	Giving Suzanne our texture	6
6	LÖ	m VR	7
	6.1	Project structure	7
	6.2	conf.lua, for convenience's sake	8
	6.3	Resource imports	8
	6.4	Spinny Suzanne	8
	6.5	Running the project	8

1 Introduction

1.1 What does this doc cover?

We're going to make a monkey spin in LÖVR!

LÖVR is a simple-yet-powerful game engine for VR. By the end of this doc, you'll have tackled these LÖVR essentials:

- Creating, UV-mapping, and exporting a simple 3D model from Blender.
- Slapping some materials onto the model in Substance Painter.
- Assembling a final texture in Krita.
- Writing a simple Lua script that LÖVR uses to display our model.

Parts of this guide are based off LÖVR's "Callbacks and Modules" documentation¹.

1.2 Tools we'll use

You can download everything here for free!

Blender² is a 3D-modelling software that does a little bit of everything.

Substance Painter³ is a nondestructive, mask-based, Adobe-owned texturing tool. It's free with an edu email address.

 \mathbf{Krita}^4 is an image manipulation and painting tool.

 $\mathbf{L\ddot{O}VR^{5}}$ is a cross-platform VR engine that flouts intuitive Lua scripting and a light footprint.

¹https://lovr.org/docs/Callbacks_and_Modules/

²https://blender.org/

³https://adobe.com/products/substance3d-painter.html

⁴https://krita.org/

⁵https://lovr.org/

2 Blender (Suzanneification)

2.1 A fresh Suzanne

- Make a new Blender file, delete any default objects, and add a Mesh > Monkey. Say hello to our new friend Suzanne⁶!
- 2. Go into Edit Mode.
- 3. Unwrap some UVs for our Suzanne. You've got two options: either Smart UV Project or marking the UV seams yourself.




Figure 1: UV seams marked on Suzanne.

2.2 Exporting to glTF

- 1. File > Export > glTF 2.0.
- 2. Change the Format to glTF Embedded (.gltf), and export.

 $^{^6 \}mathrm{https://docs.blender.org/manual/en/latest/modeling/meshes/primitives.htm\#monkey}$

3 Substance Painter

3.1 New file

- 1. File > New, as all great things begin.
- 2. Template: set to PBR Metallic Roughness Alpha-blend.
- 3. File: select your exported glTF.
- 4. Project Settings: Document Resolution of 2048.
- 5. Make sure Auto-unwrap is disabled, then press OK.

3.2 Rendering maps

- 1. Edit > Bake Mesh Maps.
- $2. \ \, \mathrm{Set}$ Output Size to $2048, \, \mathrm{then}$ Bake selected textures.

3.3 Smart materials

- 1. Search the assets browser for smart materials of your choosing. Drop 'em onto Suzanne.
- 2. For each smart material layer, create a black mask.
- 3. For each mask, use Polygon Fill > UV chunk fill to give Suzanne some pizzazz.



Figure 2: Substance Painter project with decked-out Suzanne.

3.4 Exporting

- 1. File > Export Textures....
- 2. Export using both the PBR Metallic Roughness and Mesh Maps templates.

4 Krita

4.1 An ambient excursion

- 1. Open the ambient_occlusion and BaseColor images in Krita. Plop them onto two separate layers (ambient occlusion on top).
- 2. Set the ambient occlusion layer to a low opacity and the Addition blending mode.
- 3. File > Export, then save as a PNG.




Figure 3: Krita project with those two texture layers.

5 Blender (Final Export)

5.1 Giving Suzanne our texture

TK

Then export again.

- 1. Give Suzanne a new material.
- 2. Configure Suzanne's material with the texture PNG as shown below in Figure 4.
- 3. Export to glTF once again.




Figure 4: Blender project showcasing Suzanne's nifty material nodes.

6 LÖVR

6.1 Project structure

- 1. Create a folder on your computer that contains:
 - (a) A subfolder assets with subsubfolder gltf. Place your exported model inside here.
 - (b) Empty text files conf.lua and main.lua.
 - (c) $L\ddot{O}VR$'s executable/dependencies from the $L\ddot{O}VR$ download page⁷.
- 2. Open the directory in a text editor. Visual Studio Code^8 works great for this purpose.

⁷https://lovr.org/downloads/

⁸https://code.visualstudio.com/

6.2 conf.lua, for convenience's sake

To force LÖVR to run in desktop mode (rather than in VR mode), add the following code to conf.lua:

```
function lovr.conf(t)
    t.modules.headset = false
end
```

6.3 Resource imports

Drop this code into main.lua to import Suzanne's model:

```
function lovr.load()
    suzanne = lovr.graphics.newModel("assets/gltf/suzanne.gltf")
end
```

6.4 Spinny Suzanne

Add some more code to main.lua to make Suzanne appear (and spin)!

6.5 Running the project

From command line, run LÖVR's executable with the current directory as its sole argument. On Linux, this looks like:

```
./lovr-x86_64.AppImage.
```

You should see spinny Suzanne!




Figure 5: LÖVR project running and open in Visual Studio Code.