ADDITIONAL NOTES: ASSEMBLY LANGUAGE

- Assembly language is machine dependent. Language for Intel machine is different with language for Sun machine.
- Assembly language for CSC569 follows the rules below:
 - o There is **ONLY ONE** Register: R1
 - All arithmetic operations must be done using R1
- Possible operations are listed in Table below.

OPERATION	INFORMATION	EXAMPLE	NOTES
LOD	Load data into register	LOD R1, a	Must use with R1
STO	Store data from register to variable	STO RI, T1	Must use with R1
PUSH	Push value on top of stack	PUSH a	
CALL	Call function	CALL println	
CMP	Compare between two values	CMP a, T1	Cannot be used with R1 or numbers. Store into T1, T2 etc first.
ARITHMETIC OPERATION			
ADD	Add numbers	ADD R1, b	Must use with R1
SUB	Subtract numbers	SUB R1, b	Must use with R1
MUL	Multiply numbers	MUL R1, b	Must use with R1
DIV	Divide numbers	DIV R1, b	Must use with R1
BRANCH OPERATION			
В	Unconditional branch	B L2	
Conditional branch			Boolean operator
ВН	Branch if higher	BH L3	>
BL	Branch if lower	BL L3	<
BHE	Branch if higher or even	BHE L3	>=
BE	Branch if equal	B L2	==
BNE	Branch if not equal	BNE L2	!=
BLE	Branch if lower or even	BLE L3	<=
L	Label a place	L2	

ASSEMBLY LANGUAGE FOR CONTROL STRUCTURES

1. if-else

CMP


COND B L1

UNCOND B L2


L1 STMT

L2 STMT

2. while



3. for



Examples of operations:

B L3 L2: LOD R1, = '2' MUL R1, x STO R1, x

B L1

L3:

```
5. if (a > b) a = a+1
1. c = a + b;
                                                   CMP a, b
   LOD R1, a
                                                   BH L1
   ADD R1, b
                                                   B L2
   STO R1, c
                                            L1:
                                                  LOD R1, a
                                                   ADD R1, 1
2. a = 14;
                                                   STO R1, a
   b = 12:
                                            L2:
   println(a-b);
   LOD R1, = ^114'
                                         6. for (a=1; a<=20; a++)
   STO R1, a
                                                  y = y + 1
   LOD R1, = ^12'
   LOD R1, a
                                                   LOD R1, '='
   SUB R1, b
                                                   STO R1, a
   STO R1, T1
                                                   LOD R1, ='20'
   PUSH T1
                                                   STO R1, T1
   CALL PRINTLN
                                                  CMP a, T1
                                            L1:
                                                   BLE L2
                                                  в L3
3. a + b + c
                                                  LOD R1, y
                                            L2:
                                                  ADD R1, ='1'
   LOD R1, a
                                                   STO R1, y
   ADD R1, b
                                                   LOD R1, a
   ADD R1, c
                                                   ADD R1, ='1'
   STO R1, T1
                                                   STO R1, a
                                                   B L1
                                            L3:
4. while (x \le a+b) x = 2^*x
   L1:
         LOD R1, a
         ADD R1, b
         STO R1, T1
         CMP x, T1
         BL L2
```