

# Jala University

## Laboratorio Semana 6

---



**Curso:** Software Quality Engineering 2

**Grupo:** A

**Sección:** B

**Equipo: N°6 (Test Masters):**

- Richard Choque
- Mateo Olarte
- Guido Mamani
- Thiago Hinojosa
- Santiago Uribe
- Mateo Escobar
- Agustin Deluca

**06/06/2025**

---



<b>NOTA:</b>	<b>3</b>
<b>I. Analizar todos los bugs encontrados en el Lab2, 3, 4, 5</b>	<b>4</b>
<b>II. Identificar cuáles de estos bugs son realmente bugs</b>	<b>4</b>
<b>III. Elegir los 2 bugs más relevantes</b>	<b>4</b>
A. Agustin De Luca	4
B. Mateo Olarte	4
C. Mateo Escobar	4
D. Guido Maman	4
E. Thiago Hinojosa	4
F. Richard Choque	4
G. Santiago Uribe	5
<b>IV. Puntos Extras (+5)</b>	<b>5</b>
A. Agustin De Luca	5
B. Mateo Olarte	5
C. Mateo Escobar	5
D. Guido Maman	5
E. Thiago Hinojosa	5
F. Richard Choque	5
G. Santiago Uribe	5

**NOTA:**



---

*Al tener una cuenta free de Zephyr, necesitamos crear una nueva cuenta Jira (nuevo email) y configurar nuevamente el proyecto, adicionando los campos necesarios de los TCs y agregar al practitioner al nuevo proyecto*

- 1. Del actual Zephyr, exportar todos los TCs (excel file)*
- 2. Importar estos nuevos TCs en la nueva cuenta (usando el excel exportado del paso anterior)*

Todos los test cases del proyecto pasado fueron exportadas al nuevo.

- 3. Exportar los bichos/Bugs creados en el actual Jira*
- 4. Importar los bichos/Bugs en el nuevo proyecto de Jira*
- 5. Configurar los siguientes campos en Jira Project (Project setting>Add Issue Type):*

- A. Adicionar, Issue Type = Bug*
- B. Summary = Titulo*
- C. Descripcion = Descripcion*
- D. Adicionar 'Reporter' para que pongan sus nombres*
- E. Environment = Requirements*
- F. Crear campos para:*
  - I. Steps to Reproduce*
  - II. Actual Results*
  - III. Expected Results*
  - IV. Workaround*
  - V. Severity*
- G. Attachment = Attachment*



## **I. Analizar todos los bugs encontrados en el Lab2, 3, 4, 5**

1. Incorrecta redirección a página de error cuando se hace doble click (o más) en los botones de inicio de sesión con redes sociales. (Mateo O)
2. La página de creación de actividades, en el formulario de creación de eventos múltiple, se queda en blanco si se saltan los pasos mediante la barra de pasos (Mateo O).
3. Carga infinita en la UI/UX al buscar resultados de eventos inexistentes. (Mateo Escobar)
4. Carga incorrecta en la UI/UX al registrarse rápidamente a múltiples eventos. (Mateo Escobar)
5. Error al volver desde el detalle de un evento antiguo: carga fallida de eventos.
6. Carga de esqueleto infinita al filtrar "Solo registrados" sin eventos registrados, en vez de mostrar un prompt "No coming Events were found."
7. Error al editar un evento usando una petición: permite editar sin restricciones.
8. Puedo saltar los pasos al crear un evento mediante las burbujas de los pasos(Richard).
9. Al saltarse los pasos habilita el guardado del evento(Richard)
10. La interfaz de un evento se ve afectada al poner una descripción con saltos de línea (Richard)
11. Al hacer clic repetidamente y rápidamente en el botón Guardar de una actividad, esta se crea dos veces.(Agustin Deluca)
12. Botón "Crear evento" no aparece en la esquina inferior izquierda del banner principal al iniciar sesión manualmente con correo y contraseña. (Thiago)
13. Demora excesiva en el envío del correo de invitación a coorganizadores a un workspace. (Thiago)
14. Login: En la página de expiración del login, el botón "To continue the login process Click here" reinicia el proceso en lugar de continuarlo.

## **II. Identificar cuáles de estos bugs son realmente bugs**



**III. Elegir los 2 bugs más relevantes (critical/high/medium) y reportarlos en Jira, en el formato que fue enseñado en clases ( mínimo de 2 bugs por persona). En caso de no tener bugs en los anteriores laboratorios, encontrar nuevos para poder reportar los 2 requeridos**

**A. Agustin De Luca**

<b>Title:</b>
By quickly clicking repeatedly on the save button for an activity, it is created twice.
<b>Priority:</b>
HIGH
<b>Description</b>
Within the event creation form in the activity creation section 4, when you click repeatedly and quickly on the save activity button, it is created twice, generating two activities in the event that are exactly the same.
<b>Requirements/Preconditions</b>
<b>Software:</b> Any browser  <b>Setup:</b> <ul style="list-style-type: none"><li>● Browser free of cache and cookies</li><li>● Valid Actio account</li><li>● Active internet connection</li></ul>
<b>Steps</b>
<ol style="list-style-type: none"><li>1. Open Firefox or Chrome browser</li><li>2. Navigate to <a href="https://sparta.actio.ses-unit.com/">https://sparta.actio.ses-unit.com/</a></li><li>3. Log in with a valid Actio account</li></ol>



4. You will land on the Home screen by default
5. Click on "Create Event" in the main menu (<https://sparta.actio.ses-unit.com/event/create>)
6. On Event Type select Multiple and click Continue button
7. Enter a valid "Event name" how "EventTest123456"
8. Complete Details with valid inserts (In section 2 called "Basic Info" and in section 3 called "Details" you can skip directly without filling in any fields by pressing the "Continue" and "Save and continue" buttons).
9. Click on "Create Activity"
10. Complete "Activity name" with valid inserts
11. Complete "Location" and "Place" with valid inserts how "LocationTest123456".
12. Click fast multiple times on "Save Activity" Button Pressing the button once deactivates it for a few seconds and then activates it again for a few seconds allowing duplicate activities to be displayed.

#### Expected Result

It is expected that when you press the "save activity" button, regardless of the number of clicks or speed, the activity will only be created once.

**Expected Time: 2 minutes**

**Owner: Agustin De Luca**

#### Title

The system allows registering attendees with non-existent or invalid emails.

#### Priority:


HIGH

#### Description



Title
The system allows an event creator to register attendees using invalid or non-existent email addresses. There's no validation for the format or existence of the email, allowing any string to be added as an attendee.
Requirements/Preconditions
<ol style="list-style-type: none"><li>1) Chrome browser version 130.0.6723.92 (64-bit)</li><li>2) Windows 11 operating system</li><li>3) A valid Jala University account</li><li>4) An existing event where the attendee will be registered</li><li>5) The email entered as an attendee must not be registered in the system</li></ol>
Steps
<ol style="list-style-type: none"><li>1. Open the Chrome browser</li><li>2. Navigate to [<a href="https://sparta.actio.ses-unit.com/">https://sparta.actio.ses-unit.com/</a>](<a href="https://sparta.actio.ses-unit.com/">https://sparta.actio.ses-unit.com/</a>)</li><li>3. Log in with a valid account</li><li>4. Enter an existing event and click the "Register Attendees" button</li><li>5. Enter a non-existent or invalid email (example: `awdawdawda@gmail.com`)</li><li>6. Click the "Register" button</li></ol>
Actual Result
The system registers the email as an attendee for the event without validating the format or existence of the email.
Expected Result
The system should reject the registration and display a message indicating the email is invalid. For example: "The entered email is not valid. Please enter an existing email address."



Title	
Expected Time: 2 minutes	Owner: Agustin De Luca
Attachment	
	

## B. Mateo Olarte

BUG Title	
LOGIN:Double-clicking Single sign-on (Microsoft or google) redirects to “Page has expired” because of duplicate identical state parameters.	
Issue type	Version
UI/UX	Beta 04/06/2025
Severity	
MEDIUM	
Priority	
MEDIUM	
Description	





In the login page, when we double click the single sign-on buttons, such as, “Microsoft” and “Google”. We are redirected to an expired page that says “Page has expired”, because Rapid double-clicking sends identical state values to the IdP (Identity provider) and Concurrent authentication requests conflict due to unmanaged sesión/token handling.

#### Requirements/Preconditions

- Software: Available in all the browsers
- Setup: Browser Free of cache and cookies

#### Steps

1. Navigate to the website: <https://sparta.actio.ses-unit.com/>
2. Click on the “Sign In” button in the menu bar.
3. Double Click in one of single sign-on buttons (e.g. “Microsoft” or “Google”)

#### Actual Result

The login feature redirect us into an expired page that show the message:

“Page has expired” cause of duplicate state values in SSO request

#### Expected Result

The login feature should ignore subsequent clicks after the first and complete the SSO flow without interruption, although user click speed

#### Attachments

[W6- A01 – Mateo Olarte.mp4](#)

#### BUG Title

Create Event: In create event form with multiple events, if we click on “Create activity” button in step 4 through skipping steps without save the event as a draft in step 2, the page will be blank



Issue type	Version
Design or logic error	Beta 04/06/2025
Severity	
HIGH/MAJOR	
Priority	
MEDIA	
Description	
<p>When creating a multiple type event, we use the step bar to move between steps, we go to step 2, we go back to step 1, we skip to step 4 and click on the “Create Activity” button, the whole page will be blank, because in step 2, the “Save and Continue” button saves the event, without doing that, an event will not exist, causing the bug</p>	
Requirements/Preconditions	
<ul style="list-style-type: none"><li>• Software: Available in all the browsers</li><li>• Setup:<ul style="list-style-type: none"><li>○ Browser Free of cache and cookies</li><li>○ Valid account administrator</li></ul></li></ul>	
Steps	
<ol style="list-style-type: none"><li>1. Access the website: <a href="https://sparta.actio.ses-unit.com/">https://sparta.actio.ses-unit.com/</a></li><li>2. Click the "Login" button in the menu bar.</li><li>3. Click the "Create Event" button in the main menu.</li><li>4. Choose any workspace and a multiple event type.</li><li>5. Click the "Continue" button below.</li><li>6. Click on step 1, "Event Context," using the steps bar.</li><li>7. Click on step 4, "Activities," using the steps bar.</li><li>8. Click the "Create Activity" button.</li></ol>	
Actual Result	



When you click the “Create Activity” button, the page will be completely blank, leaving no option but to reload the page or go back.

#### Expected Result

The form should not allow users to click the "Create Activity" button if the event has not been saved previously, and should also display an alert message to let the user know they are missing previous steps.

#### Attachments

[W6- A02 - Lab – Mateo Olarte.mkv](#)

### C. Mateo Escobar

BUG Title	
Infinite loading in the UI/UX when searching for non-existent event results on the actio home page.	
Issue type	Version
UI/UX – Search Behavior	9/5/2025
Severity	
Medium	
Priority	
Medium	
Description	



When searching for a nonexistent event name (for example, "Tests created") with the "Only logged" option, the system displays an infinite loading animation (skeleton), never completing or displaying a clear message such as "No logged events found."

This creates a poor user experience, as it is impossible to distinguish whether the system is processing or simply no results are found.

This behavior does not occur when searching for a logged event that has already passed, such as "QA-MF-SINGLE EVENT II," where the empty status message is correctly displayed.

#### Requirements/Preconditions

Software: Any web browser.

Configuration:

- Browser without cache or cookies.
- Valid Actio account.

#### Steps

1. Open any web browser.
2. Go to <https://sparta.actio.ses-unit.com/>
3. Log in with a valid Actio account.
4. Click the "Search" option in the main menu.
5. Enter "Created Tests" as the search.
6. Run the search.
7. Observe the behavior.

#### Actual Result


- An infinite loading animation is displayed.
- No information is given about whether or not any events have been logged.
- There is no way to differentiate between a search with no results or a loading failure in the system.

#### Expected Result


- The system should display a message such as: "No registered events found."
- The loading animation (skeleton) should disappear once the query is complete.

#### Attachments

**Result obtained:**



Expected result:



BUG Title	
Incorrect loading of “registered only” UI/UX when quickly registering for multiple events.	
Issue type	Version
UI/UX – Behavior on logged events.	2/6/2025
Severity	



Medium
<b>Priority</b>
Medium
<b>Description</b>
<p>When a user quickly registers for multiple events, the system displays inconsistent behavior in the user interface. Although registration for both events is successful (verified from the "Upcoming Events" tab within each of these events), the "Registered Events" tab displays only one of the selected events. This discrepancy can cause confusion for the user, as they lack an accurate view of all the events they are registered for and may lead to a lack of trust in the page's professionalism. The issue appears to be related to data loading or incorrect synchronization between the registered events and the user interface when performing actions in rapid succession.</p>
<b>Requirements/Preconditions</b>
<p>Software: Any web browser.</p> <p>Configuration:</p> <ul style="list-style-type: none"><li>• Browser without cache or cookies.</li><li>• Valid Actio account.</li></ul>
<b>Steps</b>
<ol style="list-style-type: none"><li>1. Open any web browser.</li><li>2. Go to <a href="https://sparta.actio.ses-unit.com/">https://sparta.actio.ses-unit.com/</a></li><li>3. Log in with a valid Actio account.</li><li>4. Search for events in the "Upcoming Events" tab.</li><li>5. Enter an event and register, then quickly return to Upcoming Events and register for a different event.</li><li>6. Go to the "Registered Events" tab.</li><li>7. Observe the behavior. Here, one of the two events you registered for will appear.</li><li>8. Search for the events again in "Upcoming Events."</li><li>9. Note that you are registered for both.</li></ol>
<b>Actual Result</b>
<ul style="list-style-type: none"><li>• You can register for more than one event at a time.</li><li>• The user appears as registered in the event tab.</li></ul>




- When you go to the Registered Events tab, only one appears for which you can register.

### Expected Result

- You can register for more than one event at a time.
- The user appears as registered in the event tab.
- When you go to the Registered Events tab, all the events you registered for should appear.


### Attachments

#### First recorded event:






## Second event recorded quickly



## Recorded Events Tab:



Here's an event I previously subscribed to, and one of the two I registered for this time. But the event tab shows that I'm registered.





## D. Guido Mamani

### IV.

BUG Title	
Infinite skeleton loading when filtering "Registered only" with no registered events	
Issue type	Version
UI/UX	Beta 06/06/2025
Severity	
Medium	
Priority	
Medium	
Description	
<p>When a user applies the "Registered only" filter in the Events section and has no registered events, the system inconsistently handles the empty result state. In most cases, the system displays an infinite skeleton loading state instead of showing a clear "No registered events found" message. However, occasionally (and seemingly randomly), the system may display the expected empty state message along with a prompt indicating that events cannot be loaded, particularly when page loading is interrupted manually or by network conditions. This inconsistent behavior creates confusion and poor user experience as users cannot reliably distinguish between a loading state, a network error, and an empty result set. The behavior is inconsistent with other sections like "Draft Events" which consistently display informative messages when no content is available.</p>	
Requirements/Preconditions	
<p>Software: Any web browser.</p> <p>Configuration:</p> <ul style="list-style-type: none"><li>• Browser without cache or cookies.</li><li>• Valid Actio account.</li></ul>	
Steps	
<ol style="list-style-type: none"><li>1. Open Firefox or Chrome browser</li><li>2. Navigate to <a href="https://sparta.actio.ses-unit.com/">https://sparta.actio.ses-unit.com/</a></li><li>3. Log in with a valid Actio account that has no event registrations</li><li>4. You will land on the Home screen by default</li></ol>	



5. Click on "Events" in the main navigation menu
6. Verify that events are displayed normally in the "Coming Events" section
7. Click on the "Events" dropdown filter in the header
8. Select "Registered only" from the dropdown menu
9. Observe the behavior in the Coming Events section

**Note:** If the proper empty state message appears, try refreshing the page and repeating steps 7-8 multiple times to observe the inconsistent behavior

#### Actual Result


**Primary behavior (most common):** The Coming Events section displays an infinite skeleton loading animation with placeholder cards. The loading state persists indefinitely without providing any user feedback about the empty result set. Users cannot determine if the system is still processing or if there are simply no registered events to display.

**Secondary behavior (occasional/random):** Sometimes, particularly when page loading is interrupted manually or due to network conditions, the system may display the expected empty state message along with a prompt indicating that events cannot be loaded. This behavior appears to be inconsistent and difficult to reproduce reliably.

#### Expected Result

When filtering by "Registered only" and no registered events exist, the system should consistently display a clear, informative message such as "No registered events found" or "You haven't registered for any events yet" similar to how the Draft Events section displays "No draft events were found." The skeleton loading should only appear during actual data fetching and should be replaced with the appropriate empty state message once the query completes. The behavior should be consistent across all scenarios, regardless of network conditions or page loading interruptions.

#### Attachments







## A. Thiago Hinojosa

BUG Title	
"Create Event" button does not appear in the lower-left corner of the main banner when logging in manually with email and password.	
Issue type	Versión
Functional Bug	04/06/2025
Severity	
High	
Priority	
High	
Description	
When logging in manually (with a previously registered account), that is, by typing the email and password, the interface does not display the "Create Event" button in the lower-left corner of the main banner.	
Requirements/Preconditions	
<p><b>Hardware:</b> Pc or Laptop</p> <p><b>Software:</b> Google Chrome or Firefox browser</p> <p><b>Setup:</b></p> <ul style="list-style-type: none"><li>• Browser free of cache and cookies</li><li>• Registered account in Actio</li><li>• Internet connection</li></ul>	
Steps	
<p><b>Step 1:</b> Go to Actio via the URL (<a href="https://sparta.actio.ses-unit.com/">https://sparta.actio.ses-unit.com/</a>).</p> <p><b>Step 2:</b> Navigate to the login form</p> <p><b>Step 3:</b> Enter valid credentials</p> <p><b>Step 4:</b> Confirm login and be redirected to the main page</p> <p><b>Step 5:</b> Notice that the "Create Event" button is not available</p>	
Actual Result	
The "Create Event" button is not displayed when logging in with manual credentials, preventing access to the main functionality of the Actio web application.	
Expected Result	



The "Create Event" button should correctly appear for any authenticated user, regardless of the login method (manual or with Google).

#### Attachments





BUG Title	
El envío del correo de invitación a coorganizadores a un workspace tarda más de <u>5 segundos</u> .	
Issue type	Versión
Bug no funcional, response time	junio 5, 2025
Severity	
High	
Priority	



Medium
<b>Description</b>
En ocasiones, al enviar un correo de invitación a un coorganizador desde el apartado de “Administrar workspace”, la invitación tarda demasiado en llegar (5min - 1hr) o no llega.
<b>Requirements/Preconditions</b>
<b>Hardware:</b> Pc o Laptop <b>Software:</b> Google Chrome o Firefox browser <b>Setup:</b> <ul style="list-style-type: none"><li>• Browser libre de caché y cookies</li><li>• Cuenta registrada y logeada en actio</li><li>• Conexión a internet</li></ul>
<b>Steps</b>
<b>Step 1:</b> Ingresar a Actio mediante la url ( <a href="https://sparta.actio.ses-unit.com/">https://sparta.actio.ses-unit.com/</a> ) <b>Step 2:</b> Iniciar sesión con credenciales válidas <b>Step 3:</b> Dirigirse al apartado de “Administrar workspace” <b>Step 4:</b> Ingresar el correo de la persona a quien vamos a invitar como coorganizador <b>Step 5:</b> Observar que el correo demora demasiado en llegar.
<b>Actual Result</b>
La invitación para coorganizador enviada al correo del mismo, en ocasiones tarda en exceso en ser enviada (5min - 1hr).
<b>Expected Result</b>
La invitación enviada al correo de un coorganizador,
<b>Attachments</b>



## B. Richard Choque

<b>BUG Title</b>	
I can skip required steps in the “Event Create” form by using the timeline step bubbles at the top	
<b>Issue type</b>	<b>Version</b>
Navigation	03/06/2025
<b>Severity</b>	
Low	
<b>Priority</b>	
Low	
<b>Description</b>	
<p>When entering the “Event Create” form in Actio, I can skip the required steps for creating an event. That is, I leave required fields empty and jump directly to the final step by using a sequence in the step bubbles (timeline) at the top, which indicates the current step in the “Event Create” form in Actio.</p> <p>Steps for a simple event:</p> 	
<p>Steps for a multiple event:</p> 	
<b>Requirements/Preconditions</b>	
<p><b>Software:</b></p> <ul style="list-style-type: none"><li>- Browser : Chrome o Firefox</li></ul> <p><b>Setup:</b></p> <ul style="list-style-type: none"><li>- Browser cleared of cache</li><li>- Logged into Actio</li><li>- Account must have administrator role</li></ul>	
<b>Steps</b>	



- 1.- Open the Chrome or Firefox browser
- 2.- Go to Actio <https://sparta.actio.ses-unit.com/>
- 3.- On the default “Home” screen
- 4.- Locate and click the “Create Event” button → go to “Event Context”
- 5.- Locate the step bubbles (timeline
- 6.- Switch from “Event Context” to “Basic Info” and then back to “Event Context”
- 7.- Now, go from “Event Context” directly to the last step, “Details,” or in the case of a multiple event, to “Activities”
- 8.- Verify that previous steps are marked as completed with a check

#### Actual Result

The timeline system in Actio’s Event form allows users to skip steps in the form, marking previous steps as completed even when they weren’t filled out

#### Expected Result

The step system (timeline) in the “Event Create” form should restrict access to later steps if the previous step has not been completed.

#### Attachments

[W6 - Actio-Lab - Richard Choque .mp4](#)

#### BUG Title

When creating an event with a description that only contains line breaks (pressing ENTER 1000 times), the created event's layout is affected, pushing the “Publish” (if unpublished), “Edit”, and “Delete” buttons far down the screen.

#### Issue type

IU/UX - funcional

#### Version

05/06/2025

#### Severity

Low

#### Priority





<b>Low</b>
<b>Description</b>
When creating an event in Actio, if we fill the “Description” field with only line breaks up to the 1000-character limit, it causes the layout of the created event to be affected. The buttons to edit, delete, and publish are pushed all the way to the bottom of the page, creating a disproportionate view.
<b>Requirements/Preconditions</b>
<b>Software:</b> <ul style="list-style-type: none"><li>- Browser : Chrome o Firefox</li></ul> <b>Setup:</b> <ul style="list-style-type: none"><li>- Browser cleared of cache</li><li>- Logged into Actio</li><li>- Account must have administrator role</li></ul>
<b>Steps</b>
<ol style="list-style-type: none"><li>1.- Open the Chrome or Firefox browser</li><li>2.- Go to Acti <a href="https://sparta.actio.ses-unit.com/">https://sparta.actio.ses-unit.com/</a></li><li>3.- You should be on the default “Home” screen</li><li>4.- Locate the “Create Event” button and enter the “Event Context” step</li><li>5.- Fill in the required fields of “Event Context” and continue</li><li>6.- Fill in the fields of “Basic Info” and continue</li><li>7.- In the “Details” step, fill the “Description” field using only ENTER key (line breaks)</li><li>8.- Finish and save the event using “Save and Publish” or “Save as Draft”</li><li>9.- Find the created event in Home or in Workspace → “Event for my communities”</li><li>10.- Open the event and verify that the layout is broken and it is necessary to scroll to find the Publish, Edit, and Delete buttons.</li></ol>
<b>Actual Result</b>
<b>The Actio event creation system allows events to be created with only line breaks in the “Description” field, which causes layout issues in the preview, pushing important buttons too far down.</b>
<b>Expected Result</b>
The Actio event creation system should validate that the “Description” field contains actual text, and not allow saving an event with only line breaks, to avoid layout distortion in the event preview.



### Attachments

Event creation video:

[W6 - Actio-Evento - Richard Choque.mp4](#)

Event view (broken layout):

[W6 - Actio-Visualizacion - Richard Choque.mp4](#)

## C. Santiago Uribe

ID: KAN-6	
BUG Title	
Error when returning from the details of an older event: event loading failure (fixed but you can see it in the video)	
Issue type	Versión
BUG Funcional	Beta
Severity	
MEDIUM	
Priority	
MEDIUM	
Description	
In the main event view, when a user scrolls down and loads multiple event blocks (e.g., more than 6 groups), then enters the detail view of an event and presses the "Back" button, the application attempts to reload events starting from offset 1. However, this results in a failed request and a message saying "no events to display"	
Requirements/Preconditions	



Browser: Issue can be reproduced in Brave, Edge, Chrome, Opera, and Firefox (others untested)

- User must have access to the main event view
- At least 6 event groups must be available to simulate scrolling and pagination
- Stable internet connection

### Steps

1. Go to <https://sparta.actio.ses-unit.com/>
2. Access the main event view
3. Scroll down until at least 6 blocks of events are loaded (i.e., 6 requests with different offsets)
4. Click on the last visible event and open its detail view
5. Click the "Back" button to return to the event list

### Actual Result

The page displays the message "no events to display," even though some events are still shown. The event counter incorrectly reads "0 of 0", and events are not properly loaded.

### Expected Result

The page should restore the event list up to the point the user had previously navigated. If, for technical reasons (e.g., a timeout due to too much data), this isn't possible, the system should:

- Load results in chunks to avoid request overload
- Redirect the user to the beginning of the event list
- Apply a scroll-based solution that dynamically loads events based on the user's position

### Attachments



## Bug-Santiago-Urbe-Rengifo.mp4

The screenshot shows a web application interface for finding and organizing events. The main heading is "Encuentra y organiza eventos de tu interés". Below this, there are tabs for "EVENTOS PRÓXIMOS", "EVENTOS PASADOS", and "EVENTOS EN BORRADOR". The "EVENTOS PRÓXIMOS" tab is selected, showing a message "No se encontraron eventos próximos hasta el momento." and a list of events. The network tab shows a 404 error for the event list endpoint.

Network Tab Data:

Name	Status	Type	Initiator	Size	Time
1e45741d-8084-4aa8-abab...	200	jpeg	index-9ad67c9d	34.9 kB	314 ms
D	200	text/html	index-9ad67c9d	1.0 kB	335 ms
e8edf25d-b959-493b-8094...	200	gif	index-9ad67c9d	297 kB	781 ms
24968419-6144-4ee5-9ec8...	200	jpeg	index-9ad67c9d	165 kB	606 ms
H	200	text/html	index-9ad67c9d	1.0 kB	333 ms
bae29d25-392c-452f-b7e7...	200	jpeg	index-9ad67c9d	145 kB	562 ms
f767b21a-90ee-40d8-9b16...	200	jpeg	index-9ad67c9d	81.7 kB	473 ms
f1ce9874-1ab2-4edf-8cab...	200	jpeg	index-9ad67c9d	39.8 kB	391 ms
C	200	text/html	index-9ad67c9d	1.0 kB	331 ms
a1ecbe74-513a-4c63-b06b...	200	gif	index-9ad67c9d	297 kB	865 ms
0e137250-001d-41d4-906e...	200	gif	index-9ad67c9d	297 kB	914 ms
7c568d6d-166f-4379-9732...	200	jpeg	index-9ad67c9d	6.8 kB	459 ms
I	200	text/html	index-9ad67c9d	1.0 kB	330 ms
b5e10f9d-7012-4ad4-631b...	200	jpeg	index-9ad67c9d	36.8 kB	561 ms
bd3c67e0-b744-4b72-ab03...	200	jpeg	index-9ad67c9d	113 kB	718 ms
6c2f00a1-90be-4f55-b143...	200	jpeg	index-9ad67c9d	132 kB	779 ms
d047a3ac-6935-4ad6-8cct...	200	jpeg	index-9ad67c9d	203 kB	895 ms
64705f22-9d67-420d-9621...	200	jpeg	index-9ad67c9d	22.5 kB	660 ms
0a699cb8-4655-499d-890c...	200	jpeg	index-9ad67c9d	12.1 kB	673 ms
faa0c9df-9c12-4bab-938c...	200	jpeg	index-9ad67c9d	52.4 kB	769 ms
c606b6c-005b-4e9c-bfff...	200	jpeg	index-9ad67c9d	63.6 kB	819 ms
5a48db81-6cca-46f3-9568...	200	jpeg	index-9ad67c9d	104 kB	911 ms
bc2e3e50-06fb-4702-a672...	200	jpeg	index-9ad67c9d	129 kB	919 ms
events?page[number]=18...	404	xhr	index-9ad67c9d	0.0 kB	61 ms
events?page[number]=20...	404	xhr	index-9ad67c9d	0.0 kB	107 ms



<b>ID: KAN-4</b>	
<b>BUG Title</b>	
Editing an event via API allows invalid or unauthorized data changes	
<b>Issue type</b>	<b>Versión</b>
Security Bug	04/06/2025
<b>Severity</b>	
HIGH	
<b>Priority</b>	
HIGH	
<b>Description</b>	
<p>When using Postman or by modifying the edit event request, it is possible to bypass frontend validations and submit any values to the backend without restrictions. For example, it is possible to:</p> <ul style="list-style-type: none"><li>• Change the event title to fewer characters than allowed</li><li>• Set the max number of participants to over 10,000</li><li>• Modify critical fields such as workspaceId and ownerId (This change resulted in a crash of the Actio server)</li></ul>	
<b>Requirements/Preconditions</b>	
<p>Software: Postman or any API testing platform</p> <ul style="list-style-type: none"><li>• Admin user account with permissions to create and edit events</li><li>• Access token (Bearer) for authentication</li></ul>	
<b>Steps</b>	
<ol style="list-style-type: none"><li>1. Go to <a href="https://sparta.actio.ses-unit.com/">https://sparta.actio.ses-unit.com/</a></li><li>2. Log in with an admin account</li><li>3. Create a new event</li><li>4. Go to edit the newly created event</li><li>5. Capture the request payload and authorization token from the browser's network tab or dev tools</li></ol>	



6. Paste the request and token into Postman
7. Modify any value in the payload — for example:
  - Use a title with special characters
  - Reduce the title length below the required minimum
  - Set the max number of participants to a value like 50,000
  - Modify ownerId or workspaceId
8. Send the request

#### **Actual Result**

The server accepts the modified request without any validation. The data is saved even if it violates frontend rules. In extreme cases, editing critical fields (like ownerId) caused the Actio server to crash.

#### **Expected Result**

The backend should strictly validate all incoming data just like the frontend does. Specifically:


- Titles should have a minimum of 15 characters
- Titles should not contain special characters
- Max participants should not exceed 10,000
- Critical fields like ownerId and workspaceId should either be non-editable or strictly validated
- Image URLs should also be sanitized to avoid script injection risks

#### **Attachments**




### Bug-1-Santiago-Uribe-Rengifo.mp4


Puedo cambiar el límite de participantes a la cantidad que desee




Notes: Able to change participant limits and image URLs (potential for script injection)



Testing the critical of the bug I changed the workspaceId and the ownerId and the server crashed (Espero que de puntos extra haber encontrado este error tan importante)





## V. Puntos Extras (+5): Reportar 1 mejora (enhancement/improvement) por persona

### A. Agustin De Luca





Enh Title
Improve application loading times
Issue type
Enhancement / Improvement
Severity
High
Priority
High
Description
Currently, the Actio web platform presents prolonged loading times, especially during the initial page load. According to the latest Lighthouse report, the Speed Index is 15.1 seconds, and multiple optimization opportunities have been identified. Poor loading performance negatively affects user experience and engagement.
Justification
Improving loading times enhances user experience, increases retention, improves SEO rankings, and ensures compatibility with limited bandwidth environments. It also reduces bounce rates caused by slow loads.
Proposed solution
<ul style="list-style-type: none"><li>- Remove or defer unused JavaScript</li><li>- Enable Gzip/Brotli text compression</li><li>- Serve images in next-gen formats (WebP/AVIF)</li><li>- Minify JavaScript</li><li>- Set efficient cache policies</li><li>- Preconnect to external resources</li></ul>
Requirements/Preconditions
Software: Any browser **Settings:** Browser without cache or cookies
Steps



Enh Title
1. Open your browser (Chrome or Firefox). 2. Go to <a href="https://sparta.actio.ses-unit.com/">https://sparta.actio.ses-unit.com/</a> 3. Open Chrome DevTools and run a Lighthouse audit. 4. Observe performance metrics. 5. Notice prolonged initial load times and optimization opportunities.
Actual Result
The application currently loads slowly (Speed Index: 15.1s) with several performance issues identified.
Expected Result
The application should load faster, ideally with a Speed Index under 3 seconds, and Lighthouse should report minimal performance issues.
Attachments
Lighthouse report capture (attached separately)

## B. Mateo Olarte

## C. Mateo Escobar

Enh Title
Improved login screen: Add password recovery option.
Issue type
Enhancement / Improvement
Severity
High



Priority
High
Description
Currently, the Actio login screen does not offer an option to recover your password via email. This feature is standard on most web platforms, and its absence can cause frustration for users who forget their password, preventing them from logging into the platform. Or, at best, forcing them to create another account and lose everything they had.
Justification
Adding a "Forgot your password?" option significantly improves the user experience, reduces dependence on technical support, and reinforces the perception of system security and reliability.
Proposed solution
Add a link below the password field that says "Forgot your password?" When clicked, it should redirect the user to a page where they can enter their email address to receive recovery instructions. This should be the same email address they used when they registered.
Requirements/Preconditions
Software: Any browser Settings: Browser without cache or cookies
Steps
<ol style="list-style-type: none"><li>1. Open your browser (Chrome or Firefox).</li><li>2. Go to <a href="https://sparta.actio.ses-unit.com/">https://sparta.actio.ses-unit.com/</a></li><li>3. Click on Login.</li><li>4. Look at the login interface.</li><li>5. Notice that there is no link to reset your password.</li></ol>
Actual Result
There is no option to recover a password. If the user forgets it, they cannot log in.
Expected Result
The user can click on a "Forgot your password?" link, enter their email address, and receive an email to reset it.



## Attachments

# SPARTA


### Sign in to your account


Email

Password

[Sign In](#)

Or sign in with

 Microsoft

 Google

New user? [Register](#)



## D. Guido Mamani

ENH Title
Add clear validation comments and field requirement indicators for location selection in the activity creation form, in step 4 when trying to create a multiple event.
Issue type
Enhancement/Improvement
Severity
MEDIUM
Priority
MEDIUM
Description
When creating activities within multiple events, the "Guardar Actividad" (Save Activity) button remains disabled even after filling in the activity name, without providing clear feedback about what additional information is required. Users must discover through trial and error that they need to properly configure the "Ubicación" (Location) section by selecting either "Presencial" or "Enlace externo en línea" and providing valid location details. This lack of clear guidance creates confusion and frustration during the activity creation process.
Justification
<b>User Experience:</b> Users get stuck without understanding why they can't save their activity <b>Discoverability:</b> Critical requirements are hidden from users, leading to abandonment <b>Efficiency:</b> Reduces time wasted on trial-and-error form completion <b>Accessibility:</b> Improves form usability for all skill levels
Proposed solution
<b>Visual field indicators:</b> Clearly mark required fields with asterisks (*) and distinguish them visually from optional fields <b>Real-time validation feedback:</b> Show specific messages explaining why the save button is disabled: <ul style="list-style-type: none"><li>• "Por favor, complete la información de ubicación para continuar"</li></ul>



- "Seleccione un tipo de asistencia y proporcione los detalles de ubicación"

**Progress indicators:** Add visual cues showing which sections are complete/incomplete

**Contextual help:** Add tooltips or help text explaining location requirements

**Smart button states:** Instead of just disabling the button, show a tooltip explaining what's missing when hovering over disabled save button

#### Requirements/Preconditions

#### Steps

#### Actual Result

#### Expected Result

#### Attachments

**E. Thiago Hinojosa**

**F. Richard Choque**

**ENH Title**



En el apartado para visualizar un evento cualquiera se debería agregar un botón para volver al “Home”
<b>Issue type</b>
Enhancement - Navigation - UX
<b>Severity</b>
Medium
<b>Priority</b>
Medium
<b>Description</b>
Al entrar a visualizar un evento cualquiera, no hay un botón con el cual se pueda volver al apartado anterior de los eventos “home”.
<b>Justification</b>
Es importante tener un botón para regresar en el apartado para tener una navegación mas fluida
<b>Requirements/Preconditions</b>
<b>Actual Result</b>
<b>Expected Result</b>
<b>Attachments</b>

**G. Santiago Uribe**



<b>ID: KAN-5</b>
<b>ENH Title</b>
Remove redundant search button from the header
<b>Issue type</b>
Non-functional (UI/UX Enhancement)
<b>Severity</b>
Low
<b>Priority</b>
Low
<b>Description</b>
The search button located in the header appears to be unnecessary. The search functionality is triggered automatically as the user types, making the button redundant and potentially confusing.
<b>Justification</b>
<ul style="list-style-type: none"><li>• The search executes in real time as the user types, without requiring a click</li><li>• The presence of the button may suggest to users that they need to click it for the search to work, which can lead to confusion.</li><li>• Removing the button can simplify the UI and improve user experience by eliminating unnecessary elements.</li></ul>
<b>Requirements/Preconditions</b>
Software: Any modern browser (Chrome, Firefox, Edge, etc.) Active connection to: <a href="https://sparta.actio.ses-unit.com/">https://sparta.actio.ses-unit.com/</a>
<b>Steps</b>
<ul style="list-style-type: none"><li>• Navigate to <a href="https://sparta.actio.ses-unit.com">https://sparta.actio.ses-unit.com</a></li><li>• Use the search input field in the</li><li>• Type any term (e.g., event name)</li><li>• Observe that results update automatically without needing to click the search button</li></ul>
<b>Actual Result</b>






#### ID: KAN-5

Search results are updated dynamically as the user types. The search button is present but not needed.

#### Expected Result

- The search button is removed from the header
- The search button is used as the only trigger

#### Attachments





Estudiante	Contribución	Punto/Inciso trabajado	Comentarios extras
Agustin Deluca	ALTA	<ul style="list-style-type: none"><li>- The 2 bugs on Jira and in the document</li><li>- The improvement</li><li>- Extra Point</li></ul>	
Guido Mamani	ALTA	-	
Mateo Escobar	ALTA	-	
Mateo Olarte	ALTA	-	
Richard Choque	ALTA	-	
Thiago Hinojosa	ALTA	-	
Santiago Uribe Rengifo	ALTA	<ul style="list-style-type: none"><li>- The 2 bugs on Jira and in the document</li><li>- The improvement</li><li>- Extra points (A lot I think) because of the bug that crash the server</li></ul>	

