

Solution Design & Implementation Blueprint

October 2025



WRRV301
2025

StudyPaws

Purrfectly productive



HackStreet Boys

Lea Carelse

Tamryn Forbes

Zadie-Ann Gamba

TABLE OF CONTENTS

1	FUNCTIONAL REQUIREMENTS	3
1.1	System Overview	3
	System Assumptions & Constraints	3
1.2	Final Use Case Model	4
1.3	Use Case Glossary and Implementation Responsibilities	5
2	USE CASE NARRATIVES & UI DESIGNS	8
2.1	Team User Interface Guidelines	8
2.2	Team Designs	8
2.2.1	Login / Logout	8
2.2.2	Dashboard / Landing Page / Main Page [for each user type]	12
2.3	Individual Crew Member Use Case Narratives & UI Designs	14
2.3.1	Designed by Lea Carelse	14
2.3.2	Designed by Tamryn Forbes	79
2.3.3	Designed by Zadie-Ann Gamba	132
3	DATA REQUIREMENTS	173
3.1	Implementation Ready Class Diagram	173
3.2	Implemented database structure	174
3.3	Test Data	175
4	TECHNICAL REQUIREMENTS	185
4.1	System Environment	185
4.2	Start-up Instructions	185
3.1	Logins & Passwords	186

1 FUNCTIONAL REQUIREMENTS


1.1 System Overview

Students often struggle with managing their study schedules, staying motivated and maintaining productivity. Some traditional study methods may feel tedious to students, which can lead to procrastination and a decrease in efficiency. StudyPaws aims to address this issue by providing a gamified, incentive-based productivity platform to engage students. Students are able to organize their tasks, track their study sessions and earn rewards for their efforts. By integrating a to-do list, a study session timer, and a virtual pet that levels up with productivity, StudyPaws encourages students to develop better study habits. Additionally, the platform aims to create a sense of community by allowing the students to connect with friends, share achievements and participate in group study sessions.

System Assumptions & Constraints

- The user who starts a study session must be friends with all other invited users.
- When in a timer/study session, exiting the page will forfeit all rewards earned in the study session (Study session needs to be completed to earn the rewards).
- If you are a participant in a study session, you receive all the rewards earned in that study session, regardless of if other participants leave the study session.
- Instead of uploading a profile picture, users will have to choose a preset icon.
- A study session must have at least 2 participants – one co-ordinator and one invitee.
- The website needs to be user-friendly and clear, with a functional, intuitive design that caters to a specific demographic – students.
- Because of the scope and time constraints of the project, achievements and rewards are only developed to a certain point.
 - There are limited achievements/badges that can be earned.
 - There are limited number of pets that can be bought in each category.
 - There is a maximum XP level that can be achieved.
 - There is a limited number of preset icons the user can choose from for their profile picture.
- Users understand that coins and pawprints are interchangeable.

1.2 Final Use Case Model



1.3 Use Case Glossary and Implementation Responsibilities

Allocated to Crew Member: Lea Carelse	
Use Case Id	Use Case Name
A100	Create timer
A200	View timer
A300	Edit timer
A400	Stop timer
A500	Complete timer
A600	View past timers
A700	Create study session
A800	Invite friends to study session
A900	Delete study session
A1000	Receive study session invite
A1100	Accept study session invite
A1200	Decline study session invite
A1300	Join study session
A1400	View study session
A1500	Stop study session
A1600	Complete study session
A1700	View past study sessions
A1800	View pets
A1900	Select home page pet
A2000	Sell pet

Allocated to Crew Member: Tamryn Forbes	
Use Case Id	Use Case Name

B100	View calendar
B200	Add an event
B300	Edit an event
B400	Delete an event
B500	Select tag
B600	Add tag
B700	Edit tag
B800	Delete tag
B900	View to-do list
B1000	Add to-do list task
B1100	Edit to-do list task
B1200	Delete to-do list task
B1300	Edit to-do list task status
B1400	View shop
B1500	Make a purchase

Allocated to Crew Member: Zadi-Ann Gamba	
Use Case Id	Use Case Name
C100	Create profile
C200	View tutorial
C300	View profile
C400	Edit profile details
C500	Delete profile
C600	View friend list
C700	View friend notifications

C800	Send gift to friend
C900	View friend's profile
C1000	View friend's badges
C1100	Delete friend
C1200	Search for friends
C1300	Send friend request
C1400	Calculate coins
C1500	Calculate XP
C1600	View badges
C1700	Collect Secret Pet

2 Use Case Narratives & UI Designs

2.1 Team User Interface Guidelines

Colour scheme and design

The main colour we have chosen as the background is a muted blue which brings feelings of calmness, serenity and stability and creates a professional appearance. Combined with the multicoloured pastels present throughout the rest of the design, it keeps a playful and inspiring atmosphere within the project. The design of the project is consistent, with the same colour scheme format on all pages. The colours of the navigation tab match the colours of the relevant pages to maintain consistency and create interest with each page being associated with a different colour.



Navigation and control

The navigation bar is present on the landing/home page. In all other pages the navigation bar is collapsed, and when a user hovers over a tab then it is extended and visible to the user. This is to ensure that the user can remain focused on the main content of the webpage they are currently on and not become overwhelmed with too much on a page.

Error prevention and confirmation messages

To prevent errors and to give the user more control, we have created confirmation messages which will appear every time a user has to make an “important” decision. These decisions are activities such as deleting events, deleting friends, stopping a timer, etc. This ensures that user errors are minimised, which allows the user to always feel in control. These confirmation messages will ask the user if they are sure about the decision they are about to make, which then executes the decision, or if they are not then the decision is not executed.

Usability

The design of the website is simple, unambiguous and easy to use. Users are provided with the option of viewing a very short tutorial on how to navigate the website, and all functions within the website have affordance. This means that the appearance of the objects suggests its function, for example a button that says “Register” implies to the user that when that button is pressed the user will be registered. This allows the website to be easy to use for a broad range of users with different levels of technological competency.

2.2 Team Designs

2.2.1 Login / Logout

Initial UI design



Username


Password

Login



Welcome back

zadie!



Final UI

studyPaws
purrfectly productive



Register

Login

© 2025 StudyPaws. All rights reserved.

studyPaws
purrfectly productive

Username

Password

Back

Login

© 2025 StudyPaws. All rights reserved.

Back



05:03

Friday | 24 October

Change icon

Username

Zadie

Edit

Password

.....

Edit

Email

zadieanngan


Edit

Delete Profile




Logout

© 2025 StudyPaws. All rights reserved.



2.2.2 Dashboard / Landing Page / Main Page [for each user type]





Level 3
XP 20%
 341

studyPaws
purrfectly productive



05:05
Friday | 24 October

Dashboard

Calendar

To-do List

Timer

Study Session



Welcome back
Zadie!

Pet Shop

Inventory

Friends

Badges

About

© 2025 StudyPaws. All rights reserved.

2.3 Individual Crew Member Use Case Narratives & UI Designs

2.3.1 Designed by Lea Carelse

Use Case ID	Use Case Name
A100	Create timer
Actors	
User	
Description	The user can create and start a timer to study. If the user completes the timer, the user will earn XP and coins.
Pre-Conditions	The user is logged in.
Triggers	The user has clicked on the timer tab.
Post-Conditions	The system creates a timer.
Basic Flow of Events	1. <i>Main timer page is displayed.</i> 2. User clicks on the "Create" button. 3. <i>Title & Tag Timer page is displayed.</i> 4. User inputs Title of timer. 5. User clicks on down arrow to display preset list of Tags (drop-down list). 6. <i>System displays drop-down list.</i> 7. User selects Tag they want for the timer. 8. <i>Drop-down list collapses.</i> 9. User clicks on the "Continue" button. 10. <i>Time Timer page is displayed.</i> 11. User inputs the amount of time for the timer. 12. User clicks on the "Start" button. 13. The system calls A200.
Alternate Flow of events	2.1. User clicks on the "View past timers" button 2.1.1. The system calls C600. 2.2. User clicks on the "Back" button 2.2.1. <i>System returns to Home page</i> 9.1. User clicks on the "Back" button 9.1.1. <i>System returns to Main Timer page</i> 12.1. User clicks on the "Back" button 12.1.1. <i>System returns to Title & Tag Timer page</i>
Initial UI design	





Level 16

XP 70%

200

studyPaws
purrfectly productive

09:52
Friday | 18 April

Title

Tag

Back

Continue



Level 16

XP 70%

200

studyPaws
purrfectly productive

09:52
Friday | 18 April

Title

Tag

Back

Continue



Level 16

XP 70%

200

studyPaws
purrfectly productive

09:52
Friday | 18 April

00:00

Back

Start



Level 16

XP 70%

200


studyPaws
purrfectly productive

09:52
Friday | 18 April


50:00

Back

Start



Final UI





Level 12
XP 48%
 110

studyPaws

purrfectly productive

12:56
Sunday | 26 October

Back

Create

View past timers

© 2025 StudyPaws. All rights reserved.



Level 12
XP 48%
 110

studyPaws

purrfectly productive

12:57
Sunday | 26 October

Title

Tag

^

Studying

Assignments

Reading

Break

Back

Continue

© 2025 StudyPaws. All rights reserved.



Level 12
XP 48%
 110

studyPaws

purrfectly productive

12:57
Sunday | 26 October

Title

Tag

Studying

 v

Back

Continue

© 2025 StudyPaws. All rights reserved.



Use Case ID	Use Case Name
-------------	---------------

A200	View timer
Actors	
User	
Description	The user can view the timer.
Pre-Conditions	The user is logged in and has created a timer.
Triggers	Called from A100.
Post-Conditions	The system displays the Countdown timer page.
Basic Flow of Events	1. Countdown timer page is displayed 2. Timer runs out and Calls A500.
Alternate Flow of events	2.1. User clicks on the "Add" button 2.1.1. Call A300 Edit timer 2.2. User clicks on the "Stop" button 2.2.1. Call A400 Stop timer
Initial UI design	
Final UI	
 The screenshot shows the StudyPaws app interface. At the top left is a cow profile icon. Next to it, the user's Level is 12 and XP is 48% (with a progress bar). Below the XP bar is a paw print icon and the number 110. The app logo 'studyPaws' is in the center top, with the tagline 'purrfectly productive'. The time 12:58 and the date Sunday 26 October are in the top right. In the center is a large circular timer showing 00:49:54 with a cat icon inside. At the bottom are three buttons: 'Study', 'Add', and 'Stop'. The background is a dark blue gradient with light blue hills at the bottom.	

© 2025 StudyPaws. All rights reserved.

Use Case ID	Use Case Name
A300	Edit timer
Actors	
User	
Description	The user can edit the timer that they created. The amount of XP and coins the user will earn, will be calculated accordingly.
Pre-Conditions	The user is logged in, has created a timer and is viewing the timer.
Triggers	Called from A200 .
Post-Conditions	The system edits the existing timer to the new time
Basic Flow of Events	1. System displays 3 possible minute amounts that the user can choose out of, to add to their timer. 2. User clicks on the "+5 min" button.





Level 21
XP 0%
 90

studyPaws
purrfectly productive

23:14
Sunday | 26 October

00:29:17



+5 min

+10 min

+15 min

Study

Back

Stop

© 2025 StudyPaws. All rights reserved.



Level 21
XP 0%
 90

studyPaws
purrfectly productive

23:14
Sunday | 26 October

00:28:57



+5 min

+10 min

+15 min

Study

Back

Stop

© 2025 StudyPaws. All rights reserved.



Level 21
XP 0%
 90

studyPaws
purrfectly productive

23:15
Sunday | 26 October

00:33:40



Study

Add

Stop

© 2025 StudyPaws. All rights reserved.

Use Case ID	Use Case Name
A400	Stop timer
Actors	
User	
Description	The user can stop the timer that they created and/or edited. The amount of XP and coins the user would have earned, will now be forfeited.
Pre-Conditions	The user is logged in and has created and/or edited a timer.
Triggers	Called from A200 .
Post-Conditions	The system stops the existing timer and no amount of XP or coins are given to the user.
Basic Flow of Events	1. System displays pop-up asking for confirmation to stop the timer. 2. User clicks on the "Yes, I'm sure!" button. 3. System stops existing timer. 4. Timer gets deleted in the database for that user and will not appear in past timers. 5. System returns to Home page.
Alternate Flow of events	2.1. User clicks on the "No, not sure!" button. 2.1.1 System returns to Countdown timer page.





Final UI





Use Case ID	Use Case Name
A500	Complete timer
Actors	
User	
Description	When the user has created a timer and stays in the Countdown timer page until the timer runs out, they have completed the timer and will earn XP and coins based on the amount of time that was on the timer.
Pre-Conditions	The user is logged in and has created and/or edited a timer.
Triggers	Called from A200 .
Post-Conditions	System awards user with XP and coins, the user will have completed a timer and goes back to the Home page.
Basic Flow of Events	1. System awards user with XP and coins calculated by calling C1400. 2. System displays pop-up screen notifying user of the XP and coins earned. 3. User clicks on the "Thank you!" button. 4. System returns to Home page.
Alternate Flow of events	
Initial UI design	





Use Case ID	Use Case Name
A600	View past timers
Actors	
User	
Description	The user can view all of their past timers that they completed.
Pre-Conditions	The user is logged in and is on the Main timer page.
Triggers	The user clicks on the "View past timers" button.
Post-Conditions	The system displays all the user's past timers and information about them.
Basic Flow of Events	1. System displays past timers. 2. User clicks on filter icon. 3. System displays attributes the user can filter by. 4. User selects the filters they want to apply. 5. User clicks on the "Apply" button. 6. System filters the past timers by the filters applied.
Alternate Flow of events	2.1. User clicks on the filter icon again. 2.1.1. System stops displaying attributes the user can filter by.

2.2. User clicks on the “Back” button.
2.2.1. System returns to Main timer page.

Initial UI design





Level 16

XP



200

70%

studyPaws
purrfectly productive

09:52

Friday | 18 April

Past timers

18 April	Clean room	Self-care	30:00	
18 April	Tiktok	Entertainment	15:00	
18 April	Shower	Self-care	40:00	
17 April	WRAV Notes	Academic	60:00	
16 April	RGV Study	Academic	90:00	

Back



Level 16

XP



200

70%

studyPaws
purrfectly productive

09:52

Friday | 18 April

Past timers

Date		Tag		
18 April	Clean room	Self-care	30:00	
18 April	Tiktok	Entertainment	15:00	
18 April	Shower	Self-care	40:00	
17 April	WRAV Notes	Academic	60:00	
16 April	RGV Study	Academic	90:00	

Back



Level 16

XP 70%
200

studyPaws
purrfectly productive

09:52
Friday | 18 April

Past timers

18 April		Self-care	30:00
18 April	Clean room	Self-care	30:00
18 April	Shower	Self-care	40:00

Back



Level 16

XP 70%
200

studyPaws
purrfectly productive

09:52
Friday | 18 April

Past timers

18 April		Self-care	30:00
18 April	Clean room	Self-care	30:00
18 April	Shower	Self-care	40:00

Back

Final UI



Level 21
XP 0%
 90

studyPaws
purrfectly productive

23:30
Sunday | 26 October

Back

Create

View past timers

© 2025 StudyPaws. All rights reserved.



Level 21
XP 0%
 90

studyPaws
purrfectly productive

23:16
Sunday | 26 October

Past timers

Date	Title	Tag	Duration
2025-10-27 14:39	Taking a nap	Break	00:30:00
2025-10-25 14:31	EBMV - Test 2	Studying	02:30:00
2025-10-06 14:37	Taking a nap	Break	00:30:00
2025-10-05 14:36	Taking a nap	Break	00:30:00
2025-10-04 22:35	Taking a nap	Break	00:30:00

Back

© 2025 StudyPaws. All rights reserved.



Level 21
XP 0%
 90

studyPaws
purrfectly productive

23:16
Sunday | 26 October

Past timers


Date:  Tag: 

Apply

2025-10-27 14:39	Taking a nap	Break	00:30:00
2025-10-25 14:31	EBMV - Test 2	Studying	02:30:00
2025-10-06 14:37	Taking a nap	Break	00:30:00
2025-10-05 14:36	Taking a nap	Break	00:30:00
2025-10-04 22:35	Taking a nap	Break	00:30:00

Back


© 2025 StudyPaws. All rights reserved.



Use Case ID	Use Case Name
A700	Create study session
Actors	
User	
Description	The user can create a study session and invite friends to finish a study session. If an individual user finished the study session, the user will earn XP and coins.
Pre-Conditions	The user is logged in and has at least one friend.
Triggers	The user clicks on the Study Session tab.
Post-Conditions	The system creates a study session and adds it to the user's Calendar.
Basic Flow of Events	1. Main study session page is displayed. 2. User clicks on the "Create" button. 3. Title & Tag Study Session page is displayed. 4. User inputs Title of study session. 5. User clicks on down arrow to display preset list of Tags (drop-down list). 6. System displays drop-down list.

	7. User selects Tag they want for the study session. 8. <i>Drop-down list collapses.</i> 9. User clicks on the “Continue” button. 10. Call A800 Invite friends to study session. 11. <i>System returns from A800 Invite friends to study session.</i> 12. <i>Date & Time Study Session page is displayed.</i> 13. User selects the date for the study session. 14. User inputs the start time and end time of the study session. 15. User clicks on the “Schedule” button. 16. <i>System displays pop-up confirming the scheduled study session.</i> 17. <i>System adds the scheduled study session to the user’s calendar and updates the database.</i> 18. User clicks on the “Okay!” button. 19. <i>System returns to Home page.</i>
Alternate Flow of events	2.1. User clicks on the “Back” button. 2.1.1. <i>System returns to Home page.</i> 9.1. User clicks on the “Back” button. 9.1.1. <i>System returns to Main study session page.</i> 15.1. User clicks on the “Back” button. 15.1.1. <i>System returns to A800 Invite friends to study session.</i>

Initial UI design





Level 16

XP



70%

150

studyPaws
purrfectly productive

10:22
Friday | 18 April

Back

Create

View past sessions



Level 16

XP



70%

150

studyPaws
purrfectly productive

10:22
Friday | 18 April

Title

Tag

Back

Continue



Level 16

XP 70%

150

studyPaws
purrfectly productive

10:22
Friday | 18 April

Title

Tag



Back

Continue



Level 16

XP 70%

150

studyPaws
purrfectly productive

10:22
Friday | 18 April

Schedule your study session

Date Sat | 19 April

Start time 00:00

End time 00:00

Back

Schedule



Level 16

XP 70%

150

studyPaws
purrfectly productive

10:22
Friday | 18 April

Schedule your study session

Date Sat | 19 April

Start time 14:00

End time 15:00

Back

Schedule



Level 16

XP 70%

150

studyPaws
purrfectly productive

10:22
Friday | 18 April

Study session scheduled!



Okay!

Back

Schedule

Final UI



Level 12
XP 50%
 111

studyPaws
purrfectly productive



Welcome back
Zadie!

Dashboard

Calendar

To-do List

Timer

Study Session

Pet Shop

Inventory

Friends

Badges

About

13:11
Sunday | 26 October



Level 12
XP 50%
 111

studyPaws
purrfectly productive

13:11
Sunday | 26 October

Back

Create

View past sessions



Level 12
XP 50%
 111

studyPaws
purrfectly productive

13:13
Sunday | 26 October

Title

Tag

Studying

Assignments

Reading

Break

Back

Continue



Use Case ID	Use Case Name
-------------	---------------

A800	Invite friends to study session
Actors	
User	
Description	The user is required to invite friends to the study session in order to create one.
Pre-Conditions	The user is logged in and the user has started creating the study session.
Triggers	Called from A700 Create study session .
Post-Conditions	The system invites friends of the user to participate in a study session.
Basic Flow of Events	1. <i>System displays a list of all the user's friends.</i> 2. User selects the friends they want to invite by clicking on the "+" icon next to the friends' usernames. 3. <i>System sends a study session invitation to each friend added. Calls A1000 Receive study session invitation for the friends invited.</i> 4. User clicks on the "Continue" button. 5. <i>System returns to A700 Create study session and displays Date & Time Study Session page.</i>
Alternate Flow of events	2.1. User types in a friend's username in the search bar. 2.1.1.1. User clicks on the magnifying glass icon to search for the friend. 2.1.1.2. User presses the enter key on their keyboard to search for the friend. 2.1.1.3. User clicks somewhere other than the search bar on their screen to search for the friend. 2.1.2. <i>The system searches for the user's friend with a matching username to the username in the search bar.</i> 2.1.3. <i>If a match is found, system displays the friend(s).</i> 2.1.4. <i>If a match is not found, system does not display friend(s).</i> 2.1.1.4. User deletes the text in the search bar. 2.1.1.4.1. <i>System displays a list of all the user's friends.</i> 2.2. User clicks on the "+" icon again. 2.2.1. <i>System deselects that friend.</i> 2.3. User clicks on the "Back" button. 2.3.1. <i>System returns to A700 Create study session and displays Title & Tag Study Session page.</i>
Initial UI design	



Level 16

XP



150

70%

studyPaws
purrfectly productive

10:22
Friday | 18 April

Invite your friends to study with you

lea



tammy



Back

Continue



Level 16

XP



150

70%

studyPaws
purrfectly productive

10:22
Friday | 18 April

Invite your friends to study with you

lea





tammy



Back

Continue



© 2025 StudyPaws. All rights reserved.



Use Case ID	Use Case Name
A900	Delete study session
Actors	
User	
Description	The user can delete a study session after they have created it.
Pre-Conditions	The user is logged in and the user has created a study session.
Triggers	The user clicks on a study session event when viewing their Calendar.
Post-Conditions	The study session is removed from the user's Calendar and the user will not be able to join that study session anymore.
Basic Flow of Events	1. Call B400 Delete an event
Alternate Flow of events	
Initial UI design	



Level 16

XP 70%
150

studyPaws
purrfectly productive

14:00

Saturday | 19 April

Calendar



April



Mon	Tue	Wed	Thu	Fri	Sat	Sun
31	1 WRPA Assignment	2	3	4	5	6
7	8	9	10 WRW Assignment	11	12	13
14	15	16	17 JS Document UI Designs	18 Study session (lummy)	19	20
21	22	23	24 WRW Quiz	25	26	27
28	29	30	1	2	3	4



Level 16

XP 70%
150

studyPaws
purrfectly productive

14:00

Saturday | 19 April

Title

Tag ☒ Study session

Back

Save

Delete





Level 16

XP 70%

150

studyPaws
purrfectly productive

14:00

Saturday | 19 April

Are you sure you want to delete the event?



Yes, I'm sure!

No, not sure!

Back

Save

Delete



Level 16

XP 70%

150

studyPaws
purrfectly productive

14:00

Saturday | 19 April

Calendar



April



Mon	Tue	Wed	Thu	Fri	Sat	Sun
31	1 WRPW Assignment	2	3	4	5	6
7	8	9	10 WRPW Assignment	11	12	13
14	15	16	17 JS Document UI Designs	18	19	20
21	22	23	24 WRPW Quiz	25	26	27
28	29	30	1	2	3	4

Final UI



Level 5
XP 40%
 11

studyPaws
purrfectly productive

19:51
Sunday | 26 October

October 2025

Today

Mon	Tue	Wed	Thu	Fri	Sat	Sun
29	30	1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	31	1	2

© 2025 StudyPaws. All rights reserved.



Level 5
XP 40%
 11

studyPaws
purrfectly productive

19:51
Sunday | 26 October

TitleProject

TagStudy Session

Date2025/10/26

Back

Delete

© 2025 StudyPaws. All rights reserved.



Level 5
XP 40%
 11

studyPaws
purrfectly productive

19:52
Sunday | 26 October

Are you sure you want to delete this study session?




Yes, I'm sure!

No, not sure!


Back

Delete

© 2025 StudyPaws. All rights reserved.




Use Case ID	Use Case Name
A1000	Receive study session invitation
Actors	
User	
Description	The user receives an invitation to a study session when a friend has created a study session and has selected to invite this user.
Pre-Conditions	The user is logged in and the user is friends with the user who created the study session.
Triggers	Called from A800 Invite friends to study session .
Post-Conditions	The user responds to the invitation.
Basic Flow of Events	1. User clicks on the bell icon. 2. <i>System displays a pop-up to the user about the study session invitation.</i> 3. User clicks on the "Accept" button. 4. Call A1100 Accept study session invitation.
Alternate Flow of events	3.1. User clicks on the "Decline" button. 3.1.1. Call A1200 Decline study session invitation.
Initial UI design	





Use Case ID	Use Case Name
A1100	Accept study session invitation
Actors	
User	
Description	The user accepts an invitation to a study session.
Pre-Conditions	The user is logged in and the user is friends with the user who created the study session.
Triggers	Called from A1000 Receive study session invitation .
Post-Conditions	The system adds the study session as an event on the user's Calendar.
Basic Flow of Events	1. System adds the study session as a Calendar event. 2. System displays a pop-up to the user to confirm that the study session invitation has been accepted. 3. User clicks on the "Calendar, GO!" button. 4. Call B100 View calendar.
Alternate Flow of events	3.1. User clicks on the "Okay, thanks!" button. 3.1.1. System returns to page that the user was on when clicking on the bell icon.
Initial UI design	



Final UI



Use Case ID	Use Case Name
A1200	Decline study session invitation
Actors	
User	
Description	The user declines an invitation to a study session
Pre-Conditions	The user is logged in and the user is friends with the user who created the study session
Triggers	Called from A1000 Receive study session invitation
Post-Conditions	Invitation has been declined
Basic Flow of Events	1. System displays pop-up asking the user to confirm whether they want to decline or not. 2. User clicks on the "Yes, I'm sure!" button. 3. System displays pop-up confirming that the study session invitation has been declined. 4. User clicks on the "Okay!" button. 5. System returns to page that the user was on when clicking on the bell icon.
Alternate Flow of events	2.1. User clicks on the "No, not sure!" button. 2.1.1. System returns to page that the user was on when clicking on the bell icon.

Initial UI design







Use Case ID	Use Case Name
A1300	Join study session
Actors	
User	
Description	The user will receive a pop-up notification when the time for a scheduled study session has arrived and will then have to join the study session within a minute.
Pre-Conditions	The user is logged in and has a study session event in their Calendar.
Triggers	The time of day matches the scheduled time of the study session.
Post-Conditions	The user has joined a study session.
Basic Flow of Events	1. System displays pop-up informing the user that a study session is starting now. 2. User clicks on the "Join!" button within a minute. 3. Call A1400 View study session.
Alternate Flow of events	2.1. User does not click on the "Join!" button within a minute. 2.1.1. System stops displaying pop-up and the database is not updated to reflect the user joining the study session.
Initial UI design	





Final UI







Use Case ID	Use Case Name
A1400	View study session
Actors	
User	
Description	The user can view the timer
Pre-Conditions	The user is logged in and has joined a study session
Triggers	Called from A1300 Join study session .
Post-Conditions	The system displays the Countdown study session page.
Basic Flow of Events	1. Countdown study session page is displayed. 2. Study session runs out and Calls A1600 Complete study session.
Alternate Flow of events	2.1. User clicks on the "Stop" button. 2.1.1. Call A1500 Stop study session.
Initial UI design	



Use Case ID	Use Case Name
A1500	Stop study session
Actors	
User	
Description	The user can stop the study session that they are currently in, but will then forfeit the XP and coins that they would have earned by completing the study session.
Pre-Conditions	The user is logged in and has joined a study session.
Triggers	Called from A1400 View study session .
Post-Conditions	The study session is stopped and the user does not receive any rewards.

Basic Flow of Events	1. System displays pop-up asking for confirmation to stop the study session. 2. User clicks on the "Yes, I'm sure!" button. 3. System stops the study session. 4. Study session gets deleted in the database for that user and will not appear in past study sessions. 5. System returns to Home page.
Alternate Flow of events	2.1. User clicks on the "No, not sure!" button. 2.1.1. System stops displaying the confirmation pop-up.
Initial UI design	
	
	
Final UI	




Use Case ID	Use Case Name
A1600	Complete study session
Actors	
User	
Description	When the user has joined a study session and stays in the Countdown study session page until the study session runs out, they have completed the study session and will earn XP and coins based on the amount of time that was on the study session.
Pre-Conditions	The user is logged in and has joined a study session.
Triggers	Called from A1400 View study session .
Post-Conditions	System awards user with XP and coins, the user will have completed a study session and goes back to the Home page.
Basic Flow of Events	1. System awards user with XP and coins calculated by calling C1400 Calculate coins. 2. System displays pop-up screen notifying user of the XP and coins earned. 3. User clicks on the "Thank you!" button. 4. System returns to Home page.
Alternate Flow of events	
Initial UI design	






Final UI



© 2025 StudyPaws. All rights reserved.



Use Case ID	Use Case Name
A1700	View past study sessions.
Actors	
User	
Description	The user can view all of their past study sessions that they completed.
Pre-Conditions	The user is logged in and is on the Main study session page.
Triggers	The user clicks on the “View past sessions” button.
Post-Conditions	The system displays all the user’s past timers and information about them.
Basic Flow of Events	1. <i>System displays past study sessions.</i> 2. User clicks on filter icon. 3. <i>System displays attributes the user can filter by.</i> 4. User selects the filters they want to apply. 5. User clicks on the “Apply” button. 6. <i>System filters the past study sessions by the filters applied.</i>
Alternate Flow of events	2.1. User clicks on the filter icon again. 2.1.1. <i>System stops displaying attributes the user can filter by.</i> 2.2. User clicks on the “Back” button. 2.2.1. <i>System returns to Main study session page.</i>
Initial UI design	



Level 16

XP



150

70%

studyPaws
purrfectly productive

10:22

Friday | 18 April

Back

Create

View past sessions



Level 16

XP



150

70%

studyPaws
purrfectly productive

10:22

Friday | 18 April

Past study sessions

17 April	WRRV Diagrams	Academic	30:00	
16 April	WRRV Triggers	Academic	15:00	
15 April	FS Document	Academic	40:00	
14 April	WRDV Assign 4	Academic	60:00	
11 April	WRPV Study	Academic	90:00	

Back



Level 16

XP 70%
150

studyPaws
purrfectly productive

10:22
Friday | 18 April

Past study sessions

Date		Tag		
17 April	WRRV Diagrams	Academic	30:00	
16 April	WRRV Triggers	Academic	15:00	
15 April	FS Document	Academic	40:00	
14 April	WRDV Assign 4	Academic	60:00	
11 April	WRPV Study	Academic	90:00	

Back



Level 16

XP 70%
150

studyPaws
purrfectly productive

10:22
Friday | 18 April

Past study sessions

Date		Tag		
17 April	WRRV Diagrams	Academic	30:00	
16 April	WRRV Triggers	Academic	15:00	
15 April	FS Document	Academic	40:00	
14 April	WRDV Assign 4	Academic	60:00	
11 April	WRPV Study	Academic	90:00	

Back

Final UI



Level 21
XP 0%
 90

studyPaws
purrfectly productive

23:31
Sunday | 26 October

Back

Create

View past sessions

© 2025 StudyPaws. All rights reserved.



Level 21
XP 0%
 90

studyPaws
purrfectly productive

23:31
Sunday | 26 October

Past study sessions

Date	Title	Tag	Duration
2025-10-24 09:00	SDIB	Assignments	06:00:00
2025-10-22 08:00	Project Meeting	Reading	06:00:00
2025-10-16 10:10	WRPV302	Assignments	05:00:00
2025-10-14 15:30	EBMV302	Assignments	05:00:00
2025-10-13 12:00	EBMV302	Assignments	05:00:00

Back

© 2025 StudyPaws. All rights reserved.



Level 21
XP 0%
 90

studyPaws
purrfectly productive

23:31
Sunday | 26 October

Past study sessions

Date:  Tag:

Apply

2025-10-24 09:00	SDIB	Assignments	06:00:00
2025-10-22 08:00	Project Meeting	Reading	06:00:00
2025-10-16 10:10	WRPV302	Assignments	05:00:00
2025-10-14 15:30	EBMV302	Assignments	05:00:00
2025-10-13 12:00	EBMV302	Assignments	05:00:00

Back

© 2025 StudyPaws. All rights reserved.



Level 21
 XP 0%
 90

studyPaws

purrfectly productive

Past study sessions

23:32
 Sunday | 26 October

Date:

Tag: Studying

Apply

2025-10-24 09:00	SDIB	Assignments	06:00:00
2025-10-22 08:00	Project Meeting	Reading	06:00:00
2025-10-16 10:10	WRPV302	Assignments	05:00:00
2025-10-14 15:30	EBMV302	Assignments	05:00:00
2025-10-13 12:00	EBMV302	Assignments	05:00:00

Back

© 2025 StudyPaws. All rights reserved.



Level 21
 XP 0%
 90

studyPaws

purrfectly productive

Past study sessions

23:32
 Sunday | 26 October

Date	Title	Tag	Duration
2025-10-09 14:00	WRPV Cheat sheet	Studying	05:00:00
2025-10-09 08:00	WRPV Cheat sheet	Studying	05:00:00


Back

© 2025 StudyPaws. All rights reserved.


Use Case ID	Use Case Name
A1800	View pets
Actors	
User	
Description	The user can view the pets that they have purchased from the Pet Shop in their Inventory.
Pre-Conditions	The user is logged in.
Triggers	The user clicks on the Inventory tab.
Post-Conditions	The system displays all owned pets.

Basic Flow of Events	1. System displays category list and the Cats category by default. 2. If the user wants to view another category, the user selects the desired category (Cats, Dogs, Fuzzy, Farm, Special, Secret). 3. System displays desired category. 4. User clicks on the "Select" button under the pet of interest. 5. System selects pet and displays buttons "Sell" and "Equip". 6. User clicks on the "Equip" button. 7. Call A1900 Select home page pet. 8. System returns from A1900 Select home page pet.
Alternate Flow of events	6.1. User clicks on the "Sell" button. 6.1.1. Call A2000 Sell pet. 6.1.1.1. System returns from A2000 Sell pet. 6.2. User clicks on the "Select" button again. 6.2.1. System deselects pet and stops displaying the "Sell" and "Equip" buttons.






Final UI



localhost:60920/A1800 View pets.aspx

© 2025 StudyPaws. All rights reserved.



Use Case ID	Use Case Name
A1900	Select home page pet
Actors	
User	
Description	The user can select out of the pets that they have purchased from the Pet Shop, to be on their home page, View timer page and View study session page.
Pre-Conditions	The user is logged in and is on the Inventory page.
Triggers	Called from A1800 View pets .
Post-Conditions	Home page pet is assigned.
Basic Flow of Events	1. System updates the equipped pet in the database. 2. System returns to A1800 View pets .
Alternate Flow of events	
Initial UI design	



Level 16

XP 70%

150

studyPaws
purrfectly productive

10:22
Friday | 18 April

Your inventory

Cats

Dogs

Fuzzy

Farm

Special



Select



Select



Select

Sell

Equip



Level 16

XP 70%

150

studyPaws
purrfectly productive

10:22
Friday | 18 April

Your inventory

Cats

Dogs

Fuzzy

Farm

Special



Select



Select



Select

Sell

Equip



Level 16

XP

150

70%

studyPaws
purrfectly productive

10:22

Friday | 18 April

Your inventory

Cats

Dogs

Fuzzy

Farm

Special



Select



Select



Select



Level 16

XP

150

70%

studyPaws
purrfectly productive

10:22

Friday | 18 April

Dashboard

Calendar

To-do List

Timer

Badges

Pet Shop

Inventory

Friends

Study Session

About



Welcome back

zadie!



Level 16

XP

150

70%

studyPaws
purrfectly productive

10:22

Friday | 18 April

Your inventory

Cats

Dogs

Fuzzy

Farm

Special



Select



Select



Select



Level 16

XP

150

70%

studyPaws
purrfectly productive

10:22

Friday | 18 April

Your inventory

Cats

Dogs

Fuzzy

Farm

Special



Select



Select



Select



Sell

Equip



Final UI





Use Case ID	Use Case Name
A2000	Sell pet
Actors	
User	
Description	The user can sell a pet to earn back coins. The system rewards the user with coins to the value of half of what the user paid for the pet.
Pre-Conditions	The user is logged in and is on the Inventory page.
Triggers	Called from A1800 View pets .
Post-Conditions	The pet is deleted from the user's Inventory and the user has received coins from the sale.
Basic Flow of Events	1. System displays pop-up confirming whether the user wants to sell the selected pet or not. 2. User clicks on the "Yes, I'm sure!" button. 3. System removes pet from user's Inventory and updates database. 4. Call C1400 Calculate coins. 5. If the currently equipped pet is sold, Call A1900 Select home page pet on Cat 1 (Cat 1 can not be sold). 6. System returns to A1800 View pets.

Alternate Flow of events

2.1. User clicks on the “No, not sure!” button.
2.1.1. *System returns to A1800 View pets.*

Initial UI design





Final UI




© 2025 StudyPaws. All rights reserved.



2.3.2

Designed by Tamryn Forbes

Use Case ID	Use Case Name
B100	View calendar
Actors	
User	
Description	The user can view the calendar.
Pre-Conditions	The user is logged in.
Triggers	The user clicks on either the dashboard page or the calendar page.
Post-Conditions	The system displays the calendar.
Basic Flow of Events	1. <i>The system displays the calendar.</i> 2. The user clicks on the today button on the top right-hand corner of the calendar. 3. <i>The system displays the calendar for the current month.</i>
Alternate Flow of events	1.1 The user clicks on the plus button to add an event. 1.1.1 System calls B200. 2.1 The user clicks on an event. 2.1.1 System calls B300. 2.2 The user clicks on the back arrow button on the top right-hand corner of the calendar. 2.2.1 <i>The system displays the calendar for the previous month.</i> 2.3 The user clicks on the forward arrow button on the top right-hand corner of the calendar. 2.3.1 <i>The system displays the calendar for the next month.</i>

Initial UI design



Level 16

XP 65%

190

studyPaws
purrfectly productive

09:52
Friday | 18 April

Calendar



April



Mon	Tue	Wed	Thu	Fri	Sat	Sun
31 WRPV Assignment	1	2	3	4	5	6
7	8	9 WRAP Assignment	10	11	12	13
14	15	16	17 FS Document UI Designs	18	19	20
21 WRPV Assignment	22	23	24	25	26	27
28	29	30	1	2	3	4

To-do List

- ☐ study maths
- ☐ clean room
- ☐ do assignment
- ☐ wash hair
- ☐ finish practical
- ☐ start presentation



Level 16

XP 65%

190

studyPaws
purrfectly productive

09:52
Friday | 18 April

Dashboard

Calendar



To-do List

Timer

Badges



Welcome back
zadie!

Pet Shop

Inventory

Friends

Study Session

About



Level 16

XP

190

65%

studyPaws
purrfectly productive

09:52

Friday | 18 April

Calendar



April



Mon	Tue	Wed	Thu	Fri	Sat	Sun
31	1 WRPV Assignment	2	3	4	5	6
7	8	9	10 WRW Assignment	11	12	13
14	15	16	17 ES Document UT Designs	18	19	20
21	22	23	24 WRW Quiz	25	26	27
28	29	30	1	2	3	4



Level 16

XP

190

65%

studyPaws
purrfectly productive

09:52

Friday | 18 April

Calendar

Tag



April



Mon	Tue	Wed	Thu	Fri	Sat	Sun
31	1 WRPV Assignment	2	3	4	5	6
7	8	9	10 WRW Assignment	11	12	13
14	15	16	17 ES Document UT Designs	18	19	20
21	22	23	24 WRW Quiz	25	26	27
28	29	30	1	2	3	4



Level 16

XP

190

65%

studyPaws
purrfectly productive

09:52

Friday | 18 April

Calendar

WRAV



April



Mon	Tue	Wed	Thu	Fri	Sat	Sun
31	1	2	3	4	5	6
7	8	9	10 WRAV Assignment	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25 WRAV Quiz	26	27
28	29	30	1	2	3	4



Level 16

XP

190

65%

studyPaws
purrfectly productive

09:52

Friday | 18 April

Calendar



April



Mon	Tue	Wed	Thu	Fri	Sat	Sun
31	1 WRPV Assignment	2	3	4	5	6
7	8	9	10 WRAV Assignment	11	12	13
14	15	16	17	18 ES Document UT Designs	19	20
21	22 WRPV Assignment	23	24	25	26	27
28	29	30	1	2	3	4



Level 16
 XP 65%
 190



09:52
 Friday | 18 April

Calendar

April

Mon	Tue	Wed	Thu	Fri	Sat	Sun
31	1 WRPV Assignment	2	3	4	5	6
7	8	9	10 WRW Assignment	11	12	13
14	15	16	17 ES Document UI Designs	18	19	20
21	22 WRPV Assignment	23	24 WRW Quiz	25	26	27
28	29	30	1	2	3	4

Final UI



Level 12
 XP 45%
 150



08:16
 Sunday | 26 October

Dashboard
 Calendar
 To-do List
 Timer
 Study Session



Welcome back
Zadie!

Pet Shop
 Inventory
 Friends
 Badges
 About

localhost:60920/81600_View-dashboard.aspx

© 2025 StudyPaws. All rights reserved.



Level 12
XP 45%
150

studyPaws

purrfectly productive

08:23
Sunday | 26 October

October 2025

< Today >

Mon	Tue	Wed	Thu	Fri	Sat	Sun
29	30	1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	31	1	2

To Do List

All Tasks

+ Add a new task...

☐ do assignment

☐ wash hair

☐ finish practical

☐ start presentation

☐ clean room

☐ study maths

© 2025 StudyPaws. All rights reserved.



Level 12
XP 45%
150

studyPaws

purrfectly productive

08:23
Sunday | 26 October

Dashboard

Calendar

To-do List

Timer

Study Session



Welcome back

Zadie!

Pet Shop

Inventory

Friends

Badges

About

localhost:50920/B100_View-calendar.aspx

© 2025 StudyPaws. All rights reserved.



Level 12
XP 45%
150

studyPaws

purrfectly productive

08:24
Sunday | 26 October

October 2025

< Today >

Mon	Tue	Wed	Thu	Fri	Sat	Sun
29	30	1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	31	1	2

© 2025 StudyPaws. All rights reserved.



Level 12
 XP 45%
 150

StudyPaws

purrfectly productive

08:25

Sunday | 26 October

October 2025

Today

Mon	Tue	Wed	Thu	Fri	Sat	Sun
29	30	1 WRPV Assignment	2	3	4	5
6	7	8	9	10 WRAV test	11	12
13	14	15	16	17 FS document	18	19
20 Bob's birthday	21	22	23	24	25	26
27	28	29	30	31	1	2

localhost60920/B200 B500 Add-event Select Tag.aspx?date=2025-10-24&from=calendar

© 2025 StudyPaws. All rights reserved.

Use Case ID	Use Case Name
B200	Add an event
Actors	
User	
Description	The user can create a new event to add to the calendar.
Pre-Conditions	The user is logged in and the user is on either the dashboard page or the calendar page.
Triggers	Called from B100 when the user clicks on the plus button.
Post-Conditions	A new event is added to the calendar.
Basic Flow of Events	- The system displays the page to add an event. - The user types the title of the event into the "Title" textbox. - The user selects the arrow on the drop-down list. The system calls B500. - The user clicks add. <i>The system creates a new calendar event and returns to B100.</i>
Alternate Flow of events	3.1. The user clicks the plus button next to the tag drop-down list. The system calls B600. 3.2. The user clicks the edit button next to the tag drop-down list. The system calls B700. 5.1. The user clicks the back button. The systems returns to B100.
Initial UI design	



Level 16

XP 65%

190

studyPaws
purrfectly productive

09:52
Friday | 18 April

Title

Tag



Back

Add



Level 16

XP 65%

190

studyPaws
purrfectly productive

09:52
Friday | 18 April

Title

Tag



- ☒ Academic
- ☐ WRAV



Back

Add



Level 16

XP



190

65%

studyPaws
purrfectly productive

09:52
Friday | 18 April

Title

WRAV Quiz

Tag

^



☒ Academic



☐ WRAV



Back

Add



Level 16

XP



190

65%

studyPaws
purrfectly productive

09:52
Friday | 18 April

Title

WRAV Quiz

Tag

☐ WRAV



Back

Add



Level 16

XP 65%
190

studyPaws
purrfectly productive

09:52
Friday | 18 April

Calendar



April



Mon	Tue	Wed	Thu	Fri	Sat	Sun
31	1 WRPV Assignment	2	3	4	5	6
7	8	9	10 WRAW Assignment	11	12	13
14	15	16	17 JS Document UI Designs	18	19	20
21 WRPV Assignment	22	23	24	25 WRAW Quiz	26	27
28	29	30	1	2	3	4

Final UI



Level

12

XP 45%
150

studyPaws
purrfectly productive

08:28
Sunday | 26 October

Title

Tag


Back

Add

© 2025 StudyPaws. All rights reserved.



Use Case ID	Use Case Name
-------------	---------------

B300	Edit an event
Actors	
User	
Description	The user can edit a previously created calendar event.
Pre-Conditions	The user is logged in and there is a previously created event in the calendar.
Triggers	Called from B100 when a user clicks on an event.
Post-Conditions	A calendar event is updated.
Basic Flow of Events	1. <i>The system displays the page to edit an event.</i> 2. The user changes the title of the event in the "Title" textbox. 3. The user selects the arrow on the drop-down list. 4. The system calls B500. 5. The user selects the date picker to change the date. 6. The user clicks the save button. 7. <i>The system saves the updated fields of the event and returns to B100.</i>
Alternate Flow of events	3.1. The user clicks the plus button next to the tag drop-down list. 3.1.1. The system calls B600. 3.2. The user clicks the edit button next to the tag drop-down list. 3.2.1. The system calls B700. 5.1. The user clicks the back button. 5.1.1. The system returns to B100. 5.2. The user clicks the delete button. 5.2.1. The system calls B400.
Initial UI design	
	
Final UI	



Level

12

XP

45%

150

studyPaws

purrfectly productive

08:38

Sunday | 26 October

Title

WRPV Assignm

Tag

Assignment

▼

✎

Date

2025/10/01

📅


Back

Delete


Save

© 2025 StudyPaws. All rights reserved.

Use Case ID	Use Case Name
B400	Delete an event
Actors	
User	
Description	The user can delete an event from the calendar and it cannot be restored.
Pre-Conditions	The user is logged in and there is a previously created event in the calendar.
Triggers	Called from B300 when a user clicks on the delete button.
Post-Conditions	An event is deleted from the calendar and the database.
Basic Flow of Events	1. <i>The system displays a confirmation pop-up message.</i> 2. The user clicks on the “Yes, I’m sure!” button. 3. <i>The system deletes the event from the calendar and database and returns to B100.</i>
Alternate Flow of events	2.1. The user clicks on the “No, not sure!” button. 2.1.1. The system returns to B300.
Initial UI design	



Final UI



Use Case ID	Use Case Name
B500	Select tag
Actors	
User	
Description	The user can select a tag to assign to a calendar event.
Pre-Conditions	The user is logged in and is either creating or editing an event.
Triggers	Called from B200 or B300.
Post-Conditions	The calendar event is now assigned the selected tag.
Basic Flow of Events	- The system displays the drop-down list of created tags. - The user selects a tag from the list.

	3. The system assigns the tag to the event and returns to the previous page, which is either B200 or B300.
Alternate Flow of events	3.1. The user clicks the add button next to the tag drop-down list. 3.1.1. The system calls B600. 3.2. The user clicks the edit button next to the tag drop-down list. 3.2.1. The system calls B700.

Initial UI design

Level 16

XP

65%

190

studyPaws

purrfectly productive

09:52

Friday | 18 April

Title

WRAV Quiz

Tag

Academic

MATS

Back

Add

Level 16

XP

65%

190

studyPaws

purrfectly productive

09:52

Friday | 18 April

Title

WRAV Quiz

Tag

Academic

MATS

Back

Add

Page 93 of 187



Level 16
XP 65%
 190

studyPaws
purrfectly productive

09:52
Friday | 18 April

Title

WRAV Quiz

Tag

Academic

MATB



Back

Add

Final UI



Level 12
XP 45%
 150

studyPaws
purrfectly productive

08:30
Sunday | 26 October

Title

WRAV quiz

Tag

No Tag

Assignment

Test

Project

Birthday

Back

Add

© 2025 StudyPaws. All rights reserved.



Level 12
XP 45%
 150

studyPaws
purrfectly productive

08:28
Sunday | 26 October

Title WRAV quiz

Tag 

Back

Add

© 2025 StudyPaws. All rights reserved.



Level 12
XP 45%
 150

studyPaws
purrfectly productive

08:31
Sunday | 26 October

Title WRAV quiz

Tag Assignment 

Back

Add

© 2025 StudyPaws. All rights reserved.

Use Case ID	Use Case Name
B600	Add tag
Actors	
User	
Description	The user can create a new tag which can be assigned to calendar events.
Pre-Conditions	The user is logged in and there is an existing calendar event or a calendar event is being created.
Triggers	Called from B200 or B300 when a user clicks on the plus button.
Post-Conditions	A new tag is created which can be assigned to calendar events.
Basic Flow of Events	1. <i>The system displays the page to add a tag.</i> 2. The user types the tag name into the "Title" textbox. 3. The user selects a colour for the tag. 4. The user clicks on the add button. 5. <i>The system saves the new tag and returns to the previous page, which is either B200 or B300.</i>

Alternate Flow of events

4.1. The user clicks the back button.
4.1.1. **The system returns to the previous page, which is either B200 or B300.**

Initial UI design

The image displays two identical UI mockups of the 'StudyPaws' app. The app has a dark blue background with a lighter blue wavy pattern at the bottom. The header section includes a user profile (Level 16, XP 190, 65% progress), the 'StudyPaws' logo with the tagline 'purrfectly productive', and the time '09:52' on 'Friday | 18 April'. The main form area contains a 'Title' field with the text 'WRPV Assignment' and a 'Tag' dropdown menu with 'WRPV' selected. At the bottom of the form are two buttons: 'Back' and 'Add'.



Level 16

XP 65%

190

studyPaws
purrfectly productive

09:52
Friday | 18 April

Title

Tag ☐ WRPV



Back

Add



Level 16

XP 65%

190

studyPaws
purrfectly productive

09:52
Friday | 18 April

Title

Tag ☐ WRPV

Back

Add

Final UI



Level 12
XP 45%
 150

studyPaws
purrfectly productive

08:47
Sunday | 26 October

Tag Title

Tag Colour

Back

Add

© 2025 StudyPaws. All rights reserved.



Level 12
XP 45%
 150

studyPaws
purrfectly productive

08:48
Sunday | 26 October

Tag Title

Tag Colour

Back

Add

© 2025 StudyPaws. All rights reserved.



Level 12
XP 45%
 150

studyPaws
purrfectly productive

08:49
Sunday | 26 October

Title

Tag

Date

WRPV Assignm

New tag

2025/10/01

Back

Delete

Save

© 2025 StudyPaws. All rights reserved.

Use Case ID	Use Case Name
B700	Edit tag

Page 98 of 187

Actors	
User	
Description	The user can edit an existing tag.
Pre-Conditions	The user is logged in and there is a previously created tag.
Triggers	Called from B500.
Post-Conditions	The changes to the tag are saved to the database.
Basic Flow of Events	1. <i>The system displays the page to edit a tag.</i> 2. The user changes the title of the tag in the "Title" textbox. 3. The user selects a colour to change the colour of the tag. 4. The user clicks the save button. 5. <i>The system saves the updated fields of the tag and returns to B500.</i>
Alternate Flow of events	4.1. The user clicks the delete button 4.1.1. The system calls B800. 4.2. The user clicks the back button. 4.2.1. The system returns to B500.

Initial UI design



Level 16

XP

65%

190

studyPaws

purrfectly productive

09:52

Friday | 18 April

Title

WRAV Quiz

Tag

^

+

● Academic

✎

🗑

● MATS|

☑

🗑

🖋

Back

Add



Level 16

XP



190

65%

studyPaws
purrfectly productive

09:52
Friday | 18 April

Title

WRAV Quiz

Tag

^



☒ Academic



☐ MATB|



Back

Add



Level 16

XP



190

65%

studyPaws
purrfectly productive

09:52
Friday | 18 April

Title

WRAV Quiz

Tag

^



☒ Academic



☐ MATB|



Back

Add



Level 16

XP

190

65%

studyPaws
purrfectly productive

09:52
Friday | 18 April

Title

WRAV Quiz

Tag

^



☒ Academic



☒ MATB|



☐ ☐ ☐ ☐ ☒ **Back** **Add**



Level 16

XP

190

65%

studyPaws
purrfectly productive

09:52
Friday | 18 April

Title

WRAV Quiz

Tag

^



☒ Academic



☒ MATB|



☐ ☐ ☐ ☐ ☒ **Back** **Add**



Level 16
XP 65%
 190

studyPaws
purrfectly productive

09:52
Friday | 18 April

Title

WRAV Quiz

Tag

Academic

MATB



Back

Add

Final UI



Level 12
XP 45%
 150

studyPaws
purrfectly productive

08:50
Sunday | 26 October

Tag Title

New tag

Tag Colour

Back


Delete

Save

© 2025 StudyPaws. All rights reserved.




Use Case ID	Use Case Name
B800	Delete tag
Actors	
User	
Description	The user can delete a previously created tag and it cannot be restored.
Pre-Conditions	The user is logged in and there is a previously created tag.
Triggers	Called from B700.
Post-Conditions	A tag is deleted from the tag drop-down list and the database.
Basic Flow of Events	1. <i>The system displays a confirmation pop-up message.</i> 2. The user clicks on the “Yes, I’m sure!” button. 3. <i>The system deletes the tag from the tag list and database and returns to B500.</i>
Alternate Flow of events	2.1. The user clicks on the “No, not sure!” button. 2.1.1. The system returns to B500.
Initial UI design	



Use Case ID	Use Case Name
B900	View to-do list
Actors	
User	
Description	The user can view the to-do list.
Pre-Conditions	The user is logged in.
Triggers	The user clicks on either the dashboard page or the to-do list page.
Post-Conditions	The system displays the to-do list.
Basic Flow of Events	1. The system displays the to-do list. 2. The user types the text into the "Add new task" textbox. 3. The user clicks enter or clicks the plus button next to the textbox.

	4. The system calls B1000.
Alternate Flow of events	2.1. The user hovers over a task and clicks on the pen icon. 2.1.1. The system calls B1100. 2.2. The user hovers over a task and clicks on the bin icon. 2.2.1. The system calls B1200. 2.3. The user clicks on the checkbox for a task. 2.3.1. The system calls B1300. 2.4. The user clicks on the filter button at the top of the to do list. 2.4.1. <i>The system displays the filter drop down list.</i> 2.4.2. The user selects a filter from the drop down list. 2.4.3. <i>The system displays all tasks with the selected status.</i> 2.4.4. The user clicks on the filter icon again. 2.4.5. <i>The system closes the filter drop down list.</i>





Level 16

XP 65%

190

studyPaws
purrfectly productive

09:52
Friday | 18 April

Calendar



April



Mon	Tue	Wed	Thu	Fri	Sat	Sun
31 WRPV Assignment	1	2	3	4	5	6
7	8	9 WRW Assignment	10	11	12	13
14	15	16	17 FS Document UT Designs	18	19	20
21 WRPV Assignment	22	23	24	25	26	27
28	29	30	1	2	3	4

To-do List

- ☐ study maths
- ☐ clean room
- ☐ do assignment
- ☐ wash hair
- ☐ finish practical
- ☐ start presentation



Level 16

XP 65%

190

studyPaws
purrfectly productive

09:52
Friday | 18 April

Dashboard

Calendar

To-do List



Timer

Badges



Welcome back
zadie!

Pet Shop

Inventory

Friends

Study Session

About





Level 16

XP

70%

150

studyPaws

purrfectly productive

14:29

Saturday | 19 April

In session



lea



tammy

30:20



FS Document

Stop

To-do List

☐ clean room
 ☐ do assignment
 ☐ wash hair
 ☐ finish wrpv practical
 ☐ start presentation

+

Final UI



Level

XP

45%

12

150

studyPaws

purrfectly productive

08:16

Sunday | 26 October

Dashboard

Calendar

To-do List

Timer

Study Session



Welcome back

Zadie!

Pet Shop

Inventory

Friends

Badges

About

localhost:60920/81600_View-dashboard.aspx

© 2025 StudyPaws. All rights reserved.



Level 12
XP 45%
 150

studyPaws
purrfectly productive

08:23
Sunday | 26 October

October 2025

< Today >

Mon	Tue	Wed	Thu	Fri	Sat	Sun
29	30	1 * WRPV Assig...	2	3	4	5
6	7	8	9	10 * WRAP test	11	12
13	14	15	16	17	18 * PS document	19
20	21 * Bob's birthday	22	23	24	25	26
27	28	29	30	31	1	2

To Do List

All Tasks

+ Add a new task...

☐ do assignment

☐ wash hair

☐ finish practical

☐ start presentation

☐ clean room

☐ study maths

© 2025 StudyPaws. All rights reserved.



Level 12
XP 45%
 150

studyPaws
purrfectly productive

 09:55
Sunday | 26 October

Dashboard

Calendar

To-do List

Timer

Study Session



Welcome back
Zadie!

Pet Shop

Inventory

Friends

Badges

About

© 2025 StudyPaws. All rights reserved.



Level 12
XP 45%
 150

studyPaws
purrfectly productive

09:56
Sunday | 26 October

To-Do List

+ Add a new task...

☐ do assignment

☐ wash hair

☐ finish practical


☐ start presentation

☐ clean room

☐ study maths


© 2025 StudyPaws. All rights reserved.

Page 109 of 187



Use Case ID	Use Case Name
B1000	Add to-do list task

Actors	
User	
Description	The user can create a new task to add to the to-do list.
Pre-Conditions	The user is logged in and the user is on either the dashboard page or the to-do list page.
Triggers	Called from B900 when the user clicks on the plus button or presses enter.
Post-Conditions	A new task is added to the to-do list.
Basic Flow of Events	1. <i>The system saves the newly created task and returns to B900.</i>
Alternate Flow of events	





Level 16

XP



190

65%

studyPaws
purrfectly productive

09:52
Friday | 18 April

To-do List

- ☐ study maths
- ☐ clean room
- ☐ do assignment
- ☐ wash hair
- ☐ finish practical
- ☐ start presentation
- ☒ finish ui design



Level 16

XP



190

65%

studyPaws
purrfectly productive

09:52
Friday | 18 April

To-do List

- ☐ study maths
- ☐ clean room
- ☐ do assignment
- ☐ wash hair
- ☐ finish practical
- ☐ start presentation
- ☐ finish ui design



Final UI



Use Case ID	Use Case Name
B1100	Edit to-do list task
Actors	
User	
Description	The user can edit a previously created to-do list task.
Pre-Conditions	The user is logged in and there is a previously created task in the to-do list.
Triggers	Called from B900 when a user clicks on the pen icon.
Post-Conditions	A to-do list task is updated.
Basic Flow of Events	1. <i>The system makes the text of the task editable.</i> 2. The user types the description of the task in the textbox. 3. The user clicks on the checkbox on the right of the task. 4. <i>The system saves the updated task and returns to B900.</i>
Alternate Flow of events	3.1. The user clicks anywhere else on the screen. 3.1.1. The system does not save any changes and returns to B900.
Initial UI design	



Level 16

XP



190

65%

studyPaws
purrfectly productive

09:52
Friday | 18 April

To-do List

- ☐ study maths
- ☐ clean room
- ☐ do assignment
- ☐ wash hair
- ☐ finish wrpv|practical
- ☐ start presentation
- ☐ finish ui design



Level 16

XP



190

65%


studyPaws
purrfectly productive

09:52
Friday | 18 April

To-do List

- ☐ study maths
- ☐ clean room
- ☐ do assignment
- ☐ wash hair
- ☐ finish wrpv|practical
- ☐ start presentation
- ☐ finish ui design






Final UI



© 2025 StudyPaws. All rights reserved.



Use Case ID	Use Case Name
B1200	Delete to-do list task
Actors	
User	
Description	The user can delete a previously created to-do list task and it cannot be restored.
Pre-Conditions	The user is logged in and there is a previously created to-do list task.
Triggers	Called from B900 when a user clicks on the bin icon.
Post-Conditions	A task is deleted from the to-do list and the database.
Basic Flow of Events	1. <i>The system displays a confirmation pop-up message.</i> 2. The user clicks on the “Yes, I’m sure!” button. 3. <i>The system deletes the task from the to-do list and database and returns to B900.</i>
Alternate Flow of events	2.1. The user clicks on the “No, not sure!” button. 2.1.1. The system returns to B900.
Initial UI design	



Use Case ID	Use Case Name
B1300	Edit to-do list task status
Actors	
User	
Description	A user can update the status of a to-do list task to be complete, which allows the user to earn XP.
Pre-Conditions	The user is logged in and there is a previously created to-do list task.
Triggers	Called from B900 when a user clicks on the checkbox.
Post-Conditions	The system has updated the task status to "complete" in the to-do list and the database, and XP is earned.
Basic Flow of Events	1. <i>The system displays a pop-message to confirm that the task has been completed and that XP will be given.</i>

	2. The user clicks on the “Thank you!” button. 3. The system calls C1500. 4. The system changes the checkbox to a “completed” checkbox and strikes through the text. 5. The system returns to B900.
--	--

Alternate Flow of events

Initial UI design



Final UI



Use Case ID	Use Case Name
B1400	View shop
Actors	
User	
Description	The user can view the pet shop.
Pre-Conditions	The user is logged in.
Triggers	The user clicks on the pet shop page.
Post-Conditions	The system displays the pet shop.
Basic Flow of Events	1. <i>The system displays the pet shop.</i> 2. The user clicks on a pet category. 3. The system displays the pets in the selected category. 4. The user clicks on the button below the desired pet. 5. The system calls B1500.
Alternate Flow of events	
Initial UI design	



Level 16

XP 70%

200

10:22

Friday | 18 April

studyPaws
purrfectly productive



Welcome back
zadie!

Dashboard

Calendar

To-do List

Timer

Badges

Pet Shop

Inventory

Friends

Study Session

About



Level 16

XP 70%

200

10:22

Friday | 18 April

studyPaws
purrfectly productive

Welcome to the Pet Shop!

Cats

Dogs

Fuzzy

Farm

Special



SOLD



50



SOLD



50



50



Level 16

XP 70%
150

studyPaws
purrrfectly productive

10:22
Friday | 18 April

Welcome to the Pet Shop!

Cats

Dogs

Fuzzy

Farm

Special



SOLD



100



SOLD



100



SOLD



Level 16

XP 70%
150

studyPaws
purrrfectly productive

10:22
Friday | 18 April

Welcome to the Pet Shop!

Cats

Dogs

Fuzzy

Farm

Special



SOLD



SOLD



150



150



150



Level 16

XP 70%
150

studyPaws
purrfectly productive

10:22
Friday | 18 April

Welcome to the Pet Shop!

Cats

Dogs

Fuzzy

Farm

Special



200



SOLD



200



200



SOLD



Level 16

XP 70%
150

studyPaws
purrfectly productive

10:22
Friday | 18 April

Welcome to the Pet Shop!

Cats

Dogs

Fuzzy

Farm

Special



400



400



400



400




400

Unlocks at Level 20



Final UI





Level 12
XP 48%
 150

studyPaws
purrfectly productive
Welcome to the Pet Shop!

10:05
Sunday | 26 October

Cats
Dogs
Fuzzy
Farm
Special


SOLD


SOLD


SOLD


SOLD


SOLD

© 2025 StudyPaws. All rights reserved.



Level 12
XP 48%
 150

studyPaws
purrfectly productive
Welcome to the Pet Shop!

10:05
Sunday | 26 October

Cats
Dogs
Fuzzy
Farm
Special


 250


SOLD


SOLD


SOLD


 250

© 2025 StudyPaws. All rights reserved.



Level 12
XP 48%
 150

studyPaws
purrfectly productive
Welcome to the Pet Shop!

10:05
Sunday | 26 October

Cats
Dogs
Fuzzy
Farm
Special


SOLD


 500


SOLD


 500


SOLD

© 2025 StudyPaws. All rights reserved.



Use Case ID	Use Case Name
B1500	Make a purchase

Actors	
User	
Description	The user can purchase a pet from the shop to be added to their inventory.
Pre-Conditions	The user must be logged in, they must have the minimum XP level for the animal and the minimum coins needed.
Triggers	Called from B1400 when a user clicks on the button below the pet.
Post-Conditions	The user has purchased an animal which means the cost of the pet is subtracted from the user's coins and that pet is now available in the user's inventory.
Basic Flow of Events	1. The user has clicked on a pet that is not owned and clicks the buy button. 2. <i>The system checks if the user has enough coins to make the purchase.</i> 3. <i>The system displays a pop-up message to confirm the purchase.</i> 4. The user clicks on the "Yes, I'm sure!" button. 5. <i>The system displays a pop-up message to confirm that the pet is purchased, the inventory is updated and C1400 is called.</i> 6. The user clicks on the "Inventory, GO!" button. 7. <i>The system calls A1600.</i>
Alternate Flow of events	1.1. <i>The user has clicked on a pet that is already owned, so the system displays a pop-up message to inform a user that they already own that pet.</i> 1.1.1. The user clicks the "Okay!" button. 1.1.2. The system returns to B1400. 1.2. The user clicks on a pet that is locked. 1.2.1. <i>The system does not allow any button to be clicked because it is locked.</i> 3.1. <i>The system displays a pop-up message to explain that the user has insufficient coins for the purchase.</i> 3.1.1 The user clicks the "Okay!" button. 3.1.2. The system returns to B1400. 4.1. The user clicks on the "No, not sure!" button. 4.1.1. The system returns to B1400. 6.1. The user clicks on the "No, thanks!" button. 6.1.1. The system returns to B1400.





Level 16

XP 70%
200

studyPaws
purrfectly productive

10:22
Friday | 18 April

Cats

Dogs

Fuzzy

Farm

Special

You already own this pet!



Okay!



50



Level 16

XP 70%
200

studyPaws
purrfectly productive

10:22
Friday | 18 April

Welcome to the Pet Shop!

Cats

Dogs

Fuzzy

Farm

Special



SOLD



50



SOLD



50




50

Buy






Final UI



© 2025 StudyPaws. All rights reserved.





2.3.3

Designed by Zadie-Ann Gamba

Use Case ID	Use Case Name
C100	Create Profile
Actors	
User	
Description	A user can create their own account.
Pre-Conditions	The user does not have an existing account.
Triggers	User clicks the register button.
Post-Conditions	All details of the new user are saved to the database, and the user now has an account.
Basic Flow of Events	1. <i>The system displays the register page.</i> 2. The user inputs the required data for the profile such as name and password. 3. The user clicks the register button. 4. <i>The system checks if all required data is entered and that the passwords match.</i> 5. <i>If the information is correct and complete, the system displays a confirmation popup.</i> 6. The user selects "Okay!". 7. The system calls C200.
Alternate Flow of events	5.1. <i>If the information is incomplete or incorrect, the system displays the relevant validation error messages.</i> 5.1.1. The user re-enters the required information.
Initial UI design	
	



Username

zadie

Password

Confirm Password

Register



Username


zadie

Password

Confirm Password

Password does
not match

Register



Final UI





Username

Zadie

Password

...

Confirm Password

...

Back

Register

© 2025 StudyPaws. All rights reserved.

You have been registered!



Okay!

© 2025 StudyPaws. All rights reserved.



Username

Password

Confirm Password

Username is required

Password is required

Confirm Password is required

Back

Register

© 2025 StudyPaws. All rights reserved.



Username

Zadie

Password does not match

Password



Confirm Password



Back

Register

© 2025 StudyPaws. All rights reserved.



Username

Zadie

Password



Confirm Password



Back

Register

© 2025 StudyPaws. All rights reserved.


Sorry! This user already exists




I understand :(


© 2025 StudyPaws. All rights reserved.

Use Case ID	
C200	View tutorial
Actors	
User	
Description	Users will be shown a tutorial on how to use the website.
Pre-Conditions	The user has registered an account.
Triggers	Called from C100 when the user has clicked the register button.
Post-Conditions	Images have been shown to the user, and the user is redirected to the home page.
Basic Flow of Events	1. <i>The system prompts the user with a message "Would you like to learn how to use the home page?"</i> 2. The user clicks the "Yes, please!" button. 3. <i>The system displays the first image explaining the home page functionality.</i> 4. The user clicks the "Next" button. 5. <i>The system displays the next image about tips and tricks.</i> 6. The user clicks the "Thank you" button. 7. <i>The system redirects the user to the home page.</i>
Alternate Flow of events	2.1. The user selects "No, thank you". 2.1.1. <i>The system redirects the user to the home page.</i> 4.1. The user clicks the "Skip" button. 4.1.1. <i>The system redirects the user to the home page.</i> 6.1. The user clicks the "Back" button. 6.1.1. <i>The system returns to the previous image explaining the home page functionality.</i>






Final UI



© 2025 Studypaws. All rights reserved.



Use Case ID	Use Case Name
C300	View profile
Actors	
User	
Description	A user can view their profile.
Pre-Conditions	A profile needs to exist to be viewed. The user must be logged into their account.
Triggers	The user selects their profile icon.
Post-Conditions	The system navigates to the user profile page.
Basic Flow of Events	1. <i>The system displays the user profile.</i> 2. The user selects the edit button next to the field to be updated or clicks the change icon button. 3. The system calls C400.
Alternate Flow of events	2.1. The user clicks the delete profile button. 2.1.1. The system calls C500.
Initial UI design	





Use Case ID	
C400	Edit profile details
Actors	
User	
Description	The user can edit their information like username, password, email address and profile icon.
Pre-Conditions	The user is logged in and is on the view profile page.
Triggers	Called from C300 when a user clicks the edit button or the change icon button.
Post-Conditions	All user information is updated in the database
Basic Flow of Events	1. The user enters the details of the fields they want to change. 2. The user clicks the "Save" button. 3. The system checks that the information is in the correct format. Eg email must contain "@" symbol. 4. If the information is in the correct format, the system saves the changes to the database and returns to C300.

Alternate Flow of events

- 2.1. The user clicks the "Cancel" button.
 - 2.1.1. *The system returns the edited field to the original information.*
- 1.1. *The system displays the options for the icon change.*
 - 1.1.1. The user selects an icon.
 - 1.1.2. The user clicks the "Change icon" button.
 - 1.1.3. *The system updates the user's icon to the newly selected icon.*
 - 1.1.4. The user clicks the "Back" button.
 - 1.1.5. *The system returns to C300.*

Initial UI design

The image displays two versions of a user profile UI design on a dark blue background with a cow icon at the top center. The top version shows the 'Edit' buttons for the username, password, and email fields. The bottom version shows the 'Save' and 'Cancel' buttons for the username field, with the 'Cancel' button highlighted by a mouse cursor. Both versions include a 'Back' button, a 'Change icon' button, a 'Logout' button, and a 'Delete Profile' button with a trash icon. The time and date '15:00 Saturday | 19 April' are displayed in the top right corner.

Top Screenshot:

- Back
- Change icon
- Username: zadie Edit
- Password: ***** Edit
- Email: s228200563@m... Edit
- Light mode
- Delete Profile
- Logout
- 15:00 Saturday | 19 April

Bottom Screenshot:

- Back
- Change icon
- Username: lzadie Save Cancel
- Password: ***** Edit
- Email: s228200563@m... Edit
- Light mode
- Delete Profile
- Logout
- 15:00 Saturday | 19 April

Back



Change icon

15:00
Saturday | 19 April

Username Edit

Password Edit

Email Edit

Light mode ☐

Delete Profile

Logout


Back



Change icon

15:00
Saturday | 19 April





Back



05:12
Friday | 24 October

Change icon

Username

Zadie

Edit

Password

.....

Edit

Email

zadieanngan

Edit

Delete Profile



Logout

© 2025 StudyPaws. All rights reserved.

Back



05:12
Friday | 24 October

Change icon

Username

Zadie

Save

Cancel

Password

.....

Edit

Email

zadieanngan

Edit

Delete Profile



Logout

© 2025 StudyPaws. All rights reserved.

Back



05:13
Friday | 24 October

Change icon

Username

Zadie

Edit

Password

.....

Edit

Email

zadieanngan

Edit

Delete Profile



Logout

© 2025 StudyPaws. All rights reserved.

Back

05:13

Friday | 24 October

Change icon











© 2025 StudyPaws. All rights reserved.

Back

10:46

Sunday | 26 October

Change icon











© 2025 StudyPaws. All rights reserved.

Back

10:46

Sunday | 26 October

Change icon











© 2025 StudyPaws. All rights reserved.

Back



10:47
Sunday | 26 October

Change icon

Username

Zadie

Edit

Password

.....

Edit

Email

Edit

Delete Profile



Logout

© 2025 StudyPaws. All rights reserved.

Use Case ID	Use Case Name
C500	Delete profile
Actors	
User	
Description	The user can delete their account from the database.
Pre-Conditions	The user is logged in and is on the view profile page.
Triggers	Called from C300 when the user clicks the delete button.
Post-Conditions	The user account is deleted.
Basic Flow of Events	1. <i>The system displays a delete confirmation popup.</i> 2.. The user clicks the "Yes, I'm sure!" button. 3. <i>The system deletes the account from the database and returns to the login/register page.</i>
Alternate Flow of events	2.1. User selects "No, not sure!" 2.1.1. <i>The system returns to C300.</i>
Initial UI design	

Back



Change icon

15:00
Saturday | 19 April

Username

Password

Email

Light mode ☐

Delete Profile

Logout

Back



15:00
Saturday | 19 April

Are you sure you want to delete your profile? All progress will be lost!



Yes, I'm sure!

No, not sure!

Logout

Back



15:00
Saturday | 19 April

Change icon

Username

zadie

Edit

Password

Edit

Email

s228200563@m...

Edit

Light mode

☐

Delete Profile



Logout

Final UI

Back



05:16
Friday | 24 October

Change icon

Username

Zadie

Edit

Password

.....

Edit

Email

zadieanngan


Edit

Delete Profile




Logout

© 2025 StudyPaws. All rights reserved.



Use Case ID	
C600	View friend list
Actors	
User	
Description	The user can view their list of friends.
Pre-Conditions	The user is logged in.
Triggers	The user selects “friends” tab.
Post-Conditions	Friends are successfully loaded and displayed
Basic Flow of Events	1. <i>The system displays user’s list of friends.</i> 2. The user clicks the mail icon next to the heading “Your friends”. 3. The system calls C700.
Alternate Flow of events	2.1. The user clicks the “Send Gift” button. 2.1.1. The system calls C800. 2.2. The user clicks the profile icon of a friend. 2.2.1. The system calls C900. 2.3. The user clicks the delete icon. 2.3.1. The system calls C1100. 2.4. The user clicks the “Find new friends” button. 2.4.1. The system calls C1200.
Initial UI design	





Final UI



Use Case ID	Use Case Name
C700	View friend notifications
Actors	
User	
Description	The user can view friend related notifications.
Pre-Conditions	The user is logged in and is on the friend's page.
Triggers	Called from C600 when the user clicks the mail icon.
Post-Conditions	The user views all notifications
Basic Flow of Events	1. The system loads notifications for the logged-in user. 2. If a gift has been sent, the system displays the gift popup. 3. User clicks the "Collect!" button. 4. The system calls C1400.
Alternate Flow of events	2.1. If a friend request has been sent, the system displays the friend request. 2.1.1. The user clicks the "Accept" button. 2.1.2. The system updates the user's friend list and returns to C600.

- 2.2.1. The user clicks the “Decline” button.
- 2.2.2. *The system deletes the friend request and returns to C600.*
- 3.1. The user clicks the “Later” button.
- 3.1.1. *The system closes the notification and returns to C600.*

Initial UI design



Final UI



Use Case ID	
C800	Send gift to friend


Actors	
User	
Description	The logged-in user can send friends a gift of 10 coins. They cannot send that user another gift until they have collected the gift.
Pre-Conditions	The user is on the friends page.
Triggers	Called from C600 when the user clicks on the “Send Gift” button.
Post-Conditions	Gift is sent to the user’s friend.
Basic Flow of Events	1. <i>The system displays a confirmation message.</i> 2. The user clicks the “Okay!” button. 3. <i>The system returns C600.</i>
Alternate Flow of events	

Initial UI design

Final UI




Use Case ID	Use Case Name
C900	View friends profile

Actors	
User	
Description	The logged-in user can view their friend's profile.
Pre-Conditions	The user is on the friends page.
Triggers	Called from C600 when the user clicks the profile icon of a friend.
Post-Conditions	Friend is successfully loaded and displayed
Basic Flow of Events	1. <i>The system displays the friend's information.</i> 2. The user clicks on the "View Badges" button. 3. The system calls C1000.
Alternate Flow of events	2.1. The user clicks the "Back" button. 2.1.1. <i>The system returns to C600.</i>
Initial UI design	
 The screenshot displays the 'StudyPaws' app interface. At the top left, a user profile shows a cow icon, 'Level 16', 'XP' with a 70% progress bar, and '150' points. The app logo 'StudyPaws' with the tagline 'purrfectly productive' is in the top center. The top right shows the time '10:22' and date 'Friday 18 April'. The main section is titled 'Your friends' with an envelope icon. Below this, a friend's profile for 'lea' (cat icon) is shown with 'Edit' and delete icons. At the bottom is a 'Search friends' button.	



Use Case ID	
C1000	View friend's badges
Actors	
User	
Description	User can view the badges earned by their friend
Pre-Conditions	User must be in friend list page
Triggers	Called from C900 when the user clicks on the "View Badges" button.
Post-Conditions	All badges are loaded and displayed successfully.
Basic Flow of Events	1. The system displays all badges earned by the friend. 2. The user clicks the "Back" button. 3. The system returns to C900.





Use Case ID	Use Case Name
C1100	Delete friend
Actors	
User	
Description	The user can delete a friend from their friend list
Pre-Conditions	The user must be in the friends page.
Triggers	Called from C600 when the user clicks on the delete icon.
Post-Conditions	The friend is deleted from the friend list.
Basic Flow of Events	1. <i>The system displays a delete confirmation message.</i> 2. The user clicks the "Yes, I am sure" button. 3. <i>The system removes the friend from the list and returns to C600.</i>
Alternate Flow of events	2.1. The user clicks the "No, not sure!" button. 2.1.1. <i>The system returns to C600.</i>
Initial UI design	



Level 16

XP 70%

150

studyPaws
purrfectly productive

10:22
Friday | 18 April

Your friends



lea

Edit



tammy

Edit



Search friends



Level 16

XP 70%

150

studyPaws
purrfectly productive

10:22
Friday | 18 April

Are you sure you want to remove
your friend?




Yes, I'm sure!

No, not sure!

Edit friends

Final UI



Use Case ID	
C1200	Search for friends
Actors	
User	
Description	The user can search for friends that are registered on the website.
Pre-Conditions	The user is on the friends page.
Triggers	Called from C600 when the user clicks the "Find new friends" button.
Post-Conditions	Users are successfully loaded and displayed
Basic Flow of Events	1. <i>The system displays the search for friends page.</i> 2. The user types a username into the search bar. 3. The user clicks the search icon. 4. <i>The system displays users with matching usernames to the one entered.</i> 5. User selects the plus icon next to the user. 6. The system calls C1300.
Alternate Flow of events	2.1. The user clicks the "View friends" button. 2.1.1. The system returns to C600.
Initial UI design	



Level 16

XP 70%

150

studyPaws
purrfectly productive

10:22
Friday | 18 April

Your friends



lea

Edit



Search friends



Level 16

XP 70%

150

studyPaws
purrfectly productive


10:22
Friday | 18 April

Find your friends


Search




Edit friends



Final UI





Use Case ID	Use Case Name
C1300	Send friend request
Actors	
User	
Description	The user can request a friendship with another user
Pre-Conditions	The user is on the search for friends page.
Triggers	Called from C1200 when the user clicks the plus icon next to a user.
Post-Conditions	Friend request is sent to the other user
Basic Flow of Events	1. <i>The system displays a confirmation popup and sends a friend request to the other user.</i> 2. The user clicks the “Okay!” button. 3. <i>The system returns to C1200.</i>
Alternate Flow of events	
Initial UI design	



Level 16

XP 70%

150

studyPaws
purrfectly productive

10:22
Friday | 18 April

Find your friends

tamryn

tamryn123

tamryn_study

Edit friends



Level 16

XP 70%

150

studyPaws
purrfectly productive

10:22
Friday | 18 April


Friend request sent!



Okay!

Edit friends

Final UI



Use Case ID	
C1400	Calculate coins
Actors	
Description	Users can earn coins by completing various tasks on the website, these coins allow the user to purchase pets. Coins can be earned through • Completing a Timer (A500) • Completing a Study Session (A1600) • Selling a pet (A2000) • Receiving a gift from another user (C700). Coins are calculated differently depending on the task. Completing a Timer (A500): Coins are calculated on a 1XP to 1-coin ratio for 1 minute. Every 10 minutes of work done the user earns 10 coins. Completing a Study Session (A1600): Coins are calculated on a 2XP to 2-coin ratio for 1 minute. Every 10 minutes of work done the user earns 20 coins. Selling a pet (A2000): A user can sell their bought pets for coins worth half the amount spent on that pet. Receiving a gift from another user (C700): Receiving a gift earns you 10 coins. <i>CurrentCoinCount = CurrentCoinCount +10;</i> Coins can be subtracted through • Making a purchase (B1500) A user is able to spend their coins on pets. The price of the pet is subtracted from the total coins the user has.
Pre-Conditions	The user has either completed a timer, a study session, or has bought a pet, sold a pet or another user has sent a gift to the logged in user. The user must be logged in.
Triggers	Called from A500, A1600, A2000, B1500 or C700.
Post-Conditions	Calculation of coins are done, allocated to the user and saved to the database.
Basic Flow of Events	1. Calculation of coins is done and updated in the database. 2. <i>The system checks if the trigger is from A500, A1600</i>, if the trigger is one from one of those use cases, the system calls C1500 3. <i>The system returns from C1500</i> 1. Calculation of coins is done depending on the trigger: Completing a Timer (A500): <i>FUNCTION OnTimerComplete(timerDurationInMinutes, userID)</i>

```

//calculate rewards
SET coinsToAdd = CalculateCoinsFromTimer(timerDurationInMinutes)
UPDATE USERS
SET userCoinCount = userCoinCount + coinsToAdd
WHERE userID = userID
DISPLAY "Timer Complete! Earned " + coinsToAdd + " coins and " + xpToAdd + "
XP!"
END FUNCTION

Completing a Study Session (A1600):
FUNCTION OnTimerComplete(timerDurationInMinutes, userID)
//calculate rewards
SET coinsToAdd = CalculateCoinsFromTimer(timerDurationInMinutes)
UPDATE USERS
SET userCoinCount = userCoinCount + coinsToAdd
WHERE userID = userID
DISPLAY "Timer Complete! Earned " + coinsToAdd + " coins and " + xpToAdd + "
XP!"
END FUNCTION

Selling a pet (A2000):
FUNCTION SellPet(userID, userPetID, sellPrice):
// Verify user owns the pet and get purchase info
SELECT petID, purchasePrice
FROM UserPets
WHERE userPetID = userPetID AND userID = userID
IF no pet found THEN
RETURN "Error: Pet not found"
END IF
BEGIN TRANSACTION
// Add coins to user (can be different from purchase price)
UPDATE Users
SET userCoinCount = userCoinCount + sellPrice
WHERE userID = userID
// Remove pet from user's collection
DELETE FROM UserPets
WHERE userPetID = userPetID AND userID = userID
COMMIT TRANSACTION
RETURN "Success: Pet sold for " + sellPrice + " coins!"
END FUNCTION

Receiving a gift from another user (C700):
CurrentCoinCount = CurrentCoinCount + 10;

Making a purchase (B1500):
FUNCTION BuyPet(userID, petID, petPrice):
// Check if user has enough coins
GET currentCoins FROM Users WHERE userID = userID
IF currentCoins < petPrice THEN
RETURN "Error: Not enough coins"
END IF
// Check if user already owns this pet
IF EXISTS (SELECT 1 FROM UserPets WHERE userID = userID AND petID =
petID) THEN
RETURN "Error: Already own this pet"
END IF
BEGIN TRANSACTION
// Subtract coins from user
UPDATE Users
SET userCoinCount = userCoinCount – petPrice
WHERE userID = userID

```

	<pre>// Add pet to user's collection INSERT INTO UserPets (userID, petID, purchasePrice, purchaseDate) VALUES (userID, petID, petPrice, CURRENT_TIMESTAMP) COMMIT TRANSACTION // Check for collected pets badge CALL CheckCollectedPetsBadge(userID) RETURN "Success: Pet purchased!" END FUNCTION</pre>
Alternate Flow of events	
Initial UI design	
Final UI	

Use Case ID	
C1500	Calculate XP
Actors	
User	
Description	Users can earn XP by completing various tasks on the website, this XP allows them to level up, where they are able to purchase pets that unlock at certain milestones. XP can be earned through • Completing a Timer (A500) • Completing a Study Session (A1600) • Editing a To-do list task's status (B1300) XP is calculated differently depending on the task. Completing a Timer (A500): XP is calculated on a 1XP to 1-coin ratio for 1 minute. Every 10 minutes of work done the user earns 10 XP. Completing a Study Session (A1600): XP is calculated on a 2XP to 2-coin ratio for 1 minute. Every 10 minutes of work done the user earns 20 XP. Editing a To-do list task's status (B1300): Marking off an item on the To-do list earns the user 1XP.
Pre-Conditions	The user has either completed a timer, a study session or edited a to-do list task's status. The user must be logged in.
Triggers	Called from B1300 or C1400
Post-Conditions	Calculation of XP is done, allocated to the user and saved to the database.
Basic Flow of Events	1. Calculation of XP is done and updated to the database. Completing a Timer (A500): <pre>FUNCTION OnTimerComplete(timerDurationInMinutes, userID) //calculate rewards SET xpToAdd = CalculateXPFromTimer(timerDurationInMinutes) UPDATE USERS SET userXP = userXP + xpToAdd WHERE userID = userID // Check for level up CALL CheckForLevelUp(userID) DISPLAY "Timer Complete! Earned " + coinsToAdd + " coins and " + xpToAdd + " XP!" END FUNCTION</pre> 2. The system returns to C1400 Completing a Study Session (A1600): <pre>FUNCTION OnTimerComplete(timerDurationInMinutes, userID)</pre>

	<pre>//calculate rewards SET xpToAdd = CalculateXPFromTimer(timerDurationInMinutes) UPDATE USERS SET userXP = userXP + xpToAdd WHERE userID = userID // Check for level up CALL CheckForLevelUp(userID) DISPLAY "Timer Complete! Earned " + coinsToAdd + " coins and " + xpToAdd + " XP!" END FUNCTION 2. The system returns to C1400</pre> Editing a To-do list task's status (B1300): currentUserXP = currentUserXP + 1
Alternate Flow of events	
Initial UI design	
Final UI	

Use Case ID	
C1600	View badges
Actors	
User	
Description	The user views a list of all badges that have and can be achieved. Badges have three levels, bronze, silver and gold. A badge that has not been earned yet, will show three outlined stars, while a badge that has been earned will show a filled white star depending on the level, three filled stars indicate the user has achieved gold, two indicates silver, while one filled star indicates bronze.
Pre-Conditions	User must be logged in.
Triggers	The user selects the badges tab.
Post-Conditions	All badges are loaded and displayed successfully.
Basic Flow of Events	1. <i>The system loads and displays all badges.</i>
Alternate Flow of events	
Initial UI design	



Level 16

XP 70%

200

10:22

Friday | 18 April

studypaws
purrfectly productive



Welcome back
zadie!

Dashboard

Calendar

To-do List

Timer

Badges



Pet Shop

Inventory

Friends

Study Session

About



Level 16

XP 70%

200

studypaws
purrfectly productive

10:22

Friday | 18 April

Badges



Cancelotl

Cancel 5 activities



Friends
purrever

Have 4 friends



Lone woof

Complete 50
Timers



Dream
team

Complete 20
Study sessions



Collector

Collect 15 pets



Academic
weapon

Complete 10
Timers, 10 Study
sessions, 10 Tasks



Final UI




Use Case ID	
C1700	Collect Secret Pet
Actors	
User	
Description	Throughout the website 5 additional pets can be collected. They can be collected through simple clicks on a certain area of the website, once a pet is collected the user can view them in their Inventory page under pets.
Pre-Conditions	User must be logged in.
Triggers	The user selects the word "coffee" in the about page. The user selects the paw icon in the Dashboard page. The user selects the name of the Christmas badge in the Badges page. The user selects the label "Delete Profile" in the View profile page. The user selects the "Welcome to the Pet Shop!" in the special pets shop
Post-Conditions	The secret pet is added to the user's inventory.
Basic Flow of Events	1. The system displays a popup message. 2. The user clicks the "Check it out!" button. 3. The system calls A1600.
Alternate Flow of events	
Initial UI design	
Final UI	



3 DATA REQUIREMENTS


3.1 Implementation Ready Class Diagram



3.2 Implemented database structure

We have used MYSQL Workbench to create our database.

The name of the database for our project is **studypaws**



3.3 Test Data

users

	users									
	1	2	3	4	5	6	7	8	9	10
userID	1	2	3	4	5	6	7	8	9	10
username	Zadie	Tamm y	Lea	Janine	Elmar	Kevin	JD	Raven	Taylor	Layla
password	123	123	123	123	123	123	123	123	123	123
email	s228200563@man dela.ac.za	s224026941@man dela.ac.za	s227223764@man dela.ac.za	Janine.Nel@man dela.ac.za		kevin@gm ail.com	jd@gm ail.com			layla@ gmail.c om
iconNum	4	2	1	3	4	2	3	5	5	1
userCoinCo unt	90	375	80	640	0	0	0	0	0	0
userXP	8000	2660	200	1141	0	0	0	0	0	0
completed Tasks	10	35	20	0	0	0	0	0	0	0
completedT imers	14	2	12	1	0	0	0	0	0	0
completedT imersEarly	5	2	0	0	0	0	0	0	0	0
completedT imersLate	5	0	12	1	0	0	0	0	0	0
stoppedTim ers	0	0	0	0	0	0	0	0	0	0
completedS tudySessio ns	10	4	0	1	0	0	0	0	0	0
scheduledS tudySessio ns	10	0	0	0	0	0	0	0	0	0
stoppedStu dySessions	0	1	2	0	0	0	0	0	0	0
declinedStu dySessionI nvitations	0	0	0	0	0	0	0	0	0	0
collectedPe ts	16	7	2	2	1	1	1	1	1	1
soldPets	0	0	0	0	0	0	0	0	0	0
numFriends	9	4	4	3	3	4	4	1	1	1
sentFriendR equests	9	3	2	0	2	1	0	0	0	0
recievedFri endRequest s	0	1	2	3	1	3	4	1	1	1
addedEmail Address	1	1	1	1	0	1	1	0	0	1
changedPro filecon	1	1	1	1	1	1	1	1	1	0
loginHallow een	0	0	0	0	0	0	0	1	1	0

logInChristmas	0	0	0	0	1	0	1	0	0	0
----------------	---	---	---	---	---	---	---	---	---	---

userpets

userpets										
	1	2	3	4	5	6	7	8	9	10
userPetsID	1	2	3	4	5	6	7	8	9	10
userID	1	2	3	4	5	6	7	8	9	10
petID	1	1	1	1	1	1	1	1	1	1
equippedStatus	0	0	0	0	1	1	1	1	1	1

userpets										
	11	12	13	14	15	16	17	18	19	20
userPetsID	11	12	13	14	15	16	17	18	19	20
userID	1	1	1	1	1	1	1	1	1	1
petID	2	3	4	5	19	16	17	12	13	14
equippedStatus	0	0	0	0	1	0	0	0	0	0

userpets										
	21	22	23	24	25	26	27	28	29	30
userPetsID	21	22	23	24	25	26	27	28	29	30
userID	1	1	1	1	1	2	2	2	2	2
petID	23	7	9	6	8	8	6	13	11	7
equippedStatus	0	0	0	0	0	1	0	0	0	0

userpets			
	31	32	33
userPetsID	31	32	33
userID	2	3	4
petID	12	5	11
equippedStatus	0	1	1

userbadges

userbadge										
	1	2	3	4	5	6	7	8	9	10
userBadgeID	1	2	3	4	5	6	7	8	9	10
userID	1	2	3	4	5	6	7	8	9	10
badgeID	18	18	18	18	18	18	18	18	18	17
badgeType	Gold	Gold	Gold	Gold	Gold	Gold	Gold	Gold	Gold	Gold

userbadge										
	11	12	13	14	15	16	17	18	19	20
userBadgeID	11	12	13	14	15	16	17	18	19	20
userID	1	2	3	4	6	7	1	1	1	1
badgeID	17	17	17	17	17	17	14	13	2	3
badgeType	Gold	Gold	Gold	Gold	Gold	Gold	Bronze	Bronze	Bronze	Bronze

userbadge										
	21	22	23	24	25	26	27	28	29	30
userBadgeID	21	22	23	24	25	26	27	28	29	30

userID	1	3	3	1	1	1	8	9	5	7
badgeID	4	2	4	7	6	10	19	19	20	20
badgeType	Bronze	Bronze	Silver	Silver	Silver	Bronze	Gold	Gold	Gold	Gold

userbadge						
	31	32	33	34	35	36
userBadgeID	31	32	33	34	35	36
userID	1	2	3	4	1	2
badgeID	16	16	16	16	11	11
badgeType	Silver	Bronze	Bronze	Bronze	Silver	Bronze

todolisttask

todolisttask										
	1	2	3	4	5	6	7	8	9	10
taskID	1	2	3	4	5	6	7	8	9	10
taskDesc	WUIV - Assignment 1_draft	WUIV - Assignment 1_final	WUIV - Assignment 2_draft	WUIV - Assignment 2_final	WUIV - Assignment 3_draft	WUIV - Assignment 3_final	WUIV - Assignment 4_draft	WUIV - Assignment 4_final	WUIV - Assignment 5_draft	WUIV - Assignment 5_final
taskStatus	1	1	1	1	1	1	1	1	1	1
userID	1	1	1	1	1	1	1	1	1	1

todolisttask										
	11	12	13	14	15	16	17	18	19	20
taskID	11	12	13	14	15	16	17	18	19	20
taskDesc	WUIV - Portfolio	WRBV - Test 2	WRBV - Assignment 1_draft	WRBV - Assignment 1_final	WRPV - Assignment 1	WRPV - Assignment 1 Peer reviews	WRBV - Assignment 2_draft	WRBV - Assignment 2_final	WRPV - Assignment 2	WRPV - Assignment 2 Peer reviews
taskStatus	0	0	1	1	1	1	1	1	1	1
userID	1	1	2	2	2	2	2	2	2	2

todolisttask										
	21	22	23	24	25	26	27	28	29	30
taskID	21	22	23	24	25	26	27	28	29	30
taskDesc	WRBV - Assignment 3_draft	WRBV - Assignment 3_final	WRPV - Assignment 3	WRPV - Assignment 3 Peer reviews	WRBV - Assignment 4_draft	WRBV - Assignment 4_final	WRPV - Assignment 4	WRPV - Assignment 4 Peer reviews	WRBV - Assignment 5_draft	WRBV - Assignment 5_final
taskStatus	1	1	1	1	1	1	1	1	1	1
userID	2	2	2	2	2	2	2	2	2	2

todolisttask										
	31	32	33	34	35	36	37	38	39	40
taskID	31	32	33	34	35	36	37	38	39	40

taskDesc		WRPV - Assignment 5 Peer reviews								
	WRPV - Assignment 5		RGV - Assignment 1	RGV - Assignment 2	RGV - Assignment 3	RGV - Assignment 4	RGV - Assignment 5	RGV - Assignment 6	RGV - Assignment 7	RGV - Assignment 8
taskStatus	1	1	1	1	1	1	1	1	1	1
userID	2	2	2	2	2	2	2	2	2	2

todolisttask										
	41	42	43	44	45	46	47	48	49	50
taskID	41	42	43	44	45	46	47	48	49	50
taskDesc	RGV - Assignment 9	RGV - Assignment 10	RGV - Assignment 11	RGV - Assignment 12	RGV - Assignment 13	RGV - Assignment 14	RGV - Assignment 15	WUIV - Portfolio	RGV - Assignment 1	RGV - Assignment 2
taskStatus	1	1	1	1	1	1	1	0	1	1
userID	2	2	2	2	2	2	2	2	3	3

todolisttask										
	51	52	53	54	55	56	57	58	59	60
taskID	51	52	53	54	55	56	57	58	59	60
taskDesc	RGV - Assignment 3	RGV - Assignment 4	RGV - Assignment 5	RGV - Assignment 6	RGV - Assignment 7	RGV - Assignment 8	RGV - Assignment 9	RGV - Assignment 10	RGV - Assignment 11	RGV - Assignment 12
taskStatus	1	1	1	1	1	1	1	1	1	1
userID	3	3	3	3	3	3	3	3	3	3

todolisttask										
	61	62	63	64	65	66	67	68	69	70
taskID	61	62	63	64	65	66	67	68	69	70
taskDesc	RGV - Assignment 13	RGV - Assignment 14	RGV - Assignment 15	WUIV - Portfolio	WRBV - Test 2	WRRV - Set up populated database	WRRV - Fix popups	WRRV - Fix Study Session page	WRRV - Fix validation	WRRV - Design tutorial page
taskStatus	1	1	1	0	0	1	1	1	1	1
userID	3	3	3	3	3	3	3	3	3	3

todolisttask			
	71	72	73
taskID	1	2	3
taskDesc	71	72	73
taskStatus	Give StudyPaws full marks	Mark SDIB	Check functionality of the system
userID	0	0	0

timer

timer

	1	2	3	4	5	6	7	8	9	10
timerID	1	2	3	4	5	6	7	8	9	10
timeDateCreated	2025/07/25 04:30	2025/08/15 04:22	2025/09/05 04:23	2025/09/26 04:24	2025/08/20 22:25	2025/09/03 22:27	2025/09/17 22:28	2025/10/01 22:30	2025/10/25 14:31	2025/10/03 06:34
timerTitle	WUIV - Assignment 1	WUIV - Assignment 2	WUIV - Assignment 3	WUIV - Assignment 4	WRBV - Assignment 1	WRBV - Assignment 2	WRBV - Assignment 3	WRBV - Assignment 4	EBMV - Test 2	Taking a nap
timerTag	Assignments	Assignments	Assignments	Assignments	Assignments	Assignments	Assignments	Assignments	Studying	Break
timeDuration	10800	10800	10800	10800	10800	10800	10800	10800	9000	1800
userID	1	1	1	1	1	1	1	1	1	1

timer										
	11	12	13	14	15	16	17	18	19	20
timerID	11	12	13	14	15	16	17	18	19	20
timeDateCreated	2025/10/04 22:35	2025/10/05 14:36	2025/10/06 14:37	2025/10/27 14:39	2025/10/17 06:55	2025/10/18 07:07	2025/10/10 23:10	2025/10/10 23:30	2025/10/10 23:50	2025/10/11 00:22
timerTitle	Taking a nap	Taking a nap	Taking a nap	Taking a nap	Finish new book	Playing Sims	WRPV - Pomodoro Phase 1	WRPV - Pomodoro Phase 2	WRPV - Pomodoro Phase 3	Coffee break
timerTag	Break	Break	Break	Break	Reading	Break	Studying	Studying	Studying	Break
timerDuration	1800	1800	1800	1800	3600	2700	900	900	900	900
userID	1	1	1	1	2	2	3	3	3	3

timer									
	21	22	23	24	25	26	27	28	29
timerID	21	22	23	24	25	26	27	28	29
timeDateCreated	2025/10/13 23:15	2025/10/13 23:35	2025/10/13 23:58	2025/10/14 00:19	2025/10/21 23:45	2025/10/22 00:05	2025/10/22 00:24	2025/10/22 00:45	2025/10/27 17:00
timerTitle	RGV - Pomodoro Phase 1	RGV - Pomodoro Phase 2	RGV - Pomodoro Phase 3	Coffee break	WRBV - Pomodoro Phase 1	WRBV - Pomodoro Phase 2	WRBV - Pomodoro Phase 3	Coffee break	Marking WRRV
timerTag	Studying	Studying	Studying	Break	Studying	Studying	Studying	Break	Assignments
timerDuration	900	900	900	900	900	900	900	900	25200
userID	3	3	3	3	3	3	3	3	4

studysessionparticipants

studysessionparticipants										
	1	2	3	4	5	6	7	8	9	10
sessionParticipantsID	1	2	3	4	5	6	7	8	9	10
sessionID	1	1	2	2	3	3	4	4	4	5
userID	1	2	1	2	1	2	1	2	3	1

accepted	1	1	1	1	1	1	1	1	1	1
joined	1	1	1	1	1	1	1	NULL	NULL	1
completed	1	1	1	1	1	1	1	NULL	NULL	1
eventID	19	20	21	22	23	24	25	30	35	26

studysessionparticipants										
	11	12	13	14	15	16	17	18	19	20
sessionParticipantsID	11	12	13	14	15	16	17	18	19	20
sessionID	5	5	6	6	6	7	7	7	8	8
userID	2	3	1	2	3	1	2	3	1	2
accepted	1	1	1	1	1	1	1	1	1	1
joined	NULL	1	1	NULL	NULL	1	NULL	NULL	1	NULL
completed	NULL	NULL	1	NULL	NULL	1	NULL	NULL	1	NULL
eventID	31	36	27	32	37	28	33	38	29	34

studysessionparticipants							
	21	22	23	24	25	26	27
sessionParticipantsID	21	22	23	24	25	26	27
sessionID	8	9	9	9	10	10	10
userID	3	1	2	4	1	2	3
accepted	1	1	1	1	1	1	1
joined	NULL	1	1	1	1	1	1
completed	NULL	1	1	1	1	NULL	NULL
eventID	39	40	43	45	41	42	44

studysession

studysession										
	1	2	3	4	5	6	7	8	9	10
sessionID	1	2	3	4	5	6	7	8	9	10
sessionTitle	WRPV Cheat sheet	WRPV Cheat sheet	WRPV Cheat sheet	EBMV 312	EBMV 312	EBMV 302	EBMV 302	WRPV 302	Project Meeting	SDIB
sessionTag	Studying	Studying	Studying	Assignments	Assignments	Assignments	Assignments	Assignments	Reading	Assignments
sessionStart	2025/10/09 08:00	2025/10/09 14:00	2025/10/10 09:00	2025/10/11 16:00	2025/10/12 10:00	2025/10/13 12:00	2025/10/14 15:30	2025/10/16 10:10	2025/10/22 08:00	2025/10/24 09:00
sessionEnd	2025/10/09 13:00	2025/10/09 19:00	2025/10/10 14:00	2025/10/11 21:00	2025/10/12 15:00	2025/10/13 17:00	2025/10/14 20:30	2025/10/16 15:10	2025/10/22 14:00	2025/10/24 15:00
sessionDuration	18000	18000	18000	18000	18000	18000	18000	18000	21600	21600
leaderID	1	1	1	1	1	1	1	1	1	1

pet

pet										
	1	2	3	4	5	6	7	8	9	10
petID	1	2	3	4	5	6	7	8	9	10
petType	Cat	Cat	Cat	Cat	Cat	Dog	Dog	Dog	Dog	Dog
colourNum	1	2	3	4	5	1	2	3	4	5
xpCost	0	0	0	0	0	300	300	300	300	300
coinCost	0	100	100	100	100	250	250	250	250	250
sellPrice	0	50	50	50	50	125	125	125	125	125

pet										
	11	12	13	14	15	16	17	18	19	20
petID	11	12	13	14	15	16	17	18	19	20
petType	Fuzzy	Fuzzy	Fuzzy	Fuzzy	Fuzzy	Farm	Farm	Farm	Farm	Farm
colourNum	1	2	3	4	5	1	2	3	4	5
xpCost	1400	1400	1400	1400	1400	3800	3800	3800	3800	3800
coinCost	500	500	500	500	500	1000	1000	1000	1000	1000
sellPrice	250	250	250	250	250	500	500	500	500	500

pet										
	21	22	23	24	25	26	27	28	29	30
petID	21	22	23	24	25	26	27	28	29	30
petType	Special	Special	Special	Special	Special	Secret	Secret	Secret	Secret	Secret
colourNum	1	2	3	4	5	1	2	3	4	5
xpCost	8000	8000	8000	8000	8000	0	0	0	0	0
coinCost	2000	2000	2000	2000	2000	0	0	0	0	0
sellPrice	1000	1000	1000	1000	1000	0	0	0	0	0

level

level										
	1	2	3	4	5	6	7	8	9	10
levelID	1	2	3	4	5	6	7	8	9	10
levelNum	1	2	3	4	5	6	7	8	9	10
xpAmount	0	20	60	120	200	300	400	620	840	1100

level										
	11	12	13	14	15	16	17	18	19	20
levelID	11	12	13	14	15	16	17	18	19	20
levelNum	11	12	13	14	15	16	17	18	19	20
xpAmount	1400	1760	2180	2660	3200	3800	4480	5240	6080	7000

level					
	21	22	23	24	25
levelID	21	22	23	24	25
levelNum	21	22	23	24	25
xpAmount	8000	9250	10750	12500	14500

friendlist

friendlist										
	1	2	3	4	5	6	7	8	9	10
friendshipID	1	2	3	4	5	6	7	8	9	10
userIDfrom	1	1	1	1	1	1	1	1	1	2
userIDto	2	3	4	5	6	7	8	9	10	3
requestStatus	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted
lastGiftSender	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL
giftAvailable	0	0	0	0	0	0	0	0	0	0

friendlist							
	11	12	13	14	15	16	17
friendshipID	11	12	13	14	15	16	17

userIDfrom	2	2	3	3	5	5	6
userIDto	4	6	4	7	6	7	7
requestStatus	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted
lastGiftSender	NULL	NULL	NULL	NULL	NULL	NULL	NULL
giftAvailable	0	0	0	0	0	0	0

currentlevel

	currentlevel									
	1	2	3	4	5	6	7	8	9	10
currentLevelID	1	2	3	4	5	6	7	8	9	10
userID	1	2	3	4	5	6	7	8	9	10
levelID	21	14	5	10	1	1	1	1	1	1

calendareventtag

	calendareventtag									
	1	2	3	4	5	6	7	8	9	10
tagID	1	2	3	4	5	6	7	8	9	10
tagName	Study Session	No Tag	Tests	Study Paws	Assignments	Lectures	EXAM	RGV302	WRBV302	WRPV302
tagColourNum	6	0	1	2	3	4	5	1	2	3
userIDLink	0	0	1	1	1	1	1	2	2	2

	calendareventtag		
	11	12	13
tagID	11	12	13
tagName	WRRV301	WUIV302	WRRV301
tagColourNum	4	5	1
userIDLink	2	2	4

calendarevent

	calanderevent									
	1	2	3	4	5	6	7	8	9	10
eventID	1	2	3	4	5	6	7	8	9	10
eventDesc	WRBV Test 2	WRRV Due	WUIV Portfolio Due	WRPV EXAM	WRRV Expo	EBMV 302 EXAM	EBVM 312 EXAM	WRBV EMA Due	WRRV Due	WRRV Expo
eventDate	2025/10/29 00:00	2025/10/27 00:00	2025/11/03 00:00	2025/11/12 00:00	2025/11/30 00:00	2025/11/13 00:00	2025/11/10 00:00	2025/11/14 00:00	2025/11/27 00:00	2025/11/30 00:00
tagID	3	4	5	7	4	7	7	5	11	11
userID	1	1	1	1	1	1	1	1	2	2

	calanderevent									
	11	12	13	14	15	16	17	18	19	20
eventID	11	12	13	14	15	16	17	18	19	20
eventDesc	WUIV Portfolio Due	WRBV EMA Due	WRPV EXAM	RGV EXAM	LAST RGV TUT	LAST RGV LECTURE	Projects Due	WRRV Expo	WRPV Cheat sheet	WRPV Cheat sheet

										(From: Zadie)
eventDate	2025/11/03 00:00	2025/11/14 00:00	2025/11/12 00:00	2025/11/04 00:00	2025/10/27 00:00	2025/10/28 00:00	2025/10/27 00:00	2025/10/30 00:00	2025/10/09 00:00	2025/10/09 15:47
tagID	12	9	10	8	8	8	13	13	1	1
userID	2	2	2	2	2	2	4	4	1	2

calanderevent										
	21	22	23	24	25	26	27	28	29	30
eventID	21	22	23	24	25	26	27	28	29	30
eventDesc	WRPV Cheat sheet	WRPV Cheat sheet (From: Zadie)	WRPV Cheat sheet	WRPV Cheat sheet (From: Zadie)	EBMV 312	EBMV 312	EBMV 302	EBMV 302	WRPV 302	EBMV 312 (From: Zadie)
eventDate	2025/10/09 00:00	2025/10/09 15:47	2025/10/10 00:00	2025/10/10 15:51	2025/10/11 00:00	2025/10/12 00:00	2025/10/13 00:00	2025/10/14 00:00	2025/10/16 00:00	2025/10/11 16:00
tagID	1	1	1	1	1	1	1	1	1	1
userID	1	2	1	2	1	1	1	1	1	2

calanderevent										
	31	32	33	34	35	36	37	38	39	40
eventID	31	32	33	34	35	36	37	38	39	40
eventDesc	EBMV312 (From: Zadie)	EBMV 302 (From: Zadie)	EBMV 302 (From: Zadie)	WRPV 302 (From: Zadie)	EBMV 312 (From: Zadie)	EBMV 312 (From: Zadie)	EBMV 302 (From: Zadie)	EBMV 302 (From: Zadie)	WRPV 302 (From: Zadie)	Project Meeting
eventDate	2025/10/12 16:02	2025/10/13 16:04	2025/10/14 16:06	2025/10/16 16:08	2025/10/11 16:00	2025/10/12 16:02	2025/10/13 16:04	2025/10/14 16:06	2025/10/16 16:08	2025/10/22 00:00
tagID	1	1	1	1	1	1	1	1	1	1
userID	2	2	2	2	3	3	3	3	3	1

calanderevent					
	41	42	43	44	45
eventID	41	42	43	44	45
eventDesc	SDIB	SDIB (From: Zadie)	Project Meeting (From: Zadie)	SDIB (From: Zadie)	Project Meeting (From: Zadie)
eventDate	2025/10/24 00:00	2025/10/24 16:01	2025/10/22 16:01	2025/10/24 16:01	2025/10/22 16:01
tagID	1	1	1	1	1
userID	1	3	2	2	4

badges

badges										
	1	2	3	4	5	6	7	8	9	10
badgeID	1	2	3	4	5	6	7	8	9	10
badgeName	Busy Bee	Lone Woof	Early Bird	Night Owl	Slothin g On The Job	Countr y Club	Ring Leader	Cancel otl	Not My Bloble m	Acade mic Weapo n

badgeDesc Bronze	Complete 50 Tasks	Complete 10 Timers	Complete 5 Timers Between 04:00-08:00	Complete 5 Timers Between 22:00-02:00	Stop 5 Timers	Complete 5 Study Session	Schedule 5 Study Sessions	Stop 5 Study Sessions	Decline 5 Study Sessions	Complete 10 Tasks, 10 Timers and 10 Study Sessions
badgeDesc Silver	Complete 100 Tasks	Complete 50 Timers	Complete 10 Timers Between 04:00-08:00	Complete 10 Timers Between 22:00-02:00	Stop 10 Timers	Complete 10 Study Session	Schedule 10 Study Sessions	Stop 10 Study Sessions	Decline 10 Study Sessions	Complete 25 Tasks, 25 Timers and 25 Study Sessions
badgeDesc Gold	Complete 150 Tasks	Complete 150 Timers	Complete 15 Timers Between 04:00-08:00	Complete 15 Timers Between 22:00-02:00	Stop 15 Timers	Complete 15 Study Session	Schedule 15 Study Sessions	Stop 15 Study Sessions	Decline 15 Study Sessions	Complete 50 Tasks, 50 Timers and 50 Study Sessions
badgeIconNum	1	2	3	4	5	6	7	8	9	10

badges										
	11	12	13	14	15	16	17	18	19	20
badgeID	11	12	13	14	15	16	17	18	19	20
badgeName	Collector	Meanie	Friends Purrevver	Pesky Pelican	Puffing Popular	Rising Star	In Tentacles' Reach	Whale, Hello There!	Trick or Study	The Study Spirit
badgeDesc Bronze	Collect 5 Pets	Sell 1 Pet	Have 5 Friends	Send 5 Friend requests	Receive 5 Friend requests	Reach level 5	Add Email Addresses	Change Profile Icon	Log In on Halloween (31st October)	Log In on Christmas (25th December)
badgeDesc Silver	Collect 10 Pets	Sell 2 Pet	Have 10 Friends	Send 10 Friend requests	Receive 10 Friend requests	Reach level 15	Add Email Addresses	Change Profile Icon	Log In on Halloween (31st October)	Log In on Christmas (25th December)
badgeDesc Gold	Collect 15 Pets	Sell 3 Pet	Have 15 Friends	Send 15 Friend requests	Receive 15 Friend requests	Reach level 25	Add Email Addresses	Change Profile Icon	Log In on Halloween (31st October)	Log In on Christmas (25th December)
badgeIconNum	11	12	13	14	15	16	17	18	19	20

4 TECHNICAL REQUIREMENTS

4.1 System Environment

Platform & Framework:

- .NET Framework 4.8.1 - The project targets .NET Framework version 4.8.1
- ASP.NET Web Forms - Built using ASP.NET Web Forms technology (evident from .aspx and .aspx.cs files)
- Visual Studio 2022 - Solution file indicates Visual Studio Version 17 (VS 2022)

Database:

- MySQL Database - Uses MySQL as the database system
- Connection String: Server=localhost;Database=studypaws;Uid=root;Pwd=StudyPaws
- MySQL Connector: MySql.Data version 9.4.0

Development Environment:

- Visual Studio 2022 (Version 17.9.34723.18)
- Windows Development - Based on the file structure and .NET Framework usage
- IIS Express - Development server (port 60920 configured)

Key Dependencies:

- MySql.Data (9.4.0) - MySQL database connectivity
- System.Buffers (4.6.1) - High-performance buffer management
- System.Memory (4.6.3) - Memory management utilities
- Google.Protobuf (3.31.1) - Protocol buffer support
- BouncyCastle.Cryptography (2.6.2) - Cryptographic operations

Architecture:

- Web Application - ASP.NET Web Forms application
- Code-Behind Pattern - Each .aspx page has a corresponding .aspx.cs code-behind file
- Session Management - In-process session state with 100,000 minute timeout
- Forms Authentication - Custom authentication system


Best User Experience:

- 1920x1080 provides the optimal experience with crisp text and properly sized UI elements
- The responsive design ensures the application works well on both smaller and larger screens
- Mobile users (768px and below) get a specially optimized layout

4.2 Start-up Instructions

In the `\\CS1-New.mandela.ac.za\WRRV301$\HackStreet Boys\Software` folder:


1. Open a folder called “**StudyPaws**”
2. Open the “**StudyPaws.sln**” file (the Visual Studio Solution file to our project)
3. Once Visual Studio is finished loading, open the Solution Explorer
4. To do this, navigate to View → Solution Explorer
5. In the Solution Explorer, open the “**Styles**” folder by clicking on the small arrow icon to the left of the folder name
6. Once the “**Styles**” folder is open, double-click on the file called “**StyleSheet.css**”
7. Now you can run the website by clicking the green outlined “play” button or by pressing “Ctrl + F5”. The button is positioned to the **RIGHT** of the “IIS Express (Google Chrome)” button in the top menu row:




To run 2 users at the same time:

8. When functionality such as the Study Sessions and Friends pages want to be tested, go back to Visual Studio where you had the “**StyleSheet.css**” file open in front of you
9. Click on the small drop-down arrow connected to the “IIS Express (Google Chrome)” button

10. This will give a drop-down menu like this:



11. Hover over "Web Browser (Google Chrome)" and this next menu will appear:



12. Click on "Microsoft Edge"

13. Now click the green outlined "play" button again or press "Ctrl + F5"

14. Now 2 users can interact with the database at the same time!

Steps to import database file (.sql file):

1. Open MySQL Workbench & connect to your MySQL Server (i.e. click the "Local instance MySQL80")
2. In the left panel it says "Navigator" (and beneath it "SCHEMAS"). Right click inside the SCHEMAS panel and click "Create Schema...". Then name the schema "studypaws" and click "Apply" in the bottom left. -> If you get a popup just confirm and leave everything default.
3. Then right click on the Schema that you just created (if you can't see then there should be a refresh button in the Schemas panel) -> then click "Set as Default Schema"
4. Then in the toolbar at the top click "Server" and then "Data Import"
5. Under the "Import Options" click "Import from Self-Contained file" and then browse to the studypaws.sql file in the Software folder
6. Under the "Default Schema to be Imported To" there is a drop down that says "Default Target Schema". In it choose the name of the Schema that you created.
7. Then click the "Start Import" button (if you can't see it just drag the Output panel at the bottom to be smaller)
8. Now click the refresh icon in the SCHEMAS panel and all the tables should appear in your schema

3.1 Logins & Passwords

Experienced user	Username: Zadie	Password: 123
Middle ground user	Username: Tammy	Password: 123
Novice user	Username: Lea	Password: 123
Middle ground user	Username: Janine	Password: 123

New users only for the Friends use cases:

New user	Username: Elmar	Password: 123
New user	Username: Kevin	Password: 123
New user	Username: JD	Password: 123
New user	Username: Raven	Password: 123
New user	Username: Taylor	Password: 123
New user	Username: Layla	Password: 123

Module code: WRRV301

We,

Name	Student Number	Contribution % [Total = 100]
Zadie-Ann Gamba	228200563	100%
Tamryn Forbes	224026941	100%
Lea Carelse	227223764	100%



hereby declare that this submission is our own, original work.

We further declare that:

1. No part of this submission has been copied from another person/group,
2. We **did / did not** work with another person/group on this submission,
3. We acknowledged all consulted sources in the text and submitted a list of references, and
4. Parts without references are entirely our own work
5. That we have all equally contribute to the work or as indicated in the contribution % above.

(Delete any of the above if not applicable)

We understand that, should this declaration be false, we may be charged with academic misconduct and/or plagiarism and that a disciplinary hearing may be brought against us.

1. SIGNED:		DATE	27 October 2025
2. SIGNED:		DATE	27 October 2025
3. SIGNED:		DATE	27 October 2025