TrailMate: An Integrated Destination-Aware Platform for Smart Packing, Travel Compliance and Inclusive Trip Planning

Zahara Bohari, Shreya Agarwal, Anshita Sarda, Arya Agrawal and Kajal
Department of Computer Engineering
MKSSS's Cummins College of Engineering for Women
Pune, Maharashtra, India
{zahara bohari shreya agarwal anshita sarda arya agrawal kajal}@cummminscollege.in

Abstract*—One is accustomed to the fact that getting ready for a journey involves putting together an assortment of disparate tools: for the weather, to check visa requirements and airline baggage policies, for itineraries, gear shopping or to consult community advice. In this paper we put forward TrailMate, a platform built on the premise of "Know the Destination. Own the Adventure." It is an all-in-one solution with 95 features spread across ten modules covering everything from destination data and smart packing to travel-rule compliance, trip planning, safety and emergency services, as well as personalisation and rewards.Our design is underpinned by a feature-based qualitative analysis that draws on time-honoured UI/UX precepts and laws (Gestalt, Fitts's, Hick's, Miller's, Jakob's, Tesler's and Doherty's), Nielsen's heuristics and WCAG standards. We also set out a flowchart of the traveller's path in order to spot seven areas where research is lacking and to make a conceptual comparison with the more piecemeal tools currently in use.What gives the platform its edge are the connections between modules, for instance the ability to run a packing list through travel rules, and an approach to inclusive design that offers offline and low-data options, a mode suited to seniors and support for English, Hindi and Marathi. At the same time there are gaps to be addressed in terms of privacy when matching travellers, the need for formal accessibility audits and empirical validation, as well as issues around data freshness, rule tracking, explainable recommendations and offline reliability.

***Index Terms*—UI/UX laws, smart tourism, packing recommendation, travel compliance, accessibility, trip planning, TrailMate.**

I. INTRODUCTION

One has to make do with an assortment of disparate tools when getting ready for a trip: checking the weather and airline baggage rules on separate sites, using a government portal for visas, a notes app to compile a packing list, then off to a shop for gear or a forum for some counsel. The process is not only slow but leaves room for expensive errors, like turning up at the gate with a prohibited item in one's cabin bag or a document in short supply. Yet smart tourism research [1], [2] makes the case that an information-rich, integrated service is what truly enhances the experience of travel.That is where TrailMate comes in. Under its "Know the Destination. Own the Adventure." banner, the platform puts destination data, safety support, community, travel-rule verification and personalised packing all in one place, with accessibility as a given. What started out as a student-run site for retailing gear [3] has since been developed into the feature set we examine here.

In this paper we offer four things by way of contribution: a framework to tie TrailMate's design to well-known UI/UX principles; a conceptual look at how it stacks up against more fragmented options; a flowchart with an evaluation plan to pinpoint seven research gaps; and finally, a structured breakdown of the 95 features found in its ten modules.

II. METHODOLOGY

In this study we put TrailMate's feature specification to a qualitative, feature-based test. The 95 features have been organised into ten modules as set out in Table II and put in conceptual comparison with five types of tools already on the market: from information sites and packing apps to airline and government rule pages, not to mention shops and forums. We also measured them up against the UI/UX laws detailed in Section III and the tenets of accessibility [4], trust [5] and recommendation [6].

One must note the limitations of a purely conceptual analysis. With no usage data or benchmarks at hand, and without a user study to draw on, the paper can only speak to what has been designed rather than any quantified results. Nor is there a competing product called out by name.III. THEORETICAL FRAMEWORK: UI/UX LAWS

By definition, usability is a measure of how effectively and efficiently designated users can meet their objectives in a given context, and with what degree of satisfaction [7]. Given that a platform comprising ten modules has to account for perception, memory, movement and the making of decisions, the following laws are organised into four distinct families.

A. Perception and Organisation

To understand why a user will view related items as a single entity one can look to the Gestalt laws of Wertheimer [8] – proximity, similarity, closure, continuity, common region and figure–ground. There is also the Von Restorff effect, which holds that an item with visual distinction will be committed to memory [9], and the aesthetic–usability effect where an appealing interface is simply regarded as more usable [10].

B. Cognition and Decision

Hick's law [11], [12] posits that the time taken to make a decision is proportional to the number of choices available:

$$T = b \cdot \log_2(n + 1) \quad (1)$$

with n being the count of equally probable options and b a constant. Miller's law [13] would have it that short-term memory is limited to some seven chunks (give or take two). In keeping with Sweller's cognitive load theory [14], an interface ought to do away with extraneous load. Then there is Tesler's law on the fact that complexity is not something you can eliminate but merely transfer from the user to the system; the Zeigarnik effect, by way of supporting progress indicators, reminds us that people remember what is left undone [9].

C. Interaction and Performance

As for Fitts's law [15], the time required to get to a target will increase with the distance D and decrease according to its width W:

$$MT = a + b \cdot \log_2(2D/W) \quad (2)$$

so frequent actions should be large and close, which is important to older users and small screens. The Doherty threshold [responses within around 400 ms keep users engaged], Jakob's law [users expect a site to work like other they know] and Postel's law [be liberal in what is accepted] completes this family [9]. The peak–end rule says that an experience is judged by its most intense moment and its end [16].

D. Heuristics and Guidelines

Nielsen's ten heuristics [17] (such as the visibility of system status and error prevention), Shneiderman's eight golden rules [18] and Norman's principles of affordance, signifiers, mapping, feedback and constraints [19] turn the laws into rules. WCAG 2.1 categorizes access requirements of perceivable, operable, understandable and robust [4]. Table I links all of this to TrailMate.

TABLE I. UI/UX LAWS AND THEIR APPLICATION IN TRAILMATE.

Law (scientist)	Core idea	Application in TrailMate
Gestalt laws (Wertheimer)	Related things look like a set	Cards, checklists, and filters grouped by module
Fitts's law (Fitts)	Time to reach depends on distance and target size	Senior mode uses big controls that are near
Hick's law (Hick, Hyman)	More options slow people down	Guided planner and filters cut the choices per screen
Miller's law (Miller)	Working memory can hold only a few chunks	Chunked checklists and short menus
Jakob's law (Nielsen)	People want patterns they already know	Use common navigation, search, and shop flow
Tesler's law (Tesler)	Some complexity will move somewhere else	Rule scanner takes on the baggage-rule detail
Doherty threshold	Fast responses help keep attention	Quick search plus cached offline guides
Zeigarnik effect	Pending work stays in mind	A progress tracker that marks what is not done yet
Von Restorff effect	One standout item gets noticed	Make prohibited items and emergency alerts stand out
Norman's principles	Make the action clear with cues and limits	Clear buttons, confirmation prompts, and undo for packing changes
Nielsen's heuristics	Show progress and stop mistakes early Status cues	rule checker that blocks packing errors
WCAG principles	Perceivable, operable, understandable, robust	Screen reader, keyboard, keyboard support, contrast checks, motion controls.

While reviews and the ensuing matching of travellers do create some degree of social proof, trust is still the cornerstone of any online service [5]. There are inherent privacy and safety concerns in putting strangers in touch with one another. Gamification is introduced via TrailPoints and badges, though its impact can be variable and depends on the context [20]. As for eco-friendly options that encourage responsible travel, one must be wary of greenwashing if claims are not backed up [21]; it is therefore important that each make clear its certification or material basis.headings and 95 are features (Table II).

TABLE II. TRAILMATE MODULES (95 FEATURES).

Module	No.	Representative features
Destination discovery	14	Search, guides, weather, terrain, best time, food, culture, money, safety, filters that work.
Smart packing & gear	11	A personal checklist, pack by destination, weather, activities, trip length, and transport. Also: a progress tracker and planet-friendly items.
Travel rules & documents	11	Baggage limits, prohibited item check, rules for liquids, power banks and medicine. Also: visa checklist and a list scanner.
Trip planning	7	A planner, day-by-day plan, calendar view, budget tools, readiness score, and reminders.
Accessibility & inclusion	17	Text size changes, dark mode, strong contrast mode, screen reader support, keyboard use, voice help. Also: senior mode, English and Hindi and Marathi, step-free filters, low-data and offline guides.
Community	8	Blogs, reviews, sharing, matching with other travellers, travel buddies, and groups.
Personalisation	6	Wishlists, saved preferences, recommendations, and user profiles.
Rewards	5	TrailPoints, rewards for reviews, badges, and public recognition.
Safety & emergency	6	Clear guidelines, emergency contacts, nearby hospitals, alerts, and insurance details.
General site	10	Homepage, explorer, gear shop, search, FAQ, contact, account, notification updates, and a responsive layout.

Illustrative scenario. A first-time traveler planning to visit Spiti Valley during winter enters her activity, trip length and travel mode and a personalized checklist appears on her screen; the scanner indicates a power bank and a liquid bottle that are prohibited in the plane cabin; the readiness score climbs as she selects items. This scenario is illustrative; it is not based on an actual study.

V. ANALYSIS AND DISCUSSION

A. Integration Across Modules

What sets TrailMate apart is the way its modules are tied together. A traveller can put a packing list to the test against the rules for baggage, liquids, batteries and medicines with the list scanner and prohibited-item checker before heading

out. The readiness score then provides a summary of how far one has come in terms of planning, documents and packing. Such connectivity is not something you will find in more fragmented tools.

B. Applying the UI/UX Laws

The design choices made here are grounded in established law, as Table I makes clear. There is an application of the Gestalt laws in our grouped cards; the filters and guided planner restrict the number of options on screen in keeping with Hick's and Miller's laws. We have let the rule scanner handle the complexity for the system rather than the traveller, per Tesler's law, while the Zeigarnik effect is at work in the progress tracker and readiness score. Fitts's law has been observed in the sizing of the senior-mode controls. Then there is the matter of feature breadth. At 95 features, one risks running afoul of Hick's law and increasing cognitive load [14] unless those options are doled out in stages, a point that requires testing.

C. Personalisation

Packing suggestions are informed by the mode of travel, duration, activity and the like, down to the weather and destination. In turn, user preferences and wishlists shape what destinations are put forward. For a young platform not yet teeming with users, a content-based approach to recommendation is the right fit [6].

D. Accessibility and Inclusion

This is the most substantial module at 17 features. We have mapped high contrast, font size, reduced motion and keyboard or screen-reader support to the four WCAG principles [4], and taken it a step further with easy-terrain and low-walking filters for trip selection. To accommodate poor connectivity we have provided offline and low-data modes, and by offering English, Hindi and Marathi we are able to reach a wider audience in Maharashtra.

E. Community, Engagement and Sustainability

While reviews and the matching of travellers do create a degree of social proof, trust remains the cornerstone of any online service [5]. There are inherent privacy and safety concerns in putting strangers in touch with one another. Gamification is introduced via TrailPoints and badges, though its impact can be variable and depends on the context [20]. As for eco-friendly options that encourage responsible travel, one must be wary of greenwashing if claims are not backed up [21]; it is therefore important that each make clear its certification or material basis.

VI. COMPARATIVE ANALYSIS

In Table III we set TrailMate against the kind of disparate tools a traveller would normally put together. The advantages listed here are what was intended by the design rather than quantified outcomes; they serve as hypotheses to be put to the test in the Section VIII evaluation.TABLE III.

FRAGMENTED TOOLS VERSUS TRAILMATE.

Capability	Fragmented tools	TrailMate
Destination info	Separate sites for weather, culture, safety	One guide with 14 information features
Packing	Static, generic lists	Lists tailored by destination, weather, activity, duration, mode
Rule compliance	Manual reading of airline and visa pages	Item checker, list scanner, document tracker
Planning	Separate itinerary and budget apps	Itinerary, budget and readiness score together
Accessibility	Often limited or generic	Dedicated module with 17 features
Safety	Rarely tied to the trip	Hospitals, contacts and alerts in the trip

While one might find that some of the more fragmented tools can hold their own against TrailMate in a given row, the real value is in how every row is tied back to a single trip record.

VII. RESEARCH GAPS

In Fig. 1 we track a traveller across the six functional flows, putting a check mark at every turn. Where a check is not made, there is a gap in the research. These are set out in Table IV (Section VIII) along with a corresponding metric and means of mitigation:

- **G1 Data freshness.** With costs, weather and alerts in flux, sources require time-stamps.
- **G2 Explainable recommendations.** There is a need for users to be given reasons; as it stands, accuracy has not been measured [6].
- **G3 Rule tracking.** The rules for an airline, visa or medicine are not static and vary, so any misadvising will have its consequences.
- **G4 Empirical validation.** We have yet to put the planner and readiness score to the test with actual users [22].
- **G5 Privacy and safety of matching.** This calls for data minimisation, moderation and verification**.**
- **G6 Offline reliability**. Should offline guides and alerts go stale, they must be able to warn and sync.
- **G7 Accessibility audit.** A formal WCAG review is called for, in more languages and with older or disabled users..




Fig. 1. Traveller journey through the TrailMate modules, with validation checks and the research gaps (G1–G7) they expose.

VIII. PROPOSED EVALUATION

We put forward a two-part evaluation process. The first stage calls for an expert review in which accessibility specialists will verify WCAG conformance and travel experts can measure sample packing lists and rule checks against the official record. For the second stage, we propose a user study of a task-based nature involving students, senior citizens and those with mobility requirements. These participants would plan a trip using TrailMate as well as with other tools to serve as a baseline.

The metrics to be considered are errors, confidence, packing-list precision and recall, the System Usability Scale [23] and time to complete the task, the latter being indicative of Fitts's and Hick's laws. It is important that the data be broken down by group in the analysis; one does not want overall averages to obscure any advantage older or disabled travellers may have had. In addition, the task-time component of the study will determine if progressive disclosure is sufficient to keep the 95 features within the bounds of comfortable choice and memory.

TABLE IV. MITIGATION AND METRIC FOR EACH RESEARCH GAP.

Gap	Proposed mitigation	Proposed metric
G1	Source time-stamps, scheduled refresh, stale-data warning	Share of records refreshed within a set period
G2	"Why this item?" explanations; comparison with expert lists	Precision and recall of packing lists
G3	Cite official sources, version rules, show disclaimers	Rule-check miss rate on test cases
G4	Task-based usability tests with target users	Completion time and SUS score
G5	Identity verification, moderation, opt-in sharing	Reports resolved; privacy review result
G6	Sync tests; "last updated" banner when offline	Offline sync success rate
G7	WCAG 2.1 audit; tests with assistive technology	Conformance level; user error rate

IX. CONCLUSION

With 95 features in all, TrailMate is a platform that has everything from destination data and trip planning to smart packing, travel-rule verification, safety support and community rewards. The design is underpinned by the kind of UI/UX principles one would expect, with decisions informed by the laws of Gestalt psychology as well as Fitts, Hick, Miller, Tesler and Nielsen.

Where the app excels is in how it ties its modules together; the ability to cross-reference packing lists with travel rules is a case in point. Yet there is still work to be done to put some evidence behind the product. Seven areas – data freshness, accessibility auditing, offline reliability, privacy matching, empirical validation, rule tracking and explainability – are where testing and research ought to be directed. Once those gaps are addressed, TrailMate will be more than just a set of well-designed features and become an evaluated companion you can put your trust in.

REFERENCES

[1] U. Gretzel, M. Sigala, Z. Xiang, and C. Koo, "Smart tourism: Foundations and developments," Electron. Markets, vol. 25, no. 3, pp. 179–188, 2015.

[2] D. Buhalis and R. Law, "Progress in information technology and tourism management: 20 years on and 10 years after the Internet—The state of eTourism research," Tourism Manage., vol. 29, no. 4, pp. 609–623, 2008.

[3] TrailMate , "TrailMate: Gear up for where the world takes you," prototype website (Home, About Us, Destinations, Blog, Reviews and FAQ pages), 2026. [Online]. Available: https://khushirao5.wixsite.com/trailmate-4

[4] World Wide Web Consortium, "Web Content Accessibility Guidelines (WCAG) 2.1," W3C Recommendation, Jun. 2018. [Online]. Available: https://www.w3.org/TR/WCAG21/

[5] D. Gefen, E. Karahanna, and D. W. Straub, "Trust and TAM in online shopping: An integrated model," MIS Quart., vol. 27, no. 1, pp. 51–90, Mar. 2003.

[6] F. Ricci, L. Rokach, and B. Shapira, Eds., Recommender Systems Handbook, 3rd ed. New York, NY, USA: Springer, 2022.

[7] Ergonomics of Human-System Interaction—Part 11: Usability: Definitions and Concepts, ISO 9241-11:2018, 2018.

[8] M. Wertheimer, "Laws of organization in perceptual forms," in A Source Book of Gestalt Psychology, W. D. Ellis, Ed. London, U.K.: Kegan Paul, 1938, pp. 71–88.

[9] J. Yablonski, Laws of UX: Using Psychology to Design Better Products & Services. Sebastopol, CA, USA: O'Reilly Media, 2020.

[10] M. Kurosu and K. Kashimura, "Apparent usability vs. inherent usability: Experimental analysis on the determinants of the apparent usability," in Proc. CHI '95 Conf. Companion, Denver, CO, USA, 1995, pp. 292–293.

[11] W. E. Hick, "On the rate of gain of information," Quart. J. Exp. Psychol., vol. 4, no. 1, pp. 11–26, 1952.

[12] R. Hyman, "Stimulus information as a determinant of reaction time," J. Exp. Psychol., vol. 45, no. 3, pp. 188–196, 1953.

[13] G. A. Miller, "The magical number seven, plus or minus two: Some limits on our capacity for processing information," Psychol. Rev., vol. 63, no. 2, pp. 81–97, 1956.

[14] J. Sweller, "Cognitive load during problem solving: Effects on learning," Cogn. Sci., vol. 12, no. 2, pp. 257–285, 1988.

[15] P. M. Fitts, "The information capacity of the human motor system in controlling the amplitude of movement," J. Exp. Psychol., vol. 47, no. 6, pp. 381–391, 1954.

[16] D. Kahneman, B. L. Fredrickson, C. A. Schreiber, and D. A. Redelmeier, "When more pain is preferred to less: Adding a better end," Psychol. Sci., vol. 4, no. 6, pp. 401–405, 1993.

[17] J. Nielsen, "10 usability heuristics for user interface design," Nielsen Norman Group, 1994. [Online]. Available: https://www.nngroup.com/articles/ten-usability-heuristics/

[18] B. Shneiderman, C. Plaisant, M. Cohen, S. Jacobs, and N. Elmqvist, Designing the User Interface: Strategies for Effective Human-Computer Interaction, 6th ed. Boston, MA, USA: Pearson, 2016.

[19] D. A. Norman, The Design of Everyday Things, rev. ed. New York, NY, USA: Basic Books, 2013.

[20] J. Hamari, J. Koivisto, and H. Sarsa, "Does gamification work?—A literature review of empirical studies on gamification," in Proc. 47th Hawaii Int. Conf. Syst. Sci. (HICSS), Waikoloa, HI, USA, 2014, pp. 3025–3034.

[21] M. A. Delmas and V. C. Burbano, "The drivers of greenwashing," California Manage. Rev., vol. 54, no. 1, pp. 64–87, 2011.

[22] J. Nielsen, Usability Engineering. San Diego, CA, USA: Academic Press, 1993.

[23] J. Brooke, "SUS: A quick and dirty usability scale," in Usability Evaluation in Industry, P. W. Jordan, B. Thomas, B. A. Weerdmeester, and I. L. McClelland, Eds. London, U.K.: Taylor & Francis, 1996, pp. 189–194.