

RegenAI

Clinician-grade Recovery & Wellness Commerce Platform

Rolling build snapshot · Day 19 of 105 · Updated 2026-04-21

1. At a glance

RegenAI is a 105-day portfolio build of a Shopify Plus + Hydrogen headless commerce platform for a fictitious, clinician-reviewed wellness brand. Scoped as a commerce + content + data system rather than a marketing site — four distinct engineering layers, end-to-end regulatory posture, and a release train measured in CI workflow runs rather than marketing milestones. The project exists to close specific role-family gaps that the author's prior Shopify portfolio project left open: a second Hydrogen / headless delivery on record, a multi-AI tooling workflow with explicit governance, and a regulated-niche commerce posture that treats FDA claim linting, DSHEA supplement validation, and contraindication presence as compile-time concerns.

Current state

- Days 1–19 delivered. Weeks 1 + 2 (foundation + discovery + cart) tagged. Week 3 shipped the 4 Shopify Functions + custom merchant app.
- Two Cloudflare Workers live at workers.dev URLs: storefront preview + custom merchant app. Both publicly browsable, zero-cost free tier.
- Custom app serves a Polaris-rendered clinician-review queue. OAuth install flow 302-redirects to the real Shopify authorize URL with correct scopes + state + redirect — tested end-to-end.
- Four Shopify Functions written in Rust + compiled to WASM: cart-contraindication, b2b-tiered-pricing, delivery-customization, discount-stacking. 47 pure-rules-core cargo tests pass. All 4 WASM artefacts under 200 KB (Shopify cap is 1.5 MB per extension).
- All 10 CI workflows run honest-green (no masked failures). 7 truly pass, 2 intentionally warn-only with documented Day-16 and Day-36 resolution dates, 1 clean-skip until Percy specs land.

- 17 Architecture Decision Records on file. @regenai/ui design-system package scaffolded with 15 primitives + Storybook. @regenai/app custom merchant app scaffolded + deployed on Cloudflare Workers + D1 with hand-rolled Shopify OAuth + HMAC helpers.
 - \$0 spent on infrastructure. One paid item (\$5 OpenAI credit) deferred to Day 31.
-

2. Product and positioning

Catalog

150+ SKUs across three phases, all modelled as real commerce objects with variants, metaobjects, and compliance-critical metafields:

- Recovery devices — FDA Class II TENS / EMS units, percussion therapy, cold therapy, compression boots
- Sleep systems — weighted blankets, cooling mattress toppers, circadian lighting, sleep trackers
- Mental recovery — breathwork devices, meditation trainers, stress biomarker wearables
- Biomarker diagnostics — at-home blood panels, hormone panels, gut microbiome kits
- Supplements — evidence-graded stacks with DSHEA-compliant label claims and dose-response citations
- Home gym — resistance hardware, smart-trainer integrations, recovery-focused mobility tools
- Women's health (Phase 3) — cycle-aware supplement routing, state-residency DSHEA gate, telehealth scope-of-practice mapping

Markets and locales

5 markets with FDA vs CE-marked SKU segmentation, 5 locales including Arabic with full right-to-left layout flipping.

- Markets — United States, Canada, United Kingdom, European Union, Australia
- Locales — English, Spanish, French, German, Arabic (RTL)
- Market-aware storefront routing and checkout profiles; per-market inventory routing and tax profiles

Regulatory posture

- FDA claim linting — regex-based lint runs in CI against every PDP copy change
- DSHEA supplement validator — flags unsubstantiated structure/function claims on supplement SKUs

- Contraindication presence check — any PDP for a Class II device fails the compliance-lint workflow if it lacks a ContraindicationCallout block (enforced via the `data-pdp-block` DOM hook)
 - Checkout-time contraindication block — Rust/WASM Shopify Function blocks checkout when a customer's medical-flag metafield conflicts with a product's contraindication tag
 - Age-gated checkout — Shopify Function blocks purchase of age-restricted items without verified age
 - WCAG 2.2 AA as default — skip link, semantic main landmark, focus-visible rings, nonce-respecting inline scripts, ARIA role-descriptions on gallery + body-area carousel
-

3. Architecture — four engineering layers

Layer 1 · Storefront

Hydrogen 2026.4 on React Router v7, deployed to Cloudflare Workers. Originally planned for Shopify Oxygen; pivoted to CF Workers at Day 10 (ADR-011) after Shopify confirmed the Hydrogen channel is not available on any development store — dev stores can only use Hydrogen with external hosting via the Headless sales channel. Tailwind v4 `@theme` block drives the token system; Radix primitives wrapped in an ownership-model design-system package (`@regenai/ui`, 15 primitives). Sentry client + web-vitals integration ships as a first-class concern.

Layer 2 · Custom merchant app

Remix application on Cloudflare Workers + D1 SQLite (scaffolded Day 15, deployed end-to-end Day 15.6 after resolving a React-Router-v7 `future.unstable\_viteEnvironmentApi` flag mismatch). Handles merchant-side workflows the Shopify admin can't model natively:

- Clinician review queue — product-copy diffs awaiting clinical sign-off before merge (Polaris ResourceList UI live at `/admin/reviews`)
- OAuth install + HMAC verification — hand-rolled helpers in `app/lib/shopify.ts`; verified working against the dev store (302 redirect to real authorize URL)
- Subscription management — flexible cadence, pause, swap, one-time add-ons (Day 26+)
- B2B portal — clinic account model, volume pricing, net-30 invoice flow
- Affiliate tracking — clinician referral codes with commission splits
- Protocol tracker — patient-facing progress UI for multi-week recovery plans

Layer 3 · Checkout-time Shopify Functions

Four Rust → WASM Functions, all shipping at Week 3 end. Each Function has a pure ``run_rules(input) → output`` core separate from Shopify wire types, making business rules unit-testable without Shopify mocks. Cents-based money math throughout — no float drift.

- cart-contraindication (cart.checkout.validation.run) — blocks checkout when any customer medical flag conflicts with any cart line's contraindication tag. 9 cargo tests covering pacemaker+TENS, pregnancy+EMS, multi-flag multi-product, unknown-value ignore, under-18 age gate. 174 KB WASM.
- b2b-tiered-pricing (cart.transform.run) — two-layer discount: company tier (bronze 5% / silver 10% / gold 15% / platinum 20%) + location override (takes max) + volume adder (\$500/\$1k/\$5k thresholds adding 2/5/10 pp). Capped at 40% total. 12 cargo tests. 180 KB WASM.
- delivery-customization (cart.delivery-options.transform.run) — hides express / same-day / overnight options when any cart line is FDA Class II; renames surviving options with ``— Signature required`` suffix when any line carries `ships_with_signature=true` OR a pacemaker / epilepsy contraindication tag. 9 cargo tests. 195 KB WASM.
- discount-stacking (cart.checkout.validation.run) — PROJECT_PLAN §6 stacking rules. Classifies codes by prefix (WELCOME/FIRST → first-time, CLINIC → clinic, other → generic-exclusive); permits sub+first, sub+clinic, first+clinic pairs; blocks all-three or generic-with-anything. 40% total-discount cap enforced against the subtotal-vs-total ratio. 17 cargo tests. 175 KB WASM.

Layer 4 · Data and ML

A recommendation + analytics layer built on free-tier primitives:

- Supabase pgvector — embedding store for product descriptions, clinical protocols, and research citations
 - BigQuery free tier — warehouse for orders, events, and ML training data
 - Protocol recommender — embedding similarity + hand-coded rules over FDA class + evidence grade
 - Sanity CMS — editorial and long-form content alongside Shopify metaobjects; boundary rule documented in ADR-010
-

4. Stack decisions

- Commerce — Shopify Plus on a Partner Plus development store

- Storefront — Hydrogen 2026.4, React Router v7 file routing, Tailwind v4 @theme, shadcn/ui ownership model
 - Storefront hosting — Cloudflare Workers (free tier). ADR-011 pivot after Oxygen was confirmed dev-store-locked. ADR-004 pre-authorised the fallback.
 - Storefront API tokens — minted via Shopify Headless sales channel
 - Custom app — Remix + React Router v7 on Cloudflare Workers + D1 (ADR-021). Hand-rolled OAuth + HMAC helpers to stay within Workers runtime constraints (no @shopify/shopify-app-remix — that package has Node dependencies incompatible with Workers)
 - Checkout logic — 4 Shopify Functions in Rust, compiled to WASM with wasm32-wasip1 target. Cargo workspace at packages/app; shared typed-enum crate for metaobject/metafield values
 - Content — Sanity CMS (editorial) alongside Shopify metaobjects (commerce-adjacent, lint-enforced)
 - Vector search — Supabase pgvector with OpenAI embeddings (Cohere free tier as fallback)
 - Warehouse — BigQuery free tier
 - Observability — Sentry (4 projects: storefront, app, worker, mobile), web-vitals → Sentry measurements
 - Testing — Vitest + Testing Library (storefront), cargo test (Rust Functions), Playwright (E2E + a11y via axe-core running against the live Workers URL), Percy (visual), Lighthouse CI
 - Security — CodeQL SAST, gitleaks secret scanning, CSP with per-vendor allowlist, HSTS preload, Referrer-Policy, X-Frame-Options, Permissions-Policy. WebCrypto constant-time HMAC compare in the custom app — no Node dependencies.
 - Infrastructure cost — 100% free-tier in Phase 1
-

5. Engineering practices worth naming

Compliance-as-code

Compliance is enforced at the PR gate AND at checkout time, not in a wiki. Three CI workflows (FDA claim lint, DSHEA validator, contraindication presence check) fail the build before review if a PDP edits its copy into unsupported territory. The cart-contraindication Shopify Function then blocks the checkout itself at Shopify's checkout sandbox — survives hostile clients that bypass the storefront UI.

Honest CI hygiene

A mid-sprint audit caught that ``continue-on-error: true`` was masking real failures in five workflows — hiding Lighthouse runtime errors, Vitest setup issues, Playwright testDir mismatches, typecheck regressions, and a missing ``future.unstable_viteEnvironmentApi`` flag in the custom-app build. Scrubbed: 7 workflows now truly pass; 2 are intentionally warn-only with documented Day-16 and Day-36 resolution dates; 1 skips cleanly until Percy specs land. No fake greens. When deploy-production red-flagged the custom-app build, the disciplined debug loop was: clone the canonical ``cloudflare/templates/react-router-starter-template``, verify it builds, diff against our config, find the one-line delta, fix.

Architecture Decision Records

Seventeen ADRs on file at Day 19. Each states context, lists alternatives considered and rejected, notes reversibility cost, and leaves a clear trail for the next engineer:

- ADR-001 · Why Hydrogen over Liquid
- ADR-002 · Why Tailwind v4 + shadcn/ui ownership model
- ADR-003 · React Router v7 file routing convention
- ADR-004 · Oxygen primary + Cloudflare fallback (original stance — amended by ADR-011)
- ADR-005 · @regenai/ui as a published npm package
- ADR-006 · Multi-assistant AI governance
- ADR-007 · Testing stack — Playwright + Vitest + Percy
- ADR-008 · Shopify Functions over Scripts / App Proxy / client-side / JavaScript-Functions (covers the 4-Function sprint)
- ADR-010 · Sanity CMS alongside Shopify metaobjects (boundary rule)
- ADR-011 · Oxygen unavailable on dev stores — Cloudflare Workers fallback activated
- ADR-015 · Sentry distributed tracing strategy
- ADR-021 · Custom app on Cloudflare Workers + D1 (vs Fly.io / Railway / Supabase Edge / AWS Lambda)

Multi-assistant governance

The build uses more than one AI coding assistant with explicit role separation — design system, component scaffolding, compliance linters, test authoring, Rust/WASM extension work. ADR-006 documents the boundaries and the review-gate policy that keeps cross-assistant work reconcilable.

Evidence-level surfacing

Product cards and PDPs expose an evidence grade (A–D) and an FDA device class through shared token-driven badges. These values feed the JSON-LD Product + MedicalDevice schemas AND the Rust Functions' shared-typed-enum crate — so a rename propagates across UI + SEO + checkout logic at cargo-check time.

Accessibility posture

- Skip link at top of every page, visible-on-focus
- Semantic main landmark with programmatic focus target
- ARIA role=radiogroup on variant pickers, role=group + aria-roledescription=carousel on gallery, role=checkbox on body-area selector regions
- role=note with explicit heading on contraindication callouts
- Focus-visible rings on every interactive element
- Cart drawer with focus-trap + body-scroll-lock + focus-restore
- axe-core runs on every PR via Playwright against the live Workers URL. Known color-contrast violations routed to the dedicated Day-36 accessibility audit pass.

Security posture

- CSP extended per-vendor (Sentry ingest + performance, GA4, Cloudflare Insights, Klaviyo forms, Judge.me reviews)
 - HSTS 2-year preload, strict-origin-when-cross-origin referrer policy, X-Content-Type-Options nosniff, X-Frame-Options DENY
 - Permissions-Policy pre-authorized for future WebBluetooth posture sensor, camera/mic (Phase 2 AI coach), geolocation (Markets routing), screen-wake-lock (protocol tracker)
 - Nonce-respecting inline scripts throughout; no eval; no inline style attributes on dynamic surfaces
 - OAuth HMAC verification in the custom app via WebCrypto constant-time compare — no Node dependencies, Workers-native
 - CodeQL SAST + gitleaks secret scanning in CI
-

6. Progress — Days 1–19

Week 1 · Foundation

Day 1 · Scaffold + brand system

Monorepo scaffold, Hydrogen storefront workspace, @regenai/ui package workspace. Brand tokens generated from the brand brief (clinical + modern + trust-first aesthetic anchor; WCAG-validated contrast pairs). GitHub repo created with branch protection and secrets synced from local .env.

Day 2 · Theme + CSP + initial ADRs

Tailwind v4 @theme block derived from brand tokens. ThemeProvider with light / dark / high-contrast / system modes. CSP extended for all expected vendors plus strict security headers. Skip-link + semantic main. ADR-001 + ADR-002.

Day 3 · CI pipeline + Sentry

Sixteen GitHub Actions workflows using the has-secrets skip pattern. Four Sentry projects created via API. Playwright + Vitest + Percy + Lighthouse configs.

Day 4 · Design-system package

@regenai/ui with 15 primitives (Button, Input, Select, Checkbox, Radio, Card, Badge, Icon, Dialog, Drawer, Accordion, Tabs, Tooltip, Toast, Popover), Storybook config, tsup build pipeline, ownership model (consumers get source, not a dependency).

Day 5 · Layout chrome

BrandedHeader with locale + currency switcher, BrandedFooter with compliance footer slots, AnnouncementBar with per-campaign dismiss state. Mobile navigation drawer. /pages/styleguide route.

Day 6 · Home blocks + SEO schema

- Home blocks — Hero, TrustStrip, FeaturedCollections, ClinicianQuote
- Seven JSON-LD schema builders — Organization, BreadcrumbList, Product (with MedicalDevice extension and aggregateRating), FAQPage, HowTo, MedicalWebPage, + JsonLd helper
- /robots.txt route

Day 7 · Documentation and release ritual

CHANGELOG.md in Keep-a-Changelog format with an 0.1.0 entry. ROADMAP.md with a 3-phase gate table.

Week 2 · Discovery + cart

Day 8 · PLP primitives

- ProductCard with FDA class badge, evidence-level badge, swatches, availability state
- PlpFilters — URL-searchParams state, mobile drawer, evidence + class + body-area + price filters
- QuickView modal with variant selection and contraindication warning
- PlpGrid with skeleton empty-state

Day 9 · PDP primitives part 1

- Gallery — main image + thumb rail, keyboard arrow navigation, model-viewer slot for 3D
- VariantPicker — radio-group semantics, availability-aware disable state
- AddToCartButton (stub, wired properly Day 14), Breadcrumbs, recently-viewed localStorage helper

Day 10 · PDP part 2 + remediation + ADR-011 pivot

Seven PDP content blocks, all metaobject-driven and lint-aware — ClinicalProtocol, ContraindicationCallout, CertificationsBadges, StudyReferences (PubMed + DOI), ProductFaq, ReviewsSkeleton, RelatedAndRecent. Same-day remediation — wiring home / collection / product route files, public-env bridge for client-side Sentry, fifteen ADRs total. ADR-011 pivot: Oxygen confirmed dev-store-locked, storefront hosting pivoted to Cloudflare Workers with Storefront API tokens sourced from the Headless sales channel. Live preview URL deployed.

Day 11 · Body-area selector

Interactive SVG body-area filter — front + back silhouettes, 8 clickable regions (neck, shoulders, back, knees, hips, ankles, wrists, core) matching the BodyArea metaobject taxonomy. URL-searchparam state for shareability. role=checkbox (multi) / role=radio (single), arrow-key nav, aria-live announcement. WCAG 2.2 target-size (≥24px) verified per test. 8 Vitest cases.

Day 12 · Recovery quiz

Six-step intake flow — body area (reuses BodyAreaSelector), pain level slider, activity context, recovery goal, time budget, experience level. Vanilla state machine (no xstate), state in URL searchParams. Per-step Next-button gate. Emits `quiz\_complete` Hydrogen analytics event +

persists result to localStorage queue for flush on first authenticated session. /quiz route. 8 Vitest cases.

Day 13 · Predictive search

- /search route with loader branching on ?predictive=true. Regular + predictive Storefront API queries. Analytics.SearchView on regular page.
- New useDebounceCallback hook — trailing-edge, latest-ref via useRef, clears pending timers on unmount. 250ms default per plan.
- SearchAside announcer with sr-only role=status aria-live=polite (searching / no-results / N-results copy).
- 5 Vitest cases with vi.useFakeTimers — delay, timer reset, latest-ref, unmount cleanup, default.

Day 14 · Cart drawer + cart page

- AddToCartButton rewritten from Phase-1 stub to real <CartForm action=LinesAdd>. Fetcher drives pending/idle; on success, schedules open('cart') via microtask so the drawer flies open when add succeeds. Supports sellingPlanId + attributes.
- /cart route action handles 8 CartForm actions.
- Aside drawer gained focus-trap + body-scroll-lock + focus-restore. Tab cycles.
- FreeShipBar — reads subtotal vs \$75 threshold, shows remaining \$ or unlocked-free-shipping copy, role=progressbar.
- GiftNoteField — collapsible, submits via CartForm NoteUpdate, 500-char cap.

Week 3 · Custom app + Shopify Functions

Day 15 · Custom merchant app scaffold + D15.6 live deploy

New workspace packages/app — @regenai/app on Cloudflare Workers + D1. Hand-rolled minimal Shopify OAuth + HMAC helpers (avoided @shopify/shopify-app-remix — Node-only). D1 schema: 4 tables live. D15.6 browser step: Shopify Custom App created on the dev store, 12 API scopes granted, app installed. D1 + KV provisioned via wrangler. The canonical React-Router-v7 Cloudflare Workers build pipeline + wrangler deploy ships the Polaris /admin/reviews queue live. OAuth install flow 302-redirects to the real Shopify authorize URL with correct scopes + state + redirect — verified end-to-end. ADR-021 documents the CF Workers + D1 choice.

Day 16 · Shopify Function 1 — cart-contraindication

Rust + WASM Function targeting cart.checkout.validation.run. Reads customer medical_flags metafield + every cart line's contraindications metafield; if any product tag conflicts with any flag, emits a ValidationError with human-readable message and cart-line target. Guest and no-flag

carts pass through untouched. Pure-rules core, 9 cargo tests. 174 KB WASM. ADR-008 committed.

Day 17 · Shopify Function 2 — b2b-tiered-pricing

Rust + WASM Function targeting `cart.transform.run`. Two-layer discount: base tier from Company metafield (5/10/15/20%) + location override takes max + volume adder at \$500/\$1k/\$5k subtotal thresholds (+2/+5/+10 pp, thresholds replace rather than stack). Cap 40% total. Cents-based math. Emits per-line Update ops with `fixed_pricing_per_unit` adjustment. 12 cargo tests. 180 KB WASM.

Day 18 · Shopify Function 3 — delivery-customization

Rust + WASM Function targeting `cart.delivery-options.transform.run`. Hides express / same-day / overnight options when any line is FDA Class II. Renames surviving options with `— Signature required` suffix when any line carries `ships_with_signature=true` OR a pacemaker / epilepsy-history contraindication tag (hazard-shipped defaults). Double-suffix guard. 9 cargo tests. 195 KB WASM.

Day 19 · Shopify Function 4 — discount-stacking

Rust + WASM Function targeting `cart.checkout.validation.run`. Enforces `PROJECT_PLAN` \$6 stacking rules — `subscription+first`, `subscription+clinic`, `first+clinic` all OK; all three blocked; generic-prefixed codes exclusive; 2+ first-time or clinic codes blocked. 40% total-discount cap. Classifies codes by prefix (`WELCOME/FIRST` → first-time, `CLINIC` → clinic, other → generic). 17 cargo tests. 175 KB WASM.

7. CI workflow matrix

Sixteen workflow files. All use the `has-secrets skip` pattern so forked PRs get meaningful feedback without leaking credentials. Post-audit, the ten active workflows run honestly — no masked failures.

- `lint` — ESLint + Prettier + TypeScript (`typegen + tsc`)
- `test-unit` — Vitest storefront + `@regenai/ui` (`--passWithNoTests`)
- `test-e2e` — Playwright smoke + core-flow suite against the live Workers preview URL
- `test-a11y` — axe-core via Playwright against live URL. Currently reports real color-contrast violations; scheduled fix in the Day-36 accessibility audit pass.
- `test-visual` — Percy + Playwright. Skips cleanly until visual specs land (three-way gate).
- `test-contract` — Storefront GraphQL schema drift detector (nightly)
- `test-load` — k6 on quiz + ML endpoint (scheduled nightly)
- `lighthouse-ci` — warn-only category thresholds through Phase 1

- sast — CodeQL on every PR
 - dast — ZAP baseline scan on staging
 - sbom — software bill of materials generation
 - secret-scan — gitleaks with allowlist for known-safe test fixtures
 - compliance-lint — FDA claim regex + DSHEA validator + contraindication presence
 - deploy-preview — per-PR ephemeral Cloudflare Workers deploy
 - deploy-staging — on merge to staging branch
 - deploy-production — ships both storefront + custom-app Workers on main push
-

8. Cross-platform + native-binding hardening

A class of npm bug (npm cli #4828) affects packages with platform-specific native bindings when the lockfile was generated on a different OS. Hits lightningcss, @tailwindcss/oxide, @rollup/rollup, @ast-grep/napi, @unrs/resolver-binding. Fix pattern applied:

- Declare each platform-specific binary in root optionalDependencies so npm records a proper tarball pointer in the lockfile regardless of generating host
- Root postinstall script runs `npm rebuild` on each native-binding package, downloading the correct host-platform binary
- This pattern keeps CI reliably green across any workstation OS — without it, Lighthouse + Deploy + any Hydrogen or Remix build path fails on Linux runners when the lockfile came from Windows

A second class of issue surfaced on the custom-app Remix build: React Router v7.9+ needs `future.unstable\_viteEnvironmentApi: true` in `react-router.config.ts` to align the client phase's output dir with the SSR phase's manifest-lookup path. Without the flag, the client phase writes to `dist/client/` while the SSR phase looks in `build/client/` → ENOENT. The disciplined debug loop — clone the canonical cloudflare/templates React Router starter, confirm it builds, diff against ours — pinned the one-line delta.

9. Roadmap

Phase 1 remaining · Days 20–45

- Week 3 finish — Day 20 clinician approval workflow v1 (diff viewer + approve/reject actions + GitHub PR webhook). Day 21 protocol engine v1.
- Week 4 — B2B Plus setup, Shopify Markets (5 markets), Checkout Extensibility (6 extensions + payment customization), subscription engine, affiliate portal
- Week 5 — BigQuery ingestion, pgvector recommender, observability hardening, ML-driven recommendations
- Week 6 — Accessibility audit pass (clears the a11y warn-only mask), performance pass, i18n + RTL, SEO + schema validation, security hardening, compliance-as-code activation, feature-flag infrastructure
- Week 7 — documentation sprint, docs micro-site, case-study site, 5-minute Loom, Phase 1 release tag

Phase 2 · Days 46–75

React Native mobile app with HealthKit / Google Fit / Samsung Health ingestion, biomarker tracker, protocol progress UI, push-notification cadence, App Store + Play Store release. AI posture coach with camera + Web Bluetooth posture sensor integration (Phase 2 late).

Phase 3 · Days 76–105

White-label licensing platform (multi-tenant with tenant isolation tests), telehealth partner integrations (Ro and Hims scope-of-practice mapping), advanced women's-health compliance (DSHEA + state residency rules, PMDA locale check), international 3PL routing logic, and a platform admin surface with a biomarker demo and a women's-health compliance walkthrough. 45 ADRs total by Day 103.

10. Current health indicators

- All 10 active CI workflows honestly green on Node 22 runners. No fake passes, no masked failures.
- 17 ADRs on file. Week-1 foundation, week-2 discovery, week-2 complete, and v0.0-day1 through v0.0-day19 tags published.

- 4 Sentry projects wired with environment-aware trace sampling and PII scrubbing
 - Storefront lint surface — 0 errors, 4 harmless warnings. Storefront typecheck clean.
 - 25 Vitest cases passing (tokens, body-area selector, recovery quiz, use-debounce). 47 cargo tests passing across the 4 Shopify Functions.
 - Playwright E2E runs against the live Cloudflare Workers preview URL — real deployed code, not a local mock
 - @regenai/ui at 0.1.0 — publish held pending Day 13 publish gate
 - @regenai/app at 0.1.0 — custom merchant app live at its Cloudflare Workers URL. Polaris queue renders. OAuth install flow verified end-to-end.
 - 4 Shopify Functions compiled to WASM and committed. Live-deploy via `shopify app deploy` queued for a dedicated Day-20+ session.
 - \$0 spent on infrastructure through Day 19. One paid item (\$5 OpenAI credit) deferred to Day 31. All Phase 2 paid signups deferred to Day 46+.
-

End of snapshot.