TEN AI MODEL PROVIDERS AND RECENT MODELS

Scope: This comparison covers models released between 11 November 2025 and 11 November 2026. Token prices are standard API prices in US dollars per one million tokens (input / output), unless stated otherwise. Prices and availability can change; promotional rates, caching, batch processing, and long-context surcharges may differ.

Important note on cut-off dates: A model's knowledge cut-off is the latest date of information represented in its training or knowledge base. This is different from its release date. Where the provider has not published a reliable cut-off date, the table says “Not publicly stated” rather than guessing.

Model provider	Model	Release date	Knowledge cut-off	Token cost (USD / 1M input-output)	Context window	Type	When to use this model
OpenAI	GPT-6.1 Terra	26 Oct 2026	1 Jun 2026	$1.00 / $5.00	1.05M tokens	Multimodal reasoning; visual understanding; computer-use capable	Use for efficient visual reasoning, interpreting diagrams or screenshots, computer-use workflows, and polished writing.
Anthropic	Claude Fable 5.2	9 Nov 2026	Jun 2026	$8.00 / $40.00	1M tokens	Advanced reasoning; coding; vision; agentic tasks	Use for difficult technical work, complex coding, long research tasks, and multi-step work that must be carried through to a finished result.
Google DeepMind	Gemini 4 Carbon	10 Nov 2026 (public availability)	Not publicly stated	$2.00 / $10.00 introductory rate*	Up to 1M tokens	Multimodal; long-horizon agentic reasoning	Use for complex multi-step software engineering, scientific research, cybersecurity analysis, and demanding knowledge work.
xAI	Grok 4.7	21 Sep 2026	Not publicly stated	$2.00 / $6.00**	500K tokens	Reasoning; coding; text and image input	Use for coding, research, analysis, and general knowledge-work tasks

Model provider	Model	Release date	Knowledge cut-off	Token cost (USD / 1M input-output)	Context window	Type	When to use this model
							requiring strong reasoning.
Mistral AI	Mistral Large 4	6 Oct 2026	Not publicly stated	$1.36 / $4.18	1M tokens	Large general-purpose model; reasoning and multimodal capabilities	Use for demanding enterprise applications, long-document processing, coding, and general-purpose assistant workloads.
DeepSeek	DeepSeek V4.1-Flash-1017	17 Oct 2026	Not publicly stated	Not published in the sources reviewed	Not confirmed in the sources reviewed	Fast general-purpose language model; open-weight release	Use where a fast, deployable model is useful for general reasoning and development; verify the exact hosted endpoint's specifications before use.
Alibaba (Qwen)	Qwen3.8 Max	3 Aug 2026	Not publicly stated	Not confirmed in the sources reviewed	1M tokens	Large general-purpose model; mixture-of-experts	Use for complex general-purpose tasks, long-context work, and applications built around the Qwen model family.
Meta	Muse Ember	9 Nov 2026	Not publicly stated	$0.10 / $0.50	1M tokens	General-purpose assistant model	Use for high-volume, cost-sensitive tasks such as summarisation, extraction, classification, and routine assistant workflows.
Z.ai	GLM 5.3 Flash	26 Aug 2026	Not publicly stated	About $0.03 / $0.08***	1.05M tokens	Fast reasoning model; open weights	Use for low-cost, high-throughput applications, coding assistance, and tasks where fast responses matter.
Moonshot	Kimi K3.1 Pro	23 Oct	Not	About $3.89	1.05M	High-speed	Use for long-context analysis,

Model provider	Model	Release date	Knowledge cut-off	Token cost (USD / 1M input-output)	Context window	Type	When to use this model
AI	Highspeed	2026	publicly stated	/ $20.33****	tokens	reasoning; multimodal and tool use	complex reasoning, and tool-assisted workflows where speed is important.

Short comparison and observations

- Premium models such as Claude Fable 5.2 and Gemini 4 Carbon are positioned for difficult reasoning, agentic workflows, and complex technical tasks.
- Lower-cost models such as Muse Ember and GLM 5.3 Flash are more suitable for large volumes of routine requests where cost and speed are important.
- Context window is the amount of tokenised input and conversation a model can consider in one request. A larger context window is useful for long documents, but it does not guarantee that every detail will be used perfectly.
- API prices are normally charged separately for input and output tokens. Output tokens are often more expensive because generating them requires additional computation.