

Add Product Test Suites

Execution Environment

Host name	TRUE GAMING - ZahranS.mshome.net
Local OS	Windows 10 64bit
Katalon version	8.6.8.208
Browser	Chrome 121.0.0.0

Summary

ID	Test Suites/Test Suites/Add Product Test Suites		
Description			
Total	9		
Passed	9	Failed	0
Error	0	Incomplete	0
Skipped	0		
Start	2024-02-04 23:42:28	End	2024-02-04 23:45:52
Elapsed	3m - 24.446s		

#	ID	Description	Status
1	Test Cases/Step Definition/Feature Add Product/TCAdd001 - Add Product Success	User can add product after filling in all the forms add product	PASSED
2	Test Cases/Step Definition/Feature Add Product/TCAdd002 - Preview Product Before the Product Wants To Be Published	User can preview product after filling in all the forms add product	PASSED
3	Test Cases/Step Definition/Feature Add Product/TCAdd003 - Add Product By Empty All the Forms Add Product	User can't add product with empty all the forms add product	PASSED
4	Test Cases/Step Definition/Feature Add Product/TCAdd004 - Add Product Without Filling In the Nama Produk Field	User can't add product with filling in all the forms add product except the Nama Product field	PASSED
5	Test Cases/Step Definition/Feature Add Product/TCAdd005 - Add Product Without Filling In the Harga Produk Field		PASSED
6	Test Cases/Step Definition/Feature Add Product/TCAdd006 - Add Product Without Select Kategori Produk Field	User can't add product with filling in all the forms add product except in the select Kategori Product field	PASSED
7	Test Cases/Step Definition/Feature Add Product/TCAdd007 - Add Product Without Filling In the Deskripsi Produk Field	User can't add product with filling in all the forms add product except the Deskripsi Produk field	PASSED
8	Test Cases/Step Definition/Feature Add Product/TCAdd008 - Add Product Without Filling In the Add Image Product Form	User can't add product with filling in all the forms add product except add image in the image form	PASSED
9	Test Cases/Step Definition/Feature Add Product/TCAdd009 - Add Product With Harga Produk Field Filling In With E Alphabet	User can't add product with by filling in all the forms add product but in the Harga produk field, user fill in "e" alphabet	PASSED

TCAdd001 - Add Product Success

Information

ID	Test Cases/Step Definition/Feature Add Product/TCAdd001 - Add Product Success		
Description	User can add product after filling in all the forms add product		
Tag	TC.Add.001		
Start	2024-02-04 23:42:33	End	2024-02-04 23:42:56
Elapsed	23.729s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase Navigate to 'https://secondhand.binaracademy.org/' successfully	3.449s	PASSED
2	callTestCase(findTestCase("Test Template/Add Product/User Add Product"), ["nama_produk":nama_produk, "harga_produk":harga_produk, "kategori_produk":kategori_produk, "deskripsi_produk":deskripsi_produk], STOP_ON_FAILURE)	19.238s	PASSED
3	Start listener action : afterTestCase Browser is closed	0.699s	PASSED

TCAdd002 - Preview Product Before the Product Wants To Be Published

Information

ID	Test Cases/Step Definition/Feature Add Product/TCAdd002 - Preview Product Before the Product Wants To Be Published		
Description	User can preview product after filling in all the forms add product		
Tag	TC.Add.002		
Start	2024-02-04 23:42:56	End	2024-02-04 23:43:20
Elapsed	23.675s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase Navigate to 'https://secondhand.binaracademy.org/' successfully	3.062s	PASSED
2	callTestCase(findTestCase("Test Template/Add Product/User Preview Product Before Add Product"), [{"nama_produk":nama_produk, "harga_produk":harga_produk, "deskripsi_produk":deskripsi_produk, "kategori_produk":kategori_produk}, STOP_ON_FAILURE) Call Test Case 'Test Cases/Test Template/Add Product/User Preview Product Before Add Product' successfully	19.657s	PASSED
3	Start listener action : afterTestCase Browser is closed	0.649s	PASSED

TCAdd003 - Add Product By Empty All the Forms Add Product

Information

ID	Test Cases/Step Definition/Feature Add Product/TCAdd003 - Add Product By Empty All the Forms Add Product		
Description	User can't add product with empty all the forms add product		
Tag	TC.Add.003		
Start	2024-02-04 23:43:20	End	2024-02-04 23:43:43
Elapsed	22.386s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase Navigate to 'https://secondhand.binaracademy.org/' successfully	3.181s	PASSED
2	callTestCase(findTestCase("Test Template/Add Product/User Add Product Without Select Category Product"), [{"nama_produk":nama_produk, "harga_produk":harga_produk, "kategori_produk":kategori_produk, "deskripsi_produk":deskripsi_produk}, STOP_ON_FAILURE) Call Test Case 'Test Cases/Test Template/Add Product/User Add Product Without Select Category Product' successfully	16.749s	PASSED
3	getText(findTestObject("Add product/alert_namaProduk")) Text of object 'Object Repository/Add product/alert_namaProduk' is: 'Name can't be blank'	0.412s	PASSED
4	getText(findTestObject("Add product/alert_hargaProduk")) Text of object 'Object Repository/Add product/alert_hargaProduk' is: 'Price can't be blank'	0.392s	PASSED
5	getText(findTestObject("Add product/alert_kategori")) Text of object 'Object Repository/Add product/alert_kategori' is: 'Category must exist'	0.360s	PASSED
6	getText(findTestObject("Add product/alert_deskripsi")) Text of object 'Object Repository/Add product/alert_deskripsi' is: 'Description can't be blank'	0.375s	PASSED

TCAdd003 - Add Product By Empty All the Forms Add Product

#	Description	Elapsed	Status
7	Start listener action : afterTestCase Browser is closed	0.672s	PASSED

TCAdd004 - Add Product Without Filling In the Nama Produk Field

Information

ID	Test Cases/Step Definition/Feature Add Product/TCAdd004 - Add Product Without Filling In the Nama Produk Field		
Description	User can't add product with filling in all the forms add product except the Nama Product field		
Tag	TC.Add.004		
Start	2024-02-04 23:43:43	End	2024-02-04 23:44:04
Elapsed	21.137s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase Navigate to 'https://secondhand.binaracademy.org/' successfully	2.555s	PASSED
2	callTestCase(findTestCase("Test Template/Add Product/User Add Product"), ["nama_produk":nama_produk, "harga_produk":harga_produk, "kategori_produk":kategori_produk, "deskripsi_produk":deskripsi_produk], STOP_ON_FAILURE)	17.240s	PASSED
3	getText(findTestObject("Add product/alert_namaProduk")) Text of object 'Object Repository/Add product/alert_namaProduk' is: 'Name can't be blank'	0.381s	PASSED
4	Start listener action : afterTestCase Browser is closed	0.641s	PASSED

TCAdd005 - Add Product Without Filling In the Harga Produk Field

Information

ID	Test Cases/Step Definition/Feature Add Product/TCAdd005 - Add Product Without Filling In the Harga Produk Field		
Description			
Tag			
Start	2024-02-04 23:44:04	End	2024-02-04 23:44:26
Elapsed	21.932s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase Navigate to 'https://secondhand.binaracademy.org/' successfully	3.403s	PASSED
2	callTestCase(findTestCase("Test Template/Add Product/User Add Product"), ["nama_produk":nama_produk, "harga_produk":harga_produk, "kategori_produk":kategori_produk, "deskripsi_produk":deskripsi_produk], STOP_ON_FAILURE)	17.217s	PASSED
3	getText(findTestObject("Add product/alert_hargaProduk")) Text of object 'Object Repository/Add product/alert_hargaProduk' is: 'Price can't be blank'	0.362s	PASSED
4	Start listener action : afterTestCase Browser is closed	0.658s	PASSED

TCAdd006 - Add Product Without Select Kategori Produk Field

Information

ID	Test Cases/Step Definition/Feature Add Product/TCAdd006 - Add Product Without Select Kategori Produk Field		
Description	User can't add product with filling in all the forms add product except in the select Kategori Product field		
Tag	TC.Add.006		
Start	2024-02-04 23:44:26	End	2024-02-04 23:44:47
Elapsed	21.420s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase Navigate to 'https://secondhand.binaracademy.org/' successfully	2.775s	PASSED
2	callTestCase(findTestCase("Test Template/Add Product/User Add Product Without Select Category Product"), [{"nama_produk":nama_produk, "harga_produk":harga_produk, "kategori_produk":kategori_produk, "deskripsi_produk":deskripsi_produk}, STOP_ON_FAILURE) Call Test Case 'Test Cases/Test Template/Add Product/User Add Product Without Select Category Product' successfully	17.337s	PASSED
3	getText(findTestObject("Add product/alert_kategori")) Text of object 'Object Repository/Add product/alert_kategori' is: 'Category must exist'	0.331s	PASSED
4	Start listener action : afterTestCase Browser is closed	0.657s	PASSED

TCAdd007 - Add Product Without Filling In the Deskripsi Produk Field

Information

ID	Test Cases/Step Definition/Feature Add Product/TCAdd007 - Add Product Without Filling In the Deskripsi Produk Field		
Description	User can't add product with filling in all the forms add product except the Deskripsi Produk field		
Tag	TC.Add.007		
Start	2024-02-04 23:44:47	End	2024-02-04 23:45:09
Elapsed	22.028s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase Navigate to 'https://secondhand.binaracademy.org/' successfully	2.482s	PASSED
2	callTestCase(findTestCase("Test Template/Add Product/User Add Product"), ["nama_produk":nama_produk, "harga_produk":harga_produk, "kategori_produk":kategori_produk, "deskripsi_produk":deskripsi_produk], STOP_ON_FAILURE)	18.174s	PASSED
3	getText(findTestObject("Add product/alert_deskripsi")) Text of object 'Object Repository/Add product/alert_deskripsi' is: 'Description can't be blank'	0.420s	PASSED
4	Start listener action : afterTestCase Browser is closed	0.673s	PASSED

TCAdd008 - Add Product Without Filling In the Add Image Product Form

Information

ID	Test Cases/Step Definition/Feature Add Product/TCAdd008 - Add Product Without Filling In the Add Image Product Form		
Description	User can't add product with filling in all the forms add product except add image in the image form		
Tag	TC.Add.008		
Start	2024-02-04 23:45:09	End	2024-02-04 23:45:30
Elapsed	21.095s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase Navigate to 'https://secondhand.binaracademy.org/' successfully	3.553s	PASSED
2	callTestCase(findTestCase("Test Template/Add Product/User Add Product Without Img Product"), [{"nama_produk":nama_produk, "harga_produk":harga_produk, "kategori_produk":kategori_produk, "deskripsi_produk":deskripsi_produk}, STOP_ON_FAILURE) Call Test Case 'Test Cases/Test Template/Add Product/User Add Product Without Img	16.600s	PASSED
3	Start listener action : afterTestCase Browser is closed	0.669s	PASSED

TCAdd009 - Add Product With Harga Produk Field Filling In With E Alphabet

Information

ID	Test Cases/Step Definition/Feature Add Product/TCAdd009 - Add Product With Harga Produk Field Filling In With E Alphabet		
Description	User can't add product with by filling in all the forms add product but in the Harga produk field, user fill in "e" alphabet		
Tag	TC.Add.010		
Start	2024-02-04 23:45:30	End	2024-02-04 23:45:51
Elapsed	21.109s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase Navigate to 'https://secondhand.binaracademy.org/' successfully	2.888s	PASSED
2	callTestCase(findTestCase("Test Template/Add Product/User Add Product"), ["nama_produk":nama_produk, "harga_produk":harga_produk, "kategori_produk":kategori_produk, "deskripsi_produk":deskripsi_produk], STOP_ON_FAILURE)	16.873s	PASSED
3	getText(findTestObject("Add product/alert_hargaProduk")) Text of object 'Object Repository/Add product/alert_hargaProduk' is: 'Price can't be blank'	0.398s	PASSED
4	Start listener action : afterTestCase Browser is closed	0.672s	PASSED