Labsheet3

Mohd Zaid, Cu24250049, 34

```
export default funcon Cart({ cart, removeFromCart }) {

 if (cart.length === 0) {
  return <p>Your cart is empty</p>;
 }
 const grandTotal = cart.reduce((total, item) => total + item.product.price * item.quanty, 0);
return (
  <div style={{ border: "1px solid #ddd", padding: "15px", margin: "10px 0" }}>
   <h2>Your Cart</h2>
   <table style={{ width: "100%", textAlign: "le" }}>
    <thead>
     <tr>
      <th>Item</th>
      <th>Price</th>
      <th>Quanty</th>
      <th>Subtotal</th>
      <th>Acon</th>
     </tr>
    </thead>
    <tbody>
     {cart.map((item) => (
      <tr key={item.product.id}>
       <td>{item.product.name}</td>
       <td>₹{item.product.price}</td>
       <td>{item.quanty}</td>
       <td>₹{item.product.price * item.quanty}</td>
       <td>
        <buon onClick={() => removeFromCart(item.product.id)}>Remove</buon>
       </td>
      </tr ))}
```

```
      </tbody>
    </table>
    <h3>Grand Total: ₹{grandTotal}</h3>
   </div>
  );
}
```

my-ecommerce-react/public/components/CheckoutForm.jsx

```
import { useState } from "react";
export default funcon CheckoutForm() {
  const [formData, setFormData] = useState({
    name: "",
    address: "",
    pincode: "",
    phone: "",
    paymentMethod: "COD"
  });
  const handleChange = (e) => {
    setFormData({ ...formData, [e.target.name]: e.target.value });
  };
  const handleSubmit = (e) => {
    e.preventDefault();
    alert("Order placed successfully!");
  };
  return (
    <form onSubmit={handleSubmit} style={{ display: "flex", flexDirecon: "column", gap: "10px",
maxWidth: "400px", marginTop: "20px" }}>
      <h2>Checkout</h2>
      <input type="text" name="name" placeholder="Name" value={formData.name}
onChange={handleChange} required />
      <input type="text" name="address" placeholder="Address" value={formData.address}
onChange={handleChange} required />
```

```
    <input type="text" name="pincode" placeholder="Pincode" value={formData.pincode}
onChange={handleChange} required />
    <input type="text" name="phone" placeholder="Phone" value={formData.phone}
onChange={handleChange} required />
    <select name="paymentMethod" value={formData.paymentMethod}
onChange={handleChange}>
      <opon value="COD">Cash on Delivery</opon>
      <opon value="Online">Online Payment</opon>
    </select>
    <buon type="submit">Place Order</buon>
  </form>
 );
}
```

my-ecommerce-react/public/components/ProductCard.jsx

```
export default func  on ProductCard({ product, addToCart }) {
 return (
  <div style={{ border: "1px solid #ccc", padding: "10px", margin: "10px" }}>
    <img src={product.image} alt={product.name} width="100" />
    <h3>{product.name}</h3>
    <p>₹{product.price}</p>
    <bu  on onClick={() => addToCart(product)}>Add to Cart</bu  on>
  </div>
 );
}
```

my-ecommerce-react/public/components/ProductList.jsx

```
import { products } from "../products";
import ProductCard from "./ProductCard";
export default func  on ProductList({ addToCart }) {
 return (
  <div style={{ display: "flex", gap: "10px" }}>
    {products.map((product) => (
      <ProductCard key={product.id} product={product} addToCart={addToCart} />
```

```
      ))}
    </div>
  );}
```

images/products.js

```
export const products = [
  {
    id: 1,
    name: "Product 1",
    price: 499,
    image: "hps://via.placeholder.com/150"
  },
  {
    id: 2,
    name: "Product 2",
    price: 999,
    image: "hps://via.placeholder.com/150"
  }
];
```



