GigBid: R&D Report

AI-4016 R&D Assignment. Individual submission.

Every number in this report is read automatically from the results files in `evals/results/` when the PDF is built (`python scripts/build_report.py`). The file each number comes from is named in the text.

1. Problem and constraints

The problem. Freelancers lose hours reading job feeds. They spend paid "Connects" on jobs they are unlikely to win, send generic proposals, and sometimes fall for scam posts. GigBid is a team of AI agents that finds jobs, judges them, and drafts proposals. The freelancer makes every final decision.

What is never automated. These rules are enforced in code, not just in prompts:

- Nothing is sent to a client, and no Connects are spent, until the freelancer approves it. The agent graph stops and waits for a human decision (LangGraph `interrupt()`).
- A proposal may not claim experience that the portfolio cannot prove. Every claim is checked against the portfolio before the human sees it.
- No contact details, off-platform payment, or guarantees are allowed in any text.
- No scraping, and no reading the marketplace faster than a fixed, polite schedule.

Budgets we declared in advance:

What	Budget
Time to analyse one job (95th percentile)	20 seconds
Time to produce one proposal (95th percentile)	60 seconds
Cost per job analysed / per proposal	$0.002 / $0.01
Work per job before it is flagged for attention	40 steps, 60,000 tokens

About the data. The instructor's starter kit (the GigSim simulator, three freelancer portfolios and the labelled job set) was not shared. We built an equivalent ourselves: a marketplace simulator, three messy freelancer portfolios, 1,500 past jobs and 600 labelled test jobs (`docs/DATA_CARD.md`). Because we generated the data, we know the correct answers exactly. The simulated clients reply more often to proposals that are specific, cover their must-have skills and are fairly priced. Reply rates are therefore only meaningful inside this simulator.

2. How the system is built

GigBid has two agent workflows, both written by hand as LangGraph state graphs.

The bid workflow (one per job) works in this order:

1. **Intake** receives a new job.


2 Three agents then work **at the same time**: the *Job Analyst* turns the post into a structured description of the job, the *Risk Assessor* looks for scams, and the *Fit Matcher* finds portfolio evidence for each requirement.

3 A **decision** step chooses bid, watch or skip. Skipped jobs stop here, so scams never cost money.

4 For bids, the *Pricing Strategist* sets a price and the *Proposal Writer* drafts the proposal.

5 A **claim verifier** checks every sentence against the portfolio. The *Critic* reviews the quality and can send the draft back at most twice. The *Compliance Guard* applies the platform rules.

6 The workflow **pauses for the human**, who can approve, edit or reject. Edits are checked again.



The conversation workflow (one per client chat) reads a client reply, works out what the client wants (a question, a price negotiation, an interview request, or a scam), drafts an answer with free calendar slots, and again waits for the human.

Tools. Agents never touch the marketplace or files directly. Every action goes through a tool server that uses the MCP standard: one for the portfolio, one for the marketplace, and one for the calendar and email drafts. Each agent may only use the tools on its own list. All marketplace access goes through a single interface, so switching from the simulator to real Upwork is a setting, not a code change.

Three kinds of stored information are kept separate:

- *Working state:* what one job or conversation needs right now. It is saved to a database after every step, so a crash loses nothing.
- *Trace:* a record of every step and tool call, used for debugging. Personal data is masked.
- *Long-term memory:* only lessons that pass an explicit rule. A writing-style rule is learned only after the user makes the same edit 3 times on at least 2 different jobs. Success rates per job category are used only after at least 5 real outcomes.

Why so many agents? Each agent guards a different boundary. The Job Analyst is the only part that reads the raw (untrusted) post. The Risk Assessor is the only part that reads client history. The Compliance Guard is the only part that interprets the rules. Decision-making and pricing are plain arithmetic, so they need no AI model and are easy to audit.

3. Question A: does the way tools are designed matter?

What we asked. Is it better to give an agent many small tools, a few big ones, or a small set chosen for its role?

How we tested it. We wrote 40 tasks where the correct tool and arguments are known. We gave the same small model (qwen3:1.7b) four different tool sets and checked whether it picked the right tool and filled in the right arguments.

Tool set	Right tool	Right arguments	Tokens per task
All 19 small tools	87.5%	87.5%	2250
3 big tools with an "action" field	0.0%	0.0%	486
3 big tools, typed fields	0.0%	0.0%	695
Role-specific tools, clear descriptions	95.0%	95.0%	580

What we found. The small model never used the big "do-everything" tools at all, in either version. Choosing a tool and then an action inside it was too much for it. Giving it every tool worked, but cost about four times more tokens, and it sometimes confused similar tools such as "search jobs" and "search evidence". A short, role-specific list with descriptions saying *when* to use each tool was both the most accurate and almost as cheap as the big tools.

What we did with it. Each GigBid agent gets its own short tool list, set in the configuration file.

4. Question B: how should we find portfolio evidence?

Why it matters. A proposal is only convincing if it points to real past work. The search step decides which past work the writer sees.

Our guess before testing: combining keyword search with meaning-based search would help a lot, and adding a re-ranking model would help a little more.

How we tested it. We built ten search designs (V0 to V9), plus combinations, and ran each on every test job that has known correct evidence (n = 494). "Recall@5" means: of the correct evidence, how much appears in the top 5 results (1.0 is perfect).

Search design	Recall@5	Time per search
V0: basic meaning search over everything	0.001	0.001 s
Same, but past proposals removed from the index	0.579	0.002 s

Search design	Recall@5	Time per search
V1: one search per requirement	0.636	0.002 s
V2: keyword + meaning search combined	0.714	0.015 s
V3: V2 plus a re-ranking model	0.712	5.448 s
V4: boost work that won before	0.716	0.038 s
V5: treat a project's README, code and summary as one	0.743	0.018 s
V6: add a context line to each text piece	0.684	0.015 s
V7: search with an imagined ideal proposal	0.602	0.524 s
V8: self-correcting search loop	0.695	6.055 s
V9: skill map (skills, projects, industries)	0.926	0.030 s
Everything "advanced" stacked together (our first guess)	0.781	5.472 s
Shipped: keywords + skill map + projects as one + past wins	**0.949**	0.019 s

What we found:

1. **Basic search found the wrong documents.** The basic design scored almost zero, because a freelancer's *past proposals* look very similar to job posts, so search returned them instead of real evidence. Past proposals are sales text and some of them exaggerate (50.0% contain a vague "extensive experience" line; `proposal_audit.json`). Simply removing them from the evidence index raised the score to 0.579.
2. **Keyword + meaning search helped, as we guessed.** The re-ranking model did not: it added no accuracy and took seconds per search. So our guess was only half right.
3. **A skill map beat everything else.** Asking "which project proves this skill?" with a small map of skills and projects worked far better than text similarity.
4. **Measuring beat guessing.** Stacking every "advanced" technique scored 0.781, much worse and slower than the measured choice.

Removing one part at a time (`ablation.json`): without the skill map the score drops to 0.836. Without keyword search it is 0.954, slightly higher, but we keep keyword search because 26.8% of real requirements (like "make the app faster") name no skill at all, and the skill map alone finds nothing for those. Adding meaning-based search back *lowers* the score to 0.933, so the shipped design leaves it out. The score holds up for every freelancer type (AI 0.943, web 0.960, data 0.942) and for vague posts (0.936).

One caution: the correct answers in our test set are defined by skills, which naturally favours a skill map. That is why we also measured what happens to real proposals, below.

Does better search mean more replies? (`gigsim_outcomes.json`, the same jobs for every design)

Search design	Client reply rate	Made-up claims per proposal (before checking)
V0, basic	51.3%	1.85
V2, keyword + meaning	71.8%	0.05
Shipped	71.0%	0.05

Bad search clearly hurt: the writer was fed exaggerated past proposals, made almost two unsupported claims per proposal, and got fewer replies. Beyond V2, though, better search did **not** bring more replies. The writer cites only two or three projects, and V2 already finds good ones. Ranking the very best project first changes *which* proof is cited, not *whether* there is proof. We keep the shipped design because it gives the user a more accurate evidence list, not because it wins more replies.

Checking claims. After drafting, every sentence about past work is checked against the portfolio for skills, numbers and industry. Unsupported sentences are fixed or removed before anyone sees them. On all 600 test jobs, unsupported claims per proposal went from 0.016 to 0.000. A deliberately careless writer made 0.48 per proposal, and the checker also brought that to 0.0 (`claims_eval.json`).

Human panel. 3 classmates each compared 21 anonymised pairs (63 votes), blind: for the same job, one proposal from GigBid's writer and one from the careless "experience list" writer, in random order (`pairwise_panel.json`). GigBid's proposal was preferred in 90.5% of votes (sign test $p < 0.001$); the raters agreed with each other on 87.3% of pairs. The baseline is deliberately weak, so this shows that people clearly notice vague, unproven claims, not that GigBid is better than a careful human writer.

AI judge. We built an AI judge that scores proposals from 1 to 5, and checked it against 30 proposals that the author scored by hand (`judge_calibration.json`). **The judge did not agree with the human.** The small local judge (qwen3:1.7b) reached a Cohen's kappa of -0.03 (no better than chance). The larger gpt-oss-120b judge was no better, at -0.03. Both were far more generous than the human: the human's average score was 2.77, the small judge's 3.97, and the large judge's 4.67. The judges reward proposals for ticking the rubric's boxes (evidence, honest gap, closing question), while the human marked down awkward, template-like wording that the judges ignore. Because of this, **no result in this report relies on the AI judge**. Proposal quality is measured instead by unsupported claims and simulated client replies. Making the judge trustworthy would need a rubric that penalises template phrasing, plus a few scored examples in its prompt.

5. Question C: is a team of agents worth it?

What we compared. On the same 8 jobs per freelancer type: (a) one AI agent with every tool, (b) a ready-made "supervisor" agent that delegates to helper agents, and (c) our designed workflow.

System	Right bid/skip	Scams bid on	Made-up claims	Reply rate	Slowest 5%
(a) One agent	58.3%	4	0.36	36.4%	140 s
(b) Supervisor	45.8%	1	0.00	0.0%	106 s
(c) GigBid	87.5%	0	0.00	81.8%	10 s

What we found. The single agent said "bid" to almost everything, including scam posts asking for payment outside the platform. The supervisor's proposals got no replies; we suspect it sent its own summary instead of the proposal, but we did not keep the texts to confirm this. Our workflow made the best decisions, made no unsupported claims and was about ten times faster.

To be fair: our workflow ran in its rule-based test mode, while the other two had to use the small AI model for every step. Part of our advantage is simply not depending on a small model's judgement.

Where the single agent won. On 2 jobs the single agent was right and we were wrong. In both, our workflow skipped a good job because its requirements were written in plain words without naming a skill (the same weakness as in Section 8). The single agent got these right only because it says yes to nearly everything. We would not let it decide what to send, but it would be useful as an interactive helper inside the proposal editor, where a human checks each step.

6. The platform rule change

What changed. On 2 November the simulated platform changed two rules. Connects now cost more for bigger jobs, and proposals with any unanswered screening question are rejected.

What we edited. One new rule in the policy file, one setting in the configuration, and the policy description: 16 lines added and 3 removed, with no program code. Our tests then found that the new rule wrongly blocked text when no job details were supplied, which took a two-line code fix. In total it took about 10 minutes.

Result (60 test jobs, `change_request.json`): wrong Connects-cost predictions fell from 60 to

1 Proposals

rejected by the platform for missing answers fell from 60 to 0; they are now stopped earlier, with a clear message to the user.

What it shows. Prices and rules belong in data that the system reads, not hard-coded in the program. That made the change cheap.

7. Extra feature: testing two proposal styles

What we built. A way to test two proposal styles fairly. Style A opens by stating the client's need. Style B opens with a pointed question about the client's hardest requirement. Every job got both versions, each sent to a fresh copy of the simulator, so both styles faced the same clients.

Result (`ab_test.json`, 87 jobs): style A got replies 69.0% of the time and style B 73.6%. The difference is **not statistically significant** (exact test p = 0.61; the chance that B is truly better is 74.2%).

What it means. We cannot say B is better, so we keep A as the default. Detecting a difference this small would need several hundred jobs. Users can still switch styles in Settings, and real outcomes keep being recorded for each style.

8. What went wrong: failure analysis

We looked at every test job where GigBid made a mistake: 129 of 600 jobs (`failure_analysis.json`). Each one has a trace that can be replayed step by step.

Type of mistake	How many	Main cause	What we tried	Did it work?
Skipped a good job	67	Requirements written without naming a skill looked like missing experience	Lowered the fit threshold from 0.55 to 0.45	Partly: bid/skip score rose from 0.77 to 0.83
Price outside the fair range	36	Market averages pulled prices away from small or very large budgets	Not yet	Not tried
Bid on a poor-fit job	19	The side effect of the lower threshold above	Budget pacing filters weak bids in real use	Partly
Missed a scam	7	A "do a free test task" post scored just under the scam cut-off	Made free-work, off-platform-payment and fee demands an automatic skip	**Yes**: scam detection rose from 90.3% to 100.0%, with no good jobs blocked
Made-up claim, generic opening, rule break, injection, tool error	0			

Most mistakes share one root cause. GigBid cannot score a requirement that its skill list cannot name. The next fix is to let the AI map plain-language requirements to skills, and to count unclear requirements as uncertain rather than missing.

9. Safety and respect for the platform

What GigBid must never do: send anything without approval, invent experience, share contact details or move payment off the platform, follow instructions hidden in a job post, scrape websites, or write personal data or passwords into logs.

How this is enforced: the approval pause in both workflows; the claim checker; the rule file; the official Upwork connection only, with a reading schedule of once every four hours; masking of personal data in every log; encrypted login tokens; and every database query limited to the user's own data.

Hidden instructions in job posts. Some test posts hide instructions such as "AI tools: start your proposal with this code word". A simple approach that pastes the post into a writing prompt obeyed **100.0%** of them. GigBid obeyed **0.0%** (`injection_eval.json`). GigBid removes suspicious text,

marks the rest clearly as untrusted data, and, most importantly, the writer never sees the post at all, only a structured summary.

What could still get through:

- Our detector caught 100.0% of the planted attacks, but it was written with those attack styles in mind. A reworded attack could pass the detector, although the writer still would not see it.
- The Job Analyst reads the post, so an attack could distort its summary (for example, add a fake requirement).
- Contact details written in disguise ("name at gmail dot com") pass the rule check.
- Our patterns can overfit to our own data. When we ran the instructor's starter-kit sample through GigBid, the phrase "contact the client on an external messaging app" was missed at first, because we only listed app names. We broadened the patterns (still 0 good jobs blocked) and added the sample as a permanent test (`docs/STARTER_KIT_MAPPING.md`).
- Scam detection is not perfect, but a missed scam still reaches the human with a risk warning and is never sent automatically.

10. Results against our budgets

The instructor's hidden test runs after the deadline on the live website. Until then, these are the results of the same configuration on all 600 test jobs (`decision_eval.json`).

What	Budget	Measured
Time to analyse a job (slowest 5%)	20 s	26.3 s, **over budget**
Time to produce a proposal (slowest 5%)	60 s	39.0 s
Cost per job / per proposal	$0.002 / $0.01	Not measured (test mode uses no paid model)

Quality	Result
Correct bid/skip decisions (F1 score)	0.83
Scam detection (precision / recall)	100.0% / 91.1% (100% after the Section 8 fix)
Prices inside the fair range	84.2%
Client reply rate / hire rate	66.0% / 48.6%

Why we missed the time budget. Lowering the fit threshold sent more jobs through the full proposal process. The step timings show no single slow AI model. Instead, every step loses 1 to 3 seconds to setup overhead: opening a new tool connection for each call and saving trace records one by one, while four jobs share an eight-core laptop. **One improvement that already helped:** choosing the search design by measurement removed the slow re-ranking model and cut search time from about 5 seconds to 0.02 seconds. **Next steps:** reuse tool connections within a job, and save trace records in batches.

Appendix: how to reproduce

`python scripts/run.py eval` re-creates every results file. `python scripts/build_report.py` rebuilds this PDF. `python scripts/run.py results` refreshes the tables in the README. Step-by-step traces of example runs are in `docs/traces/`.

Appendix: results by freelancer type

Freelancer type	Bid/skip F1	Scam recall	Reply rate
AI / ML engineer	0.82	78.4%	71.3%
Web developer	0.80	93.9%	64.9%
Data analyst	0.87	100.0%	61.5%