PHP String and String Functions

1. **Write a PHP script to put a string in an array, use the (var_dump) to view the array.**

   Sample Output: "Twinkle, twinkle, little star."
   Expected Result: array (4) {[0] => string (30) "Twinkle, " [1] => string (26) " twinkle," [2] => string (27) twinkle" [3] => string (26) " little star."}

2. **Write a PHP script to print the next letter of the inputted letter.**

   Sample Character: 'a'
   Expected Output: 'b'
   Sample Character: 'z' Expected
   Output: 'a'

3. **Write a PHP script to insert a string at the specified position in a given string.**

   Original String: 'The brown fox'
   Insert 'quick' between 'The' and 'brown'.
   Expected Output: 'The quick brown fox'
   18. Write a PHP script to get the first word of a sentence.
   Original String: 'The quick brown fox'
   Expected Output: 'The'

4. **Write a PHP script to remove zeroes from the given number.**

   Original String: '0000657022.24' Expected
   Output: '65722.24'

5. **Write a PHP script to remove trailing dashes from a string.**

   Original String: 'The quick brown fox jumps over the lazy dog---'
   Expected Output: 'The quick brown fox jumps over the lazy dog'

6. **Write a PHP script to select first 5 words from the following string.**

   Sample Output: 'The quick brown fox jumps over the lazy dog' Expected
   Output: 'The quick brown fox jumps'

Orange Restricted

7. Write a PHP script to remove comma(s) from the following numeric string.

Sample Output: '2,543.12'
Expected Output: 2543.12

LOOP

1. **Write a program to calculate and print the Fibonacci sequence using a for loop.**

   Fibonacci is a series of numbers where a number is the sum of previous two numbers. Starting with 0 and 1, the sequence goes 0, 1, 1, 2, 3, 5, 8, 13, 21, and so on.

   Expected Output: 0, 1, 1, 2, 3, 5, 8, 13, 21, …

2. **Write a PHP program to generate and display the first n lines of a Floyd triangle**

According to Wikipedia Floyd's triangle is a right-angled triangular array of natural numbers, used in computer science education. It is named after Robert Floyd. It is defined by filling the rows of the triangle with consecutive numbers, starting with a 1 in the top left corner:

Sample output:
1
2 3
4 5 6
7 8 9 10
11 12 13 14 15

3. **.Write a PHP program to print the following pattern.** Expected Output:

```
    A
   A B
  A B C
 A B C D
A B C D E
 A B C D
  A B C
   A B
    A
```

orange™ أكاديمية البرمجة
Coding Academy
powered by Simplon

Logical Statements and Operators

Duration: 5 Hour

1. **Write a PHP script to see if the specified year is a leap year or not.**

   Sample Input: 2013
   Sample Output: 'This year is not a leap year'

2. **Write a PHP script to check the season depending on the inserted temperature if the temperature is below 20, we are in winter otherwise the season is summer.**

   Sample Input: 27
   Sample Output: 'It is summertime!'

3. **Write a PHP script to calculate the sum of the two integers. If the two values are the same, then calculate the triple of their sum.**

   Sample Input: [firstInteger => 2 , secondInteger => 2]
   Sample Output: (2 + 2) * 3 = 12
   Sample Output: 'It is summertime!'

4. Write a PHP script which displays all the numbers between 200 and 250 that are divisible by 4.

   Expected Output: 200,204,208,212,216,220,224,228,232,236,240,244,248

5. Write a PHP script to generate unique random 10 numbers within a specific range.

Sample Input: (11, 20)
Sample Output: 17 16 13 20 14 19 18 15 11 12

–

Orange Restricted