Thank You

4. Conclusion

Creating a Tic Tac Toe game using HTML, CSS, and JavaScript is a great way to engage with web technologies. This project allows for learning about basic game mechanics and user interface design.

JavaScript Functionality

Key JavaScript functionalities include:

1. Event listeners: Handle clicks on the grid cells.
2. Function to check the winner after each move.
3. Logic to determine when the game is over.

CSS Styling

CSS will be used for:

1

Styling the grid and buttons.

2

Adding hover effects for better user experience.

3. Implementation

HTML Structure

The HTML structure consists of the following elements:

A container for the game board.

Buttons for resetting the game.



Game Logic

The game logic includes:

Player turns

Alternate between player X and O.

Win conditions

Check rows, columns, and diagonals.

Reset functionality

Restart the game after a win or draw.

2. Game Design

User Interface

1 Layout

A simple grid for the game board.

2 Style

Use CSS to enhance the visual appeal of the game.

1. Introduction

Tic Tac Toe is a classic game that can be implemented using web technologies such as HTML, CSS, and JavaScript. This document outlines the key components involved in creating the game.



CONTENTS

01
Introduction

02
Game Design

03
Implementation

04
Conclusion



Tic Tac Toe Game Development Using HTML, CSS, and JavaScript

Author: Zaid Anwar Khan
Created with Pi