

ID: W2606543205

TITLE: Inorganic carbon physiology underpins macroalgal responses to elevated CO<sub>2</sub>

AUTHOR: ['Christopher E. Cornwall', 'Andrew T. Revill', 'Jason M. Hall', 'Spencer', 'Marco Milazzo', 'John A. Raven', 'Catriona L. Hurd']

ABSTRACT:

Abstract Beneficial effects of CO<sub>2</sub> on photosynthetic organisms will be a key driver of ecosystem change under ocean acidification. Predicting the responses of macroalgal species to ocean acidification is complex, but we demonstrate that the response of assemblages to elevated CO<sub>2</sub> are correlated with inorganic carbon physiology. We assessed abundance patterns and a proxy for CO<sub>2</sub>:HCO<sub>3</sub><sup>-</sup> use (δ<sup>13</sup>C values) of macroalgae along a gradient of CO<sub>2</sub> at a volcanic seep, and examined how shifts in species abundance at other Mediterranean seeps are related to macroalgal inorganic carbon physiology. Five macroalgal species capable of using both HCO<sub>3</sub><sup>-</sup> and CO<sub>2</sub> had greater CO<sub>2</sub> use as concentrations increased. These species (and one unable to use HCO<sub>3</sub><sup>-</sup>) increased in abundance with elevated CO<sub>2</sub> whereas obligate calcifying species, and non-calcareous macroalgae whose CO<sub>2</sub> use did not increase consistently with concentration, declined in abundance. Physiological groupings provide a mechanistic understanding that will aid us in determining which species will benefit from ocean acidification and why.

SOURCE: Scientific reports

PDF URL: <https://www.nature.com/articles/srep46297.pdf>

CITED BY COUNT: 121

PUBLICATION YEAR: 2017

TYPE: article

CONCEPTS: ['Ocean acidification', 'Abundance (ecology)', 'Ecology', 'Total inorganic carbon', 'Ecophysiology', 'Biology', 'Ecosystem', 'Oceanography', 'Photosynthesis', 'Carbon dioxide', 'Botany', 'Climate change', 'Geology']